

Key to Diagnostic Excellence

East Legon Laboratory (Head Ofice)

Tel: 0302 610 480 Fax: 0302 306 746 www.mds-lancet.com

in partnership with Lancet Laboratories South Africa

ISO/IEC 15189 :2012 ACCREDITED LABORATORY

For Doctor MDS-LANCET LABORATORIES-EMAIL

27 MASERU STREET

EAST LEGON ACCRA

MEDICAL LABORATORY OR TORY

Other Doctors

Patient : MARGARETTE ABUGA Doctors Ref: NOT AVAILABLE Age/Sex/DOB: 58 / F / 19590602

Id Num : MA0244379750

Lab Ref : 706196668

MRI No. : GH01265776 Spec # : 1228:EA00073L

Guarantor : MRS M ABUGA

MedAid : CASH N Tel : 0244379750

(W) NOT AVAILABLE

Collection Date : 28/12/17 1128 Received Date : 28/12/17 1153

FINAL Report Date : 28/12/17 1600

Requested : ., U/E+CR, LFT, S-UA, LIPID PROFILE, THY PROF.NO Ab, MALARIA SCREEN ENDOCRINOLOGY

Test	Result Reference	
THYROTROPIN (TSH)-S	1.071 uIU/mL	
::::::::::::::::::::::::::::::::::::::	97.5 REFERENCE INTERVAL:	
:	4	
3	:	
:GENERAL POPULATION (MALES, AND NON	0.38 - 5.33 :	
:PREGNANT FEMALES, AGED 18-88)	;	
:	:	
: PREGNANT FEMALES		
:FIRST TRIMESTER	0.05 - 3.70 :	
:SECOND TRIMESTER	0.31 - 4.35 :	
:THIRD TRIMESTER	0.41 - 5.18 :	
PLEASE NOTE CHANGE IN REFERENCE RA		
S-FT3 (DIRECT)	6.0 pmol/L 3.5 - 7.8	
(c) and an experimental section (c) and a sectio	3.5 7.6	
Please note change in reference ra	nae	
S-FT4 (THYROXINE)	10.3 pmol/L 7.9 - 18.5	
REFERENCE RANGES FOR PR.		
::::::::::::::::::::::::::::::::::::::		
:1st Trimester : 6.67-14.12 pmol		
:2nd Trimester : 5.79-12.70 pmol/		
:3rd Trimester : 6.11-12.20 pmol		
***************************************	***************************************	
****** PLEASE NOTE, CHANGE IN RE	FERENCE RANGE *******	

** Continued on Next Page **