

Agent-based presentation generation.

A system view of intake, routing, native output, quality gates, and the security boundary around autonomous execution.

DIAGRAM COUNT

04

All relationships are native PPTX shapes.

One task context coordinates every downstream decision.




ONE CONTEXT · ONE LOOP · ONE GATE CHAIN

Autonomy is a bounded loop with explicit recovery.


01 / PLAN Select the smallest sufficient route. Experience and current evidence shape the plan.	02 / EXECUTE Produce the artifact. Keep the output native where editability matters.
03 / VERIFY Check the result. Targeted, integration, and final verification.	04 / RECOVER Repair, fallback, or escalate. Never loop without a repair budget.

The registry knows more than “what is installed.”



Primary → fallback 1 → fallback 2. Health, reliability, latency, and risk are routing inputs.

Structured input should survive every boundary.



Quality is a sequence of gates, not a single green check.

01 Structure

Package opens; page count and object types are present.

02 Visual

Every page is rendered and inspected for overflow, collision, contrast, and rhythm.

03 Data

Charts and tables match the exact-data manifest.

04 Delivery

Links, outputs, security, and scope are clean before publication.

Automation stays inside an explicit trust boundary.

INSIDE THE RUN

A

Local source files

Read and write only within the authorized repository scope.

B

Bounded tools

Use verified capabilities with health and fallback state.

C

Evidence buffer

Record decisions, commands, failures, and tests once.

HUMAN BOUNDARY

1

Production publish

No silent irreversible external action.

2

Paid resource

No purchase or quota commitment.

3

Identity / OAuth

User completes account-level authorization.

Interruption should cost time, not context.



Stale state is reconciled, never blindly replayed.

Autonomous does not mean unbounded.

01

Experience before exploration.

Reuse proven paths; reject known-bad ones.

02

Evidence before assertion.

Verify the artifact, not just the tool response.

03

Exception before interruption.

Escalate only when the boundary is real.

One registry · one execution loop · one quality gate chain.