

고용노동부	물질안전보건자료 (Material Safety Data Sheet)	산업재해예방 안전보건공단
-------	--	------------------

AA04650-0000000160

※ MSDS 번호를 반영하여 사용하시기를 바랍니다.

1. 화학제품과 회사에 관한 정보

- 가. 제품명
퍼펙트프라이머
- 나. 제품의 권고 용도와 사용상의 제한
권고 용도
기타(비흡수면 프라이머)
사용상의 제한
권고 용도외 사용금지
- 다. 공급자 정보(수입품의 경우 긴급 연락 가능한 국내 공급자 정보 기재)
구분
제조사
회사명
(주)쌍곰
주소
(12783) 경기 광주시 광남안로 61 (태전동) 316,320번지
긴급전화번호
0222713032
- 라. 제조사 / 공급자 추가 정보
자료없음

2. 유해성·위험성

- 가. 유해성·위험성 분류
피부 부식성/피부 자극성 : 구분 2
심한 눈 손상성/눈 자극성 : 구분 2B
- 나. 예방조치 문구를 포함한 경고 표지 항목

그림문자



신호어
경고

유해·위험 문구
H315 : 피부에 자극을 일으킴
H320 : 눈에 자극을 일으킴

예방조치 문구
저장
NONE03 : 해당없음
폐기
NONE04 : 해당없음
예방
P264 : 취급 후에는 접촉부위를 철저히 씻으시오.
P280 : 보호장갑/보호의/보안경/안면보호구를(을) 착용하시오.

예 방 조 치 문 구 대 응

P302+P352 : 피부에 묻으면: 다량의 물로 씻으시오.

P305+P351+P338 : 눈에 묻으면: 몇 분간 물로 조심해서 씻으시오. 가능하면 콘택트렌즈를 제거하십시오. 계속 씻으시오.

P321 : 응급처치를 하시오.

P332+P313 : 피부 자극이 나타나면: 의학적인 조치/조언을 받으시오.

P337+P313 : 눈에 자극이 지속되면: 의학적인 조치/조언을 받으시오.

P362+P364 : 오염된 의류를 벗고 다시 사용 전 세척하십시오.

다. 유해성 · 위험성 분류기준에 포함되지 않는 기타 유해성 · 위험성(예: 분진폭발 위험성)

자 료 없 음

3. 구성성분의 명칭 및 함유량

화 학 물 질 명	관 용 명 및 이 명	CAS번호 또는 식별번호		함 유 량 (%)	
		CAS 번호	식 별 번 호	범 위	단 일
2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음	25951-39-7	자료없음	5-8	자료없음
2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음	25750-06-5	자료없음	12-18	자료없음
Water	자료없음	7732-18-5	자료없음	35-40	자료없음
Dolomite	자료없음	16389-88-1	자료없음	30-35	자료없음
Lime stone	자료없음	1317-65-3	자료없음	5-8	자료없음

4. 응급조치 요령

가. 눈에 들어갔을 때

즉시 의료조치를 취하십시오

물질과 접촉시 즉시 20분 이상 흐르는 물에 눈을 씻어내시오

나. 피부에 접촉했을 때

피부에 묻은 경우 즉시 제거하십시오

재사용 전에는 옷과 신발을 완전히 씻어내시오

물질과 접촉시 즉시 20분 이상 흐르는 물에 피부를 씻어내시오

나. 피부에 접촉했을 때

즉시 의료조치를 취하십시오

경미한 피부 접촉 시 오염부위 확산을 방지하십시오

다. 흡입했을 때

긴급 의료조치를 받으시오

신선한 공기가 있는 곳으로 옮기시오

호흡하지 않는 경우 인공호흡을 실시하십시오

라. 먹었을 때

의식이 없는 사람에게 입으로 아무것도 먹이지 마시오

긴급 의료조치를 받으시오

마. 기타 의사의 주의사항

의료인력이 해당물질에 대해 인지하고 보호조치를 취하도록 하시오

5. 폭발·화재시 대처방법

가. 적절한 (및 부적절한) 소화제

비인화성 물질이므로 해당없음

나. 화학물질로부터 생기는 특정 유해성(예, 연소 시 발생 유해물질)

비인화성, 물질 자체는 타지 않으나 가열시 분해하여 부식성/독성 흡을 발생할 수 있음

다. 화재 진압 시 착용할 보호구 및 예방조치

해당없음

6. 누출 사고 시 대처방법

가. 인체를 보호하기 위해 필요한 조치 사항 및 보호구

엎질러진 것을 즉시 닦아내고, 보호구 항의 예방조치를 따르시오.

오염지역을 환기하십시오

위험하지 않다면 누출을 멈추시오

나. 환경을 보호하기 위해 필요한 조치사항

수로, 하수구, 지하실, 밀폐공간으로의 유입을 방지하십시오

다. 정화 또는 제거 방법

불활성 물질(예를 들어 건조한 모래 또는 흙)로 엎지른 것을 흡수하고, 화학폐기물 용기에 넣으시오.

건조모래/흙, 기타 비가연성 물질로 덮거나 흡수한 후 용기에 옮기시오

7. 취급 및 저장 방법

가. 안전 취급 요령

장기간 또는 지속적인 피부접촉을 막으시오.

취급/저장에 주의하여 사용하시오.

공학적 관리 및 개인보호구를 참조하여 작업하시오

나. 안전한 저장 방법(피해야 할 조건을 포함함)

밀폐하여 보관하시오

서늘하고 건조한 장소에 저장하시오

8. 노출방지 및 개인보호구

가. 화학물질의 노출기준, 생물학적 노출기준 등

국내 규정	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate - TWA : 자료없음 , STEL : 자료없음
	2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate - TWA : 자료없음 , STEL : 자료없음
	Water - TWA : 자료없음 , STEL : 자료없음
ACGIH 규정	Dolomite - TWA : 자료없음 , STEL : 자료없음
	Lime stone - TWA : 자료없음 , STEL : 자료없음
	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate - TWA : 자료없음 , STEL : 자료없음
	2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate - TWA : 자료없음 , STEL : 자료없음
	Water - TWA : 자료없음 , STEL : 자료없음
	Dolomite - TWA : 자료없음 , STEL : 자료없음
생물학적 노출기준	Lime stone - TWA : 10 mg/m3 , STEL : 자료없음
	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate - 자료없음
	2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate - 자료없음
	Water - 자료없음
	Dolomite - 자료없음
기타 노출기준	Lime stone - 자료없음
	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate - 자료없음
	2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate - 자료없음
	Water - 자료없음

기 타 노 출 기 준 Dolomite - 자료없음
 Lime stone - 자료없음

나. 적절한 공학적 관리

공정격리, 국소배기를 사용하거나 공기수준을 노출기준 이하로 유지하시오

다. 개인보호구

호흡기 보호 노출되는 물질의 물리화학적 특성에 맞는 한국산업안전보건공단의 인증을 필한 호흡용
 보호구를 착용하시오

눈 보호 화학물질 방어용 안경과 보안면을 사용하시오

 작업장 가까운 곳에 세안설비와 비상샤워시설을 설치하시오

손 보호 적합한 내화학성 장갑을 착용하시오

신체 보호 적합한 내화학성 보호의를 착용하시오

9. 물리화학적 특성

제 품 특 성

구 분		내 용
가. 외관(물리적 상태, 색 등)	성상	액체
	색상	회색
나. 냄새		제품특유의 냄새
다. 냄새역치		자료없음
라. pH		8 ~ 9
마. 녹는점/어는점		0℃ (물과 유사)
바. 초기 끓는점과 끓는점 범위		자료없음
사. 인화점		해당없음
아. 증발속도		자료없음
자. 인화성(고체, 기체)		자료없음
차. 인화 또는 폭발 범위의 상한/ 하한		자료없음
카. 증기압		자료없음
타. 용해도		자료없음
파. 증기밀도		자료없음
하. 비중		1.4 ~1. 6
거. n-옥탄올/물분배계수		자료없음
너. 자연발화온도		해당없음

제 품 특 성

구 분	내 용
더. 분해온도	자료없음
러. 점도	23000 ~ 27000 cps
머. 분자량	자료없음

구 성 성 분 별 특 성

구 성 성 분	구 분		내 용
2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	가. 외관(물 리적 상태, 색 등)	성상	액체
		색상	유백색
	나. 냄새		없음
	다. 냄새역치		자료없음
	라. pH		8±1
	마. 녹는점/어는점		0℃(물과 유사)
	바. 초기 끓는점과 끓는점 범위		100℃(물과 유사)
	사. 인화점		해당없음
	아. 증발속도		자료없음
	자. 인화성(고체, 기체)		해당없음
	차. 인화 또는 폭발 범위 의 상한/하한		해당없음
	카. 증기압		약 23 hPa (25℃) (물과 유사)
	타. 용해도		물에 무한대로 희석됨
	파. 증기밀도		자료없음
	하. 비중		1.05
	거. n-옥탄올/물분배계수		자료없음
	너. 자연발화온도		해당없음
2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl	더. 분해온도		자료없음

구 성 성 분 별 특 성

구 성 성 분	구 분		내 용
2-propenoate and methyl 2-methyl-2-propenoate	더. 분해온도		
2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	러. 점도		100 cps 이하
	머. 분자량		자료없음
2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	가. 외관(물리적 상태, 색 등)	정상	액체
		색상	유백색
	나. 냄새		약한 식초 냄새
	다. 냄새역치		자료없음
	라. pH		6.5~8.5
	마. 녹는점/어는점		자료없음
	바. 초기 끓는점과 끓는점 범위		자료없음
	사. 인화점		자료없음
	아. 증발속도		자료없음
	자. 인화성(고체, 기체)		자료없음
	차. 인화 또는 폭발 범위의 상한/하한		자료없음
	카. 증기압		자료없음
	타. 용해도		0.014 g/l (20 ° C, 1,013 hPa)
	파. 증기밀도		자료없음
	하. 비중		0.9~1.1
	거. n-옥탄올/물분배계수		자료없음
	너. 자연발화온도		자료없음
	더. 분해온도		자료없음
2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl	러. 점도		1,000~2,000 cps (25℃)

구 성 성 분 별 특 성

구 성 성 분	구 분		내 용
2-propenoate	러. 점도		
2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	머. 분자량		자료없음
Water	가. 외관(물 리적 상태, 색 등)	성상	액체
		색상	무색(투명)
	나. 냄새		무취
	다. 냄새역치		자료없음
	라. pH		7
	마. 녹는점/어는점		0 ° C
	바. 초기 끓는점과 끓는점 범위		100℃
	사. 인화점		해당없음
	아. 증발속도		자료없음
	자. 인화성(고체, 기체)		해당없음
	차. 인화 또는 폭발 범위 의 상한/하한		해당없음
	카. 증기압		23 mmHg (25℃)
	타. 용해도		100g/100ml
	파. 증기밀도		자료없음
	하. 비중		1
	거. n-옥탄올/물분배계수		-1.38
	너. 자연발화온도		자료없음
	더. 분해온도		자료없음
	러. 점도		자료없음
	머. 분자량		18.02
Dolomite	가. 외관(물 리적 상태, 색 등)	성상	고체(분말)
		색상	흰색

구 성 성 분 별 특 성

구 성 성 분	구 분		내 용
Dolomite	나. 냄새		없음
	다. 냄새역치		해당없음
	라. pH		해당안됨
	마. 녹는점/어는점		없음
	바. 초기 끓는점과 끓는점 범위		해당 안됨
	사. 인화점		자료없음
	아. 증발속도		자료없음
	자. 인화성(고체, 기체)		자료없음
	차. 인화 또는 폭발 범위의 상한/하한		자료없음
	카. 증기압		해당없음
	타. 용해도		용매 가용성 : 가용성 ; 산 / 매우 약한 용해성 : 희석 염산
	파. 증기밀도		자료없음
	하. 비중		2.80-2.99 (=1)
	거. n-옥탄올/물분배계수		자료없음
	너. 자연발화온도		자료없음
	더. 분해온도		자료없음
	러. 점도		자료없음
	머. 분자량		자료없음
Lime stone	가. 외관(물리적 상태, 색 등)	성상	고체(분말)
		색상	흰색
	나. 냄새		제품특유의 냄새
	다. 냄새역치		해당없음
	라. pH		8.5 - 9.5 (20 ° C)
	마. 녹는점/어는점		녹는점 > 800 ° C (1,013 hPa) 분해 : 녹는점 이하에서 분해됨.
	바. 초기 끓는점과 끓는점 범위		분해 : 끓는점 이하에서 분해됨
	사. 인화점		비연소성
	아. 증발속도		자료없음

구 성 성 분 별 특 성

구 성 성 분	구 분	내 용
Lime stone	자. 인화성(고체, 기체)	자료없음
	차. 인화 또는 폭발 범위의 상한/하한	자료없음
	카. 증기압	자료없음
	타. 용해도	0.014 g/l (20 ° C, 1,013 hPa)
	파. 증기밀도	자료없음
	하. 비중	자료없음
	거. n-옥탄올/물분배계수	자료없음
	너. 자연발화온도	자료없음
	더. 분해온도	자료없음
	러. 점도	자료없음
	머. 분자량	자료없음

10. 안정성 및 반응성

- 가. 화학적 안정성 및 유해 반응의 가능성
 - 상온에서 안정함
 - 비인화성, 물질 자체는 타지 않으나 가열시 유독한 가스를 발생할 수 있음
- 나. 피해야 할 조건(정전기 방전, 충격, 진동 등)
 - 고온(40℃이상)이나 한냉(0℃이하)
- 다. 피해야 할 물질
 - 강산, 강염기
- 라. 분해시 생성되는 유해물질
 - 타는 동안 열분해 또는 연소에 의해 자극적이고 매우 유독한 가스가 발생될 수 있음

11. 독성에 관한 정보

가. 가능성이 높은 노출 경로에 관한 정보

제품	자료없음
2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl	자료없음

가. 가능성이 높은 노출 경로에 관한 정보

2-methyl-2-propenoate	
2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
Water	자료없음
Dolomite	폐 이상, 명정증상, 신장이상
Lime stone	자료없음

나. 건강 유해성 정보

급 성 독 성	경 구	제품	자료없음
		2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
		2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
		Water	LD50 90000mg/kg Rat (LD50 > 90ml/kg Rat)
		Dolomite	자료없음
		Lime stone	LD50 경구 (쥐): > 5,000 mg/kg
	경 피	제품	자료없음
		2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
		2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음

나. 건강 유해성 정보

급 성 독 성	경 피	Water	자료없음
		Dolomite	자료없음
		Lime stone	자료없음
	흡 입	제 품	자료없음
		2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
		2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
		Water	자료없음
		Dolomite	자료없음
		Lime stone	자료없음
피부부식성 또는 자극성		제 품	자료없음
		2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
		2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
		Water	자료없음
		Dolomite	자료없음
		Lime stone	자료없음
심한 눈손상 또는 자극성		제 품	자료없음
		2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl	자료없음

심한 눈손상 또는 자극성		2-methyl-2-propenoate	
		2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
		Water	자료없음
		Dolomite	가벼운 자극 있음
		Lime stone	자료없음
호흡기과민성		제품	자료없음
		2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
		2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
		Water	자료없음
		Dolomite	자료없음
		Lime stone	자료없음
피부과민성		제품	자료없음
		2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
		2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
		Water	자료없음
		Dolomite	사람을 이용한 피부과민성반응시험을 하였을때 과민성반응이 없음
		Lime stone	자료없음
발암성	IARC	제품	자료없음

발 암 성	IARC	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
		2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
		Water	자료없음
		Dolomite	자료없음
		Lime stone	분류되지 않음
	NTP	제품	자료없음
		2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
		2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
		Water	자료없음
		Dolomite	자료없음
		Lime stone	분류되지 않음
	OSHA	제품	자료없음
		2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
		2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
		Water	자료없음

발 압 성	OSHA	Dolomite	자료없음
		Lime stone	분류되지 않음
	ACGIH	제품	자료없음
		2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
		2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
		Water	자료없음
		Dolomite	자료없음
		Lime stone	분류되지 않음
	산업안전보건법	제품	자료없음
		2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
		2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
		Water	자료없음
		Dolomite	자료없음
		Lime stone	분류되지 않음
	고용노동부 고시	제품	자료없음
		2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
		2-Propenoic acid, 2-methyl-, methyl	자료없음

발 암 성	고용노동부 고시	ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	
		Water	자료없음
		Dolomite	자료없음
		Lime stone	분류되지 않음
	EU CLP	제품	자료없음
		2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
		2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
		Water	자료없음
		Dolomite	자료없음
		Lime stone	분류되지 않음
생식세포변이원성		제품	자료없음
		2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
		2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
		Water	자료없음
		Dolomite	자료없음
		Lime stone	자료없음
생식독성		제품	자료없음
		2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl	자료없음

생식독성	2-propenoate and methyl 2-methyl-2-propenoate	
	2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
	Water	자료없음
	Dolomite	자료없음
	Lime stone	분류되지 않음
특정 표적장기 독성 (1회 노출)	제품	자료없음
	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
	2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
	Water	자료없음
	Dolomite	자료없음
특정 표적장기 독성 (반복 노출)	Lime stone	자료없음
	제품	자료없음
	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
	2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
	Water	자료없음
특정 표적장기 독성 (반복 노출)	Dolomite	자료없음
	Lime stone	자료없음

흡인유해성	제품	자료없음
	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
	2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
	Water	자료없음
	Dolomite	자료없음
	Lime stone	자료없음

12. 환경에 미치는 영향

가. 생태독성

어류	제품	자료없음
	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
	2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
	Water	자료없음
	Dolomite	자료없음
	Lime stone	LC50 (Oncorhynchus mykiss (무지개송어)): > 10,000 mg/l 노출시간: 96 h
갑각류	제품	자료없음
	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
	2-Propenoic acid, 2-methyl-, methyl ester, polymer with	자료없음

가. 생태 독 성

갑각류	ethenylbenzene and 2-ethylhexyl 2-propenoate	
	Water	자료없음
	Dolomite	자료없음
	Lime stone	자료없음
조류	제품	자료없음
	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
	2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
	Water	자료없음
	Dolomite	자료없음
	Lime stone	EC50 (Desmodesmus subspicatus (녹조류)): 289 mg/l 노출시간: 72 h

나. 잔류성 및 분해성

잔류성	제품	자료없음
	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
	2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
	Water	-1.38 log Kow ()
	Dolomite	자료없음
	Lime stone	해당없음

나. 잔류성 및 분해성

분해성	제품	자료없음
	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
	2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
	Water	자료없음
	Dolomite	자료없음
	Lime stone	해당없음

다. 생물 농축성

농축성	제품	자료없음
	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
	2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
	Water	자료없음
	Dolomite	자료없음
	Lime stone	해당없음
생분해성	제품	자료없음
	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
	2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and	자료없음

다. 생물 농 축 성

생분해성	2-ethylhexyl 2-propenoate	
	Water	자료없음
	Dolomite	자료없음
	Lime stone	해당없음

라. 토양 이동성

제품	자료없음
2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
Water	자료없음
Dolomite	자료없음
Lime stone	자료없음

마. 기타 유해 영향

제품	자료없음
2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	자료없음
2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene and 2-ethylhexyl 2-propenoate	자료없음
Water	자료없음

마. 기타 유해 영향

Dolomite	자료없음
Lime stone	PBT 및 vPvB 평가결과 : PBT 물질로 분류되지 않음 vPvB 물질로 분류되지 않음

13. 폐기시 주의사항

가. 폐기방법

폐기물관리법에 명시된 경우 규정에 따라 내용물 및 용기를 폐기하시오

나. 폐기시 주의사항(오염된 용기 및 포장의 폐기 방법을 포함함)

(관련법규에 명시된 내용에 따라) 내용물 및 용기를 폐기하시오 하수구 또는 하천등으로 유출 시키지 말 것

14. 운송에 필요한 정보

가. 유엔번호

자료없음

나. 유엔 적정 선적명

자료없음

자료없음

다. 운송에서의 위험성 등급

자료없음

라. 용기등급(해당하는 경우)

마. 해양오염물질(해당 또는 비해당으로 표기)

선택

바. 사용자가 운송 또는 운송 수단에 관련해 알 필요가 있거나 필요한 특별한 안전대책

화재 시 비상조치

자료없음

유출 시 비상조치

유출시 하천, 강, 바다로 유입을 막는다

15. 법적 규제현황

가. 산업안전보건법에 의한 규제

노출기준설정대상물질 (Lime stone)

가. 산업안전보건법에 의한 규제

특수건강진단물질 (Lime stone)

작업환경측정대상물질 (Lime stone)

나. 화학물질관리법에 의한 규제

자료 없음

다. 위험물안전관리법에 의한 규제

해당 없음

라. 폐기물관리법에 의한 규제

자료 없음

마. 기타 국내 및 외국법에 의한 규제

국내 규제 자료 없음

국외 규제 자료 없음

16. 그 밖의 참고 사항

가. 자료의 출처

작성된 물질안전보건자료는 한국산업안전보건공단에서 제공한 MSDS를 참고하여 편집, 일부 수정한 자료입니다.

각 원료업체로부터 접수한 원료 MSDS를 바탕으로 작성된 자료입니다.

나. 최초작성일

2023-12-21

다. 개정 횟수 및 최종 개정일자

개정 횟수 : 1 회 최종 개정 일자 : 2026-01-12

라. 기타

자료없음