



# Spring 관통 프로젝트 PJT6 SSAFIT Project 결과 보고서

기수_지역_반	10기_서울_8반
구성원	권재현 이승연
제출일	2023.10.28

## - Swagger 전체 화면



## - 리뷰 컨트롤러



- 전체 게시물 조회

리뷰 컨트롤러
Review Rest Controller

GET
/api/review 전체 게시물 조회

모든 게시글을 조회한다.

Parameters
Cancel

No parameters

Execute
Clear

Responses
Response content type \*/\*

Curl
curl -X GET "http://localhost:8080/api/review" -H "accept: \*/\*"

Request URL
http://localhost:8080/api/review

Server response

Code
Details

200
Response body
[
{
"videoid": 1,
"reviewid": 1,
"writer": "미승연",
"content": "재미있어요~"
},
{
"videoid": 1,
"reviewid": 2,
"writer": "미승연",
"content": "화이팅"
},
{
"videoid": 2,
"reviewid": 3,
"writer": "미승연",
"content": "간강제발"
},
{
"videoid": 3,
"reviewid": 4,
"writer": "미승연",
"content": "멋있다"
},
{
"videoid": 4,
"reviewid": 5,
}
]
Download

Response headers
connection: keep-alive
content-type: application/json
date: Sun29 Oct 2023 11:32:13 GMT
keep-alive: timeout=60
transfer-encoding: chunked
vary: OriginAccess-Control-Request-MethodAccess-Control-Request-Headers

- 새 게시글 등록

POST

/api/review 게시글 등록

새로운 게시글을 작성한 뒤 등록한다.

Parameters

Cancel

Name	Description
content string (query)	새 게시글 등록
reviewId integer(\$int32) (query)	0
videoId integer(\$int32) (query)	3
writer string (query)	권재현

Execute

Clear

Responses

Response content type \*/\*

Curl

```
curl -X POST "http://localhost:8080/api/review?content=%EC%83%88%20%EA%B2%8C%EC%88%9C%EA%B8%80%20%EB%93%B1%EB%A1%9D&reviewId=0&videoId=3&writer=%EA%B6%8C%EC%9E%AC%ED%98%B4" -H "accept: */*" -d ""
```

Request URL

```
http://localhost:8080/api/review?content=%EC%83%88%20%EA%B2%8C%EC%88%9C%EA%B8%80%20%EB%93%B1%EB%A1%9D&reviewId=0&videoId=3&writer=%EA%B6%8C%EC%9E%AC%ED%98%B4
```

Server response

Code	Details
201	<div>Response body</div> <pre>{   "videoId": 3,   "reviewId": 0,   "writer": "권재현",   "content": "새 게시글 등록" }</pre> <div>Download</div> <div>Response headers</div> <pre>connection: keep-alive content-type: application/json date: Sun29 Oct 2023 11:34:39 GMT keep-alive: timeout=60 transfer-encoding: chunked vary: OriginAccess-Control-Request-MethodAccess-Control-Request-Headers</pre>

	reviewId	videoId	writer	content
▶	1	1	이승연	재미있어요~
	2	1	이승연	확이팅
	3	2	이승연	건강제일
	4	3	이승연	멋있다
	5	4	이승연	몸짱
	7	4	권재현	실험 중
	8	3	권재현	새 게시글 등록
✱	NULL	NULL	NULL	NULL

## - 동영상 별 게시물 조회

GET
/api/review/{id}
동영상 별 게시물 조회

특정 동영상에 달린 모든 게시글을 조회한다.

Parameters
Cancel

Name	Description
id <small>* required</small>	integer(\$int32)id (path)

4

Execute
Clear

Responses
Response content type \*/\*

Curl
curl -X GET "http://localhost:8080/api/review/4" -H "accept: \*/\*"

Request URL
http://localhost:8080/api/review/4

Server response

Code	Details
200	<div> Response body <pre> [   {     "videoid": 4,     "reviewid": 5,     "writer": "미승연",     "content": "몸짱"   },   {     "videoid": 4,     "reviewid": 7,     "writer": "권재현",     "content": "살찐 중"   } ]</pre> Download </div> <div> Response headers <pre> connection: keep-alive content-type: application/json date: Sun29 Oct 2023 11:36:13 GMT keep-alive: timeout=60 transfer-encoding: chunked vary: OriginAccess-Control-Request-MethodAccess-Control-Request-Headers </pre> </div>

## - 게시물 삭제

**DELETE** /api/review/{id} 게시물 삭제

특정 게시글을 삭제한다.

Parameters
 Cancel

Name	Description
id * required	
integer(\$int32)id	
(path)	
	7

Execute
 Clear

Responses
 Response content type \*/\*

Curl

```
curl -X DELETE "http://localhost:8080/api/review/7" -H "accept: */*"
```

Request URL

```
http://localhost:8080/api/review/7
```

Server response

Code	Details
200	Response headers <pre> connection: keep-alive content-length: 0 date: Sun29 Oct 2023 11:37:24 GMT keep-alive: timeout=60 vary: OriginAccess-Control-Request-MethodAccess-Control-Request-Headers                     </pre>

	reviewId	videoId	writer	content
▶	1	1	이승연	재미있어요~
	2	1	이승연	화이팅
	3	2	이승연	건강제일
	4	3	이승연	멋있다
	5	4	이승연	몸짱
	8	3	권재현	새 게시물 등록
★	NULL	NULL	NULL	NULL

## - 게시물 수정

**PATCH** /api/review/edit/{id}/{content} 게시물 수정

특정 게시글을 수정한다.

Parameters
 Cancel

Name	Description
<b>content</b> <small>* required</small> string <small>(path)</small>	content <input type="text" value="게시글 수정"/>
<b>id</b> <small>* required</small> integer(\$int32) <small>(path)</small>	id <input type="text" value="8"/>

Execute
Clear

Responses
 Response content type \*/\*

Curl
 

```
curl -X PATCH "http://localhost:8080/api/review/edit/8/XEAXB2X8CECX8BXC9CX8BX80X20XECX88X98XECXA0X95" -H "accept: */*"
```

Request URL
 

```
http://localhost:8080/api/review/edit/8/XEAXB2X8CECX8BXC9CX8BX80X20XECX88X98XECXA0X95
```

Server response
 

Code	Details
201	Response headers <pre> connection: keep-alive content-length: 0 date: Sun29 Oct 2023 11:57:10 GMT keep-alive: timeout=60 vary: OriginAccess-Control-Request-MethodAccess-Control-Request-Headers                     </pre>

	reviewId	videoId	writer	content
▶	1	1	이승연	재미있어요~
	2	1	이승연	화이팅
	3	2	이승연	건강제일
	4	3	이승연	멋있다
	5	4	이승연	몸짱
	8	3	권재현	게시글 수정
✱	NULL	NULL	NULL	NULL

## - 비디오 컨트롤러

**비디오 컨트롤러** Video Rest Controller

**GET** /api/video 비디오 조회

**GET** /api/video/{id} detail

## - 비디오 조회(전체 비디오)

비디오 컨트롤러

Video Rest Controller

GET

/api/video

비디오 조회

검색조건도 넣으면 같이 가져온다.

Parameters

Cancel

Name	Description
key string (query)	key
orderBy string (query)	orderBy
orderByDir string (query)	orderByDir
word string (query)	word

Execute

Clear

Responses

Response content type

\*/\*

Curl

curl -X GET "http://localhost:8080/api/video" -H "accept: \*/\*"

Request URL

http://localhost:8080/api/video

Server response

Code

Details

200

Response body

```
{
  "id": 1,
  "title": "전신 운동 1",
  "fitPartName": "전신",
  "youtubeId": "asdawdsd",
  "channelName": "THANKYOU",
  "viewCnt": 1
},
{
  "id": 2,
  "title": "전신 운동 2",
  "fitPartName": "전신",
  "youtubeId": "asdaqwds",
  "channelName": "THANKYOU",
  "viewCnt": 0
},
{
  "id": 3,
  "title": "복부 운동 1",
  "fitPartName": "복부",
  "youtubeId": "asadsasqd",
  "channelName": "AMUGEONA",
  "viewCnt": 1
},
{
  "id": 4,
  "title": "하체 운동 1",
  "fitPartName": "하체",
  "youtubeId": "asqdsasd",
  "channelName": "PEACEMAN",
  "viewCnt": 0
}

```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Sun29 Oct 2023 11:59:25 GMT
keep-alive: timeout=60
transfer-encoding: chunked
vary: OriginAccess-Control-Request-MethodAccess-Control-Request-Headers

```

	id	youtubeId	channelName	title	fitPartName	viewCnt
▶	1	asdawdsd	THANKYOU	전신 운동 1	전신	1
	2	asdaqwds	THANKYOU	전신 운동 2	전신	0
	3	asadsasqd	AMUGEONA	복부 운동 1	복부	1
	4	asqdsasd	PEACEMAN	하체 운동 1	하체	0
	5	asdaqwdsd	OURWORLD	상체 운동 1	상체	0
⚙	NULL	NULL	NULL	NULL	NULL	NULL



## - 비디오 조회(조건 검색)

GET /api/video 비디오 조회

검색조건도 넣으면 같이 가져온다.

Parameters
Cancel

Name	Description
key string (query)	fitPartName
orderBy string (query)	orderBy
orderByDir string (query)	orderByDir
word string (query)	전신

Execute
Clear

Responses
Response content type \*/\*

Curl

```
curl -X GET "http://localhost:8080/api/video?key=fitPartName&word=전신" -H "accept: */*"
```

Request URL

```
http://localhost:8080/api/video?key=fitPartName&word=전신
```

Server response

Code Details

200
Response body

```
{
  "id": 1,
  "title": "전신 운동 1",
  "fitPartName": "전신",
  "youtubeId": "as8awdsd",
  "channelName": "THANKYOU",
  "viewCnt": 1
},
{
  "id": 2,
  "title": "전신 운동 2",
  "fitPartName": "전신",
  "youtubeId": "as8awdsd",
  "channelName": "THANKYOU",
  "viewCnt": 0
}
]
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Sun29 Oct 2023 12:02:05 GMT
keep-alive: timeout=60
transfer-encoding: chunked
vary: OriginAccess-Control-Request-MethodAccess-Control-Request-Headers
```

- 비디오 상세조회(id로 검색)

POST

/api/login login

Parameters

Cancel

Name	Description
creationTime integer(\$int64) (query)	<input type="text" value="creationTime"/>
id string (query)	<input type="text" value="ssafy3"/>
lastAccessedTime integer(\$int64) (query)	<input type="text" value="lastAccessedTime"/>
maxInactiveInterval integer(\$int32) (query)	<input type="text" value="maxInactiveInterval"/>
new boolean (query)	<input type="text" value="--"/>
password string (query)	<input type="text" value="ssafy3"/>
valueNames array[string] (query)	<div>Add item</div>

Execute

Clear

Responses

Response content type \*/\*

Curl

curl -X POST "http://localhost:8080/api/login?id=ssafy3&password=ssafy3" -H "accept: \*/\*" -d ""

Request URL

http://localhost:8080/api/login?id=ssafy3&password=ssafy3

Server response

Code

Details

401

Error:

Response headers

```

connection: keep-alive
content-length: 0
date: Sun29 Oct 2023 12:05:49 GMT
keep-alive: timeout=60
vary: OriginAccess-Control-Request-MethodAccess-Control-Request-Headers

```

## - 유저 컨트롤러

유저 컨트롤러

User Rest Controller

POST

/api/login

login

GET

/api/logout

logout

POST

/api/signup

signup

## - 로그인

POST

/api/login

login

Parameters

Cancel

Name	Description
creationTime integer(\$int64) (query)	creationTime
id string (query)	ssafy
lastAccessedTime integer(\$int64) (query)	lastAccessedTime
maxInactiveInterval integer(\$int32) (query)	maxInactiveInterval
new boolean (query)	--
password string (query)	ssafy
valueNames array[string] (query)	Add item

Execute

Clear

Responses

Response content type \*/\*

Curl

curl -X POST "http://localhost:8080/api/login?id=ssafy&password=ssafy" -H "accept: \*/\*" -d ""

Request URL

http://localhost:8080/api/login?id=ssafy&password=ssafy

Server response

Code

Details

200

Response body

ssafy

Download

Response headers

connection: keep-alive  
 content-length: 5  
 content-type: text/plain; charset=ISO-8859-1  
 date: Sun 29 Oct 2023 12:07:17 GMT  
 keep-alive: timeout=60  
 vary: OriginAccess-Control-Request-MethodAccess-Control-Request-Headers

	id	password
▶	ssafy	ssafy
	ssafy2	ssafy2
✱	NULL	NULL

— 로그아웃

GET /api/logout logout

Parameters
Cancel

Name	Description
creationTime integer(int64) (query)	creationTime
id string (query)	id
lastAccessedTime integer(int64) (query)	lastAccessedTime
maxInactiveInterval integer(int32) (query)	maxInactiveInterval
new boolean (query)	--
valueNames array[string] (query)	Add item

Execute
Clear

Responses
Response content type \*/\*

Curl

```
curl -X GET "http://localhost:8080/api/logout" -H "accept: */*"

```

Request URL

```
http://localhost:8080/api/logout

```

Server response

- 회원가입

POST

/api/signup\_signup

Parameters

Cancel

Name	Description
id string (query)	ssafy3
password string (query)	ssafy3

Execute

Clear

Responses

Response content type \*/\*

Curl

curl -X POST "http://localhost:8080/api/signup?id=ssafy3&password=ssafy3" -H "accept: \*/\*" -d ""

Request URL

http://localhost:8080/api/signup?id=ssafy3&password=ssafy3

Server response

Code

Details

201

Response body

```
{
  "id": "ssafy3",
  "password": "ssafy3"
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Sun29 Oct 2023 12:10:23 GMT
keep-alive: timeout=60
transfer-encoding: chunked
vary: OriginAccess-Control-Request-MethodAccess-Control-Request-Headers
```

	id	password
▶	ssafy	ssafy
	ssafy2	ssafy2
	ssafy3	ssafy3
★	NULL	NULL