The Grapes of App: Experimental Evidence on Training Farmers Using A Smartphone Application

Xiaoli Yang, Khandker Wahedur Rahman, Qingxiao Li, and Kenn Chua*

January 12, 2024

Abstract

We conduct a two-arm cluster-randomized controlled trial to study the impact of technical training via a mobile application for grape farmers in rural China. Our results show that farmers with access to technical videos on mobile devices significantly improved their technical knowledge and perceived their grapes to be of higher quality. Objective measurements support these claims, showing an increase in grape sweetness by 0.30 standard deviations. However, farmers who also received aspirational videos in addition to technical videos did not experience an increase in the sweetness of their grapes in spite of having improved knowledge. These results suggest focusing on technical modules over bundled content for more effective training. Our findings highlight the potential of mobile technology in improving agricultural practices at scale and offer insights for designing effective training programs for farmers in developing countries.

Keywords: Technology adoption, ICT in agriculture, training, product quality.

JEL Codes: O13, Q16, L86.

^{*}All authors contributed equally to this work and are listed in reverse alphabetical order. Xiaoli Yang: College of Economics and Management, Shenyang Agricultural University (yangxiaoli@syau.edu.cn); Khandker Wahedur Rahman: University of Oxford and BRAC Institute of Governance and Development (BIGD), BRAC University (khandkerwahedur.rahman@oxfordmartin.ox.ac.uk); Qingxiao Li: Department of Agricultural Economics & Agribusiness, Louisiana State University (QLi@agcenter.lsu.edu); Kenn Chua: Department of Applied Economics, University of Minnesota (chuax025@umn.edu). We are indebted to the study participants for their time and contributions. Special thanks to Xiaoyu Sun for exceptional research assistance. We also extend thanks to our survey collection team, made up of undergraduate and graduate students from Shenyang Agricultural University, for their dedication and hard work. We are grateful for insightful comments from Paul Glewwe, Jason Kerwin, Marc Bellemare, and seminar participants at the International Food Policy Research Institute (IFPRI), Louisiana State University, Pennsylvania State University, University of Minnesota, University of Florida, University of Oxford, AAEA, and ASSA. All errors and omissions are our own.

1 Introduction

Farmers in developing countries typically lack access to vital resources and services that facilitate the adoption of new technology and better farming practices, with lack of information and technical know-how being critical barriers (Foster and Rosenzweig, 1995, 2010; Magruder, 2018). Technical training provided by agricultural extension services is a key intervention to bridge these gaps, helping to alleviate poverty through the dissemination of information and knowledge to farmers (Anderson and Feder, 2004; Nakasone, Torero and Minten, 2014). Such services are instrumental in enhancing technology adoption and boosting farmers' productivity (Bellemare, 2010; Davis, Nkonya, Kato, Mekonnen, Odendo, Miiro and Nkuba, 2012; Godtland, Sadoulet, Janvry, Murgai and Ortiz, 2004; Grimm and Luck, 2020; Magnan, Hoffmann, Opoku, Gajate Garrido and Kanyam, 2021; Pan, Smith and Sulaiman, 2018).

In the absence of a proper agriculture extension service, information transfer can be scant or ineffective (Takahashi, Muraoka and Otsuka, 2020). However, traditional extension service is typically human resource intensive and entails high fixed and recurrent financial costs (Quizon, Feder and Murgai, 2001), limiting scalability and cost-efficiency, with inperson training often restricted to low-frequency visits outside planting and harvest seasons due to distance and time constraints (Cole and Fernando, 2021). Consequently, farmers' access to timely and high-quality agricultural information and extension services is limited (Ferroni and Zhou, 2012).

The rapid expansion of information and communication technologies (ICTs) in developing countries, particularly mobile phones, offers significant potential to overcome these challenges and improve agricultural productivity (Aker, 2011; Fabregas, Kremer and Schilbach, 2019). Though ICTs include different types of technologies such as radio, television, computers, and mobile phones, mobile phones are the most widely accessible and, thus, may have the biggest

¹Around 83 percent of adults in developing counties had a mobile phone in 2018 (Klapper, 2019).

potential to increase agricultural productivity. For instance, voice and SMS messaging have been shown to be effective in delivering vital information to farmers (Cole and Fernando, 2021; Fu and Akter, 2016; Larochelle, Alwang, Travis, Barrera and Dominguez Andrade, 2019).² However, effective ICT usage in agriculture requires proper information provision, digital literacy, and monitoring of actual usage (Lele and Goswami, 2017).

We use a two-arm cluster-randomized controlled trial (RCT) to examine the effects of an easy-to-use mobile application or app — designed to deliver technical training — on the technical knowledge and technology adoption among grape farmers in rural China. This mobile app is tailored to provide training videos covering each phase of grape production. It also features inspirational videos that highlight the success stories of farmers who have successfully implemented the techniques offered through the app.

We randomize access to both the technical and aspirational videos among a group of 1,026 interested farmers. The control group farmers received placebo videos, while one treatment group farmers (T1) additionally received technical videos and the other treatment group farmers (T2) received both technical and aspirational videos in addition to the placebo videos. We helped farmers install the app on their phones before the farming season and uploaded timely and relevant content throughout the grape growing season in 2020. As farmers who receive training may misreport their adoption status (Fabregas et al., 2019), we utilize an objective quality measure—sweetness—that directly reflects the knowledge gained from the training.

We find that farmers frequently use the app to watch the pre-recorded training videos, often during breaks in their workdays. This allows them to learn new techniques without having to take time away from their work hours or weekends. Further, our results suggest an effective increase in technical knowledge, with farmers in the treatment groups showing a 9.4 to 10.8 percent increase in total score on knowledge, i.e., 0.45 to 0.52 standard deviations (SDs) compared to the control group. These findings suggest that app-based training

²See Aker, Ghosh and Burrell (2016) for a detailed discussion.

presents a viable alternative to conventional in-person training, which typically demands considerable fixed costs and extensive time commitments (Kondylis, Mueller and Zhu, 2017; Maertens, Michelson and Nourani, 2021).

The training delivered via our mobile application not only improves farmers' perceptions of their produce's quality but also leads to an actual enhancement in quality. Objective data — specifically, machine-measured grape sweetness — indicates a notable improvement among the group that received only technical training, with an increase in grape sweetness by 0.30 standard deviations (SDs). However, the T2 group, which received both technical and aspirational videos, does not show a similar statistically significant enhancement in grape sweetness. The training does not seem to affect other grape aspects, including the number of grapes per bunch or the weight of the bunch. We also find that despite increasing farmers' knowledge, the intervention also leads farmers to overestimate the quality of their products.

Nevertheless, we do not find strong evidence suggesting any change in aspiration among our study farmers. Farmers in T2 show only a slight increase in their aspiration to produce sweeter grapes within three years—a two percent rise over the raw control mean, statistically significant at the 10 percent level—yet this result does not survive the multiple hypothesis adjustment. The intervention has no effect on the farmers' aspired income over three or five years, nor their aspirations regarding the sweetness of grapes in five years.

We do not find any significant impact of the intervention on other grape-related outcomes. While our data do not capture direct measures of farming practices, an analysis of cultivation expenses provides some insight. Notably, there was a consistent increase in labor expenditures across both treatment groups. This suggests that farmers, possibly in response to the enhanced technical knowledge or the aspiration to produce better quality grapes, invested in additional labor. The increased hiring may reflect an attempt to implement more labor-intensive practices learned through the training, indicative of a change in farming behavior despite the absence of direct observational evidence.

The differential impact on grape sweetness can be explained by the varying engagement with the app for technical video content, which correlates with the farmers' baseline income aspirations over three years. We find that more aspirational T1 farmers use the app for technical videos more frequently and spend more time on the app than T2 farmers. This variation also translates into achieved grape quality — T1 farmers with more than median baseline aspiration experience a higher (and increasing with aspiration) sweetness than T2 farmers.

Our main results survive several robustness checks. First, we deviate from our preferred specification by choosing control variables implementing using the double LASSO method of Chernozhukov, Chetverikov, Demirer, Duflo, Hansen and Newey (2017). Our main results remain qualitatively similar when we include these control variables. Second, we do multiple hypothesis testing by calculating adjusted sharpened-q values using the methods suggested by Anderson (2008) based on Benjamini, Krieger and Yekutieli (2006). While the sharpened q-values are higher than the p-values for a majority of our main outcome variables, they are within the threshold of statistical significance.

The intervention is relatively inexpensive. The total cost (development of the app and distribution of the incentive) per farmer was \$27.5 and \$31.7 for the T1 and T2 groups, respectively. The relatively low cost of the intervention indicates that app-based delivery of training can be a scalable solution in the right context.

The absence of significant improvement in quality among farmers who received both technical and aspirational videos suggests that when a decentralized training modality is applied for farmers, bundling multiple learning objectives together may not yield the desired outcome. As found in our analysis, underlying heterogeneity of the desired additional outcome can potentially dilute any impact on the main outcome. This finding implies that ICT-based training may need to be more targeted and tailored to specific learning outcomes to be effective. While ICT platforms offer the advantage of scalability, reaching a wide audience

with ease, this scalability may come at the expense of the intensity and depth of learning. Effective digital training requires a strategic balance: maximizing the reach while ensuring that the depth of knowledge transfer is not compromised.

To the best of our knowledge, this is the first paper that uses a mobile application based video delivery of farmer training. While the use of apps has been studied in the context of agricultural extension (Campenhout, 2017; Giulivi, Harou, Gautam and Guereña, 2023; Tjernström, Lybbert, Hernández and Correa, 2021), these studies do not focus on extensive app-based training using videos. In addition, Fu and Akter (2016) studied audiovisual communication in solving farmers' problems, while Hörner, Bouguen, Frölich and Wollni (2022) screened movies that discussed adopting the said technology to help farmers. However, these interventions did not allow farmers to access knowledge at their own pace, a key feature of our study.

We focus on providing training on-demand through one's mobile phone and available at the farmer's convenience. Since our app automatically records app usage, we can identify what, when, and how long the farmer watched each video in our app — a solution to the difficulty of observing whether farmers read the text and document which content the farmer asked for via voice calls. This notable feature may help extension agents or researchers better understand farmers' needs and make adjustments accordingly. Furthermore, a mobile app allows us to provide interventions, such as offering aspiration videos, that can enhance farmers' psychological well-being (Ridley, Rao, Schilbach and Patel, 2020) and may facilitate learning among farmers (Fabregas et al., 2019).

This paper contributes to three main strands of literature. It contributes to the emerging research on digital extension services (Arouna, Michler, Yergo and Saito, 2021; Giulivi et al., 2023; Hidrobo, Palloni, Gilligan, Aker and Ledlie, 2022; Oyinbo, Chamberlin, Abdoulaye and Maertens, 2021; Spielman, Lecoutere, Makhija and Campenhout, 2021; Tjernström et al., 2021). Identifying an effective mode of information delivery via mobile phones is crucial for

enhancing the impact of such information. Voice messages (Cole and Fernando, 2021; Walter, Kremer, Reich, Sun, van Herwaarden and Yesigat, 2021) and SMS messages (Casaburi, Kremer, Mullainathan and Ramrattan, 2019; Fafchamps and Minten, 2012; Larochelle et al., 2019) are the popular methods that have been studied in the literature. But some information may be too complex to convey through text or voice (Fabregas et al., 2019). Our mobile app addresses this challenge by effectively communicating through pre-recorded videos while simultaneously tracking app usage to measure technology adoption. It also contributes to the broad literature on information provision and technology adoption in agriculture (Bandiera and Rasul, 2006; Beg, Islam and Rahman, 2024; Bold, Kaizzi, Svensson and Yanagizawa-Drott, 2017; Campenhout, 2021; Conley and Udry, 2010; Emerick and Dar, 2021; Giulivi et al., 2023; Harou et al., 2022; Islam, Ushchev, Zenou and Zhang, 2019). In addition, it contributes to the literature on the use of ICT in agriculture of developing countries (Aker, 2010; Aker and Fafchamps, 2015; Fabregas et al., 2019; Jensen, 2007; Nakasone et al., 2014).

The rest of the paper is organized as follows: We discuss the background section 2 and describe the study design in section 3. In section 4, we discuss the data collection timeline and describe our data. We enumerate the empirical strategy in section 5, followed by a discussion of the results in section 6. Section 7 concludes the paper.

2 Background

This study takes place in Beizhen of the Liaoning province, one of the largest grape-producing regions in China. The economy of Beizhen is agriculture-oriented, and there are roughly 10,000 grape-farming households. As Chinese consumers are demanding greater food quality (Huang and Gale, 2009), the market for low-quality grapes, which are often characterized by low sweetness, has been shrinking and the prices have been dropping in recent years. However, most growers continue to prioritize yield over quality, using high-yield cultivation and management techniques that lead to poor fruit quality, including loose fruit clusters,

large and small grains, poor coloring, and insufficient sugar content. Despite the increase in demand for high-quality grapes, growers in Beizhen have not yet adapted to this shift in market conditions.

The local government of Beizhen has been working to help farmers improve their grape quality in response to changes in market demand, including offering in-person training sessions from experts. Our baseline findings support the need for training, as only 50 percent of farmers were able to accurately identify the frequency and amount of watering during the fruit expansion period that impacts the shape, weight, and sugar content of the bunches and improves grape quality. These results highlight the importance of providing targeted training and support to help farmers adapt to changing market conditions and improve the quality of their products.

Despite the availability of local training options such as field demonstrations, many farmers are unable to effectively learn and apply new farming techniques. While they may understand the information presented on-site, they struggle to apply it to their own grape production. Traditional on-site training methods, like slide presentations and live demonstrations, may not effectively transfer information and may not meet the needs of growers throughout the production process. As a result, there is a pressing need for the local government to find innovative ways to help farmers improve the quality of their grapes.

With the goal of improving grape quality, we partnered with the Beizhen government to explore the use of modern information and communication technologies (ICTs) as a potential substitute for traditional extension services. Given the widespread accessibility of mobile internet in China, we developed a mobile app to provide technical training to local grape farmers.³ We study whether the provision of technical training through short and accessible videos on this custom mobile app can be a viable alternative to traditional forms of agricultural extension service. With a mobile internet penetration rate of 67 percent, and 99 percent of netizens accessing the internet via mobile phones (CNNIC, 2020), the poten-

³The interface of the mobile app is shown in Figure B1 in Appendix B.

tial reach of our mobile app is large. Additionally, China has the highest number of mobile app downloads in the world and Chinese internet users spend over 30 percent of their usage time on video apps (Zinan, 2019), making mobile apps an effective platform for delivering technical training to farmers.

3 Study Design

3.1 Content of the Videos

The app released a series of videos aimed at increasing farmers' technical knowledge of farming practices that improve grape quality. These videos were released throughout the planting season from May to September. Grape production in Beizhen can be divided into 5 stages: budding and leafing (May), flowering and fruiting (June), fruit expansion (July), fruit coloring (August), and ripening and harvesting (September). At key points during each stage, the app provided the necessary technical information on water management, fertilizer management, pest and disease management, and fruit pruning techniques, with different content relevant to each month.

The content is automatically downloaded to the user's phone when they access the app while connected to the internet. Our goal is to increase farmers' technical skills, which can help them improve their grape quality and potentially increase the price of their grapes. In addition to providing technical information, we included motivational videos in one of the two treatment arms of our study to address the potential issue of lack of motivation as a barrier to the adoption of new techniques.

We released three types of videos. The first set consisted of 60 technical videos ranging in length from one to three minutes, covering topics such as pruning and thinning techniques, water and fertilizer management, and pest and disease control, these technical videos focused

on regulating grape yield in order to improve grape quality.⁴ Each video was designed to be relevant to the farmers' needs at different stages of the grape-planting cycle and was explained by local leading farmers and large growers, who have significant influence in promoting planting methods and changing output patterns.⁵

The second set of videos consisted of 15 aspirational videos promoting the practice of growing high-quality grapes. These videos featured prominent speakers from the Beizhen Grape Association, a group of farmers responsible for ensuring standards of high-quality grapes in the region and promoting the wider adoption of the Beizhen grape brand in markets across China. In these videos, speakers such as the chairman and vice-chairman of the association shared their own experiences raising the quality of their grapes and selling them under the Beizhen brand. These videos outlined the standards of high-quality grapes in Beizhen for the majority of growers, discussed the development of the high-quality grape market in the next three years, and shared their own success stories with the Beizhen grape brand. We hypothesized that as motivational videos can potentially enhance the psychological well-being of farmers (Ridley et al., 2020) and facilitate learning among themselves (Fabregas et al., 2019), farmers who watched aspirational videos in addition to technical videos may experience greater learning and improved grape quality. We released these videos in May and June.⁶

In addition to the technical and aspirational videos, we also released 41 placebo videos featuring the local history of the grape industry and the natural landscapes of the region. These placebo videos were made available to all farmers at different points throughout the study period.

⁴We present a detailed discussion on the content of technical videos in Appendix C.

⁵The large farmers control a large amount of land and have increasingly focused on fruit quality, risk avoidance, and innovation in recent years. They use local climatic conditions, farming habits, and land level to make targeted production material input combinations, explore changes in planting patterns, and apply modern means to production.

⁶We decided to provide all aspirational videos before the start of the planting season when farmers become too busy.

3.2 Experimental Design

Our sample consists of farmers residing in the grape-growing regions of Beizhen. The criteria for inclusion in the sampling frame include: (i) the household engaged in grape farming in 2019; (ii) the household resided within the seven townships with the largest concentration of grape farming to limit survey costs.

Our experiment follows a cluster-randomized design with two treatment arms and a control group. The unit of randomization is the sub-village (zu) of residence, which was chosen to minimize contamination across groups. In total, our sample contains 116 clusters from 38 villages with a median number of 7 households interviewed per zu.

All farmers in the study received the mobile application, but the content released varied across treatment and control groups. All farmers received the placebo videos. Thirty-nine clusters were assigned to additionally receive the technical videos (Treatment Arm 1, or T1; N = 325). Another 39 were assigned to additionally receive both the technical videos and aspiration videos (Treatment Arm 2, or T2; N = 332). Thirty-eight control group clusters received only placebo videos (Control Group, or C; N = 369). Figure 1 presents the experimental design of the study.

We started releasing videos in May 2020 (the sprouting and leafing period) and continued to do so until mid-September 2020 (the beginning of the harvest season). Figure 2 summarizes the number and timing of these video releases. Every release was accompanied by an SMS message alerting farmers to the update. We sent SMS alerts of video updates to growers every day at noon or evening when they returned home after a break from farming.

In addition to the videos released through the app, we also provided monetary incentives for farmers to watch the videos. Specifically, beginning at the end of June we told farmers that we would provide 2 RMB (0.3 USD) per video watched. These were applied uniformly across all groups regardless of the type of video.⁷ We issued a red envelope of 2 yuan for each

⁷After we implemented the monetary incentive, the number of people watching the videos was signif-

video watched via WeChat (red envelopes are more popular in China, and people consider it a symbol of good fortune) and we emphasized that they had to watch a full video on the day they uploaded it to get the reward, which was to avoid farmers opening the video just for the monetary reward but not watching it.

4 Data Description

4.1 Data Collection

Our fieldwork took place from January 2020 to January 2021. The baseline data was collected in early January 2020 after the previous year's harvest season. Importantly, we were able to do this in person as this preceded the outbreak of COVID-19 in China.

The sample frame of growers surveyed in this study is the census database of grape growers in Beizhen, Liaoning Province, which includes 9,767 grape growers in 52 villages in 10 townships in the city with grape cultivation. We first randomly selected seven townships, then randomly selected 38 villages, and finally randomly selected 1,840 respondents from the sample frame to conduct a one-on-one household survey. We interviewed 1,042 farmers living in 38 villages of Beizhen and collected information regarding their grape production, sales, self-assessments of their own grape quality, as well as household demographics. We also conducted a short test of technical knowledge on grape farming and inquired about their aspired income and grape quality three and five years into the future. After screening, we had a baseline sample of 1,026 farmers from 38 villages.

During the baseline survey, our enumerators installed the app we developed on the mobile phones of the farmers and explained how to use the app to the farmers.⁸ Farmers were also icantly higher in both experimental groups than before the monetary incentive, which indicates that our monetary incentive was effective.

⁸All farmers in our sample are experienced in using mobile phone apps for watching videos and their phones have access to the internet.

informed that instructional videos would be made available at the onset of the farming season, and they would receive notifications when these videos were uploaded. Farmers were randomly assigned to treatment after the baseline survey.

We conducted two short follow-up surveys with the farmers via phone call. The initial follow-up, termed midline 1, and conducted in May 2020, collected information about their experiences with the pandemic and their grape planting plans for the season. Additionally, we verified the installation of the apps necessary for disseminating videos to them. The subsequent follow-up, midline 2, carried out in June, informed the farmers about the monetary incentives associated with watching the videos.

In September 2020, the harvest month, we conducted a more detailed *in-person* follow-up survey (endline 1). This survey inquired about the farmers' grape production, including their investments in inputs and farming practices. Additionally, we administered a quiz comprising 10 technical questions related to our training. To evaluate grape quality, we garnered self-assessments akin to those at the baseline and collected grape samples from the farmers to obtain an objective quality metric (our main outcome of interest).⁹

Finally, in January 2021, we conducted a phone survey (endline 2) in which we inquired about the farmers' total grape sales and the average prices at which they sold their grapes. We also collected information about their grape storage and feedback regarding the mobile application. Due to logistical constraints imposed by the COVID-19 pandemic, the baseline and endline 1 were administered in person, while endline 2 was administered via phone call.

4.2 Tracking App Usage

We collected app login data to track farmer's usage patterns of the app. Since the app automatically records the login time, stay time, and exit time of each farmer, we can observe

⁹Our enumerators visited the farms of the participants and purchased a bunch of grapes from each. These grapes were meticulously bagged, labeled, and subsequently transported to a laboratory for measurement.

whether the farmer has accessed the app, the number of times they have logged into the app, and the total amount of time they have spent on the app. We also track the frequency and total time spent watching each video. To ensure the integrity and security of our app database, we have dedicated technical staff responsible for its maintenance. This includes performance analysis and transformation, object reorganization, historical data migration, and other tasks. According to the changes in the application environment, we readjust the app model to improve and enhance the growers' experience of using the app.

4.3 Measures of Farming Knowledge, Grape Quality, and Aspiration

Since farmers are likely to misreport knowledge and adoption of technology (Kondylis, Mueller and Zhu, 2015), we relied on objective measures of these outcomes. In order to measure farmers' awareness and knowledge of farming practices that improve grape quality, at the endline we asked the farmers 10 questions on a range of topics, including grapevine inflorescence, water and fertilizer use, disease prevention techniques, and pest control. We calculated the number of correct answers to these questions to calculate a knowledge score and standardized it with respect to the control group.

To measure the quality of farmers' grapes, we rely on both objective and subjective measures. Grape quality in our context can be judged along several dimensions, including sweetness, the shape of a grape bunch, the roundness of the individual berries, and the color of the fruit. As the local grape market is segmented into low- and high-quality markets, grapes that are sold in the latter are typically sweeter, form a conically shaped bunch, and have berries that are spherical. Moreover, high-quality grapes are normally priced between 1.5 to 2 times higher than low-quality grapes.

Apart from using price, a useful proxy to capture the overall quality of the grape is its sweetness. Grape sweetness is measured on a scale of 8-24, with the highest quality grapes

having a rating of 20 or higher. We obtain an objective sweetness rating of the farmers' grapes by measuring the sweetness of their produce using a sweetness measuring machine (See Figure B2). We collected a sample from their harvest during the 2020 grape season and placed the grapes in the machine to obtain an objective measure of quality. Because this scale of rating sweetness is widely known among the farmers, we ask them about their own rating of their harvest, which we use as a subjective assessment of quality. This self-report measure is asked at both the baseline and the first endline. In addition to the sweetness measures, we also used a weighing machine to collect the weight of the grapes along with the count of grapes per bunch.

Finally, to measure the aspirations of farmers, we follow Bernard, Dercon, Orkin and Taffesse (2014) and ask farmers what level of income from grape farming they would like to achieve within a 3-year and 5-year horizon. Similarly, we ask farmers what level of grape quality (sweetness) they would like to achieve within a three-year and five-year time frame.

4.4 Farmer Characteristics and Sample Balance

In Table 1, we report summary statistics and tests of the balance of the baseline sample farmers. Our sample is balanced along several demographic and economic dimensions such as gender, age, health status, household size, years of grape planting, grape planting area, and grape yield. Our sample is about 70 percent male and on average 47 years old. The average household size in our sample is 3.8. Roughly 62 percent of the farmers completed middle school or above. Only 42 percent of the farmers report to have a good health. About 32 percent of the farmers reported to have previous training experience. Our sample farmers are highly experienced: on average they have been producing grapes for 21.5 years. An average farmer plants on about 1.8 acres of land. We apply the inverse hyperbolic sine (IHS) transformation of yield, revenue, and prices. The average IHS yield of our baseline farmers was 11, while the IHS revenue and prices were 9.7 and 1.3, respectively.

Key outcome variables such as technical knowledge test scores, self-rated sweetness, aspired income, and aspired sweetness are also balanced across groups. We standardize test scores, measures of quality, and measures of aspired quality with respect to the mean and standard deviation of the control group values. We IHS transform 3- and 5-year aspired income—the average baseline IHS values of them are 11.7 and 10.7, respectively.

We find that our technical videos only (T1) group has a greater proportion of farmers that have completed middle school or above, and higher revenue from grapes. To address potential imbalance along observables, we include control variables chosen using the double LASSO method of Chernozhukov et al. (2017) in robustness checks.

4.5 Analytical Sample and Attrition

From an initial baseline sample of 1,026, our analytical sample consists of 687 grape farmers whom we were able to successfully interview in all rounds. Figure B3 provides a snapshot of the timeline of data collection as well as the number of farmers lost at each wave.

While we experience large attrition, there is no systematic difference in attrition between experimental arms. Table A1 in Appendix A shows attrition in midline and endline. We did not find about 22% of baseline farmers at the midline and 31% of baseline farmers at the endline. As this table shows, there is no significant variation in attrition across treatment arms.

5 Empirical Strategy

Our preferred specification is as follows:

$$y_{iz} = \beta_0 + \beta_1 T 1_z + \beta_2 T 2_z + X'_{iz} \delta + \varepsilon_{iz}$$
(1)

where y_{iz} is the outcome of interest measured at endline for farmer i in zu z. $T1_z$ is a binary indicator variable that takes the value of 1 if zu z was randomly assigned to the training-only arm and $T2_z$ is a binary indicator variable that takes the value of 1 if zu z was randomly assigned to the training and aspiration arm. X_{iz} includes baseline characteristics. In our preferred specification, we only include outcome variables measured at the baseline when available. As a robustness check, in an alternate specification, we additionally control for variables chosen following the post-double selection methods suggested by Chernozhukov et al. (2017). We feed the algorithm the following variables: farmer's gender, training status, completing middle school or above, having good health; age, total household income, years of experience, baseline planting area, inverse hyperbolic sine of baseline yield and baseline revenue from grape, baseline knowledge, baseline aspiration variables, baseline self-reported sweetness of grape, and first-order interaction between each variable. All standard errors are clustered at the zu level. Since we assigned the treatment status randomly, estimates of β_1 and β_2 from equation 1 give us the impact of T1 and T2. Thus, all reported estimates are intent-to-treat (ITT) effects.

6 Results

We present three primary analyses. First, we assess farmer engagement with the mobile app. Second, we examine the intervention's effectiveness in improving the farmers' technical knowledge. Third, we delve into the intervention's impact on grape quality. Complementing these, we investigate two secondary outcomes: changes in the farmers' aspirations and an array of other grape-related outcomes.

6.1 Video Watching Using the App

The treatment farmers spent more time using the app than the control group farmers. To assess the extent of video viewership, we employ three metrics: initial app usage, frequency of app interactions, and total hours spent on the app. For each of these outcomes, we calculate overall usage and usage by each type of video (placebo, technical, aspirational) as the outcome variable. Table 2 reports the results.

We find that farmers in the treatment group are over twice as likely to engage with the app compared to their counterparts, with 36 to 39 percentage points higher usage than the control group's 31 percent. While treatment farmers are more likely to watch technical videos by design, we find that they are also more likely to watch placebo videos than the control group.

Moreover, treatment farmers exhibit more frequent app usage throughout the study. They interact with the app an additional 59.3 to 63.8 times on average, significantly more than the control group's mean of 4.2 times during the same period.

This higher app usage translates into more time spent on the app. ¹⁰ Both T1 and T2 group farmers spend significantly more time than the control group farmers watching the placebo videos, with 7.8 and 10.2 additional minutes respectively. As expected, treatment group farmers also dedicated more time to watching the technical videos, with 75.5 and 72.9 extra minutes respectively, given that control group farmers lack access to these videos. ¹¹ Notably, there is no significant difference in time spent watching placebo and technical videos between the two treatment groups. However, T2 farmers spend significantly more time viewing the aspirational videos, aligning with expectations as these videos were exclusively available to them.

We further analyze the proportion of total technical and aspirational videos watched by

¹⁰This is unsurprising given that 91% of farmers who used the app said it is helpful or partially helpful.
¹¹One control group farmer managed to watch the technical and aspirational videos due to a bug in the app.

farmers. Table A2 indicates that on average, farmers in the training arm watch technical videos 22.2 percentage points more, while training and aspiration arm farmers view these videos 26.6 percentage points more. Meanwhile, on average, T2 farmers watched only 9.3 percent of the aspiration videos.

The proportion of videos watched increases following the introduction of incentives to view them. Columns 2-5 of Table A2 illustrate that technical videos released in the latter half of the study are viewed more frequently than those in the first half. Figure B4 depicts a stark increase in farmers' interactions with the app post the introduction of incentives in June.

Importantly, farmers do not reduce their working hours or leisure time during weekends to use the app. Most activity on the app occurs mid-week, particularly from Tuesday to Thursday, as shown in Figure B5. Regarding the time of day, peak activity is observed in the evening—when they were resting after work—and at noon—during lunch hours (Figure B6).

6.2 Farmers' Knowledge

Though the proportion of videos watched was modest, our findings indicate that delivering training via the mobile application effectively enhances farmers' knowledge. During the endline survey, we administered a 10-question test, which included five questions repeated from the baseline. To assess the training's impact on farmers' knowledge, we developed two outcome variables based on the endline test results. Firstly, we calculated the total number of questions each farmer answered correctly. Secondly, we employed item response theory (IRT) to generate test scores, which we then standardized relative to the control group's mean and standard deviation. We constructed each outcome using two approaches: (i) incorporating all 10 questions, and (ii) focusing solely on the five repeated questions from the baseline.

Table 3 shows that the training arm enhances the farmer's overall test score by 0.796 points, translating to a 10.8 percent increase from the raw means. The training and aspiration arm elevates the test score by 0.691 points, or a 9.4 percent increase from the raw means. In standardized IRT score terms, T1 and T2 farmers exhibit increases of 0.541 and 0.474 standard deviations in their knowledge, respectively. Despite the relatively high raw mean of the control group, which moderates the magnitude of the increase, the training's positive impact on augmenting farmers' knowledge is evident.

Furthermore, there is a significant lift in test scores when focusing solely on the five repeated questions from the baseline test (Columns 2 and 4). Here, test scores ascend by 0.299 points (0.377 SD) for the T1 group and 0.333 points (0.420 SD) for the T2 group. We interpret this as evidence that mobile applications may be an effective means of providing technical training, at least insofar as it can materially raise farmers' knowledge.

6.3 Grape Quality

After establishing that the farmers watched the videos and enhanced their knowledge, we assess the intervention's impact on grape quality. We use two quality measures: self-assessed and machine-measured sweetness. We standardize these measures with respect to the control group's means and standard deviations.

We find that farmers of both arms believe that their grapes are sweeter. Table 4 shows that training-only arm farmers assess their grapes to be 0.47 SD sweeter than control group farmers, while training and aspiration arm farmers assess their grapes as 0.51 SD sweeter.

However, only the T1 group farmers show a statistically significant change in the actual quality of their product based on the objectively measured quality of the product. The grapes of T1 farmers are 0.30 SD sweeter than those of control group farmers. The T2 farmers do not experience any significant improvement in the sweetness of their grapes. These findings suggest that although farmers receiving the treatments tend to overestimate the sweetness

of their grapes, those exposed to both technical and aspirational videos exhibit a greater propensity for overestimation than those who received only the training videos.

We do not find any significant changes when we analyze other characteristics of the grapes produced by the study farmers. There is no significant difference from the control group in the count of grapes in a bunch or their overall weight in either treatment arm. Table A3 presents these results. While T1 farmers believe their grape counts are higher and their grapes weigh more, these perceptions do not correspond with the machine-measured data.

6.4 Farmers' Aspiration

We next assess whether the farmers' aspirations increased after participating in the program. During the endline, we collected farmers' aspired income and grape sweetness in three- and five-years-time. We use the IHS of aspired income and standardized aspired sweetness as the outcome variables to measure farmer aspirations. We report results in Table 5.

We find, at best, only weak evidence suggesting an impact of the aspirational videos on farmers' aspirations. No significant change is observed in the farmers' aspirations as measured through income. Farmers in the training and aspiration arm show a modest increase in their aspired sweetness for three years, registering a 0.19 standard deviation (SD) increase in aspired sweetness (a two percent increase relative to the control group's mean). However, there is no significant difference in the aspired sweetness of farmers for five years.

Further examination into whether the treatment affects aspiration differently pre- and post-intervention reveals no substantial evidence. Table A4 presents that the point estimates for changes in income aspiration are negative for treated farmers, with magnitudes larger than a positive control mean, indicating that treated farmers' endline income aspiration was lower than their baseline income aspiration. Nonetheless, these estimates are not statistically significant.¹² The change in aspired sweetness over three years is negative for all study groups,

¹²Income aspiration gaps are Winsorized at the 1 and 99 percentiles.

and no significant evidence suggests a differential change across groups. While treatment farmers exhibit an increased aspired sweetness over five years compared to control farmers, these differences are not statistically significant either.

6.5 Additional Outcomes

In the subsection on additional outcomes, we conduct further analyses on various graperelated outcomes, as detailed in Table 6.

Our initial analysis investigates whether farmers opted for different grape varieties, particularly in comparison to the commonly grown Jufeng variety. We observe that the treatment does not influence the choice of grape variety. We also examine changes in the amount of land cultivated by treatment group farmers and find no alteration in the planting area.

Further exploration into the intervention's effects on grape yield, sales volume, revenue, and price also reveals no significant impact on these outcomes. While sales volume and revenue for T1 and T2 do not differ significantly from the control group, we can reject the null hypothesis of equality between T1 and T2 at a five percent significance level. Notably, the point estimates for sales volume and revenue for T1 are positive, in contrast to negative estimates for T2.

The lack of a significant increase in sales revenue or price suggests that without changes on the demand side (such as branding or connecting with middlemen), merely increasing the supply of higher quality grapes by a few farmers may not suffice for them to earn a price premium for their superior products in the short run.

We lack direct measures of farming practices but can test whether the farmers' expenditure patterns in the cultivation process changed. Our findings show that our intervention does not alter expenditures on fertilizer, biofertilizer, or pesticides. However, farmers in both treatment arms increased their labor expenditure, implying that they engaged more labor to implement certain practices learned through our intervention. These results are presented

6.6 Variation in Sweetness Between T1 and T2

We explore whether the difference in the increase of grape sweetness between T1 and T2 farmers is related to baseline aspired income. We examine app usage for technical videos and machine-measured grape sweetness at the endline as a function of baseline aspired income over three years, using a non-parametric approach. By calculating residuals from a regression of using the app at the endline on farmer and grape controls and then determining the percentile of residual baseline aspired income in three years, we create plots for the control and two treatment groups, as depicted in Figure 3.

We find that T1 farmers with higher aspirations tend to use the app more for technical videos compared to T2 farmers. The app usage for technical videos among T1 farmers remains relatively consistent across the spectrum of baseline aspired income over three years. In contrast, T2 farmers exhibit high app usage for those with lower aspirations, but this usage diminishes among those with higher aspirations.

Specifically, T1 farmers in the higher aspiration brackets (70th percentile and above) engage with the app for technical videos more than their T2 counterparts. T1 farmers above the 20th aspiration percentile dedicate more minutes to technical videos compared to T2 farmers.¹³

The more extensive engagement with technical videos by T1 farmers correlates with a higher grape quality achieved in the endline. T1 farmers' grapes exhibit higher sweetness across various levels of baseline aspired income. Notably, this difference becomes more marked among farmers with higher aspirations and progressively increases for those above the median aspiration level.

¹³Based on the literature, one potential explanation for this behavior is attention cost (Lipnowski, Mathevet and Wei, 2020). Bundling multiple issues can lead to farmers restricting their attention to one over the other.

These observations imply that a focused approach in mobile application-based training may be more effective than a bundled approach with multiple learning objectives. While the training-only arm and training-and-aspiration arm farmers had access to the same technical content and their share of watching technical videos was similar, there is heterogeneity in the usage of apps for technical videos. This heterogeneity also translates into variation in the increase of grape sweetness because of the intervention.

6.7 Robustness

As a robustness check, we present the main results where we include control variables in our preferred specification chosen using the double LASSO method of Chernozhukov et al. (2017). We also conduct multiple hypothesis tests and present adjusted q-values calculated for all our outcomes using the method suggested by Anderson (2008) based on Benjamini et al. (2006).¹⁴

6.7.1 Selecting Controls with LASSO

We feed the machine with the following baseline variables and their interactions: gender, age, whether the farmer received training before, completion of middle school, having good health, total household income (IHS), years of experience, baseline knowledge score (standardized IRT score), plantation area, yield, grape sales revenue, an indicator variable for cultivating Jufeng variety, total grape sales, prices received, and aspired income and sweetness in 3- and 5-years. We also include their squared and cubed terms.

Our main results remain qualitatively similar when we include these control variables. These results are presented in Tables A6-A10.

One additional insight from estimating the main results with machine-chosen controls

¹⁴In addition, we run a battery of heterogeneity tests with respect to baseline characteristics, but we do not find any significant heterogeneity of results from any of these analyses. These tables are presented in Appendix D.

is that for the repeated five questions, the knowledge of T2 farmers increased significantly more than T1 farmers. The magnitude of point estimates for all 10 questions is also larger for T2 farmers, but they are not significantly different than T1 farmers. However, we do not find any qualitatively different results for measures of grape qualities.

6.7.2 Multiple Hypothesis Testing

Our main results survive multiple hypothesis tests. We present multiple hypothesis tests in Table A11. We compare the following outcomes together: use of the app, app usage frequency, minutes spent on the app, total test sores and standardized IRT test score (all 10 questions and repeated 5 questions), machine- and self-reported sweetness, aspired income (IHS) and sweetness in 3- and 5-years, cultivating Jufeng variety, total planing area, yield, sale volume, revenue, and price. Our main results remain unchanged after multiple hypothesis adjustments.

6.8 Cost of the Intervention

The entire experiment, encompassing both the development of the application and the distribution of viewing bonuses as incentives, incurred an average cost of \$27.5 per farmer for the T1 group and \$31.7 per farmer for the T2 group. These figures underscore the feasibility of implementing mobile-app-based interventions at a relatively low cost. The significance of this lies in the potential for scalability and replicability of our study. The modest investment required per farmer suggests that our approach is cost-effective, particularly when considering the anticipated benefits in agricultural productivity and sustainability. The affordability and effectiveness of this intervention highlight its potential as a viable solution for enhancing farming practices on a larger scale, notably in contexts where resources are limited.

7 Conclusion

Technical training is a critical avenue to facilitate farmers' adoption of new technology and improved farming practices. In this study, we conducted an RCT to evaluate the effectiveness of providing technical training to farmers through a mobile application.

We show that using mobile-app-based training offers an efficient way to disseminate timely information to a broad base of farmers quickly and at a relatively low cost. The flexibility of mobile app-based training allows farmers to engage with content at their convenience, reducing the need for continuous trainer involvement and consequently saving significant costs in human resources.

Moreover, our intervention successfully helps participants leverage the enhanced knowledge to improve the quality of their products. Farmers who only received the training component of our study managed to produce sweeter grapes within a brief timeframe.

Our findings suggest that bundling multiple objectives on digitally delivered training programs can be ineffective, potentially driven by underlying heterogeneity. When we bundled technical modules with aspirational ones, we did not observe an increase in either product quality or aspiration levels. There is significant heterogeneity in the usage of the app for technical videos between training only and training with aspiration arm farmers. We find that training only farmers with high aspirations use the app more for technical videos, which translates into variation in grape sweetness across the two treatment arms.

This indicates that when training is provided using ICTs, it is desirable that such training modules only focus on the primary learning objective. Given the relative ease in scaling up such intervention, the apparent necessity to keep a sharper focus poses a tension between the breadth and depth when considering the delivery of extension services to farmers through this modality—an issue that merits further exploration.

References

- Aker, Jenny C. (2010) "Information from Markets Near and Far: Mobile Phones and Agricultural Markets in Niger," *American Economic Journal: Applied Economics*, 2 (3), 46–59, 10.1257/app.2.3.46.
- Aker, Jenny C. and Marcel Fafchamps (2015) "Mobile Phone Coverage and Producer Markets: Evidence from West Africa," *The World Bank Economic Review*, 29 (2), 262–292, 10.1093/wber/lhu006.
- Aker, Jenny C., Ishita Ghosh, and Jenna Burrell (2016) "The Promise (and Pitfalls) of ICT for Agriculture Initiatives," *Agricultural Economics*, 47 (S1), 35–48, 10.1111/agec.12301.
- Anderson, J. R. and Gershon Feder (2004) "Agricultural Extension: Good Intentions and Hard Realities," *The World Bank Research Observer*, 19 (1), 41–60, 10.1093/wbro/lkh013.
- Anderson, Michael L. (2008) "Multiple Inference and Gender Differences in the Effects of Early Intervention: A Reevaluation of the Abecedarian, Perry Preschool, and Early Training Projects," *Journal of the American Statistical Association*, 103 (484), 1481–1495, 10.1198/016214508000000841.
- Arouna, Aminou, Jeffrey D. Michler, Wilfried G. Yergo, and Kazuki Saito (2021) "One Size Fits All? Experimental Evidence on the Digital Delivery of Personalized Extension Advice in Nigeria," *American Journal of Agricultural Economics*, 103 (2), 596–619, 10.1111/ajae. 12151.
- Bandiera, Oriana and Imran Rasul (2006) "Social Networks and Technology Adoption in Northern Mozambique," *The Economic Journal*, 116 (514), 869–902, 10.1111/j.1468-0297. 2006.01115.x.
- Beg, Sabrin, Mahnaz Islam, and Khandker Wahedur Rahman (2024) "Information and behavior: Evidence from fertilizer quantity recommendations in Bangladesh," *Journal of Development Economics*, 166, 103195, 10.1016/j.jdeveco.2023.103195.
- Bellemare, Marc F. (2010) "Agricultural Extension and Imperfect Supervision in Contract Farming: Evidence from Madagascar," *Agricultural Economics*, 41 (6), 507–517, 10.1111/j.1574-0862.2010.00462.x.
- Benjamini, Yoav, Abba M Krieger, and Daniel Yekutieli (2006) "Adaptive Linear Step-up Procedures That Control the False Discovery Rate," *Biometrika*, 93 (3), 491–507.
- Bernard, Tanguy, Stefan Dercon, Kate Orkin, and Alemayehu Seyoum Taffesse (2014) "The Future in Mind: Aspirations and Forward-Looking Behaviour in Rural Ethiopia," SSRN

- Electronic Journal, 10.2139/ssrn.2514590.
- Bold, Tessa, Kayuki C. Kaizzi, Jakob Svensson, and David Yanagizawa-Drott (2017) "Lemon Technologies and Adoption: Measurement, Theory and Evidence from Agricultural Markets in Uganda*," *The Quarterly Journal of Economics*, 132 (3), 1055–1100, 10.1093/qje/qjx009.
- Campenhout, Bjorn Van (2017) "There Is an App for That? The Impact of Community Knowledge Workers in Uganda," *Information, Communication & Society*, 20 (4), 530–550, 10.1080/1369118X.2016.1200644.
- ———— (2021) "The Role of Information in Agricultural Technology Adoption: Experimental Evidence from Rice Farmers in Uganda," *Economic Development and Cultural Change*, 69 (3), 1239 1272.
- Casaburi, Lorenzo, Michael Kremer, Sendhil Mullainathan, and Ravindra Ramrattan (2019) "Harnessing ICT to Increase Agricultural Production: Evidence From Kenya," Working Paper, http://www.econ.uzh.ch/dam/jcr:873845ce-de4d-4366-ba9a-d60accda577d/ SMS_paper_with_tables_20190923_merged.pdf.
- Chernozhukov, Victor, Denis Chetverikov, Mert Demirer, Esther Duflo, Christian Hansen, and Whitney Newey (2017) "Double/debiased/neyman machine learning of treatment effects," American Economic Review, 107 (5), 261–65.
- CNNIC (2020) "Statistical Report on Internet Development in China," Technical report, CNNIC Beijing, China, https://www.cnnic.com.cn/IDR/ReportDownloads/202012/P020201201530023411644.pdf.
- Cole, Shawn A and A Nilesh Fernando (2021) "Mobile'izing Agricultural Advice Technology Adoption Diffusion and Sustainability," *The Economic Journal*, 131 (633), 192–219, 10. 1093/ej/ueaa084.
- Conley, Timothy G and Christopher R Udry (2010) "Learning about a New Technology: Pineapple in Ghana," American Economic Review, 100 (1), 35–69, 10.1257/aer.100.1.35.
- Davis, K., E. Nkonya, E. Kato, D.A. Mekonnen, M. Odendo, R. Miiro, and J. Nkuba (2012) "Impact of Farmer Field Schools on Agricultural Productivity and Poverty in East Africa," World Development, 40 (2), 402–413, 10.1016/j.worlddev.2011.05.019.
- Emerick, Kyle and Manzoor H. Dar (2021) "Farmer Field Days and Demonstrator Selection for Increasing Technology Adoption," *The Review of Economics and Statistics*, 1–14, 10.1162/rest_a_00917.
- Fabregas, Raissa, Michael Kremer, and Frank Schilbach (2019) "Realizing the potential of digital development: The case of agricultural advice," *Science*, 366 (6471), eaay3038, 10.1126/science.aay3038.
- Faschamps, Marcel and Bart Minten (2012) "Impact of SMS-Based Agricultural Information

- on Indian Farmers," The World Bank Economic Review, 26 (3), 383–414, 10.1093/wber/lhr056.
- Ferroni, Marco and Yuan Zhou (2012) "Achievements and Challenges in Agricultural Extension in India," Global Journal of Emerging Market Economies, 4 (3), 319–346, 10.1177/0974910112460435.
- Foster, Andrew D. and Mark R. Rosenzweig (1995) "Learning by Doing and Learning from Others: Human Capital and Technical Change in Agriculture," *Journal of Political Economy*, 103 (6), 1176–1209, 10.1086/601447.
- ———— (2010) "Microeconomics of Technology Adoption," Annual Review of Economics, 2 (1), 395–424, 10.1146/annurev.economics.102308.124433.
- Fu, Xiaolan and Shaheen Akter (2016) "The Impact of Mobile Phone Technology on Agricultural Extension Services Delivery: Evidence from India," *The Journal of Development Studies*, 52 (11), 1561–1576, 10.1080/00220388.2016.1146700.
- Giulivi, Nicoletta, Aurélie P. Harou, Shriniwas Gautam, and Davíd Guereña (2023) "Getting the Message Out: Information and Communication Technologies and Agricultural Extension," *American Journal of Agricultural Economics*, 105 (3), 1011–1045, 10.1111/ajae.12348.
- Godtland, Erin M., Elisabeth Sadoulet, Alain de Janvry, Rinku Murgai, and Oscar Ortiz (2004) "The Impact of Farmer Field Schools on Knowledge and Productivity: A Study of Potato Farmers in the Peruvian Andes," *Economic Development and Cultural Change*, 53 (1), 63–92, 10.1086/423253.
- Grimm, Michael and Nathalie Luck (2020) "Can Training Enhance Adoption, Knowledge and Perception of Organic Farming Practices? Evidence from a Randomized Experiment in Indonesia," Technical Report No. 13400, https://www.ssrn.com/abstract=3636629.
- Harou, Aurélie P., Malgosia Madajewicz, Hope Michelson et al. (2022) "The joint effects of information and financing constraints on technology adoption: Evidence from a field experiment in rural Tanzania," *Journal of Development Economics*, 155, 102707, 10.1016/j.jdeveco.2021.102707.
- Hidrobo, Melissa, Giordano Palloni, Daniel O Gilligan, Jenny C Aker, and Natasha Ledlie (2022) "Paying for Digital Information: Assessing Farmers' Willingness to Pay for a Digital Agriculture and Nutrition Service in Ghana," Economic Development and Cultural Change, 70 (4), 1367–1402.
- Huang, Kuo S. and Fred Gale (2009) "Food Demand in China: Income, Quality, and Nutrient Effects," *China Agricultural Economic Review*, 1 (4), 395–409, 10.1108/17561370910992307.
- Hörner, Denise, Adrien Bouguen, Markus Frölich, and Meike Wollni (2022) "Knowledge

- and Adoption of Complex Agricultural Technologies: Evidence from an Extension Experiment," The World Bank Economic Review, 36 (1), 68–90, 10.1093/wber/lhab025.
- Islam, Asadul, Philip Ushchev, Yves Zenou, and Xin Zhang (2019) "The Value of Information in Technology Adoption," SSRN Electronic Journal, 10.2139/ssrn.3468620.
- Jensen, R. (2007) "The Digital Provide: Information (technology), Market Performance, and Welfare in the South Indian Fisheries Sector," *The Quarterly Journal of Economics*, 122 (3), 879–924, 10.1162/qjec.122.3.879.
- Klapper, Leora (2019) "Mobile Phones Are Key to Economic Development. Are Women Missing Out?," https://www.brookings.edu/blog/future-development/2019/04/10/mobile-phones-are-key-to-economic-development-are-women-missing-out/.
- Kondylis, Florence, Valerie Mueller, and Jessica Zhu (2017) "Seeing Is Believing? Evidence from an Extension Network Experiment," *Journal of Development Economics*, 125, 1–20, 10.1016/j.jdeveco.2016.10.004.
- Kondylis, Florence, Valerie Mueller, and S. Zhu (2015) "Measuring Agricultural Knowledge and Adoption," *Agricultural Economics*, 46 (3), 449–462, 10.1111/agec.12173.
- Larochelle, Catherine, Jeffrey Alwang, Elli Travis, Victor Hugo Barrera, and Juan Manuel Dominguez Andrade (2019) "Did You Really Get the Message? Using Text Reminders to Stimulate Adoption of Agricultural Technologies," *The Journal of Development Studies*, 55 (4), 548–564, 10.1080/00220388.2017.1393522.
- Lele, Uma and Sambuddha Goswami (2017) "The Fourth Industrial Revolution, Agricultural and Rural Innovation, and Implications for Public Policy and Investments: A Case of India," *Agricultural Economics*, 48 (S1), 87–100, 10.1111/agec.12388.
- Lipnowski, Elliot, Laurent Mathevet, and Dong Wei (2020) "Attention Management," American Economic Review: Insights, 2 (1), 17–32, 10.1257/aeri.20190165.
- Maertens, Annemie, Hope Michelson, and Vesall Nourani (2021) "How Do Farmers Learn from Extension Services? Evidence from Malawi," *American Journal of Agricultural Economics*, 103 (2), 569–595, 10.1111/ajae.12135.
- Magnan, Nicholas, Vivian Hoffmann, Nelson Opoku, Gissele Gajate Garrido, and Daniel Akwasi Kanyam (2021) "Information, Technology, and Market Rewards: Incentivizing Aflatoxin Control in Ghana," *Journal of Development Economics*, 151, 102620, 10.1016/j. jdeveco.2020.102620.
- Magruder, Jeremy R. (2018) "An Assessment of Experimental Evidence on Agricultural Technology Adoption in Developing Countries," *Annual Review of Resource Economics*, 10 (1), 299–316, 10.1146/annurev-resource-100517-023202.
- Nakasone, Eduardo, Maximo Torero, and Bart Minten (2014) "The Power of Information: The ICT Revolution in Agricultural Development," Annual Review of Resource

- Economics, 6 (1), 533–550, 10.1146/annurev-resource-100913-012714.
- Oyinbo, Oyakhilomen, Jordan Chamberlin, Tahirou Abdoulaye, and Miet Maertens (2021) "Digital Extension, Price Risk, and Farm Performance: Experimental Evidence from Nigeria," *American Journal of Agricultural Economics*, 1–22, 10.1111/ajae.12242.
- Pan, Yao, Stephen C Smith, and Munshi Sulaiman (2018) "Agricultural Extension and Technology Adoption for Food Security: Evidence from Uganda," *American Journal of Agricultural Economics*, 100 (4), 1012–1031, 10.1093/ajae/aay012.
- Quizon, Jaime, Gershon Feder, and Rinku Murgai (2001) "Fiscal Sustainability of Agricultural Extension: The Case of the Farmer Field School Approach," *Journal of International Agricultural and Extension Education*, 8 (1), 10.5191/jiaee.2001.08102.
- Ridley, Matthew, Gautam Rao, Frank Schilbach, and Vikram Patel (2020) "Poverty, depression, and anxiety: Causal evidence and mechanisms," *Science*, 370 (6522), eaay0214, 10.1126/science.aay0214.
- Spielman, David, Els Lecoutere, Simrin Makhija, and Bjorn Van Campenhout (2021) "Information and Communications Technology (ICT) and Agricultural Extension in Developing Countries," *Annual Review of Resource Economics*, 13, 177–201.
- Takahashi, Kazushi, Rie Muraoka, and Keijiro Otsuka (2020) "Technology Adoption, Impact, and Extension in Developing Countries' Agriculture: A Review of the Recent Literature," *Agricultural Economics*, 51 (1), 31–45, 10.1111/agec.12539.
- Tjernström, Emilia, Travis J. Lybbert, Rachel Frattarola Hernández, and Juan Sebastian Correa (2021) "Learning by (Virtually) Doing: Experimentation and Belief Updating in Smallholder Agriculture," *Journal of Economic Behavior & Organization*, 189, 28–50, 10.1016/j.jebo.2021.03.001.
- Walter, Torsten Figueiredo, Michael Kremer, Ofir Reich, Zhengyun Sun, Sam van Herwaarden, and Habtamu Yesigat (2021) "Using Data for Development: Evidence from a Phone System for Agricultural Advice," 44.
- Zinan, Cao (2019) "Average Chinese Mobile User Installs 56 Apps," *China Daily*, //global.chinadaily.com.cn/a/201908/16/WS5d561e4ea310cf3e35566287.html.

Tables

Table 1: Baseline Balance Test

	(1)	(2)	(3)	(4)
				p-value
	\mathbf{C}	T1	T2	from test of
				(1)=(2)=(3)
<u>Farmer Characteristics</u>				
Male (=1)	0.67	0.72	0.70	0.532
Age (in years)	47.80	46.53	47.72	0.175
Completed middle school or above (=1)	0.62	0.67	0.58	0.069*
Has a good health (=1)	0.43	0.46	0.36	0.118
Household size	3.79	3.87	3.80	0.734
Has training experience $(=1)$	0.31	0.35	0.30	0.583
IHS(Total household income)	11.27	11.61	11.23	0.100*
Years of grape planting	21.50	21.45	21.48	0.999
Grape planting area (acre)	1.74	1.94	1.82	0.347
IHS(Grape yield)	10.92	11.00	11.09	0.617
IHS(Revenue from grape)	9.39	10.41	9.26	0.018**
IHS(Average grape sales price)	1.34	1.34	1.28	0.418
Outcomes Variables				
Test score (standardized)	0.00	-0.09	-0.11	0.523
Self assessed sweetness (standardized)	-0.00	0.07	0.11	0.527
Self assessed count (standardized)	-0.00	0.09	-0.01	0.552
Self assessed weight (standardized)	-0.00	0.23	-0.06	0.058*
IHS(Aspired income in 3 years)	11.37	11.78	11.91	0.119
Aspired sweetness in 3 years (standardized)	-0.00	-0.11	0.08	0.125
IHS(Aspired income in 5 years)	10.21	11.27	10.73	0.125
Aspired sweetness in 5 years (standardized)	-0.00	-0.06	0.08	0.322
N	370	324	332	
Cluster	38	324	39	
O1u5uO1	<u> </u>	<i>9</i>	<i>9</i>	

Table 2: App Usage

	(1)	(2) Used th	(3) ne $App \ (=1)$	(4)	(5)	(6) App Usa	(7) ge Frequenc	(8)	(9)	(10) $Minu$	(11) tes Spent	(12)
	Overall	Placebo Videos	Technical Videos	Aspirational Videos	Overall	Placebo Videos	Technical Videos	Aspirational Videos	Overall	Placebo Videos	Technical Videos	Aspirational Videos
T1	0.360*** (0.051)	0.245*** (0.050)	0.638*** (0.042)	0.000	59.273*** (7.516)	7.401*** (1.716)	51.880*** (6.761)	-0.008 (0.008)	82.989*** (10.124)	7.793*** (1.573)	75.206*** (9.075)	-0.010 (0.010)
T2	0.391*** (0.036)	0.246*** (0.039)	0.669*** (0.029)	0.426*** (0.036)	63.828*** (5.883)	8.881*** (1.779)	50.745*** (4.407)	4.202*** (0.968)	85.335*** (8.801)	10.202*** (1.588)	72.900*** (7.813)	2.233*** (0.433)
Observations	687	687	687	687	687	687	687	687	687	687	687	687
Control-group mean T1=T2 (p-value)	0.310 0.553	0.310 0.985	$0.004 \\ 0.549$	$0.004 \\ 0.000$	$4.176 \\ 0.632$	4.012 0.514	0.157 0.888	0.008 0.000	2.960 0.861	$2.294 \\ 0.255$	0.656 0.847	0.010 0.000

Notes: These regressions do not include any control variables. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p<0.01 ** p<0.05 * p<0.1

Table 3: Impact on Test Score

	(1) (2) Total Test Score		(3) (4) Standardized IRT Score		
	All 10 questions	Repeated 5 questions	All 10 questions	Repeated 5 questions	
T1	0.796***	0.299***	0.541***	0.377***	
Т2	(0.149) $0.691***$	(.077) 0.333***	(0.100) $0.474***$	(0.096) $0.420***$	
Olti	(0.156)	(0.067)	(0.104)	(0.084)	
Observations Control group recen	7 220	687	687	687	
Control-group mean $T1=T2$ (p -value)	7.380 0.492	$4.388 \\ 0.574$	$0.000 \\ 0.527$	0.000 0.577	

Notes: All regressions include test scores at baseline. Heterosked asticity-robust standard errors, clustered by zu, in parentheses. *** p <0.01 ** p<0.05 * p<0.1

Table 4: Impact on Grape Quality

	(1)	(2)
	Self-Assessed Sweetness	Machine-Measured Sweetness
T1	0.474***	0.297**
	(0.092)	(0.132)
T2	0.510***	0.099
	(0.086)	(0.109)
Observations	687	679
Control-group mean	0.000	0.000
Raw Control-group mean	17.377	15.920
© 1	1.897	1.327
Raw Control-group SD		
T1=T2 (p-value)	0.666	0.150

Notes: All outcome variables are standardized with respect to the control group. All regressions include self-assessed grape quality at baseline. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p<0.01 ** p<0.05 * p<0.1

Table 5: Impact on Aspiration

	(1)	(2)	(3)	(4)	
	3-year asp	oiration	5-year aspiration		
	IHS(Income)	Sweetness	IHS(Income)	Sweetness	
T1	0.103	0.125	0.101	0.101	
	(0.080)	(0.107)	(0.089)	(0.095)	
T2	0.028	0.186*	0.034	0.095	
	(0.094)	(0.107)	(0.094)	(0.096)	
Observations	686	684	685	684	
Control-group mean	12.215	0.000	12.392	0.000	
Raw Control-group mean		18.375		19.197	
Raw Control-group SD		1.884		2.230	
T1=T2 (p-value)	0.404	0.562	0.475	0.946	

Notes: All regressions include outcome variables measured at baseline. Outcome variables in Columns (2) and (4) are standardized with respect to the control group. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p<0.01 ** p<0.05 * p<0.1

Table 6: Impact on Additional Production-Related Outcomes

	(1) Jufeng	(2) Planting	(3)	(4)	(5)	(6)
	Variety (=1)	Area (Acre)	IHS(Yield)	IHS(Sale Volume)	IHS(Revenue)	IHS(Price)
TD:1	0.004	0.001	0.000	0.005	0.005	0.000
T1	-0.004 (0.012)	-0.031 (0.069)	0.038 (0.075)	0.227 (0.163)	0.265 (0.178)	0.039 (0.028)
T2	-0.000	0.064	0.073	-0.168	-0.135	0.028) 0.035
	(0.007)	(0.068)	(0.081)	(0.214)	(0.227)	(0.027)
Observations	687	687	687	687	687	672
Control-group mean $T1=T2$ (p -value)	$0.988 \\ 0.742$	1.790 0.252	11.10 0.944	10.74 0.015	11.63 0.019	1.646 0.857

Notes: All regressions include baseline outcome as the control variable. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p<0.01 ** p<0.05 * p<0.1

Figures

Figure 1: Experimental Design




Figure 2: Study Timeline





Figure 3: App Usage for Technical Videos and Grape Sweetness by Baseline Aspirations



Notes: This figure shows residual endline app usage outcomes over the percentile of residual baseline aspired income in 3-years. Outcome variables are: whether used app for technical videos (Panel A), app usage frequency for technical videos (Panel B), minutes spent on the app for technical videos (Panel C), and machine-measured grape sweetness (Panel D).

Appendix A

Table A1: Attrition

	(1)	(2)
	Missing at Midline	Missing at Endline
T1	0.053	0.016
	(0.037)	(0.038)
T2	0.049	0.045
	(0.039)	(0.038)
Observations	1,026	1,026
Control-group mean	0.222	0.311
T1=T2 (p-value)	0.931	0.515

Notes: Heterosked asticity-robust standard errors, clustered by zu, in parentheses. *** p<0.01 ** p<0.05 * p<0.1

Table A2: Share of Video Watched by Treatment Arm

	(1)	(2) Te	(3) echnical Vio	(4) leo	(5)	(6) Asp	(7) irational V	(8) Tideo
	Overall	May	June	July	August	Overall	May	June
T1	0.222*** (0.019)	0.077*** (0.012)	0.172*** (0.017)	0.295*** (0.026)	0.253*** (0.027)	0.000	0.000	0.000
T2	0.266*** (0.019)	0.090*** (0.012)	0.188*** (0.020)	0.356*** (0.026)	0.314*** (0.022)	0.093*** (0.012)	0.095*** (0.013)	0.091*** (0.015)
Observations	687	687	687	687	687	687	687	687
Control-group mean $T1=T2$ (p -value)	$0.000 \\ 0.104$	$0.000 \\ 0.463$	$0.000 \\ 0.554$	0.000 0.098	$0.000 \\ 0.083$	$0.000 \\ 0.000$	0.000 0.000	0.000 0.000

Notes: These regressions do not include any control variables. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. **** p<0.01 *** p<0.05 * p<0.1

Table A3: Impact on Other Grape Outcome Measures

	(1) (2) Self-Assessed		(3) Machine	(4) -Measured
	Count	Weight	Count	Weight
T1	0.173*	0.213**	0.138	-0.114
	(0.103)	(0.105)	(0.117)	(0.103)
T2	0.039	0.149	0.010	-0.154
	(0.093)	(0.106)	(0.121)	(0.116)
Observations	687	687	679	679
Control-group mean	0.000	0.000	0.000	0.000
Raw Control-group mean	81.784	1.865	68.173	1.659
Raw Control-group SD	20.617	0.439	20.272	0.510
T1=T2 (p-value)	0.202	0.576	0.364	0.720

Notes: All outcome variables are standardized with respect to the control group. All regressions include self-assessed grape measures at baseline. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p<0.01 ** p<0.05 * p<0.1

Table A4: Impact on Difference in Aspiration Pre- and Post-Intervention

	(1) (2) 3-year aspiration difference		(3) 5-year aspirat	(4) ion difference
	Income	Sweetness	Income	Sweetness
T1	-11,077.2	0.330	-15,870.0	0.335
Т2	(10,488.404) $-12,801.4$	$(0.272) \\ 0.316$	(16,439.186) $-20,896.6$	$(0.277) \\ 0.230$
	(10,146.946)	(0.267)	(16,578.476)	(0.296)
Observations	658	613	658	580
Control-group mean	9,077	-0.750	15,476	-0.256
T1=T2 (p-value)	0.894	0.952	0.800	0.675

Notes: Outcomes in this table are the difference between follow-up and baseline self-reported aspired income (columns (1) and (3)) or sweetness (columns (2) and (4)) in respective years. Income differences are Winsorised at 1 and 99 percentile levels. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p<0.01 ** p<0.05 * p<0.1

Table A5: Impact on Agricultural Investments

	(1)	(2)	(3)	(4)
	Fertilizer	Biofertilizer	Labor	Pesticide
	Expenditure (IHS))	Expenditure (IHS)	Expenditure (IHS)	Expenditure (IHS)
T1	0.112	-0.158	0.649*	-0.046
	(0.129)	(0.404)	(0.373)	(0.100)
T2	0.042 (0.134)	-0.337 (0.377)	0.754** (0.349)	-0.039 (0.125)
Observations	687	687	687	687
Control-group mean	9.225	4.923 0.650	6.098	8.736
T1=T2 (p-value)	0.525		0.777	0.944

Notes: All regressions include baseline outcome as the control variable. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p<0.01 ** p<0.05 * p<0.1

Table A6: App Usage (Control Variables Picked Using LASSO)

	(1)	(2) Used th	(3) ne App (=1)	(4)	(5)	(6) App Usa	(7) ge Frequenc	(8)	(9)	(10) Minu	(11) utes Spent	(12)
	Overall	Placebo Videos	Technical Videos	Aspirational Videos	Overall	Placebo Videos	Technical Videos	Aspirational Videos	Overall	Placebo Videos	Technical Videos	Aspirational Videos
T1	0.385*** (0.059)	0.269*** (0.058)	0.660*** (0.049)	0.000 (0.018)	61.467*** (9.228)	6.968*** (1.943)	53.905*** (8.041)	0.595 (0.489)	83.582*** (11.759)	8.015*** (1.867)	75.341*** (10.410)	0.227 (0.231)
T2	0.409*** (0.046)	0.255*** (0.046)	0.693*** (0.036)	0.430*** (0.041)	59.234*** (7.723)	7.700*** (1.831)	47.207*** (6.491)	4.328*** (1.167)	76.632*** (10.279)	8.778*** (1.924)	65.603*** (9.427)	2.251*** (0.406)
Observations	687	687	687	687	687	687	687	687	687	687	687	687
Control-group Mean T1=T2 (p-value)	$0.310 \\ 0.703$	$0.310 \\ 0.816$	$0.004 \\ 0.569$	$0.004 \\ 0.000$	4.176 0.837	$4.012 \\ 0.741$	$0.157 \\ 0.472$	0.008 0.000	$2.960 \\ 0.615$	$2.294 \\ 0.767$	$0.656 \\ 0.438$	0.010 0.000

Notes: These regressions do not include any control variables. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p<0.01 ** p<0.05 * p<0.1

Table A7: Impact on Test Score (Control Variables Picked Using LASSO)

	(1)	(2) Test Score	(3) Standardiz	(4) ted IRT Score
	All 10 questions	Repeated 5 questions	All 10 questions	Repeated 5 questions
T1	0.605***	0.285***	0.418***	0.360***
T2	(0.133) $0.757***$	(.080) 0.406***	(0.090) $0.524***$	(0.101) $0.513***$
Observations	(0.147) 687	(0.081) 687	(0.100) 687	(0.102) 687
Control-group mean	7.380	4.388	0.000	0.000
T1=T2 (p -value)	0.289	0.074	0.288	0.074

Notes: These regressions include control variables picked by implementing the post-double selection method of Chernozhukov et al. (2017). Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p<0.01 ** p<0.05 * p<0.1

Table A8: Impact on Grape Quality (Control Variables Picked Using LASSO)

	(1)	(2)
	Self-Assessed Sweetness	Machine-Measured Sweetness
T1	0.499***	0.292**
	(0.095)	(0.127)
T2	0.553***	0.115
	(0.103)	(0.117)
Observations	687	679
Control-group mean	0.000	0.000
T1=T2 (p-value)	0.634	0.179

Notes: All outcome variables are standardized with respect to the control group. All regressions include control variables picked by implementing the post-double selection method of Chernozhukov et al. (2017). Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p<0.01 ** p<0.05 * p<0.1

Table A9: Impact on Aspiration (Control Variables Picked Using LASSO)

	(1) (2) 3-year aspiration		(3) 5-year asp	(4) piration	
	IHS(Income)	Sweetness	IHS(Income)	Sweetness	
T1	0.074 (0.065)	0.157 (0.109)	0.099 (0.078)	0.147 (0.092)	
T2	0.024 (0.066)	0.200* (0.118)	0.024 (0.076)	0.096 (0.104)	
Observations	686	684	685	684	
Control-group mean $T1=T2$ (p -value)	$12.215 \\ 0.445$	0.000 0.668	$12.392 \\ 0.327$	$0.000 \\ 0.574$	

Notes: Outcome variables in Columns (2) and (4) are standardized with respect to the control group. All regressions include control variables picked by implementing the post-double selection method of Chernozhukov et al. (2017). Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. **** p<0.01 *** p<0.05 * p<0.1

Table A10: Impact on Additional Production-Related Outcomes (Control Variables Picked Using LASSO)

	(1) Jufeng	(2) Planting	(3)	(4)	(5)	(6)
	Variety (=1)	Area (Acre)	IHS(Yield)	IHS(Sale Volume)	IHS(Revenue)	IHS(Price)
TT-1	0.007*	0.041	0.069	0.000	0.064	0.017
T1	-0.007* (0.004)	-0.041 (0.064)	-0.068 (0.047)	-0.088 (0.135)	-0.064 (0.150)	0.017 (0.022)
Т2	-0.000	0.019	0.026	-0.248	-0.228	0.028
	(0.004)	(0.062)	(0.052)	(0.195)	(0.213)	(0.023)
Observations	687	687	687	687	687	672
Control mean	0.988	1.790	11.10	10.74	11.63	1.646
T1=T2 (p-value)	0.287	0.408	0.0544	0.407	0.434	0.606

Notes: All regressions include control variables picked by implementing the post-double selection method of Chernozhukov et al. (2017). Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p<0.01 ** p<0.05 * p<0.1

Table A11: Multiple Hypothesis Testing

		T1			T2	
	Effect	<i>p</i> -value	Sharpened q-value	Effect	<i>p</i> -value	Sharpened q-value
Used Upp (=1)	0.360***	0.000	0.001	0.391***	0.000	0.001
App Usage Frequency	59.273***	0.000	0.001	63.828***	0.000	0.001
Minutes Spent	82.980***	0.000	0.001	85.335***	0.000	0.001
Total Test Score (All 10 questions)	0.796***	0.000	0.001	0.691***	0.000	0.001
Total Test Score (Repeated 5 questions)	0.299***	0.000	0.001	0.333***	0.000	0.001
Standardized Test Score (All 10 questions)	0.541***	0.000	0.001	0.474***	0.000	0.001
Standardized Test Score (Repeated 5 questions)	0.377***	0.000	0.001	0.420***	0.000	0.001
Sweetness (Machine Reported)	0.297**	0.027	0.037	0.099	0.368	0.341
Sweetness (Self Reported)	0.474***	0.000	0.001	0.510***	0.000	0.001
3-year Aspiration IHS(Income)	0.103	0.201	0.219	0.028	0.766	0.516
3-year Aspiration Sweetness	0.125	0.243	0.254	0.186*	0.085	0.111
5-year Aspiration IHS(Income)	0.101	0.260	0.263	0.034	0.720	0.516
5-year Aspiration Sweetness	0.101	0.291	0.289	0.095	0.326	0.319
Jufeng Variety (=1)	-0.004	0.712	0.516	0.000	0.965	0.616
Planting Area (Acre)	-0.031	0.656	0.511	0.064	0.346	0.329
IHS(Yield)	0.038	0.619	0.490	0.032	0.694	0.516
IHS(Sale Volume)	0.227	0.167	0.201	-0.168	0.434	0.389
IHS(Revenue)	0.265	0.140	0.184	-0.135	0.552	0.435
IHS(Price)	0.039	0.160	0.201	0.035	0.206	0.219

Notes: Adjusted sharpened q-values calculated for all outcomes using the method suggested by Anderson (2008) based on Benjamini et al. (2006). *** p<0.01 ** p<0.05 * p<0.1

Appendix B

Figure B1: App Interface



Figure B2: Sweetness Measurement Machine



Figure B3: Sample Coverage and Attrition






Figure B4: App Interaction Frequency During the Study Period



Note: Each interaction is a video click by the user.

Figure B5: App Interaction Frequency by the Day of the Week



Note: Each interaction with the app is a video click by the user.

Figure B6: App Interaction Frequency by the Time of the Day

Number of Interactions

2500

1500

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 Hour of Day

Note: Each interaction with the app is a video click by the user.

Appendix C Topics of Technical Videos

Pruning spike thinning fruit

- In order to improve grape quality, inflorescence thinning is performed to regulate the number of bunches. Subsequently, the inflorescence is modified and shaped, and bunch adjustments are made. These steps aim to manage yield, elevate quality, achieve bunch uniformity, and fine-tune the shape of the bunches.
- If the farmers in the experimental group follow the technical video instruction, they will perform bud blotting and branch setting in spring when new shoots are sprouting, and picking, inflorescence thinning and spike pruning when grapes are flowering, which will result in sufficient supply of nutrients needed for grapes, well-proportioned and ventilated fruit clusters, uniform sunlight, satisfying fruit growth, and promoting sugar accumulation under photosynthesis, which will eventually lead to higher grape sweetness and improved grape quality and sales price.

Water and fertilizer management

The crucial "five fertilizations" and "six waterings" of the grape year, along with the growing process, were explained and demonstrated.

- Five fertilizer applications
 - Pre-Budbreak Fertilization: Administered before grape buds emerge, this nitrogenbased fertilizer aims to promote even bud sprouting, vigorous leaf development, and strong, sizable inflorescences.
 - Expansion Phase Fertilization: Occurring post-grape setting when berries reach the size of green beans, this fertilizer is primarily nitrogen-based with added phosphorus and potassium. Options include high-nitrogen or standard N-P-K compound fertilizers, supplemented as needed with extra nitrogen sources like urea. The dosage at this stage constitutes about 50% of the annual fertilizer use.
 - Ripening Fertilizer: Applied in two stages, 20-30 days before grape ripening, this
 is a high-potassium, water-soluble fertilizer. A second application is made as the
 grapes begin to soften but haven't yet changed color.

- Post-Harvest Fertilizer: After the grape harvest, an immediate application of approximately 15 kg of high-nitrogen, water-soluble fertilizer is made. The goal is not only to replenish the vine's vitality but also to encourage bud differentiation and set the stage for better yields the following year.
- Overwintering Fertilizer: Traditionally applied during grape dormancy, our video recommends an August-September timeframe after harvest while leaves are still green. This period aligns with a second peak in grape root growth, stimulating the production of fibrous roots to bolster the plant and improve overwintering. The fertilizer at this stage is predominantly organic, optionally augmented with calcium or a minor quantity of N-P-K elements.

The timing of fertilizer application should be intricately aligned with the grapevine's growth and developmental phases. For farmers in the experimental group who adhere to the technical video guidelines on the proper use of nitrogen, phosphorus, potassium, and calcium fertilizers, the benefits are multi-fold. During the budding stage, the budding rate is enhanced, inflorescences grow larger, and new shoots strengthen. In the early fruit phase, the grape enlargement accelerates, the rate of small, undeveloped fruits decreases, and flower bud differentiation is encouraged. Lastly, in the fruit ripening stage, grapes achieve full coloration, the flesh firms up, and sugar content becomes uniform. These changes contribute to a thicker grape cell wall and higher cell sap concentration, ultimately boosting the grape's final sweetness level.

• Six irrigation applications

- Pre-budding: This stage, occurring before grape sprouting, marks the first critical period for irrigation. New shoots and inflorescences will develop rapidly, and the root system becomes highly active. In northern China, where spring droughts are common, immediate watering is critical to prevent poor budding and branch draining due to dry winds.
- Pre-flowering: Approximately 10 days prior to flowering, new shoots and inflorescences experience rapid growth and root systems start generating new roots.
 Given the rising transpiration and nutrient assimilation rates, additional water is essential. Proper watering during dry spells enhances fruit set rate.
- Post-flowering: The second critical period is about 10 days after the flower drop. Shoots thicken, leaves proliferate, and new lateral roots form at this stage. This period also coincides with the first peak of grape growth, making it vital for both fertilizer and water supply.

- Fruit coloring: During this stage, grapes grow quickly and sugar accumulation begins. Adequate fertilizer at this juncture improves not just the current year's grape quality but also has a favorable impact on the yield for the following year.
- Fruit ripening: In moisture-rich areas, soil usually retains enough water. However, in drier regions or when large amounts of fertilizer have been applied, irrigation becomes necessary. Proper soil moisture results in high yields and sugar content, whereas excessive moisture can lead to fruit cracking and diminished fragrance.
- Soil burial for cold protection: In northern China's winter and spring droughtprone areas, a small amount of watering is required to moisten dry soil before burying the grapes to protect them from cold weather.

Grapes have specific water needs and should not be inundated. The early growth and nutritional stages demand more water, while the later growth and fruit-bearing stages require less, with an avoidance of rain and dew. In the instructional video, we specify that irrigation should occur 5-7 times during key periods: budding, before and after flowering, and before and after grape expansion. Additional irrigation may follow the harvest, with adjustments based on soil conditions. If farmers in the experimental group adhere to the video guidelines and adjust irrigation based on the grape's developmental stages, they can achieve optimal water content for grape growth, fruit expansion, and ripening. This practice will likely lead to healthier plants, minimized risks of fruit cracking, rotting, and dropping, as well as favorable fruit development, higher yields, and increased sugar content.

Pest control

Pests and diseases significantly affect grape growth, development, and yield quality. The impact is particularly severe in regions with frequent rainfall. The diverse array of grape pests and diseases, along with their complex patterns of occurrence, complicates management efforts. For this reason, our technical videos also emphasize crucial strategies for pest and disease control.

In the training videos, we advocate for a "proactive and integrated" approach as the cornerstone for managing grape pests and diseases. Close monitoring of potential outbreaks is key, and precautionary spraying is advised even in the absence of evident issues. To optimize yield and quality while safeguarding both environmental and human health, we recommend a diverse set of control measures, including chemical, biological, and physical methods, for effective and economical pest management.

The videos delve into four specific types of control measures.

- Biological Control: Predominantly involves the utilization of insects, bacteria, and fungi to manage pests. This approach is non-toxic to both plants and mammals, environmentally friendly, and maintains the natural ecological balance. Current applications include the use of Agricultural Anti 402 biopesticides, particularly effective in root tumor management post-excision.
- Physical Control: Leverages the specific susceptibilities of pests to variables like temperature, light spectrum, and sound to either kill or repel them. For instance, heat treatment techniques are currently used to de-virus non-toxic seedlings.
- Chemical Control: Employs chemical pesticides as the primary tool for pest mitigation. While effective and convenient, this approach carries drawbacks such as environmental pollution and the potential eradication of beneficial organisms.
- Agricultural Control: Entails field sanitation measures like the removal and proper disposal of diseased branches, leaves, and fruits. Additionally, vine tying, heart picking, and secondary tip removal are advocated for better light and air circulation. Improved fertilizer and water management also strengthen the plant's disease resistance. Organic, phosphorus, and potassium fertilizers are preferred over chemical nitrogen-based ones. Timely weed removal minimizes pest habitats.

Integrated pest and disease control is crucial for sustainable grape cultivation. Therefore, farmers in the experimental group should familiarize themselves with common grape pests and diseases to implement targeted treatments. Soil and environmental management need reinforcement, including regular orchard maintenance and soil amendments. Actions such as filling in soil gaps, burning diseased plant matter, and pruning unhealthy branches contribute to optimal grape development, larger fruit sizes, and enhanced fruit quality.

Appendix D Heterogeneity Tables

Appendix D.1 Gender

Table D1: Impact on Test Score

	(1)	(2)
	Standard	ized IRT Score
	All 10 questions	Repeated 5 questions
T1	0.616***	0.359**
	(0.148)	(0.155)
T1 x Male	-0.198	0.016
	(0.169)	(0.179)
T2	0.541***	0.353**
	(0.168)	(0.153)
$T2 \times Male$	-0.031	0.090
	(0.189)	(0.183)
Observations	687	687
Control mean	0.000	0.000
$T1 + T1 \times Male$	0.419	0.375
$T1 + T1 \times Male (SE)$	0.114	0.111
$T1 + T1 \times Male (p-values)$	0.000	0.001
$T2 + T2 \times Male$	0.509	0.443
$T2 + T2 \times Male (SE)$	0.113	0.100
$T2 + T2 \times Male (p-values)$	0.000	0.000

Notes: All regressions include test scores at baseline and an indicator variable for the farmer being male. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. **** p < 0.01, *** p < 0.05, * p < 0.10

Table D2: Impact on Grape Quality

	(1)
	Machine-Measured Sweetness
	0.306*
	(0.163)
T1 x Male	0.006
	(0.244)
T2	0.001
	(0.178)
$T2 \times Male$	0.104
	(0.221)
	,
Observations	691
Control mean	0.021
$T1 + T1 \times Male$	0.313
$T1 + T1 \times Male (SE)$	0.176
$T1 + T1 \times Male (p-values)$	0.079
$T2 + T2 \times Male$	0.105
$T2 + T2 \times Male (SE)$	0.131
$T2 + T2 \times Male (p-values)$	0.425

Notes: All regressions include test scores at baseline and an indicator variable for the farmer being male. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Table D3: Impact on Aspiration

	(1)	(2)	(3)	(4)
	3-year aspiration		5-year asp	oiration
	IHS (Income)	Sweetness	IHS (Income)	Sweetness
	0.136	0.111	0.229	0.088
	(0.257)	(0.187)	(0.297)	(0.163)
T1 x Male	0.001	-0.004	-0.054	0.019
	(0.254)	(0.214)	(0.276)	(0.196)
T2	1.494	-0.004	1.476	-0.112
	(1.488)	(0.181)	(1.483)	(0.159)
T2 x Male	0.254	-1.297	0.004	-0.008
	(0.211)	(1.410)	(0.176)	(0.221)
Observations	694	692	693	692
Control mean	-0.018	0.006	-0.015	0.000
$T1 + T1 \times Male$	0.137	0.107	0.175	0.107
$T1 + T1 \times Male (SE)$	0.196	0.116	0.206	0.107
$T1 + T1 \times Male (p-values)$	0.485	0.360	0.397	0.321
$T2 + T2 \times Male$	0.211	0.250	0.179	0.183
$T2 + T2 \times Male (SE)$	0.223	0.123	0.223	0.102
$T2 + T2 \times Male (p-values)$	0.345	0.045	0.424	0.075

Notes: All regressions include test scores at baseline and an indicator variable for the farmer being male. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Appendix D.2 Age

Table D4: Impact on Test Score

	(1)	(2)		
	Standardized IRT Score			
	All 10 questions	Repeated 5 questions		
T1	0.492***	0.353***		
	(0.099)	(0.097)		
T1 x Age (in Years)	0.006	-0.004		
	(0.011)	(0.008)		
T2	0.450***	0.419***		
	(0.103)	(0.084)		
T2 x Age (in Years)	0.001	-0.012		
- , ,	(0.011)	(0.008)		
Observations	687	687		
Control mean	0.000	0.000		
$T1 + T1 \times Age$	0.498	0.350		
$T1 + T1 \times Age (SE)$	0.101	0.099		
$T1 + T1 \times Age (p-values)$	0.000	0.001		
$T2 + T2 \times Age$	0.451	0.407		
$T2 + T2 \times Age (SE)$	0.104	0.085		
$T2 + T2 \times Age (p-values)$	0.000	0.000		

Notes: All regressions include test scores at baseline and age (in years). Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Table D5: Impact on Grape Quality

	/1)
	(1)
	Machine-Measured Sweetness
T1	0.303**
	(0.131)
T1 x Age (in Years)	-0.001
	(0.010)
T2	0.103
	(0.107)
T2 x Age (in Years)	-0.007
	(0.011)
Observations	679
Control mean	0.000
$T1 + T1 \times Age$	0.302
$T1 + T1 \times Age (SE)$	0.131
$T1 + T1 \times Age (p-values)$	0.023
$T2 + T2 \times Age$	0.096
$T2 + T2 \times Age (SE)$	0.111
$T2 + T2 \times Age (p-values)$	0.387

Notes: All regressions include test scores at baseline and age (in years). Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Table D6: Impact on Aspiration

	(1)	(2)	(3)	(4)
	3-year aspiration		5-year aspiration	
	IHS (Income)	Sweetness	IHS (Income)	Sweetness
T1	0.068	0.114	0.074	0.095
	(0.082)	(0.108)	(0.090)	(0.096)
T1 x Age (in Years)	0.008	-0.017*	0.011	-0.010
	(0.007)	(0.009)	(0.008)	(0.010)
T2	0.025	0.196*	0.025	0.099
	(0.096)	(0.107)	(0.094)	(0.096)
T2 x Age (in Years)	0.004	-0.016	0.004	-0.008
	(0.008)	(0.012)	(0.009)	(0.011)
Observations	686	684	685	684
Control mean	12.215	0.000	12.392	0.000
$T1 + T1 \times Age$	0.076	0.098	0.085	0.085
$T1 + T1 \times Age (SE)$	0.083	0.107	0.090	0.095
$T1 + T1 \times Age (p-values)$	0.360	0.365	0.350	0.375
$T2 + T2 \times Age$	0.029	0.180	0.029	0.092
$T2 + T2 \times Age (SE)$	0.097	0.106	0.095	0.095
$T2 + T2 \times Age (p-values)$	0.764	0.094	0.760	0.338

Notes: All regressions include test scores at baseline and age (in years). Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Appendix D.3 Training

Table D7: Impact on Test Score

	(1)	(2)	
	Standardized IRT Score		
	All 10	Repeated 5	
	questions	questions	
T1	0.396***	0.296***	
	(0.121)	(0.098)	
T1 x Has Training Experience	0.361**	0.239	
	(0.174)	(0.170)	
T2	0.325***	0.351***	
	(0.118)	(0.084)	
T2 x Has Training Experience	0.392*	0.186	
<u> </u>	(0.199)	(0.174)	
Observations	687	687	
Control mean	0.000	0.000	
T1 + T1 x Has Training Experience	0.757	0.536	
T1 + T1 x Has Training Experience (SE)	0.138	0.163	
T1 + T1 x Has Training Experience (p-values)	0.000	0.001	
T2 + T2 x Has Training Experience	0.718	0.537	
T2 + T2 x Has Training Experience (SE)	0.171	0.162	
T2 + T2 x Has Training Experience (p-values)	0.000	0.001	

Notes: All regressions include test scores at baseline and whether a farmer has training experience. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Table D8: Impact on Grape Quality

	(1)
	Machine-Measured Sweetness
T1	0.312**
	(0.146)
T1 x Has Training Experience	-0.047
	(0.196)
T2	0.069
	(0.138)
T2 x Has Training Experience	0.101
	(0.208)
Observations	679
Control mean	0.000
T1 + T1 x Has Training Experience	0.265
T1 + T1 x Has Training Experience (SE)	0.188
$T1 + T1 \times Has Training Experience (p-values)$	0.160
T2 + T2 x Has Training Experience	0.169
T2 + T2 x Has Training Experience (SE)	0.163
T2 + T2 x Has Training Experience (p-values)	0.301

Notes: All regressions include test scores at baseline and whether a farmer has training experience. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Table D9: Impact on Aspiration

	(4)	(2)	(2)	(1)
	(1)	(2)	(3)	(4)
	3-year asp	3-year aspiration		iration
	IHS (Income)	Sweetness	IHS (Income)	Sweetness
T1	0.224	0.150	0.280*	0.185*
	(0.139)	(0.123)	(0.166)	(0.107)
T1 x Has Training Experience	-0.115	-0.091	-0.210	-0.255
	(0.256)	(0.209)	(0.264)	(0.196)
T2	0.886	0.270**	0.867	0.168
	(0.822)	(0.126)	(0.826)	(0.106)
T2 x Has Training Experience	-0.883	-0.264	-0.849	-0.222
	(0.816)	(0.196)	(0.826)	(0.177)
Observations	686	684	685	684
Control mean	0.000	0.000	0.000	0.000
T1 + T1 x Has Training Experience	0.109	0.059	0.070	-0.070
T1 + T1 x Has Training Experience (SE)	0.248	0.181	0.244	0.169
$T1 + T1 \times Has Training Experience (p-values)$	0.662	0.746	0.774	0.678
T2 + T2 x Has Training Experience	0.003	0.006	0.018	-0.055
T2 + T2 x Has Training Experience (SE)	0.199	0.166	0.208	0.159
T2 + T2 x Has Training Experience (p-values)	0.989	0.974	0.932	0.732

Notes: All regressions include test scores at baseline and whether a farmer has training experience. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Appendix D.4 Middle School

Table D10: Impact on Test Score

	(1)	(2)
	Standardized IRT Score	
	All 10	Repeated 5
	questions	questions
T1	0.559***	0.431**
	(0.193)	(0.187)
T1 x Completed Middle School or Above	-0.085	-0.103
	(0.211)	(0.201)
T2	0.425**	0.488***
	(0.192)	(0.161)
T2 x Completed Middle School or Above	$0.116^{'}$	-0.101
•	(0.223)	(0.179)
Observations	687	687
Control mean	0.000	0.000
T1 + T1 x Completed Middle School or Above	0.474	0.329
T1 + T1 x Completed Middle School or Above (SE)	0.094	0.098
T1 + T1 x Completed Middle School or Above (p-values)	0.000	0.001
T2 + T2 x Completed Middle School or Above	0.541	0.388
T2 + T2 x Completed Middle School or Above (SE)	0.106	0.090
T2 + T2 x Completed Middle School or Above (p-values)	0.000	0.000

Notes: All regressions include test scores at baseline and whether a completed middle school or above. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Table D11: Impact on Grape Quality

	(1)
	Machine-Measured Sweetness
T1	0.350*
	(0.187)
T1 x Completed Middle School or Above	-0.082
	(0.201)
T2	0.073
	(0.180)
T2 x Completed Middle School or Above	0.054
	(0.213)
Observations	679
Control mean	0.000
T1 + T1 x Completed Middle School or Above	0.268
T1 + T1 x Completed Middle School or Above (SE)	0.150
$T1 + T1 \times Completed Middle School or Above (p-values)$	0.077
T2 + T2 x Completed Middle School or Above	0.127
T2 + T2 x Completed Middle School or Above (SE)	0.129
$T2 + T2 \times Completed Middle School or Above (p-values)$	0.326

Notes: All regressions include test scores at baseline and whether a completed middle school or above. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Table D12: Impact on Aspiration

	(1)	(2)	(3)	(4)
	3-year aspiration		5-year asp	` /
	IHS (Income)	<u> </u>		Sweetness
	0.271	0.318*	IHS (Income) 0.248	0.230
11	(0.219)	(0.175)	(0.236)	(0.154)
T1 x Completed Middle School or Above	-0.131	-0.296	-0.060	-0.201
11 x Completed Middle School of Above	(0.233)	(0.184)	(0.228)	(0.187)
T2	0.233	0.104) 0.215	0.070	0.187)
12				
TTO C 1. 1 M: 111 C 1 1 A1	(0.130)	(0.182)	(0.145)	(0.163)
T2 x Completed Middle School or Above	0.760	-0.024	0.976	0.036
	(1.023)	(0.218)	(1.036)	(0.195)
Observations	686	684	685	684
Control mean	0.000	0.000	0.000	0.000
T1 + T1 x Completed Middle School or Above	0.140	0.022	0.189	0.029
T1 + T1 x Completed Middle School or Above (SE)	0.155	0.113	0.155	0.114
T1 + T1 x Completed Middle School or Above (p-values)	0.367	0.846	0.225	0.800
T2 + T2 x Completed Middle School or Above	0.970	0.191	1.046	0.124
T2 + T2 x Completed Middle School or Above (SE)	1.018	0.129	1.026	0.116
$T2 + T2 \times Completed Middle School or Above (p-values)$	0.343	0.142	0.310	0.287

Notes: All regressions include test scores at baseline and whether a completed middle school or above. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Appendix D.5 Experience

Table D13: Impact on Test Score

	(1)	(2)
	Standardized IRT Score	
	All 10 questions	Repeated 5 questions
T1	0.521***	0.368***
	(0.097)	(0.094)
T1 x Years of Experience	0.001	-0.003
	(0.011)	(0.010)
T2	0.454***	0.417***
	(0.101)	(0.084)
T2 x Years of Experience	-0.018*	-0.014
	(0.010)	(0.009)
Observations	687	687
Control mean	0.000	0.000
T1 + T1 x Years of Experience	0.522	0.365
T1 + T1 x Years of Experience (SE)	0.099	0.093
$T1 + T1 \times Years \text{ of Experience } (p\text{-values})$	0.000	0.000
T2 + T2 x Years of Experience	0.436	0.403
T2 + T2 x Years of Experience (SE)	0.103	0.082
$T2 + T2 \times Years \text{ of Experience } (p\text{-values})$	0.000	0.000

Notes: All regressions include test scores at baseline and years of experience. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Table D14: Impact on Grape Quality

	(1)
	Machine-Measured Sweetness
T1	0.296**
	(0.132)
T1 x Years of Experience	0.007
	(0.011)
T2	0.099
	(0.108)
T2 x Years of Experience	0.001
	(0.011)
Observations	679
Control mean	0.000
T1 + T1 x Years of Experience	0.303
T1 + T1 x Years of Experience (SE)	0.130
$T1 + T1 \times Years \text{ of Experience } (p\text{-values})$	0.021
T2 + T2 x Years of Experience	0.100
T2 + T2 x Years of Experience (SE)	0.110
T2 + T2 x Years of Experience (p-values)	0.366

Notes: All regressions include test scores at baseline and years of experience. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Table D15: Impact on Aspiration

	(1)	(2)	(3)	(4)
	3-year asp	3-year aspiration		iration
	IHS (Income)	Sweetness	IHS (Income)	Sweetness
T1	0.104	0.124	0.109	0.100
	(0.079)	(0.107)	(0.088)	(0.095)
T1 x Years of Experience	-0.003	-0.014	-0.002	-0.006
	(0.009)	(0.010)	(0.009)	(0.009)
T2	0.030	0.190*	0.031	0.099
	(0.093)	(0.106)	(0.091)	(0.095)
T2 x Years of Experience	-0.015	-0.022**	-0.018*	-0.019**
	(0.010)	(0.010)	(0.010)	(0.009)
Observations	686	684	685	684
Control mean	12.215	0.000	12.392	0.000
T1 + T1 x Years of Experience	0.100	0.111	0.107	0.094
T1 + T1 x Years of Experience (SE)	0.080	0.108	0.089	0.096
$T1 + T1 \times Years \text{ of Experience } (p\text{-values})$	0.212	0.309	0.233	0.328
T2 + T2 x Years of Experience	0.015	0.168	0.013	0.080
T2 + T2 x Years of Experience (SE)	0.095	0.108	0.093	0.097
T2 + T2 x Years of Experience (p-values)	0.877	0.120	0.889	0.413

Notes: All regressions include test scores at baseline and years of experience. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Appendix D.6 BL Self-Assessed Sweetness

Table D16: Impact on Test Score

	(1)	(2)	
	Standardized IRT Score		
	All 10 questions	Repeated 5 questions	
T1	0.468***	0.305***	
	(0.102)	(0.097)	
T1 x Self-Assessed Sweetness	0.017	-0.065	
	(0.106)	(0.122)	
T2	0.446***	0.413***	
	(0.112)	(0.087)	
T2 x Self-Assessed Sweetness	-0.015	-0.131	
	(0.116)	(0.099)	
Observations	687	687	
Control mean	0.000	0.000	
$T1 + T1 \times Self$ -Assessed Sweetness	0.485	0.240	
$T1 + T1 \times Self$ -Assessed Sweetness (SE)	0.158	0.157	
$T1 + T1 \times Self$ -Assessed Sweetness (p -values)	0.003	0.130	
T2 + T2 x Self-Assessed Sweetness	0.430	0.281	
$T2 + T2 \times Self$ -Assessed Sweetness (SE)	0.182	0.130	
$T2 + T2 \times Self$ -Assessed Sweetness (p-values)	0.020	0.032	

Notes: All regressions include test scores at baseline and self-assessed sweetness. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Table D17: Impact on Grape Quality

	(1)
	Machine-Measured Sweetness
T1	0.297*
	(0.150)
T1 x Self-Assessed Sweetness	-0.002
	(0.124)
T2	0.167
	(0.112)
T2 x Self-Assessed Sweetness	-0.122
	(0.109)
Observations	679
Control mean	0.000
$T1 + T1 \times Self$ -Assessed Sweetness	0.295
$T1 + T1 \times Self$ -Assessed Sweetness (SE)	0.158
$T1 + T1 \times Self$ -Assessed Sweetness (p -values)	0.064
$T2 + T2 \times Self$ -Assessed Sweetness	0.045
$T2 + T2 \times Self$ -Assessed Sweetness (SE)	0.157
$T2 + T2 \times Self-Assessed Sweetness (p-values)$	0.777

Notes: All regressions include test scores at baseline and self-assessed sweetness. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Table D18: Impact on Aspiration

	(1)	(2)	(3)	(4)
	3-year asp	3-year aspiration		oiration
	IHS (Income)	Sweetness	IHS (Income)	Sweetness
T1	0.119	0.160	0.102	0.111
	(0.091)	(0.122)	(0.097)	(0.107)
T1 x Self-Assessed Sweetness	-0.061	0.123	-0.067	0.147
	(0.084)	(0.117)	(0.102)	(0.117)
T2	-0.004	0.311**	-0.010	0.201*
	(0.105)	(0.121)	(0.101)	(0.104)
T2 x Self-Assessed Sweetness	-0.081	-0.132	-0.038	-0.095
	(0.072)	(0.123)	(0.084)	(0.118)
Observations	686	684	685	684
Control mean	12.215	0.000	12.392	0.000
$T1 + T1 \times Self$ -Assessed Sweetness	0.058	0.283	0.035	0.258
$T1 + T1 \times Self$ -Assessed Sweetness (SE)	0.118	0.180	0.126	0.163
$T1 + T1 \times Self$ -Assessed Sweetness (p-values)	0.623	0.120	0.783	0.118
T2 + T2 x Self-Assessed Sweetness	-0.086	0.179	-0.048	0.106
$T2 + T2 \times Self$ -Assessed Sweetness (SE)	0.140	0.166	0.136	0.157
$T2 + T2 \times Self$ -Assessed Sweetness (p-values)	0.541	0.285	0.727	0.502

Notes: All regressions include test scores at baseline and self-assessed sweetness. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Appendix D.7 BL Revenue

Table D19: Impact on Test Score

	(1)	(2)
	Standard	ized IRT Score
		Repeated 5 questions
T1	0.510***	0.355***
	(0.103)	(0.098)
T1 x IHS(Revenue from grape)	-0.003	0.032
	(0.028)	(0.027)
T2	0.460***	0.426***
	(0.106)	(0.085)
T2 x IHS(Revenue from grape)	0.004	0.028
	(0.022)	(0.019)
Observations	687	687
Control mean	0.000	0.000
$T1 + T1 \times IHS(Revenue from grape)$	0.507	0.387
$T1 + T1 \times IHS(Revenue from grape)$ (SE)	0.098	0.100
$T1 + T1 \times IHS(Revenue from grape)$ (p-values)	0.000	0.000
$T2 + T2 \times IHS$ (Revenue from grape)	0.463	0.454
$T2 + T2 \times IHS$ (Revenue from grape) (SE)	0.111	0.093
$T2 + T2 \times IHS$ (Revenue from grape) (p-values)	0.000	0.000

Notes: All regressions include test scores at baseline and household grape sales revenue. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Table D20: Impact on Grape Quality

	(1)
	Machine-Measured Sweetness
T1	0.326**
	(0.135)
T1 x IHS(Revenue from grape)	-0.024
	(0.023)
T2	0.082
	(0.109)
T2 x IHS(Revenue from grape)	-0.019
	(0.017)
Observations	679
Control mean	0.000
$T1 + T1 \times IHS(Revenue from grape)$	0.302
$T1 + T1 \times IHS(Revenue from grape)$ (SE)	0.134
$T1 + T1 \times IHS(Revenue from grape)$ (p-values)	0.026
$T2 + T2 \times IHS(Revenue from grape)$	0.063
$T2 + T2 \times IHS(Revenue from grape)$ (SE)	0.114
$T2 + T2 \times IHS(Revenue from grape) (p-values)$	0.582

Notes: All regressions include test scores at baseline and household grape sales revenue. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Table D21: Impact on Aspiration

	(1)	(2)	(3)	(4)
	3-year asp	3-year aspiration		iration
	IHS (Income)	Sweetness	IHS (Income)	Sweetness
T1	0.095	0.128	0.109	0.118
	(0.085)	(0.105)	(0.094)	(0.098)
T1 x IHS(Revenue from grape)	-0.015	0.014	-0.031	-0.018
	(0.020)	(0.016)	(0.022)	(0.025)
T2	0.031	0.190*	0.024	0.100
	(0.094)	(0.107)	(0.093)	(0.097)
T2 x IHS(Revenue from grape)	-0.012	0.020	-0.027	0.012
	(0.023)	(0.019)	(0.023)	(0.019)
Observations	686	684	685	684
Control mean	12.215	0.000	12.392	0.000
$T1 + T1 \times IHS(Revenue from grape)$	0.080	0.142	0.077	0.100
$T1 + T1 \times IHS(Revenue from grape)$ (SE)	0.082	0.107	0.088	0.096
$T1 + T1 \times IHS(Revenue from grape)$ (p-values)	0.330	0.186	0.385	0.303
T2 + T2 x IHS(Revenue from grape)	0.019	0.210	-0.003	0.112
$T2 + T2 \times IHS(Revenue from grape)$ (SE)	0.094	0.113	0.094	0.103
$T2 + T2 \times IHS(Revenue from grape)$ (p-values)	0.840	0.065	0.976	0.280

Notes: All regressions include test scores at baseline and household grape sales revenue. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Appendix D.8 BL Knowledge

Table D22: Impact on Test Score

	(1)	(2)	
	Standardized IRT Score		
	All 10 questions	Repeated 5 questions	
T1	0.522***	0.373***	
	(0.095)	(0.094)	
T1 x Test score (standardized)	-0.205**	-0.199**	
	(0.081)	(0.076)	
T2	0.457***	0.418***	
	(0.102)	(0.083)	
T2 x Test score (standardized)	-0.135	-0.129*	
,	(0.088)	(0.072)	
Observations	687	687	
Control mean	0.000	0.000	
$T1 + T1 \times Test score (standardized)$	0.317	0.174	
T1 + T1 x Test score (standardized) (SE)	0.113	0.106	
$T1 + T1 \times Test score (standardized) (p-values)$	0.006	0.103	
T2 + T2 x Test score (standardized)	0.322	0.289	
T2 + T2 x Test score (standardized) (SE)	0.120	0.096	
$T2 + T2 \times Test \text{ score (standardized) } (p\text{-values})$	0.009	0.003	

Notes: All regressions include test scores at baseline and baseline test scores (standardized) from repeated 5 questions. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Table D23: Impact on Grape Quality

	(1)
	Machine-Measured Sweetness
T1	0.292**
	(0.128)
T1 x Test score (standardized)	0.287***
	(0.090)
T2	0.083
	(0.106)
T2 x Test score (standardized)	-0.005
	(0.097)
Observations	679
Control mean	0.000
$T1 + T1 \times Test \text{ score (standardized)}$	0.579
$T1 + T1 \times Test score (standardized) (SE)$	0.167
$T1 + T1 \times Test score (standardized) (p-values)$	0.001
T2 + T2 x Test score (standardized)	0.078
$T2 + T2 \times Test \text{ score (standardized) (SE)}$	0.131
$T2 + T2 \times Test \text{ score (standardized) } (p\text{-values})$	0.552

Notes: All regressions include test scores at baseline and baseline test scores (standardized) from repeated 5 questions. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Table D24: Impact on Aspiration

	(1)	(2)	(3)	(4)
	3-year asp	3-year aspiration		iration
	IHS (Income)	Sweetness	IHS (Income)	Sweetness
T1	0.104	0.123	0.109	0.098
	(0.079)	(0.107)	(0.087)	(0.095)
T1 x Test score (standardized)	-0.184***	-0.002	-0.183**	-0.032
	(0.061)	(0.085)	(0.071)	(0.081)
T2	0.033	0.185*	0.033	0.094
	(0.093)	(0.107)	(0.092)	(0.096)
T2 x Test score (standardized)	-0.048	0.094	-0.039	0.057
	(0.066)	(0.077)	(0.067)	(0.074)
Observations	686	684	685	684
Control mean	12.215	0.000	12.392	0.000
$T1 + T1 \times Test score (standardized)$	-0.080	0.121	-0.074	0.066
$T1 + T1 \times Test score (standardized) (SE)$	0.091	0.133	0.101	0.117
$T1 + T1 \times Test score (standardized) (p-values)$	0.378	0.366	0.467	0.573
$T2 + T2 \times Test \text{ score (standardized)}$	-0.015	0.279	-0.006	0.151
$T2 + T2 \times Test \text{ score (standardized) (SE)}$	0.108	0.136	0.108	0.116
$T2 + T2 \times Test \text{ score (standardized) } (p\text{-values})$	0.893	0.042	0.957	0.197

Notes: All regressions include test scores at baseline and baseline test scores (standardized) from repeated 5 questions. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Appendix D.9 BL Aspiration 3-yr Income

Table D25: Impact on Test Score

	(1)	(2)
	()	ized IRT Score
		Repeated 5 questions
	0.506***	0.349***
	(0.098)	(0.097)
T1 x IHS(Aspired income in 3 years)	0.019	-0.008
	(0.028)	(0.022)
T2	0.464***	0.413***
	(0.105)	(0.085)
T2 x IHS(Aspired income in 3 years)	0.017	-0.010
,	(0.029)	(0.022)
Observations	687	687
Control mean	0.000	0.000
T1 + T1 x IHS(Aspired income in 3 years)	0.525	0.340
T1 + T1 x IHS(Aspired income in 3 years) (SE)	0.101	0.107
$T1 + T1 \times IHS(Aspired income in 3 years)$ (p-values)	0.000	0.002
T2 + T2 x IHS(Aspired income in 3 years)	0.482	0.403
T2 + T2 x IHS(Aspired income in 3 years) (SE)	0.111	0.095
$T2 + T2 \times IHS(Aspired income in 3 years)$ (p-values)	0.000	0.000

Notes: All regressions include test scores at baseline and baseline household aspired income in 3 years. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Table D26: Impact on Grape Quality

	(1)
	Machine-Measured Sweetness
T1	0.271*
	(0.137)
T1 x IHS(Aspired income in 3 years)	0.055*
	(0.033)
T2	0.024
	(0.113)
T2 x IHS(Aspired income in 3 years)	0.073**
	(0.034)
Observations	679
Control mean	0.000
$T1 + T1 \times IHS(Aspired income in 3 years)$	0.326
$T1 + T1 \times IHS(Aspired income in 3 years)$ (SE)	0.137
$T1 + T1 \times IHS(Aspired income in 3 years)$ (p-values)	0.019
T2 + T2 x IHS(Aspired income in 3 years)	0.097
$T2 + T2 \times IHS(Aspired income in 3 years)$ (SE)	0.110
$T2 + T2 \times IHS(Aspired income in 3 years)$ (p-values)	0.379

Notes: All regressions include test scores at baseline and baseline household aspired income in 3 years. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Table D27: Impact on Aspiration

	(1)	(2)	(3)	(4)
	3-year aspiration		5-year aspiration	
	IHS (Income)	Sweetness	IHS (Income)	Sweetness
T1	0.075	0.107	0.074	0.102
	(0.081)	(0.105)	(0.086)	(0.092)
T1 x IHS(Aspired income in 3 years)	0.033	0.025	0.031	-0.001
	(0.025)	(0.024)	(0.026)	(0.024)
T2	0.022	0.171	0.029	0.088
	(0.097)	(0.105)	(0.094)	(0.098)
T2 x IHS(Aspired income in 3 years)	0.013	0.067***	0.001	0.042
	(0.026)	(0.023)	(0.024)	(0.026)
Observations	686	684	685	684
Control mean	12.215	0.000	12.392	0.000
T1 + T1 x IHS(Aspired income in 3 years)	0.108	0.132	0.105	0.101
T1 + T1 x IHS(Aspired income in 3 years) (SE)	0.089	0.110	0.094	0.096
$T1 + T1 \times IHS(Aspired income in 3 years)$ (p-values)	0.230	0.230	0.265	0.297
T2 + T2 x IHS(Aspired income in 3 years)	0.035	0.238	0.030	0.130
T2 + T2 x IHS(Aspired income in 3 years) (SE)	0.101	0.113	0.099	0.101
$T2 + T2 \times IHS(Aspired income in 3 years)$ (p-values)	0.728	0.037	0.766	0.202

Notes: All regressions include test scores at baseline and baseline household aspired income in 3 years. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Appendix D.10 BL Aspiration 5-yr Income

Table D28: Impact on Test Score

	(1)	(2)
	()	ized IRT Score
		Repeated 5 questions
	0.548***	0.370***
	(0.095)	(0.094)
T1 x IHS(Aspired income in 5 years)	-0.023	-0.029*
(1	(0.021)	(0.015)
T2	0.459***	0.398***
	(0.103)	(0.086)
T2 x IHS(Aspired income in 5 years)	-0.006	-0.023
, <u>-</u>	(0.024)	(0.016)
Observations	687	687
Control mean	0.000	0.000
T1 + T1 x IHS(Aspired income in 5 years)	0.525	0.340
T1 + T1 x IHS(Aspired income in 5 years) (SE)	0.094	0.100
$T1 + T1 \times IHS(Aspired income in 5 years)$ (p-values)	0.000	0.001
T2 + T2 x IHS(Aspired income in 5 years)	0.453	0.375
T2 + T2 x IHS(Aspired income in 5 years) (SE)	0.105	0.090
$T2 + T2 \times IHS(Aspired income in 5 years)$ (p-values)	0.000	0.000

Notes: All regressions include test scores at baseline and baseline household aspired income in 5 years. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Table D29: Impact on Grape Quality

	(1)
	Machine-Measured Sweetness
T1	0.277**
	(0.135)
T1 x IHS(Aspired income in 5 years)	0.033
	(0.023)
T2	0.085
	(0.104)
T2 x IHS(Aspired income in 5 years)	0.013
	(0.019)
Observations	679
Control mean	0.000
$T1 + T1 \times IHS(Aspired income in 5 years)$	0.310
$T1 + T1 \times IHS(Aspired income in 5 years)$ (SE)	0.133
$T1 + T1 \times IHS(Aspired income in 5 years)$ (p-values)	0.022
T2 + T2 x IHS(Aspired income in 5 years)	0.098
$T2 + T2 \times IHS(Aspired income in 5 years)$ (SE)	0.104
$T2 + T2 \times IHS$ (Aspired income in 5 years) (p-values)	0.348

Notes: All regressions include test scores at baseline and baseline household aspired income in 5 years. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Table D30: Impact on Aspiration

	(1)	(2)	(3)	(4)
	3-year aspiration		5-year aspiration	
	IHS (Income)	Sweetness	IHS (Income)	Sweetness
T1	0.069	0.106	0.062	0.117
	(0.082)	(0.103)	(0.086)	(0.091)
T1 x IHS(Aspired income in 5 years)	0.024	0.017	0.026	-0.001
	(0.016)	(0.019)	(0.017)	(0.019)
T2	0.032	0.170	0.030	0.092
	(0.098)	(0.105)	(0.096)	(0.093)
T2 x IHS(Aspired income in 5 years)	0.013	0.025	0.012	0.022
	(0.019)	(0.018)	(0.018)	(0.016)
Observations	686	684	685	684
Control mean	12.215	0.000	12.392	0.000
T1 + T1 x IHS(Aspired income in 5 years)	0.093	0.122	0.087	0.116
T1 + T1 x IHS(Aspired income in 5 years) (SE)	0.085	0.105	0.091	0.093
$T1 + T1 \times IHS(Aspired income in 5 years)$ (p-values)	0.277	0.246	0.337	0.214
T2 + T2 x IHS(Aspired income in 5 years)	0.045	0.195	0.042	0.114
T2 + T2 x IHS(Aspired income in 5 years) (SE)	0.097	0.105	0.096	0.097
$T2 + T2 \times IHS(Aspired income in 5 years)$ (p-values)	0.648	0.066	0.664	0.242

Notes: All regressions include test scores at baseline and baseline household aspired income in 5 years. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Appendix D.11 Household Income

Table D31: Impact on Test Score

	(1)	(2)
	\ /	ized IRT Score
	All 10 questions	Repeated 5 questions
T1	0.513***	0.360***
	(0.098)	(0.096)
T1 x IHS(Total household income)	0.021	0.013
	(0.055)	(0.050)
T2	0.453***	0.416***
	(0.102)	(0.084)
T2 x IHS(Total household income)	0.011	0.017
	(0.052)	(0.047)
Observations	687	687
Control mean	0.000	0.000
T1 + T1 x IHS(Total household income)	0.534	0.373
T1 + T1 x IHS(Total household income) (SE)	0.101	0.110
$T1 + T1 \times IHS(Total household income)$ (p-values)	0.000	0.001
T2 + T2 x IHS(Total household income)	0.464	0.433
T2 + T2 x IHS(Total household income) (SE)	0.112	0.102
T2 + T2 x IHS(Total household income) (p-values)	0.000	0.000

Notes: All regressions include test scores at baseline and total household income at baseline. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Table D32: Impact on Grape Quality

	(1)
	Machine-Measured Sweetness
T1	0.299**
	(0.134)
T1 x IHS(Total household income)	0.018
	(0.053)
T2	0.095
	(0.108)
T2 x IHS(Total household income)	-0.024
	(0.033)
Observations	679
Control mean	0.000
T1 + T1 x IHS(Total household income)	0.317
$T1 + T1 \times IHS(Total household income)$ (SE)	0.138
$T1 + T1 \times IHS(Total household income)$ (p-values)	0.024
T2 + T2 x IHS(Total household income)	0.071
T2 + T2 x IHS(Total household income) (SE)	0.112
$T2 + T2 \times IHS(Total household income)$ (p-values)	0.528

Notes: All regressions include test scores at baseline and total household income at baseline. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10

Table D33: Impact on Aspiration

	(1)	(2)	(3)	(4)
	3-year aspiration		5-year aspiration	
	IHS (Income)	Sweetness	IHS (Income)	Sweetness
T1	0.099	0.122	0.103	0.098
	(0.083)	(0.106)	(0.090)	(0.096)
T1 x IHS(Total household income)	-0.056	0.050	-0.056	0.025
	(0.052)	(0.031)	(0.053)	(0.041)
T2	0.022	0.184*	0.020	0.092
	(0.093)	(0.106)	(0.092)	(0.095)
T2 x IHS(Total household income)	-0.069	-0.009	-0.083	-0.023
	(0.077)	(0.027)	(0.076)	(0.039)
Observations	686	684	685	684
Control mean	12.215	0.000	12.392	0.000
$T1 + T1 \times IHS(Total household income)$	0.044	0.173	0.047	0.123
T1 + T1 x IHS(Total household income) (SE)	0.082	0.109	0.089	0.097
$T1 + T1 \times IHS(Total household income)$ (p-values)	0.595	0.116	0.596	0.209
T2 + T2 x IHS(Total household income)	-0.047	0.175	-0.064	0.069
T2 + T2 x IHS(Total household income) (SE)	0.108	0.114	0.107	0.106
T2 + T2 x IHS(Total household income) (p-values)	0.662	0.128	0.553	0.518

Notes: All regressions include test scores at baseline and total household income at baseline. Heteroskedasticity-robust standard errors, clustered by zu, in parentheses. *** p < 0.01, ** p < 0.05, * p < 0.10