

```

import { useState, useEffect } from "react";

const DEFAULT_PLAYER = {
  age: 13, height: "5'5\"", weight: 138,
  position: "Running Back", seasonStart: "Sep 9, 2026",
};

const SEASON_DATE = new Date("2026-09-09");

const PHASES = [
  { name: "FOUNDATION", range: "May - Jun", color: "#22c55e", desc: "Build your b
  { name: "POWER UP", range: "July", color: "#f5c842", desc: "Ramp intensity. Exp
  { name: "GAME SHAPE", range: "August", color: "#ef4444", desc: "Sharp cuts, con
];

const PROGRAM = {
  Monday: {
    label: "SPEED & EXPLOSION", icon: "⚡", color: "#f5c842",
    focus: "First 10 yards wins every run.",
    exercises: [
      { name: "Dynamic Warm-Up", sets: 1, reps: "5 min", tip: "High knees, butt k
      { name: "10-Yard Burst Starts", sets: 10, reps: "Full effort", tip: "Low st
      { name: "40-Yard Dash", sets: 4, reps: "Timed", tip: "Drive knees up, pump
      { name: "Broad Jumps", sets: 4, reps: "5 reps", tip: "Explode forward, land
      { name: "High Knees", sets: 3, reps: "30 sec", tip: "Fast feet, drive knees
      { name: "Hip Flexor Stretch", sets: 3, reps: "45s each", tip: "Tight hips =
    ]
  },
  Tuesday: {
    label: "LOWER BODY POWER", icon: "🦵", color: "#f97316",
    focus: "RBs break tackles with leg strength.",
    exercises: [
      { name: "Bodyweight Squats", sets: 4, reps: "20 reps", tip: "Chest up, knee
      { name: "Bulgarian Split Squats", sets: 3, reps: "12 each leg", tip: "Back
      { name: "Glute Bridges", sets: 4, reps: "20 reps", tip: "Squeeze hard at to
      { name: "Walking Lunges", sets: 3, reps: "20 total", tip: "Long stride, sta
      { name: "Calf Raises", sets: 3, reps: "30 reps", tip: "Slow and controlled.
      { name: "Wall Sit", sets: 3, reps: "60 sec", tip: "When it burns that's whe
    ]
  },
  Wednesday: {
    label: "AGILITY & CUTS", icon: "🏈", color: "#8b5cf6",
    focus: "Make defenders miss. RBs don't run straight.",
    exercises: [

```

```

    { name: "Cone Shuttle (5-10-5)", sets: 6, reps: "Timed", tip: "Plant hard o
    { name: "Ladder Drills", sets: 4, reps: "3 min", tip: "Fast feet. In-in-out
    { name: "Defensive Cone Weave", sets: 5, reps: "Full speed", tip: "Set up 5
    { name: "Lateral Shuffle", sets: 4, reps: "30 sec", tip: "Stay low, fast fe
    { name: "Jump Rope", sets: 4, reps: "1 min", tip: "Best coordination builde
    { name: "Hamstring Stretch", sets: 3, reps: "45s each", tip: "Tight hamstri
  ]
},
Thursday: {
  label: "UPPER BODY STRENGTH", icon: "💪", color: "#3b82f6",
  focus: "Strong arms stiff-arm defenders. Strong core = better balance.",
  exercises: [
    { name: "Push-Ups", sets: 4, reps: "20 reps", tip: "2 seconds down, explode
    { name: "Diamond Push-Ups", sets: 3, reps: "12 reps", tip: "Elbows tight. B
    { name: "Pike Push-Ups", sets: 3, reps: "12 reps", tip: "Hips high, head to
    { name: "Plank", sets: 3, reps: "60 sec", tip: "Tight core, straight line h
    { name: "Superman Hold", sets: 3, reps: "15 reps", tip: "Back strength prev
    { name: "Mountain Climbers", sets: 3, reps: "30 sec", tip: "Core + cardio.
  ]
},
Friday: {
  label: "FULL SPEED CONDITIONING", icon: "🔥", color: "#ef4444",
  focus: "4th quarter legs. When everyone else is tired, you're just getting st
  exercises: [
    { name: "100-Yard Sprints", sets: 5, reps: "Full effort", tip: "Game speed
    { name: "Suicide Runs", sets: 4, reps: "Full field", tip: "10, 20, 30, 40 y
    { name: "Bear Crawls", sets: 3, reps: "20 yards", tip: "Hips low, move fast
    { name: "Burpees", sets: 3, reps: "15 reps", tip: "Explosive jump at top. D
    { name: "Box Jumps (use a step)", sets: 4, reps: "8 reps", tip: "Land soft,
    { name: "Cool Down Walk", sets: 1, reps: "5 min", tip: "Breathe, walk, let
  ]
},
Saturday: {
  label: "BALL SKILLS & IQ", icon: "🏈", color: "#22c55e",
  focus: "Elite RBs don't just run fast. They think fast.",
  exercises: [
    { name: "Ball Security Drills", sets: 4, reps: "5 min", tip: "High and tigh
    { name: "Stiff Arm Practice", sets: 3, reps: "10 each arm", tip: "Extend ar
    { name: "Juke & Cut Practice", sets: 5, reps: "10 reps", tip: "Plant foot h
    { name: "Catch Routes (if partner)", sets: 3, reps: "10 catches", tip: "RBs
    { name: "Watch NFL Film", sets: 1, reps: "20 min", tip: "Watch Derrick Henr
    { name: "Full Body Stretch", sets: 1, reps: "10 min", tip: "Head to toe. Fl
  ]
},
Sunday: {
  label: "REST & RECOVERY", icon: "😴", color: "#64748b",
  focus: "Recovery is training. You grow on rest days.",

```

```

    exercises: [
      { name: "Sleep 9+ Hours", sets: 1, reps: "All night", tip: "Growth hormone" },
      { name: "Light Walk", sets: 1, reps: "20 min", tip: "Keep blood flowing with" },
      { name: "Full Body Stretch", sets: 1, reps: "15 min", tip: "Hold each stretch" },
      { name: "Eat Well", sets: 1, reps: "All day", tip: "Eggs, chicken, rice, milk" },
      { name: "Mental Visualization", sets: 1, reps: "10 min", tip: "Close your eyes" },
      { name: "Hydrate", sets: 1, reps: "All day", tip: "Half your bodyweight in water" }
    ],
  },
};

const DAYS = ["Monday", "Tuesday", "Wednesday", "Thursday", "Friday", "Saturday", "Sunday"];

const NFL_BENCHMARKS = [
  { stat: "40-Yard Dash", nfl: "4.45s", yours: "Work toward 5.0s", icon: "⚡" },
  { stat: "Vertical Jump", nfl: "36 inches", yours: "Work toward 24 inches", icon: "🏀" },
  { stat: "Broad Jump", nfl: "10 ft 4 in", yours: "Work toward 7 ft 6 in", icon: "🏀" },
  { stat: "3-Cone Drill", nfl: "6.7s", yours: "Work toward 8.0s", icon: "🏀" },
  { stat: "Weight", nfl: "215 lbs", yours: "138 lbs → grow naturally", icon: "💪" }
];

const NUTRITION = [
  {
    meal: "Breakfast", why: "Protein + carbs to fuel morning training",
    items: [
      { name: "Eggs (dozen)", price: "$2.49", store: "Food Lion store brand" },
      { name: "White bread loaf", price: "$1.29", store: "Food Lion store brand" },
      { name: "Gallon whole milk", price: "$3.49", store: "Food Lion store brand" },
      { name: "Bananas (per lb)", price: "$0.59", store: "Food Lion produce" }
    ],
    recipe: "Scramble 3 eggs, toast 2 slices of bread, pour a glass of milk, eat",
    totalPerMeal: "~$1.20 per meal",
  },
  {
    meal: "Lunch", why: "Lean protein builds muscle, carbs give energy",
    items: [
      { name: "Chicken breast (2 lb bag)", price: "$5.99", store: "Food Lion" },
      { name: "White rice (5 lb bag)", price: "$3.49", store: "Food Lion store brand" },
      { name: "Frozen mixed veggies (12oz)", price: "$1.29", store: "Food Lion store brand" }
    ],
    recipe: "Cook rice (makes many servings). Season and bake or pan fry chicken.",
    totalPerMeal: "~$1.50 per meal",
  },
  {
    meal: "Snack", why: "Keep your metabolism fueled between meals",
    items: [
      { name: "Peanut butter (16oz jar)", price: "$2.99", store: "Food Lion store brand" }
    ]
  }
];

```

```

    { name: "Apples (3 lb bag)", price: "$3.49", store: "Food Lion produce" },
  ],
  recipe: "Slice apple, dip in peanut butter. Quick, easy, keeps you full.",
  totalPerMeal: "~$0.70 per snack",
},
{
  meal: "Dinner", why: "Biggest recovery meal. Eat within 1hr of training.",
  items: [
    { name: "Ground beef 80/20 (1 lb)", price: "$4.99", store: "Food Lion" },
    { name: "Pasta (1 lb box)", price: "$1.19", store: "Food Lion store brand" },
    { name: "Pasta sauce (24oz jar)", price: "$1.79", store: "Food Lion store b" },
    { name: "Frozen broccoli (12oz)", price: "$1.29", store: "Food Lion store b" },
  ],
  recipe: "Brown ground beef, boil pasta, heat sauce, mix together. Microwave b",
  totalPerMeal: "~$2.00 per meal",
},
{
  meal: "Before Bed", why: "Slow protein feeds muscles while you sleep",
  items: [
    { name: "Gallon whole milk", price: "$3.49", store: "Food Lion store brand" },
    { name: "Greek yogurt (32oz)", price: "$4.99", store: "Food Lion store bran" },
  ],
  recipe: "Glass of cold milk OR a cup of Greek yogurt. Either one works. Don't",
  totalPerMeal: "~$0.60 per night",
},
];

```

```

const RB_GREATS = [
  { name: "Darren Sproles", height: "5'6\"", note: "Smaller than you at his peak." },
  { name: "Barry Sanders", height: "5'8\"", note: "Possibly the greatest RB ever." },
  { name: "Emmitt Smith", height: "5'9\"", note: "All-time NFL rushing leader. Wa" },
  { name: "Maurice Jones-Drew", height: "5'7\"", note: "Low center of gravity = i" },
];

```

```

export default function App() {
  const [tab, setTab] = useState("Home");
  const [selectedDay, setSelectedDay] = useState("Monday");
  const [completed, setCompleted] = useState({});
  const [stats, setStats] = useState({ fortyTime: "", vertJump: "", weight: 138 });
  const [daysLeft, setDaysLeft] = useState(0);
  const [streak, setStreak] = useState(0);
  const [profile, setProfile] = useState(DEFAULT_PLAYER);
  const [editingProfile, setEditingProfile] = useState(false);
  const [profileDraft, setProfileDraft] = useState(DEFAULT_PLAYER);

  useEffect(() => {
    const today = new Date();

```

```

const diff = Math.ceil((SEASON_DATE - today) / (1000 * 60 * 60 * 24));
setDaysLeft(diff);
const todayName = DAYS[today.getDay() === 0 ? 6 : today.getDay() - 1];
setSelectedDay(todayName);
const saved = localStorage.getItem("rb_completed");
if (saved) {
  const parsed = JSON.parse(saved);
  const today = new Date().toISOString().split("T")[0];
  if (parsed.date === today) {
    setCompleted(parsed.data);
  } else {
    localStorage.removeItem("rb_completed");
  }
}
const savedStats = localStorage.getItem("rb_stats");
if (savedStats) setStats(JSON.parse(savedStats));
const savedStreak = localStorage.getItem("rb_streak");
if (savedStreak) setStreak(parseInt(savedStreak));
const savedProfile = localStorage.getItem("rb_profile");
if (savedProfile) {
  const p = JSON.parse(savedProfile);
  setProfile(p);
  setProfileDraft(p);
}
}, []);

const getTodayDate = () => new Date().toISOString().split("T")[0];

const toggleExercise = (day, idx) => {
  const key = `${day}_${idx}`;
  const next = { ...completed, [key]: !completed[key] };
  setCompleted(next);
  localStorage.setItem("rb_completed", JSON.stringify({ date: getTodayDate(), d
});

const saveStats = () => {
  localStorage.setItem("rb_stats", JSON.stringify(stats));
};

const saveProfile = () => {
  setProfile(profileDraft);
  localStorage.setItem("rb_profile", JSON.stringify(profileDraft));
  setEditingProfile(false);
};

const getTodayDay = () => {
  return DAYS[new Date().getDay() === 0 ? 6 : new Date().getDay() - 1];

```

```

};

const getPhase = () => {
  const month = new Date().getMonth();
  if (month <= 5) return PHASES[0];
  if (month === 6) return PHASES[1];
  return PHASES[2];
};

const phase = getPhase();
const todayDay = getTodayDay();
const todayWorkout = PROGRAM[todayDay];
const selectedWorkout = PROGRAM[selectedDay];

const completedToday = selectedWorkout.exercises.filter((_, i) =>
  completed[`${selectedDay}_${i}`]
).length;
const totalToday = selectedWorkout.exercises.length;
const pct = Math.round((completedToday / totalToday) * 100);

const tabs = ["Home", "Today", "Program", "Benchmarks", "Nutrition", "Legends"]

return (
  <div style={{
    minHeight: "100vh",
    background: "#08090d",
    color: "#f0f0f0",
    fontFamily: "'Barlow Condensed', 'Oswald', sans-serif",
    paddingBottom: 80,
  }}>
    <link href="https://fonts.googleapis.com/css2?family=Barlow+Condensed:wght@

    {/* Header */}
    <div style={{
      background: "linear-gradient(135deg, #0f1117 0%, #1a1a2e 100%)",
      borderBottom: "2px solid #f5c842",
      padding: "16px 20px 12px",
      position: "sticky", top: 0, zIndex: 100,
    }}>
      <div style={{ display: "flex", justifyContent: "space-between", alignItems
        <div>
          <div style={{ fontSize: 11, color: "#f5c842", letterSpacing: 3, fontW
            <div style={{ fontSize: 28, fontWeight: 900, letterSpacing: 2, lineHe
          </div>
        </div>
        <div style={{ textAlign: "right" }}>
          {daysLeft > 0 ? (
            <>

```

```

        <div style={{
            background: "#f5c842", color: "#000", borderRadius: 8,
            padding: "6px 12px", fontWeight: 900, fontSize: 14,
        }}>
            {daysLeft} DAYS
        </div>
        <div style={{ fontSize: 10, color: "#666", marginTop: 2 }}>until
    </>
) : daysLeft === 0 ? (
    <>
        <div style={{
            background: "#ef4444", color: "#fff", borderRadius: 8,
            padding: "6px 12px", fontWeight: 900, fontSize: 14,
            animation: "pulse 1s infinite",
        }}>
            GAME DAY 🔥
        </div>
        <div style={{ fontSize: 10, color: "#ef4444", marginTop: 2 }}>IT'
    </>
) : (
    <>
        <div style={{
            background: "#22c55e", color: "#000", borderRadius: 8,
            padding: "6px 12px", fontWeight: 900, fontSize: 14,
        }}>
            IN SEASON 🏈
        </div>
        <div style={{ fontSize: 10, color: "#22c55e", marginTop: 2 }}>KEE
    </>
    )}
</div>
</div>
</div>

{/* Tab Content */}
<div style={{ padding: "16px 16px 0" }}>

    {tab === "Home" && (
        <div>
            {/* Game Day Banner */}
            {daysLeft === 0 && (
                <div style={{
                    background: "linear-gradient(135deg, #7f0000, #ef4444)",
                    borderRadius: 16, padding: 24, marginBottom: 16,
                    textAlign: "center", border: "2px solid #ef4444",
                }}>
                    <div style={{ fontSize: 48 }}>🏈</div>
                </div>
            )}
        </div>
    )}

```

```

        <div style={{ fontSize: 36, fontWeight: 900, letterSpacing: 2 }}>
        <div style={{ fontSize: 14, color: "#fca5a5", marginTop: 8, fontF
            Everything you did this summer was for TODAY. Go take what's yo
        </div>
    </div>
)}

{/* In Season Banner */}
{daysLeft < 0 && (
    <div style={{
        background: "linear-gradient(135deg, #052e16, #22c55e22)",
        borderRadius: 16, padding: 20, marginBottom: 16,
        textAlign: "center", border: "2px solid #22c55e",
    }}>
        <div style={{ fontSize: 32, fontWeight: 900, color: "#22c55e" }}>
        <div style={{ fontSize: 13, color: "#86efac", marginTop: 6, fontF
            Season started {Math.abs(daysLeft)} days ago. Stay healthy, kee
        </div>
    </div>
)}
{/* Player Card */}
<div style={{
    background: "linear-gradient(135deg, #1a1a2e, #16213e)",
    border: "1px solid #f5c842",
    borderRadius: 16, padding: 20, marginBottom: 16,
}}>
    <div style={{ display: "flex", justifyContent: "space-between", ali
        <div style={{ fontSize: 11, color: "#f5c842", letterSpacing: 3 }}
        <button onClick={() => { setProfileDraft(profile); setEditingProf
            background: editingProfile ? "#ef4444" : "#1e2a4a", border: "1p
            color: "#f5c842", borderRadius: 6, padding: "4px 10px",
            fontSize: 11, fontWeight: 700, cursor: "pointer", fontFamily: "
        }}>
            {editingProfile ? "CANCEL" : "✎ EDIT"}
        </button>
    </div>

    {!editingProfile ? (
        <>
        <div style={{ fontSize: 32, fontWeight: 900 }}>RUNNING BACK</di
        <div style={{ display: "flex", gap: 20, marginTop: 12, flexWrap
            [[
                { label: "AGE", val: profile.age },
                { label: "HEIGHT", val: profile.height },
                { label: "WEIGHT", val: `${profile.weight} lbs` },
                { label: "GOAL", val: "NFL" },
            ].map(s => (

```



```

<div key={s.label}>
  <div style={{ fontSize: 10, color: "#888", letterSpacing:
    <div style={{ fontSize: 18, fontWeight: 700, color: "#f5c
  </div>
  )}}
</div>
</>
) : (
<div style={{ marginTop: 12 }}>
  {[
    { label: "AGE", key: "age", placeholder: "13" },
    { label: "HEIGHT (e.g. 5'6\")", key: "height", placeholder: "
    { label: "WEIGHT (lbs)", key: "weight", placeholder: "138" },
  ].map(f => (
    <div key={f.key} style={{ marginBottom: 10 }}>
      <div style={{ fontSize: 10, color: "#888", letterSpacing: 2
      <input
        value={profileDraft[f.key]}
        onChange={e => setProfileDraft({ ...profileDraft, [f.key]
        placeholder={f.placeholder}
        style={{
          background: "#0f1525", border: "1px solid #f5c842",
          borderRadius: 8, padding: "10px 14px", color: "#f0f0f0"
          fontSize: 16, fontFamily: "inherit", width: "100%", box
        }}
      />
    </div>
  )}}
  <button onClick={saveProfile} style={{
    background: "#f5c842", color: "#000", border: "none",
    borderRadius: 8, padding: "12px", fontWeight: 900,
    fontSize: 14, cursor: "pointer", width: "100%",
    fontFamily: "inherit", letterSpacing: 1, marginTop: 4,
  }}>
    SAVE PROFILE ✓
  </button>
</div>
  )}
</div>

{/* Current Phase */}
<div style={{
  background: "#111118", border: `1px solid ${phase.color}`,
  borderRadius: 12, padding: 16, marginBottom: 16,
}}>
  <div style={{ fontSize: 10, color: "#888", letterSpacing: 3 }}>CURR
  <div style={{ fontSize: 24, fontWeight: 900, color: phase.color }}>

```

```

    <div style={{ fontSize: 13, color: "#bbb", marginTop: 4 }}>{phase.r
</div>

{/* Today's Preview */}
<div style={{
  background: "#111118", border: "1px solid #1e1e2e",
  borderRadius: 12, padding: 16, marginBottom: 16,
}}>
  <div style={{ fontSize: 10, color: "#888", letterSpacing: 3, margin
<div style={{ display: "flex", alignItems: "center", gap: 10, margi
  <span style={{ fontSize: 28 }}>{todayWorkout.icon}</span>
  <div>
    <div style={{ fontSize: 20, fontWeight: 900, color: todayWorkou
      <div style={{ fontSize: 12, color: "#999" }}>{todayWorkout.focu
    </div>
  </div>
<button onClick={() => { setSelectedDay(todayDay); setTab("Today");
  background: "#f5c842", color: "#000", border: "none",
  borderRadius: 8, padding: "10px 20px", fontWeight: 900,
  fontSize: 14, cursor: "pointer", width: "100%",
  fontFamily: "inherit", letterSpacing: 1,
}}>
  START TODAY'S WORKOUT →
</button>
</div>

{/* Motivation */}
{(() => {
  const QUOTES = [
    "Darren Sproles was 5'6\". Maurice Jones-Drew was 5'7\". Size did
    "The NFL doesn't care where you started. It cares where you finis
    "Your future teammates are training right now. Are you?",
    "4th quarter is where careers are made. Build your conditioning n
    "Film doesn't lie. Every game you play in high school is a scout
    "Sleep, eat, train. That's the job. Do it every day and doors wil
    "Barry Sanders wasn't the biggest. He was the most prepared. Be t
  ];
  const [quoteIdx, setQuoteIdx] = useState(0);
  return (
    <div onClick={() => setQuoteIdx((quoteIdx + 1) % QUOTES.length)}
      background: "linear-gradient(135deg, #1a0a00, #2d1500)",
      border: "1px solid #f97316", borderRadius: 12, padding: 16, mar
      cursor: "pointer",
    >>
    <div style={{ display: "flex", justifyContent: "space-between",
      <div style={{ fontSize: 13, color: "#f97316", fontWeight: 700
      <div style={{ fontSize: 10, color: "#f97316", opacity: 0.6 }}

```

```

    </div>
    <div style={{ fontSize: 15, fontWeight: 600, lineHeight: 1.5, f
      "{QUOTES[quoteIdx]}"
    </div>
    <div style={{ display: "flex", gap: 4, marginTop: 10 }}>
      {QUOTES.map((_, i) => (
        <div key={i} style={{
          flex: 1, height: 3, borderRadius: 2,
          background: i === quoteIdx ? "#f97316" : "#3a2000",
          transition: "background 0.3s",
        }} />
      ))}
    </div>
  </div>
);
})()

{/* Phase Timeline */}
<div style={{ background: "#111118", borderRadius: 12, padding: 16 }}
  <div style={{ fontSize: 10, color: "#888", letterSpacing: 3, margin
    {PHASES.map((p, i) => (
      <div key={i} style={{ display: "flex", gap: 12, marginBottom: 12,
        <div style={{
          width: 12, height: 12, borderRadius: "50%",
          background: p.color, marginTop: 4, flexShrink: 0,
        }} />
        <div>
          <div style={{ fontWeight: 700, color: p.color, fontSize: 15 }
            <div style={{ fontSize: 12, color: "#999" }}>{p.desc}</div>
          </div>
        </div>
      ))}
    </div>
  </div>
)}

{tab === "Today" && (
  <div>
    {/* Day Selector */}
    <div style={{ display: "flex", gap: 6, overflowX: "auto", paddingBott
      {DAYS.map(d => (
        <button key={d} onClick={() => setSelectedDay(d)} style={{
          background: selectedDay === d ? PROGRAM[d].color : "#111118",
          color: selectedDay === d ? "#000" : "#888",
          border: `1px solid ${selectedDay === d ? PROGRAM[d].color : "#1
          borderRadius: 8, padding: "8px 12px", fontWeight: 700,
          fontSize: 11, cursor: "pointer", whiteSpace: "nowrap",

```

```

        fontFamily: "inherit", letterSpacing: 1,
      }}>
      {d.slice(0, 3).toUpperCase()}
      {d === todayDay && <span style={{ marginLeft: 4 }}>●</span>}
    </button>
  )))
</div>

{/* Workout Header */}
<div style={{
  background: "#111118", border: `2px solid ${selectedWorkout.color}`
  borderRadius: 16, padding: 16, marginBottom: 16,
}}>
  <div style={{ display: "flex", justifyContent: "space-between", align
    <div>
      <div style={{ fontSize: 11, color: "#888", letterSpacing: 3 }}>
      <div style={{ fontSize: 24, fontWeight: 900, color: selectedWor
        {selectedWorkout.icon} {selectedWorkout.label}
      </div>
      <div style={{ fontSize: 12, color: "#bbb", marginTop: 4 }}>{sel
    </div>
    <div style={{ textAlign: "right" }}>
      <div style={{ fontSize: 28, fontWeight: 900, color: selectedWor
      <div style={{ fontSize: 10, color: "#666" }}>{completedToday}/{
    </div>
  </div>
  </div>
  <div style={{ background: "#1e1e2e", borderRadius: 4, height: 6, ma
    <div style={{
      background: selectedWorkout.color, height: 6, borderRadius: 4,
      width: `${pct}%`, transition: "width 0.3s",
    }} />
  </div>
</div>

{/* Exercise List */}
{selectedWorkout.exercises.map((ex, i) => {
  const key = `${selectedDay}_${i}`;
  const done = completed[key];
  return (
    <div key={i} onClick={() => toggleExercise(selectedDay, i)} style
      background: done ? "#0d1f0d" : "#111118",
      border: `1px solid ${done ? "#22c55e" : "#1e1e2e"}`,
      borderRadius: 12, padding: 14, marginBottom: 10,
      cursor: "pointer", transition: "all 0.2s",
    >>
    <div style={{ display: "flex", justifyContent: "space-between",

```

```

<div style={{ flex: 1 }}>
  <div style={{ display: "flex", alignItems: "center", gap: 8
    <div style={{
      width: 22, height: 22, borderRadius: "50%",
      border: `2px solid ${done ? "#22c55e" : "#444"}`,
      background: done ? "#22c55e" : "transparent",
      display: "flex", alignItems: "center", justifyContent:
      fontSize: 12, flexShrink: 0,
    }}>
      {done ? "✓" : ""}
    </div>
    <div style={{
      fontWeight: 700, fontSize: 16,
      color: done ? "#22c55e" : "#f0f0f0",
      textDecoration: done ? "line-through" : "none",
    }}>{ex.name}</div>
  </div>
  <div style={{ display: "flex", gap: 12, marginLeft: 30, mar
    <span style={{
      background: "#1e1e2e", borderRadius: 4,
      padding: "2px 8px", fontSize: 11, color: "#aaa",
    }}>
      {ex.sets} sets
    </span>
    <span style={{
      background: "#1e1e2e", borderRadius: 4,
      padding: "2px 8px", fontSize: 11, color: "#aaa",
    }}>
      {ex.reps}
    </span>
  </div>
  <div style={{
    fontSize: 12, color: "#f5c842", marginLeft: 30,
    fontFamily: "Barlow, sans-serif",
  }}>
    💡 {ex.tip}
  </div>
</div>
</div>
</div>
);
}}

```

```

{pct === 100 && (
  <div style={{
    background: "linear-gradient(135deg, #0d1f0d, #1a3d1a)",
    border: "2px solid #22c55e", borderRadius: 16,

```

```

        padding: 20, textAlign: "center", marginTop: 8,
    }}>
    <div style={{ fontSize: 40 }}>🏆</div>
    <div style={{ fontSize: 24, fontWeight: 900, color: "#22c55e" }}>
    <div style={{ fontSize: 13, color: "#bbb", marginTop: 4, fontFami
        Another day closer to the NFL. Rest, eat, sleep.
    </div>
    </div>
    )}
    </div>
    )}

{tab === "Program" && (
    <div>
        <div style={{ fontSize: 11, color: "#888", letterSpacing: 3, marginBo
            {DAYS.map(day => {
                const w = PROGRAM[day];
                const done = w.exercises.filter((_, i) => completed[`${day}_${i}`])
                return (
                    <div key={day} onClick={() => { setSelectedDay(day); setTab("Toda
                        background: "#111118", border: `1px solid #1e1e2e`,
                        borderRadius: 12, padding: 14, marginBottom: 10, cursor: "point
                        borderLeft: `4px solid ${w.color}`,
                    >>
                    <div style={{ display: "flex", justifyContent: "space-between",
                        <div>
                            <div style={{ fontSize: 11, color: "#666", letterSpacing: 2
                                <div style={{ fontSize: 18, fontWeight: 700, color: w.color
                                    <div style={{ fontSize: 11, color: "#999", marginTop: 2 }}>
                                </div>
                            <div style={{ textAlign: "right" }}>
                                <div style={{ fontSize: 13, color: done === w.exercises.len
                                    {done}/{w.exercises.length}
                                </div>
                                <div style={{ fontSize: 10, color: "#555" }}>done</div>
                            </div>
                        </div>
                    </div>
                </div>
            )};
        >>>
    </div>
    )}

{tab === "Benchmarks" && (() => {
    // Percentile calculators based on real 8th grade RB averages
    const getFortyPercentile = (t) => {
        const val = parseFloat(t);

```

```

    if (!val) return null;
    if (val <= 4.8) return { pct: 99, label: "ELITE", color: "#f5c842" };
    if (val <= 5.0) return { pct: 92, label: "ELITE", color: "#f5c842" };
    if (val <= 5.2) return { pct: 80, label: "GREAT", color: "#22c55e" };
    if (val <= 5.4) return { pct: 65, label: "ABOVE AVG", color: "#22c55e" };
    if (val <= 5.6) return { pct: 50, label: "AVERAGE", color: "#f97316" };
    if (val <= 5.8) return { pct: 35, label: "BELOW AVG", color: "#f97316" };
    if (val <= 6.0) return { pct: 20, label: "NEEDS WORK", color: "#ef4444" };
    return { pct: 10, label: "NEEDS WORK", color: "#ef4444" };
};

const getVertPercentile = (v) => {
    const val = parseFloat(v);
    if (!val) return null;
    if (val >= 30) return { pct: 99, label: "ELITE", color: "#f5c842" };
    if (val >= 26) return { pct: 90, label: "ELITE", color: "#f5c842" };
    if (val >= 22) return { pct: 75, label: "GREAT", color: "#22c55e" };
    if (val >= 19) return { pct: 60, label: "ABOVE AVG", color: "#22c55e" };
    if (val >= 16) return { pct: 45, label: "AVERAGE", color: "#f97316" };
    if (val >= 13) return { pct: 25, label: "BELOW AVG", color: "#f97316" };
    return { pct: 10, label: "NEEDS WORK", color: "#ef4444" };
};

const getBroadPercentile = (v) => {
    const val = parseFloat(v);
    if (!val) return null;
    if (val >= 96) return { pct: 99, label: "ELITE", color: "#f5c842" };
    if (val >= 84) return { pct: 88, label: "ELITE", color: "#f5c842" };
    if (val >= 78) return { pct: 75, label: "GREAT", color: "#22c55e" };
    if (val >= 72) return { pct: 60, label: "ABOVE AVG", color: "#22c55e" };
    if (val >= 66) return { pct: 45, label: "AVERAGE", color: "#f97316" };
    if (val >= 60) return { pct: 25, label: "BELOW AVG", color: "#f97316" };
    return { pct: 10, label: "NEEDS WORK", color: "#ef4444" };
};

const getBenchPercentile = (v) => {
    const val = parseFloat(v);
    if (!val) return null;
    if (val >= 20) return { pct: 99, label: "ELITE", color: "#f5c842" };
    if (val >= 15) return { pct: 88, label: "GREAT", color: "#22c55e" };
    if (val >= 10) return { pct: 70, label: "ABOVE AVG", color: "#22c55e" };
    if (val >= 7) return { pct: 50, label: "AVERAGE", color: "#f97316" };
    if (val >= 4) return { pct: 30, label: "BELOW AVG", color: "#f97316" };
    return { pct: 10, label: "NEEDS WORK", color: "#ef4444" };
};

const getFortyTips = (t) => {
    const val = parseFloat(t);
    if (!val) return [];
    if (val <= 5.0) return ["Keep doing burst starts 3x week", "Work on y

```

```

    if (val <= 5.4) return ["10-yard burst starts every Monday", "Hip flexor  

    if (val <= 5.8) return ["Sprint 3x per week minimum – full effort on  

    return ["Sprint full speed 4-5x per week", "Work on your drive phase  

  };

const getVertTips = (v) => {
  const val = parseFloat(v);
  if (!val) return [];
  if (val >= 26) return ["Maintain with weekly box jumps", "Add depth jumps  

  if (val >= 19) return ["Box jumps 3x week", "Broad jumps build the sa  

  return ["Start with glute bridges and squats to build your base", "Pr  

};

const STAT_FIELDS = [
  { label: "40-Yard Dash", key: "fortyTime", unit: "sec", placeholder: "40-  

  { label: "Vertical Jump", key: "vertJump", unit: "inches", placeholder: "12-  

  { label: "Broad Jump", key: "broadJump", unit: "inches", placeholder: "4-  

  { label: "Push-Up Reps (max)", key: "benchReps", unit: "reps", placeh  

];

return (
  <div>
    <div style={{ fontSize: 11, color: "#888", letterSpacing: 3, margin: 0 0 10px 0 }}>
      <div style={{ fontSize: 12, color: "#666", marginBottom: 16, fontFamily: 'monospace' }}>
        Enter your numbers. See exactly where you rank vs 8th grade RBs at  

      </div>

      {STAT_FIELDS.map((f, i) => {
        const result = f.fn(stats[f.key]);
        const tips = f.tipFn ? f.tipFn(stats[f.key]) : [];
        return (
          <div key={i} style={{
            background: "#111118", border: `1px solid ${result ? result.color : "#888"}`,
            borderRadius: 16, padding: 16, marginBottom: 14,
          }}>
            {/* Stat name + input */}
            <div style={{ display: "flex", gap: 10, alignItems: "flex-end" }}>
              <div style={{ flex: 1 }}>
                <div style={{ fontSize: 11, color: "#888", letterSpacing: 3, margin: 0 0 10px 0 }}>
                  <input
                    value={stats[f.key] || ""}
                    onChange={e => {
                      const next = { ...stats, [f.key]: e.target.value };
                      setStats(next);
                      localStorage.setItem("rb_stats", JSON.stringify(next))
                    }}
                    placeholder={f.placeholder}
                    style={{

```



```

background: "#1a1a2e", border: `1px solid ${result ?
borderRadius: 8, padding: "10px 14px", color: "#f0f0f
fontSize: 18, fontFamily: "inherit", fontWeight: 700,
width: "100%", boxSizing: "border-box",
}}
/>
</div>
<div style={{ fontSize: 12, color: "#666", paddingBottom: 1
</div>

{/* Percentile result */}
{result && (
  <div style={{ display: "flex", justifyContent: "space-bet
    <div style={{ fontSize: 11, color: "#888", letterSpacing
      <div style={{ fontSize: 26, fontWeight: 900, color: r
        TOP {100 - result.pct + 1}% - {result.label}
      </div>
    </div>
  <div style={{
    width: 56, height: 56, borderRadius: "50%",
    border: `3px solid ${result.color}`,
    display: "flex", alignItems: "center", justifyContent
    flexDirection: "column",
  }}>
    <div style={{ fontSize: 16, fontWeight: 900, color: r
      <div style={{ fontSize: 8, color: "#666" }}>PCT</div>
    </div>
  </div>

  {/* Bar */}
  <div style={{ background: "#1e1e2e", borderRadius: 4, hei
    <div style={{
      background: result.color, height: 8, borderRadius: 4,
      width: `${result.pct}%`, transition: "width 0.5s",
    }} />
  </div>

  {/* Benchmarks row */}
  <div style={{ display: "flex", gap: 8, marginBottom: tips
    <div style={{ flex: 1, background: "#1a1400", borderRad
      <div style={{ fontSize: 9, color: "#f5c842", letterSpacing
        <div style={{ fontSize: 13, fontWeight: 700, color: "
      </div>
    <div style={{ flex: 1, background: "#0d1f0d", borderRad
      <div style={{ fontSize: 9, color: "#22c55e", letterSpacing

```

```

        <div style={{ fontSize: 13, fontWeight: 700, color: "
    </div>
</div>

    {/* Tips */}
    {tips.length > 0 && (
        <div style={{ background: "#0a0a14", borderRadius: 8, p
        <div style={{ fontSize: 10, color: "#f5c842", lettersS
            {tips.map((tip, ti) => (
                <div key={ti} style={{ fontSize: 12, color: "#bbb",
                    → {tip}
                </div>
            )}}
        </div>
    )}
</>
)}

    {!result && (
        <div style={{ fontSize: 12, color: "#555", fontFamily: "Bar
            Enter your {f.label.toLowerCase()} above to see your perc
        </div>
    )}
</div>
    );
    )}}
</div>

);
))()

{tab === "Nutrition" && (() => {
    const [mealsDone, setMealsDone] = useState(() => {
        try {
            const s = localStorage.getItem("rb_meals");
            if (!s) return {};
            const parsed = JSON.parse(s);
            const today = new Date().toISOString().split("T")[0];
            return parsed.date === today ? parsed.data : {};
        } catch { return {}; }
    });
    const [water, setWater] = useState(() => {
        try {
            const s = localStorage.getItem("rb_water");
            if (!s) return 0;
            const parsed = JSON.parse(s);
            const today = new Date().toISOString().split("T")[0];
            return parsed.date === today ? parsed.count : 0;

```

```

    } catch { return 0; }
  });

const toggleMeal = (meal) => {
  const next = { ...mealsDone, [meal]: !mealsDone[meal] };
  setMealsDone(next);
  localStorage.setItem("rb_meals", JSON.stringify({ date: new Date().to
});

const addWater = () => {
  const next = Math.min(water + 1, 12);
  setWater(next);
  localStorage.setItem("rb_water", JSON.stringify({ date: new Date().to
});

const removeWater = () => {
  const next = Math.max(water - 1, 0);
  setWater(next);
  localStorage.setItem("rb_water", JSON.stringify({ date: new Date().to
});

const mealsHit = Object.values(mealsDone).filter(Boolean).length;

return (
  <div>
    <div style={{ fontSize: 11, color: "#888", letterSpacing: 3, margin
    <div style={{ fontSize: 12, color: "#666", marginBottom: 16, fontFa
      Check off each meal as you eat it. Consistency builds champions.
    </div>

    {/* Meals eaten today */}
    <div style={{
      background: "#111118", border: "1px solid #1e1e2e",
      borderRadius: 12, padding: 14, marginBottom: 14,
      display: "flex", justifyContent: "space-between", alignItems: "ce
    }}>
      <div>
        <div style={{ fontSize: 11, color: "#888", letterSpacing: 2 }}>
        <div style={{ fontSize: 28, fontWeight: 900, color: mealsHit >=
          {mealsHit} / {NUTRITION.length}
        </div>
      </div>
    </div>
    <div style={{ fontSize: mealsHit >= 4 ? 36 : 24 }}>{mealsHit >= 4
    </div>

    {NUTRITION.map((n, i) => (
      <div key={i} onClick={() => toggleMeal(n.meal)} style={{
        background: mealsDone[n.meal] ? "#0d1f0d" : "#111118",
        border: `1px solid ${mealsDone[n.meal] ? "#22c55e" : "#1e1e2e"}`

```

```

borderRadius: 12, padding: 14, marginBottom: 10, cursor: "point
transition: "all 0.2s",
}}>
<div style={{ display: "flex", justifyContent: "space-between",
<div style={{ flex: 1 }}>
  <div style={{ display: "flex", alignItems: "center", gap: 8
    <div style={{
      width: 22, height: 22, borderRadius: "50%",
      border: `2px solid ${mealsDone[n.meal] ? "#22c55e" : "#
      background: mealsDone[n.meal] ? "#22c55e" : "transparen
      display: "flex", alignItems: "center", justifyContent:
      fontSize: 12, flexShrink: 0, color: "#000", fontWeight:
    }}>
      {mealsDone[n.meal] ? "✓" : ""}
    </div>
    <div style={{ fontSize: 11, color: mealsDone[n.meal] ? "#
  </div>
  <div style={{ fontSize: 14, fontWeight: 700, marginBottom:
    <div style={{ fontSize: 12, color: "#888", fontFamily: "Bar
  </div>
</div>
</div>
)}}

{/* Water tracker */}
<div style={{
  background: "#0a1220", border: "1px solid #3b82f6",
  borderRadius: 12, padding: 16, marginBottom: 14,
}}>
  <div style={{ fontSize: 11, color: "#3b82f6", letterSpacing: 3, m
  <div style={{ fontSize: 12, color: "#888", marginBottom: 12, font
    Goal: 9 cups (you need ~69oz daily at 138 lbs)
  </div>
  <div style={{ display: "flex", flexWrap: "wrap", gap: 8, marginBo
    (Array.from({ length: 9 }).map((_, i) => (
      <div key={i} style={{
        fontSize: 22, opacity: i < water ? 1 : 0.2,
        transition: "opacity 0.2s",
      }}>💧</div>
    )))
  </div>
  <div style={{ display: "flex", gap: 10, alignItems: "center" }}>
    <button onClick={removeWater} style={{
      background: "#1e2a4a", border: "1px solid #3b82f6", color: "#
      borderRadius: 8, padding: "10px 20px", fontWeight: 900, fontS
      cursor: "pointer", fontFamily: "inherit",
    }}>-</button>

```

```

    <div style={{ flex: 1, textAlign: "center" }}>
      <div style={{ fontSize: 28, fontWeight: 900, color: water }>
        <div style={{ fontSize: 11, color: "#666" }}>{water }> 9 ? "G
      </div>
      <button onClick={addWater} style={{
        background: "#1e2a4a", border: "1px solid #3b82f6", color: "#
        borderRadius: 8, padding: "10px 20px", fontWeight: 900, fontS
        cursor: "pointer", fontFamily: "inherit",
      }}>+</button>
    </div>
  </div>

  { /* Avoid list */ }
  <div style={{
    background: "linear-gradient(135deg, #1a0d00, #2d1a00)",
    border: "1px solid #f97316", borderRadius: 12, padding: 14,
  }}>
    <div style={{ fontSize: 13, fontWeight: 700, color: "#f97316", ma
    [{"Soda & energy drinks", "Fast food more than once a week", "Ski
      <div key={i} style={{ fontSize: 13, color: "#bbb", marginBottom
        ✕ {item}
      </div>
    )}}
  </div>
</div>

);
})() }

{tab === "Legends" && () => {
  const [selectedRB, setSelectedRB] = useState(0);
  const [studiedPlayers, setStudiedPlayers] = useState(() => {
    try { return JSON.parse(localStorage.getItem("rb_studied")) || "{}";
  });

  const DETAILED_RBS = [
    {
      name: "Darren Sproles", height: "5'6\"", weight: "190 lbs", nflYear
      superpower: "Elusiveness & quickness in space",
      note: "Smaller than you right now. Became one of the most elusive R
      lessons: ["Use your low center of gravity as a weapon", "Be the qui
      watchFor: "How he makes defenders miss in open space with minimal e
    },
    {
      name: "Barry Sanders", height: "5'8\"", weight: "200 lbs", nflYears
      superpower: "Cuts so sharp he was basically impossible to tackle",
      note: "Considered the greatest RB of all time by many. Never the bi
      lessons: ["Plant your foot and cut hard — don't round corners", "Ke

```

```

        watchFor: "How he stops on a dime and explodes in a completely diff
    },
    {
        name: "Emmitt Smith", height: "5'9\"", weight: "216 lbs", nflYears:
        superpower: "Consistency and football IQ",
        note: "All-time NFL rushing leader. Wasn't the fastest. Wasn't the
        lessons: ["Read your blockers – let them open holes for you", "Prot
        watchFor: "How he reads the offensive line and finds cutback lanes"
    },
    {
        name: "Maurice Jones-Drew", height: "5'7\"", weight: "208 lbs", nfl
        superpower: "Power despite small size – impossible to bring down",
        note: "Low center of gravity meant defenders couldn't get leverage
        lessons: ["Get low on contact – be harder to tackle than you look",
        watchFor: "How he keeps his legs churning and breaks arm tackles",
    },
    ],
];

const rb = DETAILED_RBS[selectedRB];

const toggleStudied = (name) => {
    const next = { ...studiedPlayers, [name]: !studiedPlayers[name] };
    setStudiedPlayers(next);
    localStorage.setItem("rb_studied", JSON.stringify(next));
};

return (
    <div>
        <div style={{ fontSize: 11, color: "#888", letterSpacing: 3, margin
        <div style={{ fontSize: 12, color: "#666", marginBottom: 16, fontFa
            Tap a player to study them. They said these guys were too small t
        </div>

        {/* Player selector */}
        <div style={{ display: "flex", gap: 8, overflowX: "auto", paddingBo
            {DETAILED_RBS.map((rb, i) => (
                <button key={i} onClick={() => setSelectedRB(i)} style={{
                    background: selectedRB === i ? "#f5c842" : "#111118",
                    color: selectedRB === i ? "#000" : "#888",
                    border: `1px solid ${selectedRB === i ? "#f5c842" : "#1e1e2e"
                    borderRadius: 8, padding: "8px 12px", fontWeight: 700,
                    fontSize: 11, cursor: "pointer", whiteSpace: "nowrap",
                    fontFamily: "inherit", letterSpacing: 1,
                }}>
                    {studiedPlayers[rb.name] ? "✓ " : ""}{rb.name.split(" ")[1].t
                </button>
            ))}

```

```

</div>

{/* Player card */}
<div style={{
  background: "linear-gradient(135deg, #1a1400, #111118)",
  border: "2px solid #f5c842", borderRadius: 16, padding: 18, margin: 10px 0
}}>
  <div style={{ fontSize: 28, fontWeight: 900, color: "#f5c842" }}>
    <div style={{ display: "flex", gap: 16, marginTop: 8, marginBottom: 8 }}>
      {[{ l: "HEIGHT", v: rb.height }, { l: "WEIGHT", v: rb.weight }, { l: "POWER", v: rb.power }].map((item) => (
        <div key={s.l}>
          <div style={{ fontSize: 9, color: "#888", letterSpacing: 2 }}>{item.l}</div>
          <div style={{ fontSize: 14, fontWeight: 700, color: "#f0f0f0" }}>{item.v}</div>
        </div>
      ))}
    </div>
    <div style={{ background: "#1a1a00", borderRadius: 8, padding: 10 }}>
      <div style={{ fontSize: 10, color: "#f5c842", letterSpacing: 2 }}>
        <div style={{ fontSize: 14, fontWeight: 700 }}>{rb.superpower}</div>
      </div>
      <div style={{ fontSize: 13, color: "#bbb", fontFamily: "Barlow", margin: 0 auto }}>
        {rb.level}
      </div>
    </div>
  </div>

{/* Lessons */}
<div style={{ marginBottom: 12 }}>
  <div style={{ fontSize: 10, color: "#f5c842", letterSpacing: 2 }}>
    {rb.lessons.map((l, i) => (
      <div key={i} style={{
        background: "#111118", borderRadius: 8, padding: "8px 12px",
        margin: "8px 0",
        display: "flex",
        gap: 10,
        align-items: "center"
      }}>
        <div style={{ flex: 1 }}>{l}</div>
        <div style={{ flex: 1, color: "#e0e0e0", fontFamily: "Barlow" }}>
          {l === "Strength" ? "Strength" : "Speed"}
        </div>
      </div>
    ))}
  </div>

{/* Watch for */}
<div style={{ background: "#0a1220", borderRadius: 8, padding: 10 }}>
  <div style={{ fontSize: 10, color: "#3b82f6", letterSpacing: 2 }}>
    <div style={{ fontSize: 13, color: "#bbb", fontFamily: "Barlow" }}>
      {rb.name}
    </div>
  </div>

  <button onClick={() => toggleStudied(rb.name)} style={{
    background: studiedPlayers[rb.name] ? "#22c55e" : "#1a1400",
    border: `2px solid ${studiedPlayers[rb.name] ? "#22c55e" : "#f5c842"}`,
    color: studiedPlayers[rb.name] ? "#000" : "#f5c842",
    borderRadius: 8, padding: "12px", fontWeight: 900,
    fontSize: 14, cursor: "pointer", width: "100%",
  }}>
    {studiedPlayers[rb.name] ? "Studied" : "Watch for"}
  </button>
</div>

```

```

        fontFamily: "inherit", letterSpacing: 1,
    }}>
        {studiedPlayers[rb.name] ? "✓ STUDIED" : "MARK AS STUDIED"}
    </button>
</div>

{/* Progress */}
<div style={{ background: "#111118", border: "1px solid #1e1e2e", b
    <div style={{ fontSize: 11, color: "#888", letterSpacing: 2, marg
    <div style={{ display: "flex", gap: 8 }}>
        {DETAILED_RBS.map((rb, i) => (
            <div key={i} style={{
                flex: 1, height: 8, borderRadius: 4,
                background: studiedPlayers[rb.name] ? "#f5c842" : "#1e1e2e"
                transition: "background 0.3s",
            }} />
        ))}
    </div>
    <div style={{ fontSize: 12, color: "#666", marginTop: 6, fontFami
        {Object.values(studiedPlayers).filter(Boolean).length} / {DETAI
    </div>
    </div>
</div>

    );
    })()}
</div>

{/* Bottom Nav */}
<div style={{
    position: "fixed", bottom: 0, left: 0, right: 0,
    background: "#0f1117", borderTop: "2px solid #1e1e2e",
    display: "flex", padding: "8px 0",
}}>
    {tabs.map(t => (
        <button key={t} onClick={() => setTab(t)} style={{
            flex: 1, background: "none", border: "none",
            color: tab === t ? "#f5c842" : "#444",
            fontSize: 9, fontWeight: 700, letterSpacing: 1,
            cursor: "pointer", fontFamily: "inherit",
            padding: "4px 2px",
            borderTop: tab === t ? "2px solid #f5c842" : "2px solid transparent",
        }}>
            {t === "Home" ? "🏠" : t === "Today" ? "⚡" : t === "Program" ? "📅"}
            <br />{t.toUpperCase()}
        </button>
    ))}
</div>

```



```
    </div>  
  );  
}
```