

Date	04 July 2026
Team ID	
Project Name	Personalized Networking Assistant
Maximum Marks	4 Marks

Define Functional and Non-Functional Requirements:

Create a comprehensive list of requirements to define exactly what your solution will do and how well it will perform.

- **Functional Requirements (FR)** define specific behaviors, functions, or features of the system (What the system should *do*).
- **Non-Functional Requirements (NFR)** specify the criteria that judge the operation of a system, rather than specific behaviors (How the system should *be*).

Fill out the descriptions and necessary details for each category provided below.

Step 1: Functional Requirements (FR)

S.No	Requirement Category	Requirement Description	Priority (High/Medium/Low)
1	Authentication	No login required. Users provide profile bio and event description to generate conversation starters.	Medium
2	Authorization levels	Single-user application. All features are available to the user.	Low
3	External interfaces	Wikipedia API, FastAPI REST API, Local JSON storage	High

		Wikipedia API for fact verification, FastAPI REST API for backend communication, and local JSON files for storing history and feedback.	High
4	Transactions processing	Processes user input, generates conversation starters, verifies facts, and stores history.	High
5	Reporting	Displays generated conversation starters, verification status, and interaction history.	Medium
6	Business rules, etc.	Conversation starters are generated based on user interests and event context.	High
7	Compliance to laws or regulations	Stores only necessary data and respects user privacy during local execution.	Medium
8	<i>Other</i>	Supports feedback logging for continuous improvement.	Medium

Step 2: Non-Functional Requirements (NFR)

S.No	NFR Category	Requirement Description	Target Metric / Acceptance Criteria
1	Performance & Speed	Generate conversation starters quickly.	Response within 3 seconds
2	Scalability	Support multiple networking sessions.	Handles multiple requests efficiently
3	Security & Data Privacy	Keep user data locally and communicate securely.	HTTPS APIs and local storage
4	Reliability & Availability	Application should work consistently.	99% availability during usage
5	Usability & Accessibility	Simple and easy Streamlit interface.	User generates results in a few clicks
6	<i>Other</i>	Maintainable modular architecture.	Easy to update services independently