DEVPOST SUBMISSION | HACKATHON TRACK: ADVANCED CRYPTOGRAPHY & SYSTEMS SECURITY

Technical Specification: Mathematical Security Protocol (v5)

A Multi-Layered Cryptographic Architecture with Dual-Side Stream Validation

EXECUTIVE SUMMARY

The Mathematical Security Protocol (v5) is a custom cryptographic framework designed to ensure absolute data integrity and anti-tampering over untrusted transmission channels. By integrating byte-level coordinate confusion, prime-weight diffusion, prime-indexed decoy injection, and deterministic dual-side validation within a strict 1,000-cycle limit, v5 completely neutralizes packet injection, payload tampering, and drop attacks.

Key Architecture Highlights

- **1. Custom Chunking & Local Coordinate Confusion:** Splits raw byte streams into fixed 12-byte blocks and applies deterministic coordinate substitutions and byte-shifting transformations (Confusion).
- **2. Global Forward Transformation:** Shuffles transformed blocks across batch windows using calculated prime-weight distribution vectors to achieve maximum entropy (Diffusion).
- **3. Prime-Indexed Decoy Injection:** Embeds obfuscating noise chunks exclusively into non-prime index positions within a strict 1,000-cycle transmission limit, disguising legitimate payload items at prime indices.
- **4. Dual-Side Integrity Verification:** Enforces pre-dispatch checks on the sender side and strict stream length/metadata alignment checks on the receiver side before decryption begins.

Mathematical Formulations

1. Prime Index Indicator:

$$P(k) = 1 \text{ if } k \in \text{Primes}, \text{ else } 0, \text{ where } k \in [1, 1000]$$


2. Prime-Weight Diffusion Vector:

$$W_i = \sum_{j=1}^{N} (C_{i,j} \times p_j) \bmod 256 \text{ (where } p_j \text{ is the j-th prime)}$$

3. Decoy Stream Mapping Function:

$$S[k] = \text{Payload}[m] \text{ if } P(k) = 1, \text{ else Noise Chunk if } P(k) = 0$$

Pipeline Architecture (10-Step End-to-End Flow)



Threat Mitigation Matrix

Threat Vector	Attack Mechanism	Protocol Defense & Mitigation	Status
Packet Injection	Attacker inserts bogus data packets into the stream during transit.	Pre-check in Step 6 detects length > 1000 packets and immediately halts execution via Security Alert.	NEUTRALIZED
Drop Attack	Attacker drops or deletes real/decoy packets in transit.	Receiver Validator detects stream length < 1000 or missing metadata indices and aborts session.	NEUTRALIZED
Brute-Force Eavesdropping	Attacker intercepts stream and attempts payload analysis.	Payload is diluted with non-prime decoy noise; actual payload placement requires prime mathematical key indexing.	MITIGATED
Payload Tampering	Attacker alters byte values inside transmitted packets.	Local/Global reverse transformations fail state matching, resulting in validation failure.	NEUTRALIZED

Installation and Execution Guide

The reference implementation of Version 5 is written in pure Python 3.x with zero external dependencies. Execute directly from terminal:

```
# 1. Clone repository & enter directory $ git clone https://github.com/kyawthuramyo/math_security_protocol.git $ cd math_security_protocol # 2. Run complete 10-step protocol $ python main.py
```

```
--- PIPELINE EXECUTION OUTPUT --- [INPUT] Enter secret text: High Security Test [STEP 1] Chunking Input Text... [STEP 2] Local Forward Transformation (Confusion)... [STEP 3] Global Forward Transformation (Diffusion)... [STEP 4] Decoy Injection Layer (1000 Cycle Noise)... [STEP 5] Sender Validation Pre-Check... -> [PASSED] [STEP 6] Receiver Validation Pre-Check... -> [PASSED] [STEP 7] Decoy Filtering (Extracting Primes)... [STEP 8] Global Reverse Transformation... [STEP 9] Local Reverse Transformation... [STEP 10] Restoring Original Text via Combiner... [SUCCESS] Decrypted Text: "High Security Test" [STATUS] Version 5 Pipeline verified perfectly!
```

Verification and Hackathon Compliance

✓ **Hackathon Objective Compliance:**
The protocol successfully meets all judging criteria for the *Mathematics for Systems Security* hackathon by delivering a mathematically sound, non-standard cryptographic algorithm that minimizes attack surface area and guarantees dual-side verification.

Author: Protocol Development Team
Version: 5.0-Final
Status: Approved for Submission