

Admin Submission Report

Generated: 12/5/2025

Filters: All Statuses | All Users

Summary:

Good: 323 | Pending: 309 | Wrong Password: 274 | Bad: 295

Total Good Accounts Value: \$2422.50 USDT

sharo (1 accounts)

Exchange	Email	Password	Status	Price
Coinbase	macmuga487530@gmail.com	679775	PENDING	-

user1 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account2@kucoin.example.com	hashedpass1_2	WRONG PASSWORD	-
KuCoin	account3@kucoin.example.com	hashedpass1_3	GOOD	\$7.50
KuCoin	account4@kucoin.example.com	hashedpass1_4	GOOD	\$7.50
KuCoin	account5@kucoin.example.com	hashedpass1_5	WRONG PASSWORD	-
KuCoin	account6@kucoin.example.com	hashedpass1_6	PENDING	-
KuCoin	account7@kucoin.example.com	hashedpass1_7	PENDING	-
KuCoin	account8@kucoin.example.com	hashedpass1_8	WRONG PASSWORD	-
KuCoin	account9@kucoin.example.com	hashedpass1_9	BAD	-
KuCoin	account10@kucoin.example.com	hashedpass1_10	PENDING	-
KuCoin	account11@kucoin.example.com	hashedpass1_11	GOOD	\$7.50
KuCoin	account12@kucoin.example.com	hashedpass1_12	WRONG PASSWORD	-
KuCoin	account13@kucoin.example.com	hashedpass1_13	BAD	-
KuCoin	account14@kucoin.example.com	hashedpass1_14	WRONG PASSWORD	-
KuCoin	account15@kucoin.example.com	hashedpass1_15	WRONG PASSWORD	-
KuCoin	account16@kucoin.example.com	hashedpass1_16	BAD	-
KuCoin	account17@kucoin.example.com	hashedpass1_17	BAD	-
KuCoin	account18@kucoin.example.com	hashedpass1_18	BAD	-
KuCoin	account19@kucoin.example.com	hashedpass1_19	PENDING	-
KuCoin	account20@kucoin.example.com	hashedpass1_20	BAD	-
KuCoin	account21@kucoin.example.com	hashedpass1_21	WRONG PASSWORD	-
KuCoin	account22@kucoin.example.com	hashedpass1_22	PENDING	-
KuCoin	account23@kucoin.example.com	hashedpass1_23	WRONG PASSWORD	-
KuCoin	account24@kucoin.example.com	hashedpass1_24	GOOD	\$7.50
KuCoin	account25@kucoin.example.com	hashedpass1_25	GOOD	\$7.50
KuCoin	account26@kucoin.example.com	hashedpass1_26	WRONG PASSWORD	-

Exchange	Email	Password	Status	Price
KuCoin	account27@kucoin.example.com	hashedpass1_27	PENDING	-
KuCoin	account28@kucoin.example.com	hashedpass1_28	WRONG PASSWORD	-
KuCoin	account29@kucoin.example.com	hashedpass1_29	PENDING	-
KuCoin	account30@kucoin.example.com	hashedpass1_30	GOOD	\$7.50
KuCoin	account31@kucoin.example.com	hashedpass1_31	BAD	-
KuCoin	account32@kucoin.example.com	hashedpass1_32	WRONG PASSWORD	-
KuCoin	account33@kucoin.example.com	hashedpass1_33	BAD	-
KuCoin	account34@kucoin.example.com	hashedpass1_34	BAD	-
KuCoin	account35@kucoin.example.com	hashedpass1_35	PENDING	-
KuCoin	account36@kucoin.example.com	hashedpass1_36	PENDING	-
KuCoin	account37@kucoin.example.com	hashedpass1_37	BAD	-
KuCoin	account38@kucoin.example.com	hashedpass1_38	GOOD	\$7.50
KuCoin	account39@kucoin.example.com	hashedpass1_39	BAD	-
KuCoin	account40@kucoin.example.com	hashedpass1_40	BAD	-
KuCoin	account1@kucoin.example.com	hashedpass1_1	WRONG PASSWORD	-

user2 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass2_1	WRONG PASSWORD	-
KuCoin	account2@kucoin.example.com	hashedpass2_2	PENDING	-
KuCoin	account3@kucoin.example.com	hashedpass2_3	GOOD	\$7.50
KuCoin	account4@kucoin.example.com	hashedpass2_4	PENDING	-
KuCoin	account5@kucoin.example.com	hashedpass2_5	BAD	-
KuCoin	account6@kucoin.example.com	hashedpass2_6	BAD	-
KuCoin	account7@kucoin.example.com	hashedpass2_7	GOOD	\$7.50
KuCoin	account8@kucoin.example.com	hashedpass2_8	BAD	-
KuCoin	account9@kucoin.example.com	hashedpass2_9	PENDING	-
KuCoin	account10@kucoin.example.com	hashedpass2_10	GOOD	\$7.50
KuCoin	account11@kucoin.example.com	hashedpass2_11	GOOD	\$7.50
KuCoin	account12@kucoin.example.com	hashedpass2_12	BAD	-
KuCoin	account13@kucoin.example.com	hashedpass2_13	BAD	-
KuCoin	account14@kucoin.example.com	hashedpass2_14	WRONG PASSWORD	-
KuCoin	account15@kucoin.example.com	hashedpass2_15	BAD	-
KuCoin	account16@kucoin.example.com	hashedpass2_16	WRONG PASSWORD	-
KuCoin	account17@kucoin.example.com	hashedpass2_17	GOOD	\$7.50
KuCoin	account18@kucoin.example.com	hashedpass2_18	BAD	-
KuCoin	account19@kucoin.example.com	hashedpass2_19	WRONG PASSWORD	-
KuCoin	account20@kucoin.example.com	hashedpass2_20	GOOD	\$7.50

Exchange	Email	Password	Status	Price
KuCoin	account21@kucoin.example.com	hashedpass2_21	WRONG PASSWORD	-
KuCoin	account22@kucoin.example.com	hashedpass2_22	GOOD	\$7.50
KuCoin	account23@kucoin.example.com	hashedpass2_23	PENDING	-
KuCoin	account24@kucoin.example.com	hashedpass2_24	GOOD	\$7.50
KuCoin	account25@kucoin.example.com	hashedpass2_25	BAD	-
KuCoin	account26@kucoin.example.com	hashedpass2_26	PENDING	-
KuCoin	account27@kucoin.example.com	hashedpass2_27	GOOD	\$7.50
KuCoin	account28@kucoin.example.com	hashedpass2_28	GOOD	\$7.50
KuCoin	account29@kucoin.example.com	hashedpass2_29	BAD	-
KuCoin	account30@kucoin.example.com	hashedpass2_30	BAD	-
KuCoin	account31@kucoin.example.com	hashedpass2_31	PENDING	-
KuCoin	account32@kucoin.example.com	hashedpass2_32	WRONG PASSWORD	-
KuCoin	account33@kucoin.example.com	hashedpass2_33	PENDING	-
KuCoin	account34@kucoin.example.com	hashedpass2_34	WRONG PASSWORD	-
KuCoin	account35@kucoin.example.com	hashedpass2_35	WRONG PASSWORD	-
KuCoin	account36@kucoin.example.com	hashedpass2_36	PENDING	-
KuCoin	account37@kucoin.example.com	hashedpass2_37	BAD	-
KuCoin	account38@kucoin.example.com	hashedpass2_38	BAD	-
KuCoin	account39@kucoin.example.com	hashedpass2_39	BAD	-
KuCoin	account40@kucoin.example.com	hashedpass2_40	WRONG PASSWORD	-

user3 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass3_1	BAD	-
KuCoin	account2@kucoin.example.com	hashedpass3_2	GOOD	\$7.50
KuCoin	account3@kucoin.example.com	hashedpass3_3	WRONG PASSWORD	-
KuCoin	account4@kucoin.example.com	hashedpass3_4	PENDING	-
KuCoin	account5@kucoin.example.com	hashedpass3_5	BAD	-
KuCoin	account6@kucoin.example.com	hashedpass3_6	BAD	-
KuCoin	account7@kucoin.example.com	hashedpass3_7	BAD	-
KuCoin	account8@kucoin.example.com	hashedpass3_8	GOOD	\$7.50
KuCoin	account9@kucoin.example.com	hashedpass3_9	PENDING	-
KuCoin	account10@kucoin.example.com	hashedpass3_10	BAD	-
KuCoin	account11@kucoin.example.com	hashedpass3_11	PENDING	-
KuCoin	account12@kucoin.example.com	hashedpass3_12	WRONG PASSWORD	-
KuCoin	account13@kucoin.example.com	hashedpass3_13	PENDING	-
KuCoin	account14@kucoin.example.com	hashedpass3_14	GOOD	\$7.50
KuCoin	account15@kucoin.example.com	hashedpass3_15	WRONG PASSWORD	-

Exchange	Email	Password	Status	Price
KuCoin	account16@kucoin.example.com	hashedpass3_16	GOOD	\$7.50
KuCoin	account17@kucoin.example.com	hashedpass3_17	WRONG PASSWORD	-
KuCoin	account18@kucoin.example.com	hashedpass3_18	GOOD	\$7.50
KuCoin	account19@kucoin.example.com	hashedpass3_19	PENDING	-
KuCoin	account20@kucoin.example.com	hashedpass3_20	PENDING	-
KuCoin	account21@kucoin.example.com	hashedpass3_21	WRONG PASSWORD	-
KuCoin	account22@kucoin.example.com	hashedpass3_22	PENDING	-
KuCoin	account23@kucoin.example.com	hashedpass3_23	GOOD	\$7.50
KuCoin	account24@kucoin.example.com	hashedpass3_24	GOOD	\$7.50
KuCoin	account25@kucoin.example.com	hashedpass3_25	WRONG PASSWORD	-
KuCoin	account26@kucoin.example.com	hashedpass3_26	PENDING	-
KuCoin	account27@kucoin.example.com	hashedpass3_27	BAD	-
KuCoin	account28@kucoin.example.com	hashedpass3_28	BAD	-
KuCoin	account29@kucoin.example.com	hashedpass3_29	GOOD	\$7.50
KuCoin	account30@kucoin.example.com	hashedpass3_30	BAD	-
KuCoin	account31@kucoin.example.com	hashedpass3_31	WRONG PASSWORD	-
KuCoin	account32@kucoin.example.com	hashedpass3_32	PENDING	-
KuCoin	account33@kucoin.example.com	hashedpass3_33	WRONG PASSWORD	-
KuCoin	account34@kucoin.example.com	hashedpass3_34	WRONG PASSWORD	-
KuCoin	account35@kucoin.example.com	hashedpass3_35	BAD	-
KuCoin	account36@kucoin.example.com	hashedpass3_36	BAD	-
KuCoin	account37@kucoin.example.com	hashedpass3_37	PENDING	-
KuCoin	account38@kucoin.example.com	hashedpass3_38	GOOD	\$7.50
KuCoin	account39@kucoin.example.com	hashedpass3_39	BAD	-
KuCoin	account40@kucoin.example.com	hashedpass3_40	BAD	-

user4 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1 @kucoin.example.com	hashedpass4_1	BAD	-
KuCoin	account2@kucoin.example.com	hashedpass4_2	WRONG PASSWORD	-
KuCoin	account3@kucoin.example.com	hashedpass4_3	BAD	-
KuCoin	account4 @kucoin.example.com	hashedpass4_4	WRONG PASSWORD	-
KuCoin	account5@kucoin.example.com	hashedpass4_5	PENDING	-
KuCoin	account6@kucoin.example.com	hashedpass4_6	WRONG PASSWORD	-
KuCoin	account7@kucoin.example.com	hashedpass4_7	GOOD	\$7.50
KuCoin	account8@kucoin.example.com	hashedpass4_8	PENDING	-
KuCoin	account9@kucoin.example.com	hashedpass4_9	WRONG PASSWORD	-
KuCoin	account10@kucoin.example.com	hashedpass4_10	WRONG PASSWORD	-

Exchange	Email	Password	Status	Price
KuCoin	account11@kucoin.example.com	hashedpass4_11	BAD	-
KuCoin	account12@kucoin.example.com	hashedpass4_12	BAD	-
KuCoin	account13@kucoin.example.com	hashedpass4_13	GOOD	\$7.50
KuCoin	account14@kucoin.example.com	hashedpass4_14	PENDING	-
KuCoin	account15@kucoin.example.com	hashedpass4_15	PENDING	-
KuCoin	account16@kucoin.example.com	hashedpass4_16	PENDING	-
KuCoin	account17@kucoin.example.com	hashedpass4_17	WRONG PASSWORD	-
KuCoin	account18@kucoin.example.com	hashedpass4_18	WRONG PASSWORD	-
KuCoin	account19@kucoin.example.com	hashedpass4_19	GOOD	\$7.50
KuCoin	account20@kucoin.example.com	hashedpass4_20	BAD	-
KuCoin	account21@kucoin.example.com	hashedpass4_21	BAD	-
KuCoin	account22@kucoin.example.com	hashedpass4_22	GOOD	\$7.50
KuCoin	account23@kucoin.example.com	hashedpass4_23	BAD	-
KuCoin	account24@kucoin.example.com	hashedpass4_24	PENDING	-
KuCoin	account25@kucoin.example.com	hashedpass4_25	GOOD	\$7.50
KuCoin	account26@kucoin.example.com	hashedpass4_26	PENDING	-
KuCoin	account27@kucoin.example.com	hashedpass4_27	GOOD	\$7.50
KuCoin	account28@kucoin.example.com	hashedpass4_28	PENDING	-
KuCoin	account29@kucoin.example.com	hashedpass4_29	PENDING	-
KuCoin	account30@kucoin.example.com	hashedpass4_30	GOOD	\$7.50
KuCoin	account31@kucoin.example.com	hashedpass4_31	GOOD	\$7.50
KuCoin	account32@kucoin.example.com	hashedpass4_32	GOOD	\$7.50
KuCoin	account33@kucoin.example.com	hashedpass4_33	WRONG PASSWORD	-
KuCoin	account34@kucoin.example.com	hashedpass4_34	PENDING	-
KuCoin	account35@kucoin.example.com	hashedpass4_35	PENDING	-
KuCoin	account36@kucoin.example.com	hashedpass4_36	GOOD	\$7.50
KuCoin	account37@kucoin.example.com	hashedpass4_37	BAD	-
KuCoin	account38@kucoin.example.com	hashedpass4_38	BAD	-
KuCoin	account39@kucoin.example.com	hashedpass4_39	WRONG PASSWORD	-
KuCoin	account40@kucoin.example.com	hashedpass4_40	GOOD	\$7.50

user5 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass5_1	GOOD	\$7.50
KuCoin	account2@kucoin.example.com	hashedpass5_2	GOOD	\$7.50
KuCoin	account3@kucoin.example.com	hashedpass5_3	PENDING	-
KuCoin	account4@kucoin.example.com	hashedpass5_4	PENDING	-
KuCoin	account5@kucoin.example.com	hashedpass5_5	WRONG PASSWORD	-

Exchange	Email	Password	Status	Price
KuCoin	account6@kucoin.example.com	hashedpass5_6	PENDING	-
KuCoin	account7@kucoin.example.com	hashedpass5_7	PENDING	-
KuCoin	account8@kucoin.example.com	hashedpass5_8	GOOD	\$7.50
KuCoin	account9@kucoin.example.com	hashedpass5_9	GOOD	\$7.50
KuCoin	account10@kucoin.example.com	hashedpass5_10	PENDING	-
KuCoin	account11@kucoin.example.com	hashedpass5_11	GOOD	\$7.50
KuCoin	account12@kucoin.example.com	hashedpass5_12	PENDING	-
KuCoin	account13@kucoin.example.com	hashedpass5_13	PENDING	-
KuCoin	account14@kucoin.example.com	hashedpass5_14	PENDING	-
KuCoin	account15@kucoin.example.com	hashedpass5_15	WRONG PASSWORD	-
KuCoin	account16@kucoin.example.com	hashedpass5_16	PENDING	-
KuCoin	account17@kucoin.example.com	hashedpass5_17	GOOD	\$7.50
KuCoin	account18@kucoin.example.com	hashedpass5_18	BAD	-
KuCoin	account19@kucoin.example.com	hashedpass5_19	GOOD	\$7.50
KuCoin	account20@kucoin.example.com	hashedpass5_20	PENDING	-
KuCoin	account21@kucoin.example.com	hashedpass5_21	WRONG PASSWORD	-
KuCoin	account22@kucoin.example.com	hashedpass5_22	PENDING	-
KuCoin	account23@kucoin.example.com	hashedpass5_23	GOOD	\$7.50
KuCoin	account24@kucoin.example.com	hashedpass5_24	WRONG PASSWORD	-
KuCoin	account25@kucoin.example.com	hashedpass5_25	WRONG PASSWORD	-
KuCoin	account26@kucoin.example.com	hashedpass5_26	WRONG PASSWORD	-
KuCoin	account27@kucoin.example.com	hashedpass5_27	GOOD	\$7.50
KuCoin	account28@kucoin.example.com	hashedpass5_28	GOOD	\$7.50
KuCoin	account29@kucoin.example.com	hashedpass5_29	PENDING	-
KuCoin	account30@kucoin.example.com	hashedpass5_30	GOOD	\$7.50
KuCoin	account31@kucoin.example.com	hashedpass5_31	GOOD	\$7.50
KuCoin	account32@kucoin.example.com	hashedpass5_32	WRONG PASSWORD	-
KuCoin	account33@kucoin.example.com	hashedpass5_33	BAD	-
KuCoin	account34@kucoin.example.com	hashedpass5_34	PENDING	-
KuCoin	account35@kucoin.example.com	hashedpass5_35	PENDING	-
KuCoin	account36@kucoin.example.com	hashedpass5_36	PENDING	-
KuCoin	account37@kucoin.example.com	hashedpass5_37	WRONG PASSWORD	-
KuCoin	account38@kucoin.example.com	hashedpass5_38	GOOD	\$7.50
KuCoin	account39@kucoin.example.com	hashedpass5_39	PENDING	-
KuCoin	account40@kucoin.example.com	hashedpass5_40	WRONG PASSWORD	-

user6 (40 accounts)

Exchange	Email	Password	Status	Price
----------	-------	----------	--------	-------

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass6_1	PENDING	-
KuCoin	account2@kucoin.example.com	hashedpass6_2	GOOD	\$7.50
KuCoin	account3@kucoin.example.com	hashedpass6_3	BAD	-
KuCoin	account4@kucoin.example.com	hashedpass6_4	WRONG PASSWORD	-
KuCoin	account5@kucoin.example.com	hashedpass6_5	WRONG PASSWORD	-
KuCoin	account6@kucoin.example.com	hashedpass6_6	GOOD	\$7.50
KuCoin	account7@kucoin.example.com	hashedpass6_7	PENDING	-
KuCoin	account8@kucoin.example.com	hashedpass6_8	GOOD	\$7.50
KuCoin	account9@kucoin.example.com	hashedpass6_9	WRONG PASSWORD	-
KuCoin	account10@kucoin.example.com	hashedpass6_10	BAD	-
KuCoin	account11@kucoin.example.com	hashedpass6_11	PENDING	-
KuCoin	account12@kucoin.example.com	hashedpass6_12	BAD	-
KuCoin	account13@kucoin.example.com	hashedpass6_13	GOOD	\$7.50
KuCoin	account14@kucoin.example.com	hashedpass6_14	BAD	-
KuCoin	account15@kucoin.example.com	hashedpass6_15	PENDING	-
KuCoin	account16@kucoin.example.com	hashedpass6_16	PENDING	-
KuCoin	account17@kucoin.example.com	hashedpass6_17	BAD	-
KuCoin	account18@kucoin.example.com	hashedpass6_18	BAD	-
KuCoin	account19@kucoin.example.com	hashedpass6_19	PENDING	-
KuCoin	account20@kucoin.example.com	hashedpass6_20	BAD	-
KuCoin	account21@kucoin.example.com	hashedpass6_21	GOOD	\$7.50
KuCoin	account22@kucoin.example.com	hashedpass6_22	WRONG PASSWORD	-
KuCoin	account23@kucoin.example.com	hashedpass6_23	PENDING	-
KuCoin	account24@kucoin.example.com	hashedpass6_24	WRONG PASSWORD	-
KuCoin	account25@kucoin.example.com	hashedpass6_25	GOOD	\$7.50
KuCoin	account26@kucoin.example.com	hashedpass6_26	GOOD	\$7.50
KuCoin	account27@kucoin.example.com	hashedpass6_27	BAD	-
KuCoin	account28@kucoin.example.com	hashedpass6_28	WRONG PASSWORD	-
KuCoin	account29@kucoin.example.com	hashedpass6_29	BAD	-
KuCoin	account30@kucoin.example.com	hashedpass6_30	GOOD	\$7.50
KuCoin	account31@kucoin.example.com	hashedpass6_31	WRONG PASSWORD	-
KuCoin	account32@kucoin.example.com	hashedpass6_32	GOOD	\$7.50
KuCoin	account33@kucoin.example.com	hashedpass6_33	PENDING	-
KuCoin	account34@kucoin.example.com	hashedpass6_34	PENDING	-
KuCoin	account35@kucoin.example.com	hashedpass6_35	PENDING	-
KuCoin	account36@kucoin.example.com	hashedpass6_36	PENDING	-
KuCoin	account37@kucoin.example.com	hashedpass6_37	WRONG PASSWORD	-
KuCoin	account38@kucoin.example.com	hashedpass6_38	GOOD	\$7.50

Exchange	Email	Password	Status	Price
KuCoin	account39@kucoin.example.com	hashedpass6_39	PENDING	-
KuCoin	account40@kucoin.example.com	hashedpass6_40	BAD	-

user7 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass7_1	GOOD	\$7.50
KuCoin	account2@kucoin.example.com	hashedpass7_2	WRONG PASSWORD	-
KuCoin	account3@kucoin.example.com	hashedpass7_3	BAD	-
KuCoin	account4@kucoin.example.com	hashedpass7_4	PENDING	-
KuCoin	account5@kucoin.example.com	hashedpass7_5	BAD	-
KuCoin	account6@kucoin.example.com	hashedpass7_6	PENDING	-
KuCoin	account7@kucoin.example.com	hashedpass7_7	PENDING	-
KuCoin	account8@kucoin.example.com	hashedpass7_8	BAD	-
KuCoin	account9@kucoin.example.com	hashedpass7_9	PENDING	-
KuCoin	account10@kucoin.example.com	hashedpass7_10	BAD	-
KuCoin	account11@kucoin.example.com	hashedpass7_11	GOOD	\$7.50
KuCoin	account12@kucoin.example.com	hashedpass7_12	PENDING	-
KuCoin	account13@kucoin.example.com	hashedpass7_13	BAD	-
KuCoin	account14@kucoin.example.com	hashedpass7_14	BAD	-
KuCoin	account15@kucoin.example.com	hashedpass7_15	WRONG PASSWORD	-
KuCoin	account16@kucoin.example.com	hashedpass7_16	WRONG PASSWORD	-
KuCoin	account17@kucoin.example.com	hashedpass7_17	BAD	-
KuCoin	account18@kucoin.example.com	hashedpass7_18	GOOD	\$7.50
KuCoin	account19@kucoin.example.com	hashedpass7_19	GOOD	\$7.50
KuCoin	account20@kucoin.example.com	hashedpass7_20	BAD	-
KuCoin	account21@kucoin.example.com	hashedpass7_21	WRONG PASSWORD	-
KuCoin	account22@kucoin.example.com	hashedpass7_22	BAD	-
KuCoin	account23@kucoin.example.com	hashedpass7_23	BAD	-
KuCoin	account24@kucoin.example.com	hashedpass7_24	WRONG PASSWORD	-
KuCoin	account25@kucoin.example.com	hashedpass7_25	GOOD	\$7.50
KuCoin	account26@kucoin.example.com	hashedpass7_26	PENDING	-
KuCoin	account27@kucoin.example.com	hashedpass7_27	GOOD	\$7.50
KuCoin	account28@kucoin.example.com	hashedpass7_28	WRONG PASSWORD	-
KuCoin	account29@kucoin.example.com	hashedpass7_29	WRONG PASSWORD	-
KuCoin	account30@kucoin.example.com	hashedpass7_30	PENDING	-
KuCoin	account31@kucoin.example.com	hashedpass7_31	WRONG PASSWORD	-
KuCoin	account32@kucoin.example.com	hashedpass7_32	WRONG PASSWORD	-
KuCoin	account33@kucoin.example.com	hashedpass7_33	WRONG PASSWORD	-

Exchange	Email	Password	Status	Price
KuCoin	account34@kucoin.example.com	hashedpass7_34	GOOD	\$7.50
KuCoin	account35@kucoin.example.com	hashedpass7_35	BAD	-
KuCoin	account36@kucoin.example.com	hashedpass7_36	GOOD	\$7.50
KuCoin	account37@kucoin.example.com	hashedpass7_37	PENDING	-
KuCoin	account38@kucoin.example.com	hashedpass7_38	PENDING	-
KuCoin	account39@kucoin.example.com	hashedpass7_39	GOOD	\$7.50
KuCoin	account40@kucoin.example.com	hashedpass7_40	GOOD	\$7.50

user8 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account3@kucoin.example.com	hashedpass8_3	GOOD	\$7.50
KuCoin	account4@kucoin.example.com	hashedpass8_4	GOOD	\$7.50
KuCoin	account15@kucoin.example.com	hashedpass8_15	GOOD	\$7.50
KuCoin	account16@kucoin.example.com	hashedpass8_16	GOOD	\$7.50
KuCoin	account18@kucoin.example.com	hashedpass8_18	GOOD	\$7.50
KuCoin	account27@kucoin.example.com	hashedpass8_27	GOOD	\$7.50
KuCoin	account29@kucoin.example.com	hashedpass8_29	GOOD	\$7.50
KuCoin	account31@kucoin.example.com	hashedpass8_31	GOOD	\$7.50
KuCoin	account32@kucoin.example.com	hashedpass8_32	GOOD	\$7.50
KuCoin	account2@kucoin.example.com	hashedpass8_2	GOOD	\$7.50
KuCoin	account5@kucoin.example.com	hashedpass8_5	GOOD	\$7.50
KuCoin	account7@kucoin.example.com	hashedpass8_7	GOOD	\$7.50
KuCoin	account8@kucoin.example.com	hashedpass8_8	GOOD	\$7.50
KuCoin	account9@kucoin.example.com	hashedpass8_9	GOOD	\$7.50
KuCoin	account13@kucoin.example.com	hashedpass8_13	GOOD	\$7.50
KuCoin	account14@kucoin.example.com	hashedpass8_14	GOOD	\$7.50
KuCoin	account12@kucoin.example.com	hashedpass8_12	GOOD	\$7.50
KuCoin	account11@kucoin.example.com	hashedpass8_11	GOOD	\$7.50
KuCoin	account10@kucoin.example.com	hashedpass8_10	GOOD	\$7.50
KuCoin	account6@kucoin.example.com	hashedpass8_6	GOOD	\$7.50
KuCoin	account17@kucoin.example.com	hashedpass8_17	GOOD	\$7.50
KuCoin	account19@kucoin.example.com	hashedpass8_19	GOOD	\$7.50
KuCoin	account23@kucoin.example.com	hashedpass8_23	GOOD	\$7.50
KuCoin	account22@kucoin.example.com	hashedpass8_22	GOOD	\$7.50
KuCoin	account21@kucoin.example.com	hashedpass8_21	GOOD	\$7.50
KuCoin	account25@kucoin.example.com	hashedpass8_25	GOOD	\$7.50
KuCoin	account24@kucoin.example.com	hashedpass8_24	GOOD	\$7.50
KuCoin	account20@kucoin.example.com	hashedpass8_20	GOOD	\$7.50

Exchange	Email	Password	Status	Price
KuCoin	account26@kucoin.example.com	hashedpass8_26	GOOD	\$7.50
KuCoin	account28@kucoin.example.com	hashedpass8_28	GOOD	\$7.50
KuCoin	account33@kucoin.example.com	hashedpass8_33	GOOD	\$7.50
KuCoin	account34@kucoin.example.com	hashedpass8_34	GOOD	\$7.50
KuCoin	account30@kucoin.example.com	hashedpass8_30	GOOD	\$7.50
KuCoin	account37@kucoin.example.com	hashedpass8_37	GOOD	\$7.50
KuCoin	account36@kucoin.example.com	hashedpass8_36	GOOD	\$7.50
KuCoin	account35@kucoin.example.com	hashedpass8_35	GOOD	\$7.50
KuCoin	account40@kucoin.example.com	hashedpass8_40	GOOD	\$7.50
KuCoin	account38@kucoin.example.com	hashedpass8_38	GOOD	\$7.50
KuCoin	account39@kucoin.example.com	hashedpass8_39	GOOD	\$7.50
KuCoin	account1 @kucoin.example.com	hashedpass8_1	GOOD	\$7.50

user9 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1 @kucoin.example.com	hashedpass9_1	WRONG PASSWORD	-
KuCoin	account2 @kucoin.example.com	hashedpass9_2	WRONG PASSWORD	-
KuCoin	account3 @kucoin.example.com	hashedpass9_3	WRONG PASSWORD	-
KuCoin	account4 @kucoin.example.com	hashedpass9_4	PENDING	-
KuCoin	account5 @kucoin.example.com	hashedpass9_5	BAD	-
KuCoin	account6 @kucoin.example.com	hashedpass9_6	BAD	-
KuCoin	account7 @kucoin.example.com	hashedpass9_7	GOOD	\$7.50
KuCoin	account8 @kucoin.example.com	hashedpass9_8	PENDING	-
KuCoin	account9 @kucoin.example.com	hashedpass9_9	PENDING	-
KuCoin	account10 @kucoin.example.com	hashedpass9_10	WRONG PASSWORD	-
KuCoin	account11 @kucoin.example.com	hashedpass9_11	GOOD	\$7.50
KuCoin	account12 @kucoin.example.com	hashedpass9_12	BAD	-
KuCoin	account13 @kucoin.example.com	hashedpass9_13	PENDING	-
KuCoin	account14 @kucoin.example.com	hashedpass9_14	PENDING	-
KuCoin	account15 @kucoin.example.com	hashedpass9_15	PENDING	-
KuCoin	account16 @kucoin.example.com	hashedpass9_16	GOOD	\$7.50
KuCoin	account17 @kucoin.example.com	hashedpass9_17	WRONG PASSWORD	-
KuCoin	account18 @kucoin.example.com	hashedpass9_18	WRONG PASSWORD	-
KuCoin	account19 @kucoin.example.com	hashedpass9_19	PENDING	-
KuCoin	account20 @kucoin.example.com	hashedpass9_20	PENDING	-
KuCoin	account21 @kucoin.example.com	hashedpass9_21	WRONG PASSWORD	-
KuCoin	account22 @kucoin.example.com	hashedpass9_22	PENDING	-
KuCoin	account23 @kucoin.example.com	hashedpass9_23	WRONG PASSWORD	-

Exchange	Email	Password	Status	Price
KuCoin	account24@kucoin.example.com	hashedpass9_24	BAD	-
KuCoin	account25@kucoin.example.com	hashedpass9_25	WRONG PASSWORD	-
KuCoin	account26@kucoin.example.com	hashedpass9_26	PENDING	-
KuCoin	account27@kucoin.example.com	hashedpass9_27	PENDING	-
KuCoin	account28@kucoin.example.com	hashedpass9_28	GOOD	\$7.50
KuCoin	account29@kucoin.example.com	hashedpass9_29	PENDING	-
KuCoin	account30@kucoin.example.com	hashedpass9_30	GOOD	\$7.50
KuCoin	account31@kucoin.example.com	hashedpass9_31	PENDING	-
KuCoin	account32@kucoin.example.com	hashedpass9_32	PENDING	-
KuCoin	account33@kucoin.example.com	hashedpass9_33	GOOD	\$7.50
KuCoin	account34@kucoin.example.com	hashedpass9_34	BAD	-
KuCoin	account35@kucoin.example.com	hashedpass9_35	PENDING	-
KuCoin	account36@kucoin.example.com	hashedpass9_36	PENDING	-
KuCoin	account37@kucoin.example.com	hashedpass9_37	BAD	-
KuCoin	account38@kucoin.example.com	hashedpass9_38	BAD	-
KuCoin	account39@kucoin.example.com	hashedpass9_39	PENDING	-
KuCoin	account40@kucoin.example.com	hashedpass9_40	PENDING	-

user10 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass10_1	PENDING	-
KuCoin	account2@kucoin.example.com	hashedpass10_2	PENDING	-
KuCoin	account3@kucoin.example.com	hashedpass10_3	BAD	-
KuCoin	account4@kucoin.example.com	hashedpass10_4	PENDING	-
KuCoin	account5@kucoin.example.com	hashedpass10_5	PENDING	-
KuCoin	account6@kucoin.example.com	hashedpass10_6	PENDING	-
KuCoin	account7@kucoin.example.com	hashedpass10_7	GOOD	\$7.50
KuCoin	account8@kucoin.example.com	hashedpass10_8	WRONG PASSWORD	-
KuCoin	account9@kucoin.example.com	hashedpass10_9	BAD	-
KuCoin	account10@kucoin.example.com	hashedpass10_10	WRONG PASSWORD	-
KuCoin	account11@kucoin.example.com	hashedpass10_11	WRONG PASSWORD	-
KuCoin	account12@kucoin.example.com	hashedpass10_12	WRONG PASSWORD	-
KuCoin	account13@kucoin.example.com	hashedpass10_13	BAD	-
KuCoin	account14@kucoin.example.com	hashedpass10_14	WRONG PASSWORD	-
KuCoin	account15@kucoin.example.com	hashedpass10_15	WRONG PASSWORD	-
KuCoin	account16@kucoin.example.com	hashedpass10_16	GOOD	\$7.50
KuCoin	account17@kucoin.example.com	hashedpass10_17	BAD	-
KuCoin	account18@kucoin.example.com	hashedpass10_18	GOOD	\$7.50

Exchange	Email	Password	Status	Price
KuCoin	account19@kucoin.example.com	hashedpass10_19	GOOD	\$7.50
KuCoin	account20@kucoin.example.com	hashedpass10_20	PENDING	-
KuCoin	account21@kucoin.example.com	hashedpass10_21	WRONG PASSWORD	-
KuCoin	account22@kucoin.example.com	hashedpass10_22	WRONG PASSWORD	-
KuCoin	account23@kucoin.example.com	hashedpass10_23	BAD	-
KuCoin	account24@kucoin.example.com	hashedpass10_24	GOOD	\$7.50
KuCoin	account25@kucoin.example.com	hashedpass10_25	WRONG PASSWORD	-
KuCoin	account26@kucoin.example.com	hashedpass10_26	WRONG PASSWORD	-
KuCoin	account27@kucoin.example.com	hashedpass10_27	WRONG PASSWORD	-
KuCoin	account28@kucoin.example.com	hashedpass10_28	BAD	-
KuCoin	account29@kucoin.example.com	hashedpass10_29	GOOD	\$7.50
KuCoin	account30@kucoin.example.com	hashedpass10_30	PENDING	-
KuCoin	account31@kucoin.example.com	hashedpass10_31	WRONG PASSWORD	-
KuCoin	account32@kucoin.example.com	hashedpass10_32	GOOD	\$7.50
KuCoin	account33@kucoin.example.com	hashedpass10_33	BAD	-
KuCoin	account34@kucoin.example.com	hashedpass10_34	WRONG PASSWORD	-
KuCoin	account35@kucoin.example.com	hashedpass10_35	BAD	-
KuCoin	account36@kucoin.example.com	hashedpass10_36	GOOD	\$7.50
KuCoin	account37@kucoin.example.com	hashedpass10_37	BAD	-
KuCoin	account38@kucoin.example.com	hashedpass10_38	GOOD	\$7.50
KuCoin	account39@kucoin.example.com	hashedpass10_39	PENDING	-
KuCoin	account40@kucoin.example.com	hashedpass10_40	WRONG PASSWORD	-

user11 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass11_1	PENDING	-
KuCoin	account2@kucoin.example.com	hashedpass11_2	PENDING	-
KuCoin	account3@kucoin.example.com	hashedpass11_3	GOOD	\$7.50
KuCoin	account4@kucoin.example.com	hashedpass11_4	PENDING	-
KuCoin	account5@kucoin.example.com	hashedpass11_5	BAD	-
KuCoin	account6@kucoin.example.com	hashedpass11_6	GOOD	\$7.50
KuCoin	account7@kucoin.example.com	hashedpass11_7	PENDING	-
KuCoin	account8@kucoin.example.com	hashedpass11_8	GOOD	\$7.50
KuCoin	account9@kucoin.example.com	hashedpass11_9	PENDING	-
KuCoin	account10@kucoin.example.com	hashedpass11_10	WRONG PASSWORD	-
KuCoin	account11@kucoin.example.com	hashedpass11_11	BAD	-
KuCoin	account12@kucoin.example.com	hashedpass11_12	PENDING	-
KuCoin	account13@kucoin.example.com	hashedpass11_13	PENDING	-

Exchange	Email	Password	Status	Price
KuCoin	account14@kucoin.example.com	hashedpass11_14	WRONG PASSWORD	-
KuCoin	account15@kucoin.example.com	hashedpass11_15	BAD	-
KuCoin	account16@kucoin.example.com	hashedpass11_16	BAD	-
KuCoin	account17@kucoin.example.com	hashedpass11_17	PENDING	-
KuCoin	account18@kucoin.example.com	hashedpass11_18	GOOD	\$7.50
KuCoin	account19@kucoin.example.com	hashedpass11_19	PENDING	-
KuCoin	account20@kucoin.example.com	hashedpass11_20	WRONG PASSWORD	-
KuCoin	account21@kucoin.example.com	hashedpass11_21	PENDING	-
KuCoin	account22@kucoin.example.com	hashedpass11_22	BAD	-
KuCoin	account23@kucoin.example.com	hashedpass11_23	WRONG PASSWORD	-
KuCoin	account24@kucoin.example.com	hashedpass11_24	BAD	-
KuCoin	account25@kucoin.example.com	hashedpass11_25	PENDING	-
KuCoin	account26@kucoin.example.com	hashedpass11_26	WRONG PASSWORD	-
KuCoin	account27@kucoin.example.com	hashedpass11_27	PENDING	-
KuCoin	account28@kucoin.example.com	hashedpass11_28	BAD	-
KuCoin	account29@kucoin.example.com	hashedpass11_29	GOOD	\$7.50
KuCoin	account30@kucoin.example.com	hashedpass11_30	WRONG PASSWORD	-
KuCoin	account31@kucoin.example.com	hashedpass11_31	GOOD	\$7.50
KuCoin	account32@kucoin.example.com	hashedpass11_32	BAD	-
KuCoin	account33@kucoin.example.com	hashedpass11_33	BAD	-
KuCoin	account34@kucoin.example.com	hashedpass11_34	GOOD	\$7.50
KuCoin	account35@kucoin.example.com	hashedpass11_35	WRONG PASSWORD	-
KuCoin	account36@kucoin.example.com	hashedpass11_36	PENDING	-
KuCoin	account37@kucoin.example.com	hashedpass11_37	PENDING	-
KuCoin	account38@kucoin.example.com	hashedpass11_38	BAD	-
KuCoin	account39@kucoin.example.com	hashedpass11_39	GOOD	\$7.50
KuCoin	account40@kucoin.example.com	hashedpass11_40	PENDING	-

user12 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass12_1	BAD	-
KuCoin	account2@kucoin.example.com	hashedpass12_2	GOOD	\$7.50
KuCoin	account3@kucoin.example.com	hashedpass12_3	GOOD	\$7.50
KuCoin	account4@kucoin.example.com	hashedpass12_4	WRONG PASSWORD	-
KuCoin	account5@kucoin.example.com	hashedpass12_5	PENDING	-
KuCoin	account6@kucoin.example.com	hashedpass12_6	BAD	-
KuCoin	account7@kucoin.example.com	hashedpass12_7	PENDING	-
KuCoin	account8@kucoin.example.com	hashedpass12_8	WRONG PASSWORD	-

Exchange	Email	Password	Status	Price
KuCoin	account9@kucoin.example.com	hashedpass12_9	BAD	-
KuCoin	account10@kucoin.example.com	hashedpass12_10	WRONG PASSWORD	-
KuCoin	account11@kucoin.example.com	hashedpass12_11	BAD	-
KuCoin	account12@kucoin.example.com	hashedpass12_12	WRONG PASSWORD	-
KuCoin	account13@kucoin.example.com	hashedpass12_13	WRONG PASSWORD	-
KuCoin	account14@kucoin.example.com	hashedpass12_14	GOOD	\$7.50
KuCoin	account15@kucoin.example.com	hashedpass12_15	BAD	-
KuCoin	account16@kucoin.example.com	hashedpass12_16	PENDING	-
KuCoin	account17@kucoin.example.com	hashedpass12_17	WRONG PASSWORD	-
KuCoin	account18@kucoin.example.com	hashedpass12_18	WRONG PASSWORD	-
KuCoin	account19@kucoin.example.com	hashedpass12_19	PENDING	-
KuCoin	account20@kucoin.example.com	hashedpass12_20	GOOD	\$7.50
KuCoin	account21@kucoin.example.com	hashedpass12_21	WRONG PASSWORD	-
KuCoin	account22@kucoin.example.com	hashedpass12_22	GOOD	\$7.50
KuCoin	account23@kucoin.example.com	hashedpass12_23	GOOD	\$7.50
KuCoin	account24@kucoin.example.com	hashedpass12_24	BAD	-
KuCoin	account25@kucoin.example.com	hashedpass12_25	WRONG PASSWORD	-
KuCoin	account26@kucoin.example.com	hashedpass12_26	PENDING	-
KuCoin	account27@kucoin.example.com	hashedpass12_27	BAD	-
KuCoin	account28@kucoin.example.com	hashedpass12_28	WRONG PASSWORD	-
KuCoin	account29@kucoin.example.com	hashedpass12_29	GOOD	\$7.50
KuCoin	account30@kucoin.example.com	hashedpass12_30	PENDING	-
KuCoin	account31@kucoin.example.com	hashedpass12_31	PENDING	-
KuCoin	account32@kucoin.example.com	hashedpass12_32	GOOD	\$7.50
KuCoin	account33@kucoin.example.com	hashedpass12_33	WRONG PASSWORD	-
KuCoin	account34@kucoin.example.com	hashedpass12_34	GOOD	\$7.50
KuCoin	account35@kucoin.example.com	hashedpass12_35	WRONG PASSWORD	-
KuCoin	account36@kucoin.example.com	hashedpass12_36	WRONG PASSWORD	-
KuCoin	account37@kucoin.example.com	hashedpass12_37	BAD	-
KuCoin	account38@kucoin.example.com	hashedpass12_38	BAD	-
KuCoin	account39@kucoin.example.com	hashedpass12_39	PENDING	-
KuCoin	account40@kucoin.example.com	hashedpass12_40	PENDING	-

user13 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass13_1	GOOD	\$7.50
KuCoin	account2@kucoin.example.com	hashedpass13_2	BAD	-
KuCoin	account3@kucoin.example.com	hashedpass13_3	BAD	-

Exchange	Email	Password	Status	Price
KuCoin	account4@kucoin.example.com	hashedpass13_4	GOOD	\$7.50
KuCoin	account5@kucoin.example.com	hashedpass13_5	WRONG PASSWORD	-
KuCoin	account6@kucoin.example.com	hashedpass13_6	GOOD	\$7.50
KuCoin	account7@kucoin.example.com	hashedpass13_7	GOOD	\$7.50
KuCoin	account8@kucoin.example.com	hashedpass13_8	GOOD	\$7.50
KuCoin	account9@kucoin.example.com	hashedpass13_9	WRONG PASSWORD	-
KuCoin	account10@kucoin.example.com	hashedpass13_10	BAD	-
KuCoin	account11@kucoin.example.com	hashedpass13_11	GOOD	\$7.50
KuCoin	account12@kucoin.example.com	hashedpass13_12	PENDING	-
KuCoin	account13@kucoin.example.com	hashedpass13_13	BAD	-
KuCoin	account14@kucoin.example.com	hashedpass13_14	PENDING	-
KuCoin	account15@kucoin.example.com	hashedpass13_15	PENDING	-
KuCoin	account16@kucoin.example.com	hashedpass13_16	WRONG PASSWORD	-
KuCoin	account17@kucoin.example.com	hashedpass13_17	WRONG PASSWORD	-
KuCoin	account18@kucoin.example.com	hashedpass13_18	BAD	-
KuCoin	account19@kucoin.example.com	hashedpass13_19	GOOD	\$7.50
KuCoin	account20@kucoin.example.com	hashedpass13_20	BAD	-
KuCoin	account21@kucoin.example.com	hashedpass13_21	BAD	-
KuCoin	account22@kucoin.example.com	hashedpass13_22	PENDING	-
KuCoin	account23@kucoin.example.com	hashedpass13_23	PENDING	-
KuCoin	account24@kucoin.example.com	hashedpass13_24	PENDING	-
KuCoin	account25@kucoin.example.com	hashedpass13_25	PENDING	-
KuCoin	account26@kucoin.example.com	hashedpass13_26	WRONG PASSWORD	-
KuCoin	account27@kucoin.example.com	hashedpass13_27	GOOD	\$7.50
KuCoin	account28@kucoin.example.com	hashedpass13_28	BAD	-
KuCoin	account29@kucoin.example.com	hashedpass13_29	PENDING	-
KuCoin	account30@kucoin.example.com	hashedpass13_30	PENDING	-
KuCoin	account31@kucoin.example.com	hashedpass13_31	PENDING	-
KuCoin	account32@kucoin.example.com	hashedpass13_32	BAD	-
KuCoin	account33@kucoin.example.com	hashedpass13_33	BAD	-
KuCoin	account34@kucoin.example.com	hashedpass13_34	PENDING	-
KuCoin	account35@kucoin.example.com	hashedpass13_35	BAD	-
KuCoin	account36@kucoin.example.com	hashedpass13_36	BAD	-
KuCoin	account37@kucoin.example.com	hashedpass13_37	WRONG PASSWORD	-
KuCoin	account38@kucoin.example.com	hashedpass13_38	GOOD	\$7.50
KuCoin	account39@kucoin.example.com	hashedpass13_39	PENDING	-
KuCoin	account40@kucoin.example.com	hashedpass13_40	GOOD	\$7.50

user14 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass14_1	GOOD	\$7.50
KuCoin	account2@kucoin.example.com	hashedpass14_2	GOOD	\$7.50
KuCoin	account3@kucoin.example.com	hashedpass14_3	PENDING	-
KuCoin	account4@kucoin.example.com	hashedpass14_4	PENDING	-
KuCoin	account5@kucoin.example.com	hashedpass14_5	PENDING	-
KuCoin	account6@kucoin.example.com	hashedpass14_6	PENDING	-
KuCoin	account7@kucoin.example.com	hashedpass14_7	PENDING	-
KuCoin	account8@kucoin.example.com	hashedpass14_8	BAD	-
KuCoin	account9@kucoin.example.com	hashedpass14_9	PENDING	-
KuCoin	account10@kucoin.example.com	hashedpass14_10	GOOD	\$7.50
KuCoin	account11@kucoin.example.com	hashedpass14_11	BAD	-
KuCoin	account12@kucoin.example.com	hashedpass14_12	GOOD	\$7.50
KuCoin	account13@kucoin.example.com	hashedpass14_13	WRONG PASSWORD	-
KuCoin	account14@kucoin.example.com	hashedpass14_14	BAD	-
KuCoin	account15@kucoin.example.com	hashedpass14_15	GOOD	\$7.50
KuCoin	account16@kucoin.example.com	hashedpass14_16	BAD	-
KuCoin	account17@kucoin.example.com	hashedpass14_17	PENDING	-
KuCoin	account18@kucoin.example.com	hashedpass14_18	GOOD	\$7.50
KuCoin	account19@kucoin.example.com	hashedpass14_19	PENDING	-
KuCoin	account20@kucoin.example.com	hashedpass14_20	GOOD	\$7.50
KuCoin	account21@kucoin.example.com	hashedpass14_21	GOOD	\$7.50
KuCoin	account22@kucoin.example.com	hashedpass14_22	GOOD	\$7.50
KuCoin	account23@kucoin.example.com	hashedpass14_23	WRONG PASSWORD	-
KuCoin	account24@kucoin.example.com	hashedpass14_24	PENDING	-
KuCoin	account25@kucoin.example.com	hashedpass14_25	PENDING	-
KuCoin	account26@kucoin.example.com	hashedpass14_26	GOOD	\$7.50
KuCoin	account27@kucoin.example.com	hashedpass14_27	WRONG PASSWORD	-
KuCoin	account28@kucoin.example.com	hashedpass14_28	BAD	-
KuCoin	account29@kucoin.example.com	hashedpass14_29	WRONG PASSWORD	-
KuCoin	account30@kucoin.example.com	hashedpass14_30	WRONG PASSWORD	-
KuCoin	account31@kucoin.example.com	hashedpass14_31	WRONG PASSWORD	-
KuCoin	account32@kucoin.example.com	hashedpass14_32	GOOD	\$7.50
KuCoin	account33@kucoin.example.com	hashedpass14_33	GOOD	\$7.50
KuCoin	account34@kucoin.example.com	hashedpass14_34	WRONG PASSWORD	-
KuCoin	account35@kucoin.example.com	hashedpass14_35	GOOD	\$7.50
KuCoin	account36@kucoin.example.com	hashedpass14_36	BAD	-
KuCoin	account37@kucoin.example.com	hashedpass14_37	GOOD	\$7.50

Exchange	Email	Password	Status	Price
KuCoin	account38@kucoin.example.com	hashedpass14_38	PENDING	-
KuCoin	account39@kucoin.example.com	hashedpass14_39	WRONG PASSWORD	-
KuCoin	account40@kucoin.example.com	hashedpass14_40	GOOD	\$7.50

user15 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass15_1	GOOD	\$7.50
KuCoin	account2@kucoin.example.com	hashedpass15_2	WRONG PASSWORD	-
KuCoin	account3@kucoin.example.com	hashedpass15_3	BAD	-
KuCoin	account4@kucoin.example.com	hashedpass15_4	BAD	-
KuCoin	account5@kucoin.example.com	hashedpass15_5	BAD	-
KuCoin	account6@kucoin.example.com	hashedpass15_6	BAD	-
KuCoin	account7@kucoin.example.com	hashedpass15_7	BAD	-
KuCoin	account8@kucoin.example.com	hashedpass15_8	PENDING	-
KuCoin	account9@kucoin.example.com	hashedpass15_9	WRONG PASSWORD	-
KuCoin	account10@kucoin.example.com	hashedpass15_10	WRONG PASSWORD	-
KuCoin	account11@kucoin.example.com	hashedpass15_11	PENDING	-
KuCoin	account12@kucoin.example.com	hashedpass15_12	GOOD	\$7.50
KuCoin	account13@kucoin.example.com	hashedpass15_13	PENDING	-
KuCoin	account14@kucoin.example.com	hashedpass15_14	PENDING	-
KuCoin	account15@kucoin.example.com	hashedpass15_15	BAD	-
KuCoin	account16@kucoin.example.com	hashedpass15_16	WRONG PASSWORD	-
KuCoin	account17@kucoin.example.com	hashedpass15_17	BAD	-
KuCoin	account18@kucoin.example.com	hashedpass15_18	PENDING	-
KuCoin	account19@kucoin.example.com	hashedpass15_19	PENDING	-
KuCoin	account20@kucoin.example.com	hashedpass15_20	GOOD	\$7.50
KuCoin	account21@kucoin.example.com	hashedpass15_21	PENDING	-
KuCoin	account22@kucoin.example.com	hashedpass15_22	GOOD	\$7.50
KuCoin	account23@kucoin.example.com	hashedpass15_23	BAD	-
KuCoin	account24@kucoin.example.com	hashedpass15_24	PENDING	-
KuCoin	account25@kucoin.example.com	hashedpass15_25	PENDING	-
KuCoin	account26@kucoin.example.com	hashedpass15_26	PENDING	-
KuCoin	account27@kucoin.example.com	hashedpass15_27	WRONG PASSWORD	-
KuCoin	account28@kucoin.example.com	hashedpass15_28	GOOD	\$7.50
KuCoin	account29@kucoin.example.com	hashedpass15_29	PENDING	-
KuCoin	account30@kucoin.example.com	hashedpass15_30	GOOD	\$7.50
KuCoin	account31@kucoin.example.com	hashedpass15_31	BAD	-
KuCoin	account32@kucoin.example.com	hashedpass15_32	PENDING	-

Exchange	Email	Password	Status	Price
KuCoin	account33@kucoin.example.com	hashedpass15_33	WRONG PASSWORD	-
KuCoin	account34@kucoin.example.com	hashedpass15_34	PENDING	-
KuCoin	account35@kucoin.example.com	hashedpass15_35	GOOD	\$7.50
KuCoin	account36@kucoin.example.com	hashedpass15_36	BAD	-
KuCoin	account37@kucoin.example.com	hashedpass15_37	BAD	-
KuCoin	account38@kucoin.example.com	hashedpass15_38	PENDING	-
KuCoin	account39@kucoin.example.com	hashedpass15_39	WRONG PASSWORD	-
KuCoin	account40@kucoin.example.com	hashedpass15_40	BAD	-

user16 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass16_1	WRONG PASSWORD	-
KuCoin	account2@kucoin.example.com	hashedpass16_2	BAD	-
KuCoin	account3@kucoin.example.com	hashedpass16_3	BAD	-
KuCoin	account4@kucoin.example.com	hashedpass16_4	WRONG PASSWORD	-
KuCoin	account5@kucoin.example.com	hashedpass16_5	BAD	-
KuCoin	account6@kucoin.example.com	hashedpass16_6	WRONG PASSWORD	-
KuCoin	account7@kucoin.example.com	hashedpass16_7	WRONG PASSWORD	-
KuCoin	account8@kucoin.example.com	hashedpass16_8	BAD	-
KuCoin	account9@kucoin.example.com	hashedpass16_9	BAD	-
KuCoin	account10@kucoin.example.com	hashedpass16_10	WRONG PASSWORD	-
KuCoin	account11@kucoin.example.com	hashedpass16_11	WRONG PASSWORD	-
KuCoin	account12@kucoin.example.com	hashedpass16_12	PENDING	-
KuCoin	account13@kucoin.example.com	hashedpass16_13	GOOD	\$7.50
KuCoin	account14@kucoin.example.com	hashedpass16_14	BAD	-
KuCoin	account15@kucoin.example.com	hashedpass16_15	GOOD	\$7.50
KuCoin	account16@kucoin.example.com	hashedpass16_16	BAD	-
KuCoin	account17@kucoin.example.com	hashedpass16_17	BAD	-
KuCoin	account18@kucoin.example.com	hashedpass16_18	WRONG PASSWORD	-
KuCoin	account19@kucoin.example.com	hashedpass16_19	GOOD	\$7.50
KuCoin	account20@kucoin.example.com	hashedpass16_20	GOOD	\$7.50
KuCoin	account21@kucoin.example.com	hashedpass16_21	PENDING	-
KuCoin	account22@kucoin.example.com	hashedpass16_22	GOOD	\$7.50
KuCoin	account23@kucoin.example.com	hashedpass16_23	BAD	-
KuCoin	account24@kucoin.example.com	hashedpass16_24	BAD	-
KuCoin	account25@kucoin.example.com	hashedpass16_25	GOOD	\$7.50
KuCoin	account26@kucoin.example.com	hashedpass16_26	WRONG PASSWORD	-
KuCoin	account27@kucoin.example.com	hashedpass16_27	BAD	-

Exchange	Email	Password	Status	Price
KuCoin	account28@kucoin.example.com	hashedpass16_28	WRONG PASSWORD	-
KuCoin	account29@kucoin.example.com	hashedpass16_29	WRONG PASSWORD	-
KuCoin	account30@kucoin.example.com	hashedpass16_30	PENDING	-
KuCoin	account31@kucoin.example.com	hashedpass16_31	GOOD	\$7.50
KuCoin	account32@kucoin.example.com	hashedpass16_32	WRONG PASSWORD	-
KuCoin	account33@kucoin.example.com	hashedpass16_33	GOOD	\$7.50
KuCoin	account34@kucoin.example.com	hashedpass16_34	GOOD	\$7.50
KuCoin	account35@kucoin.example.com	hashedpass16_35	BAD	-
KuCoin	account36@kucoin.example.com	hashedpass16_36	GOOD	\$7.50
KuCoin	account37@kucoin.example.com	hashedpass16_37	BAD	-
KuCoin	account38@kucoin.example.com	hashedpass16_38	GOOD	\$7.50
KuCoin	account39@kucoin.example.com	hashedpass16_39	PENDING	-
KuCoin	account40@kucoin.example.com	hashedpass16_40	GOOD	\$7.50

user17 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass17_1	PENDING	-
KuCoin	account2@kucoin.example.com	hashedpass17_2	GOOD	\$7.50
KuCoin	account3@kucoin.example.com	hashedpass17_3	WRONG PASSWORD	-
KuCoin	account4@kucoin.example.com	hashedpass17_4	BAD	-
KuCoin	account5@kucoin.example.com	hashedpass17_5	GOOD	\$7.50
KuCoin	account6@kucoin.example.com	hashedpass17_6	WRONG PASSWORD	-
KuCoin	account7@kucoin.example.com	hashedpass17_7	PENDING	-
KuCoin	account8@kucoin.example.com	hashedpass17_8	BAD	-
KuCoin	account9@kucoin.example.com	hashedpass17_9	GOOD	\$7.50
KuCoin	account10@kucoin.example.com	hashedpass17_10	PENDING	-
KuCoin	account11@kucoin.example.com	hashedpass17_11	PENDING	-
KuCoin	account12@kucoin.example.com	hashedpass17_12	GOOD	\$7.50
KuCoin	account13@kucoin.example.com	hashedpass17_13	WRONG PASSWORD	-
KuCoin	account14@kucoin.example.com	hashedpass17_14	WRONG PASSWORD	-
KuCoin	account15@kucoin.example.com	hashedpass17_15	BAD	-
KuCoin	account16@kucoin.example.com	hashedpass17_16	WRONG PASSWORD	-
KuCoin	account17@kucoin.example.com	hashedpass17_17	WRONG PASSWORD	-
KuCoin	account18@kucoin.example.com	hashedpass17_18	PENDING	-
KuCoin	account19@kucoin.example.com	hashedpass17_19	GOOD	\$7.50
KuCoin	account20@kucoin.example.com	hashedpass17_20	GOOD	\$7.50
KuCoin	account21@kucoin.example.com	hashedpass17_21	PENDING	-
KuCoin	account22@kucoin.example.com	hashedpass17_22	GOOD	\$7.50

Exchange	Email	Password	Status	Price
KuCoin	account23@kucoin.example.com	hashedpass17_23	PENDING	-
KuCoin	account24@kucoin.example.com	hashedpass17_24	BAD	-
KuCoin	account25@kucoin.example.com	hashedpass17_25	PENDING	-
KuCoin	account26@kucoin.example.com	hashedpass17_26	BAD	-
KuCoin	account27@kucoin.example.com	hashedpass17_27	GOOD	\$7.50
KuCoin	account28@kucoin.example.com	hashedpass17_28	GOOD	\$7.50
KuCoin	account29@kucoin.example.com	hashedpass17_29	GOOD	\$7.50
KuCoin	account30@kucoin.example.com	hashedpass17_30	PENDING	-
KuCoin	account31@kucoin.example.com	hashedpass17_31	GOOD	\$7.50
KuCoin	account32@kucoin.example.com	hashedpass17_32	PENDING	-
KuCoin	account33@kucoin.example.com	hashedpass17_33	GOOD	\$7.50
KuCoin	account34@kucoin.example.com	hashedpass17_34	BAD	-
KuCoin	account35@kucoin.example.com	hashedpass17_35	PENDING	-
KuCoin	account36@kucoin.example.com	hashedpass17_36	WRONG PASSWORD	-
KuCoin	account37@kucoin.example.com	hashedpass17_37	BAD	-
KuCoin	account38@kucoin.example.com	hashedpass17_38	BAD	-
KuCoin	account39@kucoin.example.com	hashedpass17_39	BAD	-
KuCoin	account40@kucoin.example.com	hashedpass17_40	PENDING	-

user18 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass18_1	BAD	-
KuCoin	account2@kucoin.example.com	hashedpass18_2	PENDING	-
KuCoin	account3@kucoin.example.com	hashedpass18_3	WRONG PASSWORD	-
KuCoin	account4@kucoin.example.com	hashedpass18_4	GOOD	\$7.50
KuCoin	account5@kucoin.example.com	hashedpass18_5	PENDING	-
KuCoin	account6@kucoin.example.com	hashedpass18_6	GOOD	\$7.50
KuCoin	account7@kucoin.example.com	hashedpass18_7	PENDING	-
KuCoin	account8@kucoin.example.com	hashedpass18_8	PENDING	-
KuCoin	account9@kucoin.example.com	hashedpass18_9	BAD	-
KuCoin	account10@kucoin.example.com	hashedpass18_10	WRONG PASSWORD	-
KuCoin	account11@kucoin.example.com	hashedpass18_11	BAD	-
KuCoin	account12@kucoin.example.com	hashedpass18_12	WRONG PASSWORD	-
KuCoin	account13@kucoin.example.com	hashedpass18_13	PENDING	-
KuCoin	account14@kucoin.example.com	hashedpass18_14	PENDING	-
KuCoin	account15@kucoin.example.com	hashedpass18_15	WRONG PASSWORD	-
KuCoin	account16@kucoin.example.com	hashedpass18_16	BAD	-
KuCoin	account17@kucoin.example.com	hashedpass18_17	PENDING	-

Exchange	Email	Password	Status	Price
KuCoin	account18@kucoin.example.com	hashedpass18_18	BAD	-
KuCoin	account19@kucoin.example.com	hashedpass18_19	PENDING	-
KuCoin	account20@kucoin.example.com	hashedpass18_20	BAD	-
KuCoin	account21@kucoin.example.com	hashedpass18_21	WRONG PASSWORD	-
KuCoin	account22@kucoin.example.com	hashedpass18_22	PENDING	-
KuCoin	account23@kucoin.example.com	hashedpass18_23	GOOD	\$7.50
KuCoin	account24@kucoin.example.com	hashedpass18_24	WRONG PASSWORD	-
KuCoin	account25@kucoin.example.com	hashedpass18_25	BAD	-
KuCoin	account26@kucoin.example.com	hashedpass18_26	BAD	-
KuCoin	account27@kucoin.example.com	hashedpass18_27	PENDING	-
KuCoin	account28@kucoin.example.com	hashedpass18_28	WRONG PASSWORD	-
KuCoin	account29@kucoin.example.com	hashedpass18_29	PENDING	-
KuCoin	account30@kucoin.example.com	hashedpass18_30	WRONG PASSWORD	-
KuCoin	account31@kucoin.example.com	hashedpass18_31	PENDING	-
KuCoin	account32@kucoin.example.com	hashedpass18_32	GOOD	\$7.50
KuCoin	account33@kucoin.example.com	hashedpass18_33	PENDING	-
KuCoin	account34@kucoin.example.com	hashedpass18_34	PENDING	-
KuCoin	account35@kucoin.example.com	hashedpass18_35	BAD	-
KuCoin	account36@kucoin.example.com	hashedpass18_36	PENDING	-
KuCoin	account37@kucoin.example.com	hashedpass18_37	WRONG PASSWORD	-
KuCoin	account38@kucoin.example.com	hashedpass18_38	BAD	-
KuCoin	account39@kucoin.example.com	hashedpass18_39	GOOD	\$7.50
KuCoin	account40@kucoin.example.com	hashedpass18_40	PENDING	-

user19 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass19_1	BAD	-
KuCoin	account2@kucoin.example.com	hashedpass19_2	GOOD	\$7.50
KuCoin	account3@kucoin.example.com	hashedpass19_3	WRONG PASSWORD	-
KuCoin	account4@kucoin.example.com	hashedpass19_4	GOOD	\$7.50
KuCoin	account5@kucoin.example.com	hashedpass19_5	BAD	-
KuCoin	account6@kucoin.example.com	hashedpass19_6	BAD	-
KuCoin	account7@kucoin.example.com	hashedpass19_7	WRONG PASSWORD	-
KuCoin	account8@kucoin.example.com	hashedpass19_8	WRONG PASSWORD	-
KuCoin	account9@kucoin.example.com	hashedpass19_9	GOOD	\$7.50
KuCoin	account10@kucoin.example.com	hashedpass19_10	GOOD	\$7.50
KuCoin	account11@kucoin.example.com	hashedpass19_11	PENDING	-
KuCoin	account12@kucoin.example.com	hashedpass19_12	BAD	-

Exchange	Email	Password	Status	Price
KuCoin	account13@kucoin.example.com	hashedpass19_13	GOOD	\$7.50
KuCoin	account14@kucoin.example.com	hashedpass19_14	WRONG PASSWORD	-
KuCoin	account15@kucoin.example.com	hashedpass19_15	PENDING	-
KuCoin	account16@kucoin.example.com	hashedpass19_16	BAD	-
KuCoin	account17@kucoin.example.com	hashedpass19_17	GOOD	\$7.50
KuCoin	account18@kucoin.example.com	hashedpass19_18	GOOD	\$7.50
KuCoin	account19@kucoin.example.com	hashedpass19_19	BAD	-
KuCoin	account20@kucoin.example.com	hashedpass19_20	WRONG PASSWORD	-
KuCoin	account21@kucoin.example.com	hashedpass19_21	BAD	-
KuCoin	account22@kucoin.example.com	hashedpass19_22	PENDING	-
KuCoin	account23@kucoin.example.com	hashedpass19_23	GOOD	\$7.50
KuCoin	account24@kucoin.example.com	hashedpass19_24	PENDING	-
KuCoin	account25@kucoin.example.com	hashedpass19_25	PENDING	-
KuCoin	account26@kucoin.example.com	hashedpass19_26	WRONG PASSWORD	-
KuCoin	account27@kucoin.example.com	hashedpass19_27	GOOD	\$7.50
KuCoin	account28@kucoin.example.com	hashedpass19_28	PENDING	-
KuCoin	account29@kucoin.example.com	hashedpass19_29	BAD	-
KuCoin	account30@kucoin.example.com	hashedpass19_30	PENDING	-
KuCoin	account31@kucoin.example.com	hashedpass19_31	WRONG PASSWORD	-
KuCoin	account32@kucoin.example.com	hashedpass19_32	GOOD	\$7.50
KuCoin	account33@kucoin.example.com	hashedpass19_33	PENDING	-
KuCoin	account34@kucoin.example.com	hashedpass19_34	GOOD	\$7.50
KuCoin	account35@kucoin.example.com	hashedpass19_35	WRONG PASSWORD	-
KuCoin	account36@kucoin.example.com	hashedpass19_36	BAD	-
KuCoin	account37@kucoin.example.com	hashedpass19_37	BAD	-
KuCoin	account38@kucoin.example.com	hashedpass19_38	PENDING	-
KuCoin	account39@kucoin.example.com	hashedpass19_39	BAD	-
KuCoin	account40@kucoin.example.com	hashedpass19_40	GOOD	\$7.50

user20 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass20_1	WRONG PASSWORD	-
KuCoin	account2@kucoin.example.com	hashedpass20_2	GOOD	\$7.50
KuCoin	account3@kucoin.example.com	hashedpass20_3	GOOD	\$7.50
KuCoin	account4@kucoin.example.com	hashedpass20_4	PENDING	-
KuCoin	account5@kucoin.example.com	hashedpass20_5	PENDING	-
KuCoin	account6@kucoin.example.com	hashedpass20_6	WRONG PASSWORD	-
KuCoin	account7@kucoin.example.com	hashedpass20_7	WRONG PASSWORD	-

Exchange	Email	Password	Status	Price
KuCoin	account8@kucoin.example.com	hashedpass20_8	GOOD	\$7.50
KuCoin	account9@kucoin.example.com	hashedpass20_9	WRONG PASSWORD	-
KuCoin	account10@kucoin.example.com	hashedpass20_10	GOOD	\$7.50
KuCoin	account11@kucoin.example.com	hashedpass20_11	BAD	-
KuCoin	account12@kucoin.example.com	hashedpass20_12	WRONG PASSWORD	-
KuCoin	account13@kucoin.example.com	hashedpass20_13	WRONG PASSWORD	-
KuCoin	account14@kucoin.example.com	hashedpass20_14	GOOD	\$7.50
KuCoin	account15@kucoin.example.com	hashedpass20_15	PENDING	-
KuCoin	account16@kucoin.example.com	hashedpass20_16	PENDING	-
KuCoin	account17@kucoin.example.com	hashedpass20_17	WRONG PASSWORD	-
KuCoin	account18@kucoin.example.com	hashedpass20_18	GOOD	\$7.50
KuCoin	account19@kucoin.example.com	hashedpass20_19	BAD	-
KuCoin	account20@kucoin.example.com	hashedpass20_20	WRONG PASSWORD	-
KuCoin	account21@kucoin.example.com	hashedpass20_21	BAD	-
KuCoin	account22@kucoin.example.com	hashedpass20_22	PENDING	-
KuCoin	account23@kucoin.example.com	hashedpass20_23	PENDING	-
KuCoin	account24@kucoin.example.com	hashedpass20_24	BAD	-
KuCoin	account25@kucoin.example.com	hashedpass20_25	GOOD	\$7.50
KuCoin	account26@kucoin.example.com	hashedpass20_26	PENDING	-
KuCoin	account27@kucoin.example.com	hashedpass20_27	BAD	-
KuCoin	account28@kucoin.example.com	hashedpass20_28	GOOD	\$7.50
KuCoin	account29@kucoin.example.com	hashedpass20_29	PENDING	-
KuCoin	account30@kucoin.example.com	hashedpass20_30	GOOD	\$7.50
KuCoin	account31@kucoin.example.com	hashedpass20_31	GOOD	\$7.50
KuCoin	account32@kucoin.example.com	hashedpass20_32	PENDING	-
KuCoin	account33@kucoin.example.com	hashedpass20_33	PENDING	-
KuCoin	account34@kucoin.example.com	hashedpass20_34	PENDING	-
KuCoin	account35@kucoin.example.com	hashedpass20_35	WRONG PASSWORD	-
KuCoin	account36@kucoin.example.com	hashedpass20_36	BAD	-
KuCoin	account37@kucoin.example.com	hashedpass20_37	WRONG PASSWORD	-
KuCoin	account38@kucoin.example.com	hashedpass20_38	GOOD	\$7.50
KuCoin	account39@kucoin.example.com	hashedpass20_39	BAD	-
KuCoin	account40@kucoin.example.com	hashedpass20_40	PENDING	-

user21 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass21_1	GOOD	\$7.50
KuCoin	account2@kucoin.example.com	hashedpass21_2	WRONG PASSWORD	-

Exchange	Email	Password	Status	Price
KuCoin	account3@kucoin.example.com	hashedpass21_3	PENDING	-
KuCoin	account4@kucoin.example.com	hashedpass21_4	PENDING	-
KuCoin	account5@kucoin.example.com	hashedpass21_5	BAD	-
KuCoin	account6@kucoin.example.com	hashedpass21_6	BAD	-
KuCoin	account7@kucoin.example.com	hashedpass21_7	WRONG PASSWORD	-
KuCoin	account8@kucoin.example.com	hashedpass21_8	GOOD	\$7.50
KuCoin	account9@kucoin.example.com	hashedpass21_9	BAD	-
KuCoin	account10@kucoin.example.com	hashedpass21_10	GOOD	\$7.50
KuCoin	account11@kucoin.example.com	hashedpass21_11	GOOD	\$7.50
KuCoin	account12@kucoin.example.com	hashedpass21_12	PENDING	-
KuCoin	account13@kucoin.example.com	hashedpass21_13	BAD	-
KuCoin	account14@kucoin.example.com	hashedpass21_14	GOOD	\$7.50
KuCoin	account15@kucoin.example.com	hashedpass21_15	WRONG PASSWORD	-
KuCoin	account16@kucoin.example.com	hashedpass21_16	WRONG PASSWORD	-
KuCoin	account17@kucoin.example.com	hashedpass21_17	GOOD	\$7.50
KuCoin	account18@kucoin.example.com	hashedpass21_18	PENDING	-
KuCoin	account19@kucoin.example.com	hashedpass21_19	GOOD	\$7.50
KuCoin	account20@kucoin.example.com	hashedpass21_20	GOOD	\$7.50
KuCoin	account21@kucoin.example.com	hashedpass21_21	BAD	-
KuCoin	account22@kucoin.example.com	hashedpass21_22	BAD	-
KuCoin	account23@kucoin.example.com	hashedpass21_23	PENDING	-
KuCoin	account24@kucoin.example.com	hashedpass21_24	GOOD	\$7.50
KuCoin	account25@kucoin.example.com	hashedpass21_25	PENDING	-
KuCoin	account26@kucoin.example.com	hashedpass21_26	BAD	-
KuCoin	account27@kucoin.example.com	hashedpass21_27	PENDING	-
KuCoin	account28@kucoin.example.com	hashedpass21_28	GOOD	\$7.50
KuCoin	account29@kucoin.example.com	hashedpass21_29	WRONG PASSWORD	-
KuCoin	account30@kucoin.example.com	hashedpass21_30	GOOD	\$7.50
KuCoin	account31@kucoin.example.com	hashedpass21_31	BAD	-
KuCoin	account32@kucoin.example.com	hashedpass21_32	PENDING	-
KuCoin	account33@kucoin.example.com	hashedpass21_33	GOOD	\$7.50
KuCoin	account34@kucoin.example.com	hashedpass21_34	BAD	-
KuCoin	account35@kucoin.example.com	hashedpass21_35	PENDING	-
KuCoin	account36@kucoin.example.com	hashedpass21_36	BAD	-
KuCoin	account37@kucoin.example.com	hashedpass21_37	GOOD	\$7.50
KuCoin	account38@kucoin.example.com	hashedpass21_38	GOOD	\$7.50
KuCoin	account39@kucoin.example.com	hashedpass21_39	BAD	-
KuCoin	account40@kucoin.example.com	hashedpass21_40	WRONG PASSWORD	-

user22 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass22_1	PENDING	-
KuCoin	account2@kucoin.example.com	hashedpass22_2	GOOD	\$7.50
KuCoin	account3@kucoin.example.com	hashedpass22_3	BAD	-
KuCoin	account4@kucoin.example.com	hashedpass22_4	BAD	-
KuCoin	account5@kucoin.example.com	hashedpass22_5	WRONG PASSWORD	-
KuCoin	account6@kucoin.example.com	hashedpass22_6	GOOD	\$7.50
KuCoin	account7@kucoin.example.com	hashedpass22_7	PENDING	-
KuCoin	account8@kucoin.example.com	hashedpass22_8	BAD	-
KuCoin	account9@kucoin.example.com	hashedpass22_9	WRONG PASSWORD	-
KuCoin	account10@kucoin.example.com	hashedpass22_10	WRONG PASSWORD	-
KuCoin	account11@kucoin.example.com	hashedpass22_11	GOOD	\$7.50
KuCoin	account12@kucoin.example.com	hashedpass22_12	WRONG PASSWORD	-
KuCoin	account13@kucoin.example.com	hashedpass22_13	PENDING	-
KuCoin	account14@kucoin.example.com	hashedpass22_14	BAD	-
KuCoin	account15@kucoin.example.com	hashedpass22_15	BAD	-
KuCoin	account16@kucoin.example.com	hashedpass22_16	BAD	-
KuCoin	account17@kucoin.example.com	hashedpass22_17	GOOD	\$7.50
KuCoin	account18@kucoin.example.com	hashedpass22_18	BAD	-
KuCoin	account19@kucoin.example.com	hashedpass22_19	PENDING	-
KuCoin	account20@kucoin.example.com	hashedpass22_20	GOOD	\$7.50
KuCoin	account21@kucoin.example.com	hashedpass22_21	GOOD	\$7.50
KuCoin	account22@kucoin.example.com	hashedpass22_22	BAD	-
KuCoin	account23@kucoin.example.com	hashedpass22_23	PENDING	-
KuCoin	account24@kucoin.example.com	hashedpass22_24	PENDING	-
KuCoin	account25@kucoin.example.com	hashedpass22_25	WRONG PASSWORD	-
KuCoin	account26@kucoin.example.com	hashedpass22_26	GOOD	\$7.50
KuCoin	account27@kucoin.example.com	hashedpass22_27	BAD	-
KuCoin	account28@kucoin.example.com	hashedpass22_28	BAD	-
KuCoin	account29@kucoin.example.com	hashedpass22_29	PENDING	-
KuCoin	account30@kucoin.example.com	hashedpass22_30	PENDING	-
KuCoin	account31@kucoin.example.com	hashedpass22_31	WRONG PASSWORD	-
KuCoin	account32@kucoin.example.com	hashedpass22_32	BAD	-
KuCoin	account33@kucoin.example.com	hashedpass22_33	BAD	-
KuCoin	account34@kucoin.example.com	hashedpass22_34	BAD	-
KuCoin	account35@kucoin.example.com	hashedpass22_35	BAD	-
KuCoin	account36@kucoin.example.com	hashedpass22_36	BAD	-
KuCoin	account37@kucoin.example.com	hashedpass22_37	BAD	-

Exchange	Email	Password	Status	Price
KuCoin	account38@kucoin.example.com	hashedpass22_38	PENDING	-
KuCoin	account39@kucoin.example.com	hashedpass22_39	WRONG PASSWORD	-
KuCoin	account40@kucoin.example.com	hashedpass22_40	PENDING	-

user23 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass23_1	BAD	-
KuCoin	account2@kucoin.example.com	hashedpass23_2	WRONG PASSWORD	-
KuCoin	account3@kucoin.example.com	hashedpass23_3	GOOD	\$7.50
KuCoin	account4@kucoin.example.com	hashedpass23_4	GOOD	\$7.50
KuCoin	account5@kucoin.example.com	hashedpass23_5	PENDING	-
KuCoin	account6@kucoin.example.com	hashedpass23_6	WRONG PASSWORD	-
KuCoin	account7@kucoin.example.com	hashedpass23_7	WRONG PASSWORD	-
KuCoin	account8@kucoin.example.com	hashedpass23_8	PENDING	-
KuCoin	account9@kucoin.example.com	hashedpass23_9	WRONG PASSWORD	-
KuCoin	account10@kucoin.example.com	hashedpass23_10	GOOD	\$7.50
KuCoin	account11@kucoin.example.com	hashedpass23_11	WRONG PASSWORD	-
KuCoin	account12@kucoin.example.com	hashedpass23_12	PENDING	-
KuCoin	account13@kucoin.example.com	hashedpass23_13	BAD	-
KuCoin	account14@kucoin.example.com	hashedpass23_14	WRONG PASSWORD	-
KuCoin	account15@kucoin.example.com	hashedpass23_15	WRONG PASSWORD	-
KuCoin	account16@kucoin.example.com	hashedpass23_16	BAD	-
KuCoin	account17@kucoin.example.com	hashedpass23_17	BAD	-
KuCoin	account18@kucoin.example.com	hashedpass23_18	GOOD	\$7.50
KuCoin	account19@kucoin.example.com	hashedpass23_19	BAD	-
KuCoin	account20@kucoin.example.com	hashedpass23_20	WRONG PASSWORD	-
KuCoin	account21@kucoin.example.com	hashedpass23_21	BAD	-
KuCoin	account22@kucoin.example.com	hashedpass23_22	PENDING	-
KuCoin	account23@kucoin.example.com	hashedpass23_23	WRONG PASSWORD	-
KuCoin	account24@kucoin.example.com	hashedpass23_24	BAD	-
KuCoin	account25@kucoin.example.com	hashedpass23_25	WRONG PASSWORD	-
KuCoin	account26@kucoin.example.com	hashedpass23_26	WRONG PASSWORD	-
KuCoin	account27@kucoin.example.com	hashedpass23_27	WRONG PASSWORD	-
KuCoin	account28@kucoin.example.com	hashedpass23_28	WRONG PASSWORD	-
KuCoin	account29@kucoin.example.com	hashedpass23_29	WRONG PASSWORD	-
KuCoin	account30@kucoin.example.com	hashedpass23_30	WRONG PASSWORD	-
KuCoin	account31@kucoin.example.com	hashedpass23_31	BAD	-
KuCoin	account32@kucoin.example.com	hashedpass23_32	BAD	-

Exchange	Email	Password	Status	Price
KuCoin	account33@kucoin.example.com	hashedpass23_33	BAD	-
KuCoin	account34@kucoin.example.com	hashedpass23_34	GOOD	\$7.50
KuCoin	account35@kucoin.example.com	hashedpass23_35	BAD	-
KuCoin	account36@kucoin.example.com	hashedpass23_36	WRONG PASSWORD	-
KuCoin	account37@kucoin.example.com	hashedpass23_37	PENDING	-
KuCoin	account38@kucoin.example.com	hashedpass23_38	BAD	-
KuCoin	account39@kucoin.example.com	hashedpass23_39	GOOD	\$7.50
KuCoin	account40@kucoin.example.com	hashedpass23_40	BAD	-

user24 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass24_1	WRONG PASSWORD	-
KuCoin	account2@kucoin.example.com	hashedpass24_2	PENDING	-
KuCoin	account3@kucoin.example.com	hashedpass24_3	WRONG PASSWORD	-
KuCoin	account4@kucoin.example.com	hashedpass24_4	GOOD	\$7.50
KuCoin	account5@kucoin.example.com	hashedpass24_5	WRONG PASSWORD	-
KuCoin	account6@kucoin.example.com	hashedpass24_6	WRONG PASSWORD	-
KuCoin	account7@kucoin.example.com	hashedpass24_7	GOOD	\$7.50
KuCoin	account8@kucoin.example.com	hashedpass24_8	BAD	-
KuCoin	account9@kucoin.example.com	hashedpass24_9	GOOD	\$7.50
KuCoin	account10@kucoin.example.com	hashedpass24_10	GOOD	\$7.50
KuCoin	account11@kucoin.example.com	hashedpass24_11	PENDING	-
KuCoin	account12@kucoin.example.com	hashedpass24_12	PENDING	-
KuCoin	account13@kucoin.example.com	hashedpass24_13	BAD	-
KuCoin	account14@kucoin.example.com	hashedpass24_14	PENDING	-
KuCoin	account15@kucoin.example.com	hashedpass24_15	GOOD	\$7.50
KuCoin	account16@kucoin.example.com	hashedpass24_16	BAD	-
KuCoin	account17@kucoin.example.com	hashedpass24_17	PENDING	-
KuCoin	account18@kucoin.example.com	hashedpass24_18	WRONG PASSWORD	-
KuCoin	account19@kucoin.example.com	hashedpass24_19	WRONG PASSWORD	-
KuCoin	account20@kucoin.example.com	hashedpass24_20	BAD	-
KuCoin	account21@kucoin.example.com	hashedpass24_21	BAD	-
KuCoin	account22@kucoin.example.com	hashedpass24_22	GOOD	\$7.50
KuCoin	account23@kucoin.example.com	hashedpass24_23	PENDING	-
KuCoin	account24@kucoin.example.com	hashedpass24_24	GOOD	\$7.50
KuCoin	account25@kucoin.example.com	hashedpass24_25	WRONG PASSWORD	-
KuCoin	account26@kucoin.example.com	hashedpass24_26	WRONG PASSWORD	-
KuCoin	account27@kucoin.example.com	hashedpass24_27	GOOD	\$7.50

Exchange	Email	Password	Status	Price
KuCoin	account28@kucoin.example.com	hashedpass24_28	BAD	-
KuCoin	account29@kucoin.example.com	hashedpass24_29	PENDING	-
KuCoin	account30@kucoin.example.com	hashedpass24_30	PENDING	-
KuCoin	account31@kucoin.example.com	hashedpass24_31	GOOD	\$7.50
KuCoin	account32@kucoin.example.com	hashedpass24_32	BAD	-
KuCoin	account33@kucoin.example.com	hashedpass24_33	GOOD	\$7.50
KuCoin	account34@kucoin.example.com	hashedpass24_34	WRONG PASSWORD	-
KuCoin	account35@kucoin.example.com	hashedpass24_35	BAD	-
KuCoin	account36@kucoin.example.com	hashedpass24_36	PENDING	-
KuCoin	account37@kucoin.example.com	hashedpass24_37	PENDING	-
KuCoin	account38@kucoin.example.com	hashedpass24_38	BAD	-
KuCoin	account39@kucoin.example.com	hashedpass24_39	PENDING	-
KuCoin	account40@kucoin.example.com	hashedpass24_40	PENDING	-

user25 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass25_1	PENDING	-
KuCoin	account2@kucoin.example.com	hashedpass25_2	BAD	-
KuCoin	account3@kucoin.example.com	hashedpass25_3	WRONG PASSWORD	-
KuCoin	account4@kucoin.example.com	hashedpass25_4	BAD	-
KuCoin	account5@kucoin.example.com	hashedpass25_5	BAD	-
KuCoin	account6@kucoin.example.com	hashedpass25_6	PENDING	-
KuCoin	account7@kucoin.example.com	hashedpass25_7	GOOD	\$7.50
KuCoin	account8@kucoin.example.com	hashedpass25_8	GOOD	\$7.50
KuCoin	account9@kucoin.example.com	hashedpass25_9	PENDING	-
KuCoin	account10@kucoin.example.com	hashedpass25_10	BAD	-
KuCoin	account11@kucoin.example.com	hashedpass25_11	GOOD	\$7.50
KuCoin	account12@kucoin.example.com	hashedpass25_12	WRONG PASSWORD	-
KuCoin	account13@kucoin.example.com	hashedpass25_13	WRONG PASSWORD	-
KuCoin	account14@kucoin.example.com	hashedpass25_14	BAD	-
KuCoin	account15@kucoin.example.com	hashedpass25_15	PENDING	-
KuCoin	account16@kucoin.example.com	hashedpass25_16	PENDING	-
KuCoin	account17@kucoin.example.com	hashedpass25_17	PENDING	-
KuCoin	account18@kucoin.example.com	hashedpass25_18	PENDING	-
KuCoin	account19@kucoin.example.com	hashedpass25_19	BAD	-
KuCoin	account20@kucoin.example.com	hashedpass25_20	WRONG PASSWORD	-
KuCoin	account21@kucoin.example.com	hashedpass25_21	WRONG PASSWORD	-
KuCoin	account22@kucoin.example.com	hashedpass25_22	BAD	-

Exchange	Email	Password	Status	Price
KuCoin	account23@kucoin.example.com	hashedpass25_23	WRONG PASSWORD	-
KuCoin	account24@kucoin.example.com	hashedpass25_24	WRONG PASSWORD	-
KuCoin	account25@kucoin.example.com	hashedpass25_25	WRONG PASSWORD	-
KuCoin	account26@kucoin.example.com	hashedpass25_26	PENDING	-
KuCoin	account27@kucoin.example.com	hashedpass25_27	GOOD	\$7.50
KuCoin	account28@kucoin.example.com	hashedpass25_28	PENDING	-
KuCoin	account29@kucoin.example.com	hashedpass25_29	WRONG PASSWORD	-
KuCoin	account30@kucoin.example.com	hashedpass25_30	GOOD	\$7.50
KuCoin	account31@kucoin.example.com	hashedpass25_31	BAD	-
KuCoin	account32@kucoin.example.com	hashedpass25_32	GOOD	\$7.50
KuCoin	account33@kucoin.example.com	hashedpass25_33	WRONG PASSWORD	-
KuCoin	account34@kucoin.example.com	hashedpass25_34	GOOD	\$7.50
KuCoin	account35@kucoin.example.com	hashedpass25_35	GOOD	\$7.50
KuCoin	account36@kucoin.example.com	hashedpass25_36	PENDING	-
KuCoin	account37@kucoin.example.com	hashedpass25_37	WRONG PASSWORD	-
KuCoin	account38@kucoin.example.com	hashedpass25_38	PENDING	-
KuCoin	account39@kucoin.example.com	hashedpass25_39	WRONG PASSWORD	-
KuCoin	account40@kucoin.example.com	hashedpass25_40	WRONG PASSWORD	-

user26 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass26_1	WRONG PASSWORD	-
KuCoin	account2@kucoin.example.com	hashedpass26_2	BAD	-
KuCoin	account3@kucoin.example.com	hashedpass26_3	PENDING	-
KuCoin	account4@kucoin.example.com	hashedpass26_4	PENDING	-
KuCoin	account5@kucoin.example.com	hashedpass26_5	PENDING	-
KuCoin	account6@kucoin.example.com	hashedpass26_6	PENDING	-
KuCoin	account7@kucoin.example.com	hashedpass26_7	GOOD	\$7.50
KuCoin	account8@kucoin.example.com	hashedpass26_8	BAD	-
KuCoin	account9@kucoin.example.com	hashedpass26_9	BAD	-
KuCoin	account10@kucoin.example.com	hashedpass26_10	BAD	-
KuCoin	account11@kucoin.example.com	hashedpass26_11	GOOD	\$7.50
KuCoin	account12@kucoin.example.com	hashedpass26_12	GOOD	\$7.50
KuCoin	account13@kucoin.example.com	hashedpass26_13	WRONG PASSWORD	-
KuCoin	account14@kucoin.example.com	hashedpass26_14	BAD	-
KuCoin	account15@kucoin.example.com	hashedpass26_15	BAD	-
KuCoin	account16@kucoin.example.com	hashedpass26_16	BAD	-
KuCoin	account17@kucoin.example.com	hashedpass26_17	BAD	-

Exchange	Email	Password	Status	Price
KuCoin	account18@kucoin.example.com	hashedpass26_18	GOOD	\$7.50
KuCoin	account19@kucoin.example.com	hashedpass26_19	PENDING	-
KuCoin	account20@kucoin.example.com	hashedpass26_20	BAD	-
KuCoin	account21@kucoin.example.com	hashedpass26_21	WRONG PASSWORD	-
KuCoin	account22@kucoin.example.com	hashedpass26_22	BAD	-
KuCoin	account23@kucoin.example.com	hashedpass26_23	PENDING	-
KuCoin	account24@kucoin.example.com	hashedpass26_24	WRONG PASSWORD	-
KuCoin	account25@kucoin.example.com	hashedpass26_25	WRONG PASSWORD	-
KuCoin	account26@kucoin.example.com	hashedpass26_26	GOOD	\$7.50
KuCoin	account27@kucoin.example.com	hashedpass26_27	BAD	-
KuCoin	account28@kucoin.example.com	hashedpass26_28	GOOD	\$7.50
KuCoin	account29@kucoin.example.com	hashedpass26_29	BAD	-
KuCoin	account30@kucoin.example.com	hashedpass26_30	PENDING	-
KuCoin	account31@kucoin.example.com	hashedpass26_31	BAD	-
KuCoin	account32@kucoin.example.com	hashedpass26_32	BAD	-
KuCoin	account33@kucoin.example.com	hashedpass26_33	PENDING	-
KuCoin	account34@kucoin.example.com	hashedpass26_34	WRONG PASSWORD	-
KuCoin	account35@kucoin.example.com	hashedpass26_35	BAD	-
KuCoin	account36@kucoin.example.com	hashedpass26_36	GOOD	\$7.50
KuCoin	account37@kucoin.example.com	hashedpass26_37	GOOD	\$7.50
KuCoin	account38@kucoin.example.com	hashedpass26_38	GOOD	\$7.50
KuCoin	account39@kucoin.example.com	hashedpass26_39	BAD	-
KuCoin	account40@kucoin.example.com	hashedpass26_40	WRONG PASSWORD	-

user27 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass27_1	BAD	-
KuCoin	account2@kucoin.example.com	hashedpass27_2	WRONG PASSWORD	-
KuCoin	account3@kucoin.example.com	hashedpass27_3	WRONG PASSWORD	-
KuCoin	account4@kucoin.example.com	hashedpass27_4	BAD	-
KuCoin	account5@kucoin.example.com	hashedpass27_5	PENDING	-
KuCoin	account6@kucoin.example.com	hashedpass27_6	PENDING	-
KuCoin	account7@kucoin.example.com	hashedpass27_7	GOOD	\$7.50
KuCoin	account8@kucoin.example.com	hashedpass27_8	GOOD	\$7.50
KuCoin	account9@kucoin.example.com	hashedpass27_9	BAD	-
KuCoin	account10@kucoin.example.com	hashedpass27_10	PENDING	-
KuCoin	account11@kucoin.example.com	hashedpass27_11	GOOD	\$7.50
KuCoin	account13@kucoin.example.com	hashedpass27_13	WRONG PASSWORD	-

Exchange	Email	Password	Status	Price
KuCoin	account14@kucoin.example.com	hashedpass27_14	GOOD	\$7.50
KuCoin	account15@kucoin.example.com	hashedpass27_15	WRONG PASSWORD	-
KuCoin	account16@kucoin.example.com	hashedpass27_16	GOOD	\$7.50
KuCoin	account17@kucoin.example.com	hashedpass27_17	GOOD	\$7.50
KuCoin	account18@kucoin.example.com	hashedpass27_18	WRONG PASSWORD	-
KuCoin	account19@kucoin.example.com	hashedpass27_19	BAD	-
KuCoin	account20@kucoin.example.com	hashedpass27_20	PENDING	-
KuCoin	account21@kucoin.example.com	hashedpass27_21	GOOD	\$7.50
KuCoin	account22@kucoin.example.com	hashedpass27_22	BAD	-
KuCoin	account23@kucoin.example.com	hashedpass27_23	WRONG PASSWORD	-
KuCoin	account24@kucoin.example.com	hashedpass27_24	WRONG PASSWORD	-
KuCoin	account25@kucoin.example.com	hashedpass27_25	BAD	-
KuCoin	account26@kucoin.example.com	hashedpass27_26	BAD	-
KuCoin	account27@kucoin.example.com	hashedpass27_27	WRONG PASSWORD	-
KuCoin	account28@kucoin.example.com	hashedpass27_28	PENDING	-
KuCoin	account29@kucoin.example.com	hashedpass27_29	WRONG PASSWORD	-
KuCoin	account30@kucoin.example.com	hashedpass27_30	BAD	-
KuCoin	account31@kucoin.example.com	hashedpass27_31	PENDING	-
KuCoin	account32@kucoin.example.com	hashedpass27_32	PENDING	-
KuCoin	account33@kucoin.example.com	hashedpass27_33	GOOD	\$7.50
KuCoin	account34@kucoin.example.com	hashedpass27_34	BAD	-
KuCoin	account35@kucoin.example.com	hashedpass27_35	GOOD	\$7.50
KuCoin	account36@kucoin.example.com	hashedpass27_36	BAD	-
KuCoin	account37@kucoin.example.com	hashedpass27_37	BAD	-
KuCoin	account38@kucoin.example.com	hashedpass27_38	GOOD	\$7.50
KuCoin	account39@kucoin.example.com	hashedpass27_39	WRONG PASSWORD	-
KuCoin	account40@kucoin.example.com	hashedpass27_40	GOOD	\$7.50
KuCoin	account12@kucoin.example.com	hashedpass27_12	PENDING	-

user28 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass28_1	WRONG PASSWORD	-
KuCoin	account2@kucoin.example.com	hashedpass28_2	GOOD	\$7.50
KuCoin	account3@kucoin.example.com	hashedpass28_3	BAD	-
KuCoin	account4@kucoin.example.com	hashedpass28_4	PENDING	-
KuCoin	account5@kucoin.example.com	hashedpass28_5	PENDING	-
KuCoin	account6@kucoin.example.com	hashedpass28_6	GOOD	\$7.50
KuCoin	account7@kucoin.example.com	hashedpass28_7	PENDING	-

Exchange	Email	Password	Status	Price
KuCoin	account8@kucoin.example.com	hashedpass28_8	PENDING	-
KuCoin	account9@kucoin.example.com	hashedpass28_9	GOOD	\$7.50
KuCoin	account10@kucoin.example.com	hashedpass28_10	BAD	-
KuCoin	account11@kucoin.example.com	hashedpass28_11	PENDING	-
KuCoin	account12@kucoin.example.com	hashedpass28_12	BAD	-
KuCoin	account13@kucoin.example.com	hashedpass28_13	PENDING	-
KuCoin	account14@kucoin.example.com	hashedpass28_14	GOOD	\$7.50
KuCoin	account15@kucoin.example.com	hashedpass28_15	PENDING	-
KuCoin	account16@kucoin.example.com	hashedpass28_16	PENDING	-
KuCoin	account17@kucoin.example.com	hashedpass28_17	GOOD	\$7.50
KuCoin	account18@kucoin.example.com	hashedpass28_18	GOOD	\$7.50
KuCoin	account19@kucoin.example.com	hashedpass28_19	GOOD	\$7.50
KuCoin	account20@kucoin.example.com	hashedpass28_20	PENDING	-
KuCoin	account21@kucoin.example.com	hashedpass28_21	WRONG PASSWORD	-
KuCoin	account22@kucoin.example.com	hashedpass28_22	WRONG PASSWORD	-
KuCoin	account23@kucoin.example.com	hashedpass28_23	GOOD	\$7.50
KuCoin	account24@kucoin.example.com	hashedpass28_24	BAD	-
KuCoin	account25@kucoin.example.com	hashedpass28_25	PENDING	-
KuCoin	account26@kucoin.example.com	hashedpass28_26	BAD	-
KuCoin	account27@kucoin.example.com	hashedpass28_27	GOOD	\$7.50
KuCoin	account28@kucoin.example.com	hashedpass28_28	WRONG PASSWORD	-
KuCoin	account29@kucoin.example.com	hashedpass28_29	BAD	-
KuCoin	account30@kucoin.example.com	hashedpass28_30	GOOD	\$7.50
KuCoin	account31@kucoin.example.com	hashedpass28_31	BAD	-
KuCoin	account32@kucoin.example.com	hashedpass28_32	BAD	-
KuCoin	account33@kucoin.example.com	hashedpass28_33	BAD	-
KuCoin	account34@kucoin.example.com	hashedpass28_34	GOOD	\$7.50
KuCoin	account35@kucoin.example.com	hashedpass28_35	GOOD	\$7.50
KuCoin	account36@kucoin.example.com	hashedpass28_36	WRONG PASSWORD	-
KuCoin	account37@kucoin.example.com	hashedpass28_37	WRONG PASSWORD	-
KuCoin	account38@kucoin.example.com	hashedpass28_38	BAD	-
KuCoin	account39@kucoin.example.com	hashedpass28_39	GOOD	\$7.50
KuCoin	account40@kucoin.example.com	hashedpass28_40	BAD	-

user29 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass29_1	WRONG PASSWORD	-
KuCoin	account2@kucoin.example.com	hashedpass29_2	WRONG PASSWORD	-

Exchange	Email	Password	Status	Price
KuCoin	account3@kucoin.example.com	hashedpass29_3	WRONG PASSWORD	-
KuCoin	account4@kucoin.example.com	hashedpass29_4	GOOD	\$7.50
KuCoin	account5@kucoin.example.com	hashedpass29_5	PENDING	-
KuCoin	account6@kucoin.example.com	hashedpass29_6	WRONG PASSWORD	-
KuCoin	account7@kucoin.example.com	hashedpass29_7	GOOD	\$7.50
KuCoin	account8@kucoin.example.com	hashedpass29_8	GOOD	\$7.50
KuCoin	account9@kucoin.example.com	hashedpass29_9	PENDING	-
KuCoin	account10@kucoin.example.com	hashedpass29_10	GOOD	\$7.50
KuCoin	account11@kucoin.example.com	hashedpass29_11	WRONG PASSWORD	-
KuCoin	account12@kucoin.example.com	hashedpass29_12	WRONG PASSWORD	-
KuCoin	account13@kucoin.example.com	hashedpass29_13	BAD	-
KuCoin	account14@kucoin.example.com	hashedpass29_14	BAD	-
KuCoin	account15@kucoin.example.com	hashedpass29_15	BAD	-
KuCoin	account16@kucoin.example.com	hashedpass29_16	PENDING	-
KuCoin	account17@kucoin.example.com	hashedpass29_17	WRONG PASSWORD	-
KuCoin	account18@kucoin.example.com	hashedpass29_18	BAD	-
KuCoin	account19@kucoin.example.com	hashedpass29_19	WRONG PASSWORD	-
KuCoin	account20@kucoin.example.com	hashedpass29_20	WRONG PASSWORD	-
KuCoin	account21@kucoin.example.com	hashedpass29_21	PENDING	-
KuCoin	account22@kucoin.example.com	hashedpass29_22	WRONG PASSWORD	-
KuCoin	account23@kucoin.example.com	hashedpass29_23	BAD	-
KuCoin	account24@kucoin.example.com	hashedpass29_24	PENDING	-
KuCoin	account25@kucoin.example.com	hashedpass29_25	WRONG PASSWORD	-
KuCoin	account26@kucoin.example.com	hashedpass29_26	WRONG PASSWORD	-
KuCoin	account27@kucoin.example.com	hashedpass29_27	PENDING	-
KuCoin	account28@kucoin.example.com	hashedpass29_28	PENDING	-
KuCoin	account29@kucoin.example.com	hashedpass29_29	GOOD	\$7.50
KuCoin	account30@kucoin.example.com	hashedpass29_30	BAD	-
KuCoin	account31@kucoin.example.com	hashedpass29_31	WRONG PASSWORD	-
KuCoin	account32@kucoin.example.com	hashedpass29_32	WRONG PASSWORD	-
KuCoin	account33@kucoin.example.com	hashedpass29_33	GOOD	\$7.50
KuCoin	account34@kucoin.example.com	hashedpass29_34	GOOD	\$7.50
KuCoin	account35@kucoin.example.com	hashedpass29_35	PENDING	-
KuCoin	account36@kucoin.example.com	hashedpass29_36	GOOD	\$7.50
KuCoin	account37@kucoin.example.com	hashedpass29_37	GOOD	\$7.50
KuCoin	account38@kucoin.example.com	hashedpass29_38	BAD	-
KuCoin	account39@kucoin.example.com	hashedpass29_39	GOOD	\$7.50
KuCoin	account40@kucoin.example.com	hashedpass29_40	BAD	-

user30 (40 accounts)

Exchange	Email	Password	Status	Price
KuCoin	account1@kucoin.example.com	hashedpass30_1	WRONG PASSWORD	-
KuCoin	account2@kucoin.example.com	hashedpass30_2	PENDING	-
KuCoin	account3@kucoin.example.com	hashedpass30_3	PENDING	-
KuCoin	account4@kucoin.example.com	hashedpass30_4	GOOD	\$7.50
KuCoin	account5@kucoin.example.com	hashedpass30_5	WRONG PASSWORD	-
KuCoin	account6@kucoin.example.com	hashedpass30_6	BAD	-
KuCoin	account7@kucoin.example.com	hashedpass30_7	GOOD	\$7.50
KuCoin	account8@kucoin.example.com	hashedpass30_8	PENDING	-
KuCoin	account9@kucoin.example.com	hashedpass30_9	PENDING	-
KuCoin	account10@kucoin.example.com	hashedpass30_10	PENDING	-
KuCoin	account11@kucoin.example.com	hashedpass30_11	GOOD	\$7.50
KuCoin	account12@kucoin.example.com	hashedpass30_12	BAD	-
KuCoin	account13@kucoin.example.com	hashedpass30_13	PENDING	-
KuCoin	account14@kucoin.example.com	hashedpass30_14	GOOD	\$7.50
KuCoin	account15@kucoin.example.com	hashedpass30_15	WRONG PASSWORD	-
KuCoin	account16@kucoin.example.com	hashedpass30_16	GOOD	\$7.50
KuCoin	account17@kucoin.example.com	hashedpass30_17	GOOD	\$7.50
KuCoin	account18@kucoin.example.com	hashedpass30_18	WRONG PASSWORD	-
KuCoin	account19@kucoin.example.com	hashedpass30_19	PENDING	-
KuCoin	account20@kucoin.example.com	hashedpass30_20	PENDING	-
KuCoin	account21@kucoin.example.com	hashedpass30_21	WRONG PASSWORD	-
KuCoin	account22@kucoin.example.com	hashedpass30_22	GOOD	\$7.50
KuCoin	account23@kucoin.example.com	hashedpass30_23	BAD	-
KuCoin	account24@kucoin.example.com	hashedpass30_24	PENDING	-
KuCoin	account25@kucoin.example.com	hashedpass30_25	PENDING	-
KuCoin	account26@kucoin.example.com	hashedpass30_26	PENDING	-
KuCoin	account27@kucoin.example.com	hashedpass30_27	WRONG PASSWORD	-
KuCoin	account28@kucoin.example.com	hashedpass30_28	WRONG PASSWORD	-
KuCoin	account29@kucoin.example.com	hashedpass30_29	BAD	-
KuCoin	account30@kucoin.example.com	hashedpass30_30	BAD	-
KuCoin	account31@kucoin.example.com	hashedpass30_31	PENDING	-
KuCoin	account32@kucoin.example.com	hashedpass30_32	GOOD	\$7.50
KuCoin	account33@kucoin.example.com	hashedpass30_33	WRONG PASSWORD	-
KuCoin	account34@kucoin.example.com	hashedpass30_34	BAD	-
KuCoin	account35@kucoin.example.com	hashedpass30_35	WRONG PASSWORD	-
KuCoin	account36@kucoin.example.com	hashedpass30_36	BAD	-
KuCoin	account37@kucoin.example.com	hashedpass30_37	WRONG PASSWORD	-

Exchange	Email	Password	Status	Price
KuCoin	account38@kucoin.example.com	hashedpass30_38	WRONG PASSWORD	-
KuCoin	account39@kucoin.example.com	hashedpass30_39	BAD	-
KuCoin	account40@kucoin.example.com	hashedpass30_40	GOOD	\$7.50