Biweekly Assessment BW09 — Weeks 17–18

Sessions covered: S81–90
Topics: Flask overview, REST/JSON/Postman/DRF, React fundamentals, hooks/routing/CORS
Timebox: 45–60 minutes (homework or Friday of the even week).
Rules: Closed notes unless your trainer allows open notes. No copying.
Coding constraint: API + React concepts.

A. Multiple Choice (12)

Circle the best option.

1. REST APIs often exchange:
   a) JSON
   b) Only CSS
   c) Only WAV audio
   d) Git packs
2. HTTP 201 usually means:
   a) Not found
   b) Server error
   c) Redirect forever
   d) Created
3. Postman is used to:
   a) Compile C
   b) Design only logos
   c) Manually test API requests
   d) Replace MySQL
4. DRF serializers mainly:
   a) Run npm
   b) Validate/convert data
   c) Style HTML
   d) Commit git
5. Flask is:
   a) A lightweight Python web framework
   b) A CSS framework
   c) A database
   d) A React hook
6. React component state updates should:
   a) Edit DOM with innerHTML always
   b) Restart MySQL
   c) Change git remote
   d) Use setState/useState
7. `useEffect` often handles:
   a) CSS only
   b) pip install
   c) Side effects / fetch on mount
   d) SQL indexes

8. CORS errors appear when:
   a) f-string missing
   b) Browser blocks cross-origin API calls
   c) Python syntax wrong
   d) Git not installed
9. React Router is for:
   a) Client-side page routes
   b) MySQL routing
   c) Django admin only
   d) Logging levels
10. JWT/token APIs usually send token in:
    a) CSS file
    b) Git tag
    c) HTML comment only
    d) Authorization header (common pattern)
11. Idempotent GET means:
    a) Only works offline
    b) Requires CSS
    c) Safe to repeat without changing server state
    d) Always deletes data
12. Props in React are:
    a) venv names
    b) Inputs from parent to child
    c) SQL primary keys
    d) Git remotes

B. Coding (2)

1. Write a minimal Flask (or sketch) JSON endpoint `GET /notes` returning a list of note dicts.

```
# your code
```

2. Write a React function component that shows a product name from props and a quantity in `useState`, with + button.

```
# your code
```

C. Short answer (1)

Why is CORS a browser rule, and what must the API allow for a Vite React app on another port?

(Write 3–6 sentences.)