Kasi Yedumati · Full Stack Training

Biweekly Assessment BW01 — Weeks 1–2

Sessions covered: S01–10
Topics: Computer foundations, terminal, Python setup, variables, operators, I/O, f-strings, casting, Swiggy canteen calculator

Timebox: 45–60 minutes (homework or Friday of the even week).
Rules: Closed notes unless your trainer allows open notes. No copying.
Coding constraint: Linear scripts only — no `if` / `while` / `for` / `def` (those start Week 3).

A. Multiple Choice (12)

Circle the best option.

1. A computer mainly follows which pattern?
   a) Input → Process → Output
   b) Output → Input only
   c) Process without input
   d) Hardware only
2. Which extension is a Python source file?
   a) .py
   b) .exe
   c) .md
   d) .txt
3. In the terminal, which command lists files (Unix/macOS)?
   a) show
   b) list
   c) dir
   d) ls
4. REPL means you type Python and see results:
   a) Only in MySQL
   b) Only after saving a .py file
   c) Immediately, line by line
   d) Only on GitHub
5. Which is a valid variable name in Python?
   a) 2marks
   b) student_name
   c) student-name
   d) class
6. What does `type(3.5)` return?
   a) float
   b) str
   c) bool
   d) int

7. f-strings start with:
   a) `format:` keyword
   b) %s only
   c) f before the quotes
   d) F after the quotes
8. `int("78.5")` typically:
   a) Returns None
   b) Returns 78
   c) Raises an error
   d) Returns 78.5
9. GST 5% on subtotal uses which idea?
   a) subtotal + 5
   b) subtotal * 0.05 added to subtotal
   c) subtotal // 5
   d) subtotal - 0.05
10. `print` is used to:
    a) Show output to the screen
    b) Create folders
    c) Install packages
    d) Read keyboard input
11. `input()` always gives you a:
    a) str
    b) bool
    c) int
    d) float
12. VS Code is mainly a:
    a) Web browser only
    b) Database server
    c) Code editor / IDE
    d) Operating system

B. Coding (2)

1. Ask for a **Swiggy** canteen item **price** and **qty** (use `float` and `int`). Compute total with **5% GST** and print `Total: ₹…` with 2 decimals. Linear script only (no `if` / `def`).

```
# your code
```

2. Read three subject marks with `float(input(...))` and print their average with 2 decimals (f-string). No loops/`def`.

```
# your code
```

C. Short answer (1)

In 3–4 sentences, explain the difference between an **algorithm** and a **program**, with one India campus example.

(Write 3–6 sentences.)