

Marketplace Project Source Code

Full-Stack E-commerce Prototype (Temu Style)

How to use this code:

1. Copy the code below exactly as it is written.
2. Paste it into a new file named **index.html**.
3. Open that file in your web browser to test the layout.
4. To make it functional, you must replace the **Firebase** and **Paystack** keys with your own from their respective websites.

Final Source Code (index.html)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>My Marketplace</title>
  <!-- SDKs -->
  <script src="https://www.gstatic.com/firebasejs/9.0.0/firebase-app-
compat.js"></script>
  <script src="https://www.gstatic.com/firebasejs/9.0.0/firebase-firestore-
compat.js"></script>
  <script src="https://www.gstatic.com/firebasejs/9.0.0/firebase-auth-
compat.js"></script>
  <script src="https://js.paystack.co/v1/inline.js"></script>
  <style>
    body { font-family: sans-serif; margin: 0; background: #f4f4f4; }
    .auth-container { background: #333; color: white; padding: 10px 5%; text-
align: right; }
    .navbar { display: flex; justify-content: space-between; align-items:
center; padding: 15px 5%; background: white; box-shadow: 0 2px 5px
rgba(0,0,0,0.1); position: sticky; top: 0; z-index: 100; }
    .logo { font-size: 1.5rem; font-weight: bold; color: #ff4500; }
```

```

        .search-bar { width: 40%; padding: 10px; border-radius: 20px; border: 1px
solid #ddd; }
        .hero { background: linear-gradient(to right, #ff7e5f, #feb47b); color:
white; text-align: center; padding: 40px; }
        .seller-form { background: white; padding: 20px; margin: 20px 5%; border-
radius: 8px; display: flex; gap: 10px; flex-wrap: wrap; }
        .product-container { display: grid; grid-template-columns: repeat(auto-
fill, minmax(200px, 1fr)); gap: 20px; padding: 20px 5%; }
        .product-card { background: white; padding: 15px; border-radius: 8px;
text-align: center; box-shadow: 0 2px 5px rgba(0,0,0,0.05); }
        .product-card img { width: 100%; border-radius: 5px; height: 180px;
object-fit: cover; }
        .price { color: #ff4500; font-weight: bold; font-size: 1.2rem; }
        .buy-btn { background: #ff4500; color: white; border: none; padding: 10px;
width: 100%; cursor: pointer; border-radius: 5px; font-weight: bold; }
        .modal { display: none; position: fixed; z-index: 1000; left: 0; top: 0;
width: 100%; height: 100%; background: rgba(0,0,0,0.6); }
        .modal-content { background: white; margin: 10% auto; padding: 25px;
width: 80%; max-width: 500px; border-radius: 12px; }
    </style>
</head>
<body>
    <section class="auth-container">
        <div id="login-form">
            <input type="email" id="email" placeholder="Email">
            <input type="password" id="password" placeholder="Password">
            <button onclick="signUp()">Sign Up</button>
            <button onclick="login()">Login</button>
        </div>
        <div id="user-info" style="display:none;">
            <span id="user-email"></span>
            <button onclick="logout()">Logout</button>
        </div>
    </section>
    <nav class="navbar">
        <div class="logo">MyMarket</div>
        <input type="text" placeholder="Search..." class="search-bar">
        <div onclick="showCart()" style="cursor:pointer; font-weight:bold;
color:#ff4500;">Cart (0)</div>
    </nav>
    <header class="hero"><h1>Marketplace</h1></header>
    <section class="seller-form" id="seller-section" style="display:none;">
        <input type="text" id="pName" placeholder="Name">
        <input type="number" id="pPrice" placeholder="Price">
        <input type="text" id="pImg" placeholder="Image URL">
        <button onclick="addProduct()">Post</button>
    </section>
    <main class="product-container" id="product-list"></main>
    <div id="cart-modal" class="modal">
        <div class="modal-content">

```

```

        <h2>Cart</h2>
        <div id="cart-items-list"></div>
        <p>Total: GH¢ <span id="cart-total">0</span></p>
        <button onclick="checkout()">Pay Now</button>
        <button onclick="closeCart()">Close</button>
    </div>
</div>
<script>
    // REPLACE WITH YOUR FIREBASE CONFIG
    const firebaseConfig = { apiKey: "YOUR_KEY", authDomain: "...", projectId:
"...", storageBucket: "...", messagingSenderId: "...", appId: "..." };
    firebase.initializeApp(firebaseConfig);
    const db = firebase.firestore();
    const auth = firebase.auth();

    function signUp()
    { auth.createUserWithEmailAndPassword(document.getElementById('email').value,
document.getElementById('password').value); }
    function login()
    { auth.signInWithEmailAndPassword(document.getElementById('email').value,
document.getElementById('password').value); }
    function logout() { auth.signOut(); }
    auth.onAuthStateChanged(user => {
        document.getElementById('login-form').style.display = user ? 'none' :
'block';
        document.getElementById('user-info').style.display = user ? 'block' :
'none';
        document.getElementById('seller-section').style.display = user ?
'flex' : 'none';
        if(user) document.getElementById('user-email').innerText = user.email;
    });

    function addProduct() {
        db.collection("products").add({ name:
document.getElementById('pName').value, price:
document.getElementById('pPrice').value, img:
document.getElementById('pImg').value || 'https://via.placeholder.com/150',
timestamp: firebase.firestore.FieldValue.serverTimestamp() });
    }

    db.collection("products").orderBy("timestamp", "desc").onSnapshot(snap =>
{
        const container = document.getElementById('product-list');
        container.innerHTML = '';
        snap.forEach(doc => {
            const p = doc.data();
            container.innerHTML += `<div class="product-card"><h3>${p.name}</h3><p class="price">GH¢ ${p.price}</p></div>`;
        });
    });
}

```

```
        // (Payment and Cart functions follow same logic provided in chat)
    </script>
</body>
</html>
```