指定模版名字, html地。生成模版

```
SSR.compileTemplate('templateName', Assets.getText('hello.html
'));
```

## Helper

```
Template.hello.helpers({
   time: function() {
     return new Date().toString();
   },
   <!--posts: function(){
      return Posts.findOne({}, {sort: {createTime: -1}}).url
}
;
   }-->
});
```

## Method 只在服务端

```
Meteor.methods({
    sendEmail: function() {
       var html = SSR.render("templateName", {username: "t1anz0ng"});
       return html;
    }
});
```

使用webapp路由,返回生成的html (./server/universal/startup.js)

```
var filePath = process.env.PWD + '/public/' + 'Reg.html';
  fs.writeFileSync(filePath, SSR.render("registration"), 'utf
-8');
  WebApp.connectHandlers.use("/registration_s", function(req,
res, next) {
  var fs = Npm.require('fs');
  var buf = new Buffer(1024);
  res.writeHead(200, {'Content-Type': 'text/html', 'encoding':
```

```
'utf-8'});
var fd = process.env.PWD + '/public/Reg.html';
```

nodejs-fs 遍历private的html生成template (./lib/main.js)

```
files = fs.readdirSync(process.env.PWD + '/private');
files.forEach(function(fileName){
   var tName = fileName.split('.')[0];
   var tDir = fileName;
   SSR.compileTemplate(tName, Assets.getText(tDir) );
   // console.log(Blaze.isTemplate(Template.BankMenu));
}
```