INTRO TO PYTHON

Strings and Operators

Unit 2 • Lessons 2.4-2.5

Unit 2 - Guided Notes Packet

Name: _____

Class: _____

Date: _____

This unit covers how Python stores text as strings and how operators behave with them. After completing it, you will be able to write, trace and debug short programs that combine and repeat strings.

Packet Contents

Lesson 2.4 — Strings
Lesson 2.5 — String Operators

LESSON 2.4 • INTRO TO PYTHON

Strings

Name: _____ Class: _____ Date: _____

Guiding question: How does Python store and display text?

Learning Targets

☐ I can create a string using single or double quotation marks.

☐ I can use `len()` to find the length of a string.

What Is a String?

- A sequence of characters inside quotation marks is called a _____.
- Python accepts both single quotes and _____ quotes around a string, as long as they match.
- The function `len()` returns the number of _____ in a string.

```
greeting = "Hello"
print(len(greeting))   # prints 5
```

- Spaces and punctuation also count toward a string's _____.

Lesson Review

1. **What is a string?**

2. **What does `len("cat")` return, and why?**

LESSON 2.5 • INTRO TO PYTHON

String Operators

Name: _____ Class: _____ Date: _____

Guiding question: Which mathematical operators work on strings, and what do they do?

Learning Targets

☐ I can use the + and * operators on strings.

☐ I can explain why a string and an integer cannot be combined without type conversion.

Operators and Strings

- Joining two strings with the + operator is called _____.
- Multiplying a string by an integer, such as `"a" * 3`, _____ the string.
- Adding a string and an integer directly, such as `"a" + 3`, causes a _____.
- The _____ function converts a value into a string so it can be concatenated with text.

String Operator Behavior

Expression	Example	Result
string + string	**"a" + "b"**	
string * integer	**"a" * 3**	
string + integer	**"a" + 3**	
string + str(integer)	**"a" + str(3)**	

Lesson Review

1. **What is concatenation?**

2. **Rewrite `print("Team size: " + 4)` so that it runs without an error.**

3. **Why does `"a" + 3` cause a TypeError?**