

# NeuroGaze: A Hybrid EEG and Eye-Tracking Brain-Computer Interface for Hands-Free Interaction in Virtual Reality

Kyle Coutray<sup>1</sup>, Wanyea Barbel<sup>1</sup>, Zack Groth<sup>1</sup> and Joseph J LaViola Jr<sup>1,\*</sup>

<sup>1</sup>Interactive Systems and User Experience Research Cluster, Department of Computer Science, University of Central Florida, Orlando, FL, USA

Correspondence\*:  
Joseph J LaViola Jr  
jlaviola@ucf.edu

## 2 ABSTRACT

Brain-Computer Interfaces (BCIs) have traditionally been studied in clinical and laboratory contexts, but the rise of consumer-grade devices now allows exploration of their use in daily activities. Virtual reality (VR) provides a particularly relevant domain, where existing input methods often force trade-offs between speed, accuracy, and physical effort. This study introduces NeuroGaze, a hybrid interface combining electroencephalography (EEG) with eye tracking to enable hands-free interaction in immersive VR. Twenty participants completed a 360° cube-selection task using three different input methods: VR controllers, gaze combined with a pinch gesture, and NeuroGaze. Performance was measured by task completion time and error rate, while workload was evaluated using the NASA Task Load Index (NASA-TLX). NeuroGaze successfully supported target selection with off-the-shelf hardware, producing fewer errors than the alternative methods but requiring longer completion times, reflecting a classic speed-accuracy tradeoff. Workload analysis indicated reduced physical demand for NeuroGaze compared to controllers, though overall ratings and user preferences were mixed. These findings demonstrate the feasibility of hybrid EEG+gaze systems for everyday VR use, highlighting their ergonomic benefits and inclusivity potential. Although not yet competitive in speed, NeuroGaze points toward a practical role for consumer-grade BCIs in accessibility and long-duration applications, and underscores the need for improved EEG signal processing and adaptive multimodal integration to enhance future performance.

**Keywords:** Brain-Computer Interface (BCI), Electroencephalography (EEG), Eye tracking, Virtual reality (VR), Hybrid interfaces, Hands-free interaction, Human-computer interaction (HCI), Accessibility

## 1 INTRODUCTION

Virtual reality (VR) systems have advanced rapidly in terms of visual immersion and motion tracking, but interaction remains a central challenge (Jerald, 2015; LaViola Jr. et al., 2017; Chong et al., 2018). The input devices that mediate user actions fundamentally shape the quality of the experience, and each current method carries trade-offs. Handheld controllers remain the most common solution, offering speed and precision through ray casting and button presses. However, extended use of controllers can be fatiguing, particularly in tasks that require repetitive pointing or in scenarios where hands-free interaction is desirable (Meier et al., 2021). Gaze-based dwell selection has been proposed as a more natural, ergonomic alternative (Sidenmark et al., 2022) where users fixate on a target and selection occurs after a brief dwell time, building on decades of research into the fundamental dynamics of eye movements (Martinez-Conde and Macknik, 2008; Cannon, 1992). While hands-free, this approach is slower, vulnerable to the “Midas touch” problem (Tang et al., 2025) of unintended activations, and can feel unnatural when prolonged fixations are required (Mohan et al., 2018; Isomoto et al., 2018; Chakraborty et al., 2014). More recently, combinations of eye tracking with manual gestures, such as pinch confirmation, have improved speed and reduced false selections (Zhang et al., 2020; Vertegaal, 2008; Stellmach and Dachsel, 2012). Yet these methods still

depend on reliable hand mobility and introduce motor demands that limit accessibility for some users (Gherman et al., 2018).

Brain-Computer Interfaces (BCIs) offer an intriguing pathway to augment VR interaction by providing a neural channel for intent confirmation (Saxena et al., 2024). Traditionally restricted to clinical and tightly controlled experimental contexts (Padfield et al., 2019; Nicolas-Alonso and Gomez-Gil, 2012), BCIs are now becoming accessible outside the lab with the rise of consumer-grade headsets and biosensors. These devices make it feasible to test interaction techniques not only in laboratory studies but also in the context of daily activities (Vasiljevic and de Miranda, 2020; Pan et al., 2017; Rizzo et al., 2024). Prior research has demonstrated the feasibility of integrating electroencephalography (EEG) with eye tracking for selection tasks in desktop environments and experimental prototypes (Putze et al., 2013, 2016; Hild et al., 2014). For example, hybrid gaze+EEG systems have been used to disambiguate visual targets, detect covert attention, or reduce false activations (Shishkin et al., 2016; Kalaganis et al., 2018; Vortmann et al., 2022; Évain et al., 2016). However, most of this work has remained confined to controlled laboratory setups or 2D displays, with limited exploration in fully immersive VR environments (Larsen et al., 2024) and little emphasis on consumer-grade hardware. As a result, the real-world practicality of such systems for daily activities remains uncertain.

To address this gap, this study introduces and evaluates NeuroGaze, a hybrid EEG and eye-tracking interface designed for immersive VR using readily available consumer devices (Meta Quest Pro for eye tracking and Emotiv EPOC X for EEG). Unlike prior work that has focused narrowly on proof-of-concept demonstrations, we directly benchmark NeuroGaze against two widely adopted VR input methods: hand controllers and eye tracking with pinch gestures. In doing so, we provide the first comparative validation of a consumer-grade hybrid EEG+gaze system in immersive VR. Our evaluation maps the trade-offs between speed, accuracy, and physical effort across these modalities, situating NeuroGaze within the broader design space of VR interaction. The findings reveal both the potential and the current limitations of hybrid BCIs for daily activities, highlighting their promise as an accessible, ergonomic alternative for users who may benefit from hands-free, low-effort interaction.

## 2 MATERIALS AND METHODS

### 2.1 Participants

Twenty healthy adult volunteers (12 male, 8 female; age range 18-32 years) were recruited from the university community. All participants reported normal or corrected-to-normal vision, no history of neurological or motor impairments, and no susceptibility to simulator sickness. Inclusion criteria required participants to be at least 18 years of age, proficient in English, and physically able to wear both the EEG headset and the VR head-mounted display.


Participants represented a broad range of prior VR experience, from no exposure to frequent recreational use. Approximately 25% of the sample reported little or no prior VR experience, 60% reported moderate to above-moderate experience, and 15% described themselves as very experienced. Comparable distributions were observed for AR exposure and VR gaming, indicating that the sample encompassed both novices and highly experienced users.

All participants provided written informed consent prior to participation. The study was approved by the university's Institutional Review Board (IRB ID: STUDY00006401).

### 2.2 Apparatus

The immersive environment was presented using a Meta Quest Pro head-mounted display (Meta Platforms Inc., USA) with integrated binocular eye tracking. The headset provided real-time gaze vectors at a sampling rate of 72 Hz (Hou et al., 2024), and participants completed a standard five-point calibration at the beginning of each session. EEG activity was recorded using an Emotiv EPOC X headset (Emotiv Inc., USA), which features 14 active electrodes positioned according to the international 10-20 system (Khazi et al., 2012) (AF3, F7, F3, FC5, T7, P7, O1, O2, P8, T8, FC6, F4, F8, AF4) with mastoid references (TP9, P3, P4, TP10) shown in Figure 1A-B. EEG signals were captured internally at 2048 Hz, then downsampled to 128 Hz for wireless transmission via Bluetooth Low Energy (Emotiv Inc., 2020). Electrode-skin contact quality was continuously monitored, with saline solution (OPTI-FREE) reapplied as needed to maintain stable


86 impedance. The NeuroGaze setup required participants to wear both the Emotiv EPOC X and Meta Quest  
87 Pro simultaneously, often secured with a comfort headband to ensure reliable electrode contact (Figure  
88 1C-E).



**Figure 1.** (a) The Emotiv EPOC X headset used for EEG data collection. (b) Electrode montage showing the 14 active sensor locations (green) and mastoid reference electrodes (orange) based on the international 10-20 system. (c) Emotiv EPOC X EEG headset with electrodes in contact with the scalp. (d) Combined configuration of the EPOC X, comfort headband, and Meta Quest Pro VR headset worn simultaneously. (e) Application of saline solution to EPOC X electrodes to maintain stable contact quality.

89 The experimental software was developed in Unity (Unity Technologies, USA) using the Meta XR  
90 All-in-One SDK. Eye tracking was used to control a visual ray pointer and object hover state, rendered  
91 as a white line from the midpoint of the user's eyes to 500 meters in the forward direction. This ray cast  
92 triggered a scaling effect on interactable objects, causing them to grow to a fixed scale ( $0.2304m^3$ ) when  
93 hovered over and shrink back ( $0.18m^3$ ) when not. EEG signals were streamed into Unity through the Emotiv  
94 Cortex API. EEG calibration involved training two mental command classes: a neutral state (representing  
95 relaxed, unfocused brain activity) and a "pull" command associated with selection. During calibration,  
96 participants viewed objects that appeared and shrank in synchrony with their imagined action, providing  
97 feedback to reinforce consistent neural patterns (this was achieved through a Wizard-of-Oz approach in  
98 which the experiment administrator manually triggered the object to shrink seen in Figure 2). Once trained,  
99 the classifier output was integrated into the Unity selection loop: objects under gaze became eligible for  
100 interaction, and a detected pull command triggered selection. The EmotivBCI program handled training  
101 profiles, EEG noise sanitization, and classification of EEG artifacts. To ensure synchronization across  
102 devices, event markers from Unity were transmitted to the EEG stream via the Cortex API, and system

timestamps were aligned to the host computer's monotonic clock. Pilot testing verified timing precision within  $\pm 20$  ms between modalities, sufficient for behavioral comparison across input conditions.



**Figure 2.** Flowchart of the NeuroGaze EEG calibration procedure. The process consists of two stages: (left, teal) neutral mental command training, where participants repeatedly train a relaxed state in the EmotivBCI program, and (right, red) pull mental command training, where participants attempt to imagine a “pull” action while the Unity engine triggers object shrinkage through a Wizard-of-Oz approach. Each command was trained in 20 repetitions, with accepted trials saved to the user’s training profile for later classification during the experiment


## 2.3 Task

Participants completed a 360° object-selection task in a virtual environment (VE). The environment consisted of four surrounding walls, each displaying a 4 x 9 array of white cubes (36 per wall; 144 total) as seen in Figure 3.

At the start of each block, 12 cubes (three per wall) were designated as targets by turning red. Participants were instructed to select these targets as quickly and accurately as possible. When a target was successfully selected, it disappeared from the scene, and the block concluded once all targets had been cleared (Figure 3). The average distance from the user to each wall of cubes was approximately 2 m.

The task required participants to actively rotate their heads and bodies to engage with spatially distributed targets across the 360° field. Visual readiness feedback was provided by a scaling effect: when a user’s gaze or pointing ray intersected a cube, it gradually increased in size (from 0.56 m to 0.62 m per side, corresponding to a 0.18 m<sup>3</sup> to 0.23 m<sup>3</sup> volume). Objects remained fixed in position and provided feedback only through this change in scale.





**Figure 3.** Top: Unity editor view of the 360° object-selection task environment, with four cube arrays surrounding the participant. Bottom: Example participant perspectives during task execution. Left: VR Controller (VRC) condition; Right: Eye Gaze + Hand Gesture (EG+HG) condition.

## 118 2.4 Experimental Conditions

119 Each participant completed the selection task under three input modalities:

120 VR Controllers (VRC). Participants used standard handheld VR controllers to interact with the virtual  
 121 environment. A ray projected from the end of the controller was used to aim at targets, with selection  
 122 confirmed via a trigger button press. This condition represented the conventional VR input method and  
 123 served as the baseline for speed and precision.

124 Eye Tracking + Hand Gesture (EG+HG). Participants aimed by fixating on a target cube using the Quest  
 125 Pro's integrated infrared eye-tracking system. Selection was confirmed with a pinch gesture detected by the  
 126 headset's optical hand-tracking system. This approach provided gaze-driven aiming with explicit manual  
 127 confirmation, similar to interaction paradigms employed in emerging augmented reality headsets.

128 NeuroGaze (NG). Participants aimed using eye gaze, with selection confirmed by an EEG-based “pull”  
 129 mental command classified in real time by the Emotiv EPOC X headset. This condition enabled fully  
 130 hands-free interaction through a hybrid brain-computer interface. The NeuroGaze system used a closed-  
 131 loop control design, combining gaze-based ray casting with visual scaling feedback (grow/shrink cues) to  
 132 indicate selection readiness and execution. The order of conditions was randomized across participants to  
 133 minimize order and learning effects.

## 2.5 Measures

Task performance was assessed using two primary behavioral measures. First, completion time was defined as the elapsed time (in milliseconds) between target onset and confirmed selection. This measure captured how long participants required to select all red interactable objects in the scene, with values exported directly from Unity environment logs. Second, error rate was defined as the proportion of incorrect or unintended selections relative to total trials, including both missed targets and incorrect object selections. Error data were compiled from block-level outcomes.

Subjective workload was evaluated after each condition using the NASA Task Load Index (NASA-TLX), which provides ratings across six subscales: Mental Demand, Physical Demand, Temporal Demand, Performance, Effort, and Frustration. To derive the overall workload score, the subscales were combined according to Equation 1.

$$\begin{aligned} \text{NASA-TLX} = & \text{Mental Demand} + \text{Physical Demand} \\ & + \text{Temporal Demand} + (7 - \text{Performance}) \\ & + \text{Effort} + \text{Frustration} \end{aligned} \quad (1)$$

Both aggregated NASA-TLX scores and individual subscale ratings were retained for analysis.

Finally, overall preference was captured through a post-experiment ranking task. After completing all three input conditions, participants ranked the modalities from most preferred (rank = 1) to least preferred (rank = 3). This ranking provided a simple comparative index of participants' subjective impressions of each input method.

## 2.6 Analysis Plan

Task completion time was analyzed with a repeated-measures design. Mauchly's test of sphericity was first applied; when violations were detected ( $p < 0.001$ ), Greenhouse-Geisser corrections were used. A repeated-measures ANOVA was then conducted with Input Condition (VR Controllers, Eye+Pinch, NeuroGaze) as the within-subjects factor. Significant effects were followed up with Bonferroni-corrected pairwise t-tests. Effect sizes (partial  $\eta^2$ ) were reported alongside significance values.

Error rates were analyzed similarly. Mauchly's test indicated that the assumption of sphericity was met ( $p = 0.85$ ), so a repeated-measures ANOVA was conducted on average error counts. Post-hoc comparisons were performed with paired t-tests, and  $\eta^2$  effect sizes were reported.

Subjective workload was evaluated using NASA-TLX ratings. Aggregated workload scores were compared across conditions using a Friedman test. Individual subscales (Mental Demand, Physical Demand, Temporal Demand, Performance, Effort, and Frustration) were analyzed with Wilcoxon signed-rank tests. Bonferroni correction was applied, setting the adjusted threshold for significance at  $p < 0.003125$ .

User preference rankings were analyzed with a Chi-squared test of independence to examine associations between input modality and rank position. Across all analyses, 95% confidence intervals were reported to provide interval estimates of effects. Visualizations were prepared to illustrate group-level distributions, including raincloud plots for completion time, bar plots for error rates, and radar charts for NASA-TLX subscales.

## 3 RESULTS

The results are organized into three subsections corresponding to the main dependent measures: task completion time, error rate, and subjective workload. Statistical analyses were performed using repeated-measures designs with Condition (VR Controllers, Eye + Hand Gesture, NeuroGaze) as the within-subjects factor. All reported pairwise comparisons used Bonferroni-corrected p-values, and effect sizes are presented alongside significance values.

### 3.1 Completion Time

Task completion time differed significantly across input conditions. A repeated-measures ANOVA with Greenhouse-Geisser correction (due to sphericity violation,  $\chi^2(20) = 29.22, p < 0.001$ ) showed a robust main effect of condition,  $F(2, 19.77) = 97.62, p < 0.001, \eta_p^2 = 0.84$ .

Participants completed the selection task fastest with VR Controllers ( $M = 9.25$  s,  $SD = 4.15$  s), followed by Eye + Hand Gesture ( $M = 15.02$  s,  $SD = 5.30$  s), and slowest with NeuroGaze ( $M = 29.23$  s,  $SD = 2.25$  s) (Figure 4). Pairwise comparisons confirmed that both VR Controllers ( $p < 0.001$ ) and Eye + Hand Gesture ( $p < 0.001$ ) were significantly faster than NeuroGaze. VR Controllers were also significantly faster than Eye + Hand Gesture ( $p < 0.001$ ).

This pattern indicates that while NeuroGaze enabled reliable hands-free selection, its current implementation introduced substantial latency compared to standard input methods.

### 3.2 Error Rate

Error rates differed significantly across input conditions. A repeated-measures ANOVA (Mauchly's test indicated sphericity was met:  $\chi^2(20) = 4.93, p = 0.85$ ) revealed a main effect of condition,  $F(2, 36) = 5.39, p = 0.009, \eta_p^2 = 0.23$ .

On average, participants made the fewest errors with NeuroGaze ( $M = 2.25, SD = 1.08$ ), followed by VR Controllers ( $M = 4.15, SD = 1.56$ ) and Eye + Hand Gesture ( $M = 5.30, SD = 2.25$ ) (Figure 4). Pairwise contrasts showed significantly fewer errors in NeuroGaze compared with Eye + Hand Gesture ( $p = 0.041$ ). Differences between NeuroGaze and VR Controllers ( $p = 0.441$ ) and between VR Controllers and Eye + Hand Gesture ( $p = 0.105$ ) were not significant.

### 3.3 NASA-TLX

Subjective workload ratings from the NASA-TLX revealed differences across conditions, although patterns varied by subscale. Aggregated workload scores did not differ significantly between modalities (VR Controllers:  $M = 19.30$ ; Eye + Hand Gesture:  $M = 20.10$ ; NeuroGaze:  $M = 15.75$ ), Friedman  $\chi^2(2) = 0.29, p > 0.05$  (Figure 4).

When subscales were examined individually using Wilcoxon signed-rank tests with Bonferroni correction ( $p < 0.003125$ ), more specific distinctions emerged. Physical Demand was lowest for NeuroGaze ( $M = 1.3$ ), significantly lower than VR Controllers ( $M = 3.3, p = 0.002$ ). The comparison with Eye + Hand Gesture ( $M = 3.6$ ) trended in the same direction ( $p = 0.006$ ) but did not survive correction. No difference was observed between VR Controllers and Eye + Hand Gesture ( $p = 0.89$ ).


Temporal Demand also differed: NeuroGaze ( $M = 3.2$ ) was rated significantly less demanding than both VR Controllers ( $p = 0.001$ ) and Eye + Hand Gesture ( $p = 0.002$ ). For Mental Demand, no significant differences were found (NeuroGaze  $M = 3.2$ ; VR Controllers  $M = 3.3$ ; Eye + Hand Gesture  $M = 2.6$ ). Similarly, Performance, Effort, and Frustration ratings did not differ significantly after correction.

### 3.4 User Preference

After completing all three conditions, participants ranked the input modalities by overall preference. NeuroGaze was most often ranked first (10 participants), followed by VR Controllers (5) and Eye + Hand Gesture (5). Intermediate rankings were more evenly distributed (VR Controllers: 8; NeuroGaze: 6; Eye + Hand Gesture: 6). Least-preferred rankings were most frequently assigned to Eye + Hand Gesture (9 participants), followed by VR Controllers (7) and NeuroGaze (4).

A chi-squared test of independence revealed no significant association between input modality and preference ranking,  $\chi^2(2, N = 20) = 4.8, p = 0.31$ .

Qualitative feedback provided additional context. VR Controllers were praised for their speed and familiarity. Eye + Hand Gesture was described as intuitive but often unreliable, with several participants noting difficulty executing pinch gestures. NeuroGaze was appreciated for its novelty and hands-free interaction, though some participants reported discomfort from wearing both headsets and noted slower response times.



**Figure 4.** Task performance and subjective workload across input devices. Left: Average task completion time (s). Middle: Average error count. Right: Aggregated NASA-TLX workload scores. Conditions are labeled as follows: EG+HG = Eye Gaze + Hand Gesture, VRC = VR Controllers, NG = NeuroGaze. Error bars represent 95% confidence intervals.

## 4 DISCUSSION

### 4.1 Interpretation

The present findings highlight both the strengths and limitations of current VR input modalities. Handheld controllers remain the benchmark for speed, with participants consistently achieving the fastest completion times. This reflects both the maturity of the technology and its optimization for rapid, precise selection tasks. Eye tracking with pinch gestures (EG+HG) occupied an intermediate position, offering more intuitive aiming than controllers but at the expense of occasional mis-selections from incomplete or unrecognized gestures.

In contrast, NeuroGaze yielded fewer errors overall, but this advantage came at the cost of substantially slower task completion times. Accuracy appears to result less from superior input fidelity than from participants' conservative pacing, further amplified by the processing delay inherent in EEG classification, a clear example of the classic speed-accuracy tradeoff. Thus, while NG does not yet rival existing VR inputs on raw performance metrics, it provides a viable, hands-free alternative that emphasizes ergonomic accessibility (Höhne et al., 2014; Kos'myna and Tarpin-Bernard, 2013) rather than speed. Rather than competing with controllers in high-speed applications, NG is better suited to daily-activity contexts where comfort, inclusivity, and error minimization are paramount.

Workload ratings reinforce this role. NeuroGaze reduced perceived physical and temporal demand compared with conventional inputs, while overall cognitive workload remained comparable across modalities. This suggests that, despite slower performance, NG may lower effort and fatigue, making it especially relevant for accessibility and long-duration use cases.

### 4.2 Contribution

This study provides the first systematic evaluation of a consumer-grade hybrid EEG and eye-tracking system benchmarked against established VR input modalities in a fully immersive environment. Prior work on gaze-EEG interaction has largely relied on laboratory-grade hardware or 2D desktop displays, limiting ecological validity and applicability to everyday contexts. By deploying NeuroGaze with widely available devices—the Meta Quest Pro and Emotiv EPOC X—this study shows that hybrid brain-computer interfaces are no longer confined to specialized laboratories and can be assessed under conditions closer to daily VR use.

Benchmarking NeuroGaze against two established input modalities (controllers and gaze + pinch) further clarified its comparative strengths and weaknesses. While slower than conventional inputs, NeuroGaze offers a tangible ergonomic benefit, demonstrated by lower physical demand ratings and fully hands-free operation. These qualities suggest that the system is not a competitor to controllers in time-sensitive or performance-critical contexts, but rather a complementary modality where accessibility, comfort, and reduced fatigue are prioritized. The most promising applications of NeuroGaze may therefore lie in daily-activity and accessibility-oriented scenarios that demand sustained interaction without physical strain (Sellers et al., 2010). Examples include VR-based rehabilitation, training for individuals with motor



255 impairments, or prolonged use cases where repetitive arm or hand motions become burdensome. By  
256 reframing the role of BCIs away from speed competition and toward ergonomic inclusivity, this study  
257 contributes to a broader vision of BCIs as practical tools for everyday human-computer interaction.

### 258 4.3 Limitations

259 Several limitations of the present study should be acknowledged. First, the sample size was modest ( $N$   
260 = 20), which restricts the generalizability of the findings and reduces the statistical power to detect more  
261 subtle effects. While sufficient for an initial proof-of-concept, larger studies will be needed to establish  
262 more robust estimates of performance and variability across different populations. Second, the task design  
263 employed static targets arranged across four walls. This setup provided consistency across conditions but  
264 does not capture the more dynamic and unpredictable environments in which VR interactions typically  
265 occur. Future work should examine performance in tasks involving moving or context-sensitive stimuli  
266 to evaluate real-world applicability. Third, the EEG calibration procedure incorporated a Wizard-of-Oz  
267 component in which feedback was artificially reinforced to improve classifier training. Although the  
268 actual task relied on trained classifiers, this approach may have inflated participants' perception of system  
269 reliability during calibration. A further limitation arises from the use of consumer-grade EEG hardware  
270 (Emotiv EPOC X), which is constrained by relatively low signal-to-noise ratios. In practice, this restricted  
271 the system to a binary command scheme (neutral vs. pull), as attempts to distinguish more complex  
272 mental commands (e.g., push and pull) would have introduced substantial classification errors. Relatedly,  
273 reliance on consumer-grade EEG made the system more susceptible to artifacts such as blinking and head  
274 movement, and the limited spatial resolution reduced the sophistication of neural information that could be  
275 leveraged.

276 Finally, ergonomic incompatibility between the EEG headset and the Meta Quest Pro contributed to  
277 discomfort during extended use. While employing commercially available devices strengthens ecological  
278 validity, these hardware limitations necessarily constrained both the fidelity of neural input and the overall  
279 user experience.

### 280 4.4 Future Work

281 Several avenues for future development emerge from the present findings. A key priority is the  
282 reduction of system latency. NeuroGaze's slower performance relative to traditional input methods reflects  
283 both the computational overhead of EEG signal classification and the conservative thresholds used to  
284 minimize false activations. Advances in machine learning and signal processing—such as adaptive filtering,  
285 transfer learning across users, and real-time artifact rejection—may help reduce response times while  
286 maintaining accuracy, thereby improving the practical viability of hybrid BCI input. Another promising  
287 direction involves adaptive multimodal switching, in which NeuroGaze could dynamically integrate with  
288 conventional controllers or gesture-based systems. For example, users might rely on EEG+gaze input  
289 for sustained, low-effort interaction but seamlessly transition to controller-based input when speed or  
290 fine-grained control is required. Such hybrid workflows would leverage the strengths of each modality and  
291 broaden the contexts in which BCIs are practical. Beyond EEG alone, integration with complementary  
292 biosignals represents a further step forward. Modalities such as functional near-infrared spectroscopy  
293 (fNIRS), electromyography (EMG), or pupillometry could provide additional channels for intent detection  
294 and cognitive-state monitoring. Combining signals could improve classification robustness, reduce reliance  
295 on single noisy channels, and support more complex command vocabularies than binary EEG triggers allow.  
296 Finally, future studies should move beyond healthy young adults to evaluate NeuroGaze in accessibility  
297 scenarios. Populations with motor impairments, fatigue-related conditions, or limited hand mobility stand  
298 to benefit most from hands-free BCI interaction. Assessing usability, comfort, and performance in these  
299 groups will be essential for determining NeuroGaze's translational potential in rehabilitation, assistive  
300 technology, and daily activity contexts.

## 5 CONCLUSION

301 This study introduced and evaluated NeuroGaze, a hybrid EEG and eye-tracking interface implemented  
302 with consumer-grade hardware in an immersive VR environment. Compared to conventional VR controllers  
303 and gaze+pinch interaction, NeuroGaze enabled reliable, fully hands-free object selection, though at the  
304 cost of slower task completion times. The results reflect a classic speed-accuracy tradeoff: participants

made fewer errors with NeuroGaze, but this advantage stemmed largely from more deliberate pacing rather than inherently superior input fidelity. Despite these performance constraints, NeuroGaze demonstrates clear ergonomic and accessibility promise. By reducing physical demand and eliminating the need for handheld controllers, it extends VR interaction beyond speed-driven contexts toward scenarios where comfort, inclusivity, and reduced fatigue are prioritized. Rather than serving as a replacement for controllers in time-critical tasks, NeuroGaze should be considered a complementary modality for daily activities, rehabilitation contexts, and fatigue-sensitive environments where minimizing physical effort is critical. Taken together, these findings establish the feasibility of hybrid EEG+gaze interaction in immersive VR using readily available consumer devices. More broadly, they highlight the potential of consumer-grade BCIs not as direct competitors to established input methods, but as enablers of more inclusive and adaptable human-computer interaction.

## CONFLICT OF INTEREST STATEMENT

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

## DATA AVAILABILITY STATEMENT

The datasets analyzed for this study can be found in the GitHub repository here: <https://github.com/Wanyea/NeuroGaze>

## ACKNOWLEDGMENTS

Portions of this research were previously included in the Master's thesis of Wanyea Barbel, archived in the University of Central Florida STARS Digital Repository. The present manuscript is a reformatted and condensed version of that work (Barbel, 2024).

## REFERENCES

- Barbel, W. (2024). *NeuroGaze in Virtual Reality: Assessing an EEG and Eye Tracking Interface against Traditional Virtual Reality Input Devices*. Master's thesis, University of Central Florida, Orlando, FL. Graduate Thesis and Dissertation 2023–2024, STARS Digital Repository
- Cannon, S. (1992). The neurology of eye movements (contemporary neurology series). *Archives of Ophthalmology* 110, 326–326. doi:10.1001/archoph.1992.01080150024016
- Chakraborty, T., Sarcar, S., and Samanta, D. (2014). Design and evaluation of a dwell-free eye typing technique. In *CHI '14 Extended Abstracts on Human Factors in Computing Systems* (New York, NY, USA: Association for Computing Machinery), CHI EA '14, 1573–1578. doi:10.1145/2559206.2581265
- Chong, H. T., Lim, C. K., and Tan, K. L. (2018). Challenges in virtual reality system: A review. *AIP Conference Proceedings* 2016, 020037. doi:10.1063/1.5055439
- Emotiv Inc. (2020). *Emotiv EPOC X Technical Specifications*. Internal sampling: 2048 Hz; downsampled to 128/256 Hz for BLE or other transmission
- Gherman, O., Schipor, O., and Gheran, B.-F. (2018). Verge: A system for collecting voice, eye gaze, gesture, and eeg data for experimental studies. In *2018 International Conference on Development and Application Systems (DAS)*. 150–155. doi:10.1109/DAAS.2018.8396088
- Hild, J., Putze, F., Kaufman, D., Kühnle, C., Schultz, T., and Beyerer, J. (2014). Spatio-temporal event selection in basic surveillance tasks using eye tracking and eeg. In *Proceedings of the 7th Workshop on Eye Gaze in Intelligent Human Machine Interaction: Eye-Gaze & Multimodality* (New York, NY, USA: Association for Computing Machinery), GazeIn '14, 3–8. doi:10.1145/2666642.2666645
- Hou, B. J., Abdrabou, Y., Weidner, F., and Gellersen, H. (2024). Unveiling variations: A comparative study of vr headsets regarding eye tracking volume, gaze accuracy, and precision. In *2024 IEEE Conference on Virtual Reality and 3D User Interfaces Abstracts and Workshops (VRW)*. 650–655. doi:10.1109/VRW62533.2024.00127
- Höhne, J., Holz, E., Staiger-Sälzer, P., Müller, K.-R., Kübler, A., and Tangermann, M. (2014). Motor imagery for severely motor-impaired patients: Evidence for brain-computer interfacing as superior control solution. *PLOS ONE* 9, 1–11. doi:10.1371/journal.pone.0104854

- Isomoto, T., Ando, T., Shizuki, B., and Takahashi, S. (2018). Dwell time reduction technique using fitts' law for gaze-based target acquisition. In *Proceedings of the 2018 ACM Symposium on Eye Tracking Research & Applications* (New York, NY, USA: Association for Computing Machinery), ETRA '18. doi:10.1145/3204493.3204532
- Jerald, J. (2015). *The VR Book: Human-Centered Design for Virtual Reality* (Association for Computing Machinery and Morgan & Claypool)
- Kalaganis, F. P., Chatzilari, E., Nikolopoulos, S., and Kompatsiaris, I. (2018). An error-aware gaze-based keyboard by means of a hybrid bci system. *Scientific Reports* 8. doi:10.1038/s41598-018-31425-2
- Khazi, M., Kumar, A., and J, V. M. (2012). Analysis of EEG Using 10:20 Electrode System. *International Journal of Innovative Research in Science, Engineering and Technology* 1
- Kos'myna, N. and Tarpin-Bernard, F. (2013). Evaluation and comparison of a multimodal combination of bci paradigms and eye tracking with affordable consumer-grade hardware in a gaming context. *IEEE Transactions on Computational Intelligence and AI in Games* 5, 150–154. doi:10.1109/TCIAIG.2012.2230003
- Larsen, O. F. P., Tresselt, W. G., Lorenz, E. A., Holt, T., Sandstrak, G., Hansen, T. I., et al. (2024). A Method for Synchronized Use of EEG and Eye Tracking in Fully Immersive VR. *Frontiers in Human Neuroscience* 18, 1347974. doi:10.3389/fnhum.2024.1347974
- LaViola Jr., J. J., Kruijff, E., Bowman, D. A., McMahan, R. P., and Poupyrev, I. (2017). *3D User Interfaces: Theory and Practice* (Addison-Wesley Professional)
- Martinez-Conde, S. and Macknik, S. L. (2008). Fixational eye movements across vertebrates: Comparative dynamics, physiology, and perception. *Journal of Vision* 8, 28–28. doi:10.1167/8.14.28
- Meier, M., Streli, P., Fender, A., and Holz, C. (2021). Demonstrating the use of rapid touch interaction in virtual reality for prolonged interaction in productivity scenarios. In *2021 IEEE Conference on Virtual Reality and 3D User Interfaces Abstracts and Workshops (VRW)*. 761–762. doi:10.1109/VRW52623.2021.00263
- Mohan, P., Goh, W. B., Fu, C.-W., and Yeung, S.-K. (2018). Dualgaze: Addressing the midas touch problem in gaze mediated vr interaction. In *2018 IEEE International Symposium on Mixed and Augmented Reality Adjunct (ISMAR-Adjunct)*. 79–84. doi:10.1109/ISMAR-Adjunct.2018.00039
- Nicolas-Alonso, L. F. and Gomez-Gil, J. (2012). Brain computer interfaces, a review. *Sensors* 12, 1211–1279. doi:10.3390/s120201211
- Padfield, N., Zabalza, J., Zhao, H., Masero, V., and Ren, J. (2019). Eeg-based brain-computer interfaces using motor-imagery: Techniques and challenges. *Sensors* 19. doi:10.3390/s19061423
- Pan, P., Tan, G., and Wai, A. A. P. (2017). Evaluation of consumer-grade eeg headsets for bci drone control
- Putze, F., Hild, J., Kärger, R., Herff, C., Redmann, A., Beyerer, J., et al. (2013). Locating user attention using eye tracking and eeg for spatio-temporal event selection. In *Proceedings of the 2013 International Conference on Intelligent User Interfaces* (New York, NY, USA: Association for Computing Machinery), IUI '13, 129–136. doi:10.1145/2449396.2449415
- Putze, F., Popp, J., Hild, J., Beyerer, J., and Schultz, T. (2016). Intervention-free selection using eeg and eye tracking. In *Proceedings of the 18th ACM International Conference on Multimodal Interaction* (New York, NY, USA: Association for Computing Machinery), ICMI '16, 153–160. doi:10.1145/2993148.2993199
- Rizzo, L., Zicari, P., Cicirelli, F., Guerrieri, A., Micieli, M., and Vinci, A. (2024). A study on consumer-grade eeg headsets in bci applications. In *2024 IEEE Conference on Pervasive and Intelligent Computing (PICom)*. 67–74. doi:10.1109/PICom64201.2024.00016
- Saxena, S., Ranjan, M. K., and Sattar, A. M. (2024). Brain-computer interfaces: A key to neural communication's limitless possibilities. In *2024 1st International Conference on Cognitive, Green and Ubiquitous Computing (IC-CGU)*. 1–8. doi:10.1109/IC-CGU58078.2024.10530664
- Sellers, E. W., Vaughan, T. M., and Wolpaw, J. R. (2010). A brain-computer interface for long-term independent home use. *Amyotrophic Lateral Sclerosis* 11, 449–455. doi:10.3109/17482961003777470. PMID: 20583947
- Shishkin, S. L., Nuzhdin, Y. O., Svirin, E. P., Trofimov, A. G., Fedorova, A. A., Kozyrskiy, B. L., et al. (2016). Eeg negativity in fixations used for gaze-based control: Toward converting intentions into actions with an eye-brain-computer interface. *Frontiers in Neuroscience* Volume 10 - 2016. doi:10.3389/fnins.2016.00528
- Sidenmark, L., Parent, M., Wu, C.-H., Chan, J., Glueck, M., Wigdor, D., et al. (2022). Weighted pointer: Error-aware gaze-based interaction through fallback modalities. *IEEE Transactions on Visualization and Computer Graphics* 28, 3585–3595. doi:10.1109/TVCG.2022.3203096

- 405 Stellmach, S. and Dachsel, R. (2012). Look & touch: gaze-supported target acquisition. In *Proceedings of*  
406 *the SIGCHI Conference on Human Factors in Computing Systems* (New York, NY, USA: Association  
407 for Computing Machinery), CHI '12, 2981–2990. doi:10.1145/2207676.2208709
- 408 Tang, X., Chen, X., Leng, H., Wang, Z., Chen, B., Chen, Y., et al. (2025). Comparison and optimization  
409 of target-assisted gaze input technique for enhanced selection in virtual eye-controlled systems.  
410 *International Journal of Human–Computer Interaction* 0, 1–19. doi:10.1080/10447318.2025.2505780
- 411 Vasiljevic, G. A. M. and de Miranda, L. C. (2020). Brain–computer interface games based on consumer-  
412 grade eeg devices: A systematic literature review. *International Journal of Human–Computer Interaction*  
413 36, 105–142. doi:10.1080/10447318.2019.1612213
- 414 Vertegaal, R. (2008). A fitts law comparison of eye tracking and manual input in the selection of visual  
415 targets. In *Proceedings of the 10th International Conference on Multimodal Interfaces* (New York, NY,  
416 USA: Association for Computing Machinery), ICMI '08, 241–248. doi:10.1145/1452392.1452443
- 417 Vortmann, L.-M., Ceh, S., and Putze, F. (2022). Multimodal eeg and eye tracking feature fusion approaches  
418 for attention classification in hybrid bcis. *Frontiers in Computer Science* Volume 4 - 2022. doi:10.3389/  
419 fcomp.2022.780580
- 420 Zhang, S., Tian, Y., Wang, C., and Wei, K. (2020). Target selection by gaze pointing and manual  
421 confirmation: performance improved by locking the gaze cursor. *Ergonomics* 63, 884–895. doi:10.1080/  
422 00140139.2020.1762934. PMID: 32348191
- 423 Évain, A., Argelaguet, F., Casiez, G., Roussel, N., and Lécuyer, A. (2016). Design and evaluation of fusion  
424 approach for combining brain and gaze inputs for target selection. *Frontiers in Neuroscience* Volume 10  
425 - 2016. doi:10.3389/fnins.2016.00454