

Designing Personal Informatics in Context: Toward Collective Well-being through Nuanced Personal Data

Kwangyoung Lee
KAIST

Department of Industrial Design
Daejeon, Republic of Korea
kwangyoung@kaist.ac.kr

Abstract

Personal informatics systems have the potential to support well-being by helping individuals better understand themselves. However, most current systems focus on quantifiable behavioral data, making it difficult to capture the implicit, contextual, and subjective aspects that underlie meaningful self-awareness. In my dissertation, I explore how self-tracking technologies can be designed to promote eudaimonic well-being through the collection and reflection of nuanced personal data embedded in users' lived experiences. I examine how personal informatics tools can be adapted to users' everyday contexts, interpersonal dynamics, and workplace environments through a series of empirical studies and system deployments. These studies investigate how individuals engage with their data, how social feedback expands self-understanding, and how organizational structures can support or constrain personal well-being efforts. This work contributes a multi-layered perspective on personal informatics that integrates intrapersonal, interpersonal, and institutional dimensions of well-being, and opens up new possibilities for designing sustainable and socially embedded self-tracking systems.

CCS Concepts

• Human-centered computing → Empirical studies in HCI.

Keywords

Well-being, Personal Informatics, Nuanced Personal Data, Qualitative

ACM Reference Format:

Kwangyoung Lee. 2025. Designing Personal Informatics in Context: Toward Collective Well-being through Nuanced Personal Data. In *Designing Interactive Systems Conference (DIS '25 Companion)*, July 05–09, 2025, Funchal, Portugal. ACM, New York, NY, USA, 4 pages. <https://doi.org/10.1145/3715668.3735628>

1 Context and Motivation

The concept of well-being encompasses optimal psychological functioning across various life domains essential for a fulfilling life [29].

Well-being is commonly viewed through two complementary perspectives: hedonic well-being, focused on happiness and satisfaction, and eudaimonic well-being, centered on self-realization, personal growth, and meaningful life pursuits [33]. Personal informatics (PI), defined as the practice of collecting, analyzing, and reflecting on personal data for meaningful insights, represents an emerging field closely aligned with the pursuit of well-being [10, 21]. PI activities enable individuals to extend their understanding of themselves and foster a more nuanced sense of self-awareness. While PI can potentially support both hedonic and eudaimonic dimensions depending on individual motivations [27], this paper positions personal informatics primarily as a meaningful approach to achieving eudaimonic well-being through nuanced personal data practices.

The scope of personal informatics has significantly expanded due to advancements in digital technology, enabling effortless data collection on behaviors, environments, and biometrics [5]. For instance, smartphone apps and wearable devices routinely gather quantifiable data on physical activity, sleep patterns, and heart rate, enhancing self-monitoring convenience and effectiveness [6, 7, 15]. Concurrent advances in artificial intelligence have simplified data analysis, providing personalized insights that substantially deepen self-understanding [8, 16]. As a result, these technological advancements enhance self-awareness through meaningful insights while reducing the effort required for sustained self-tracking, ultimately helping individuals move closer to achieving overall well-being.

Despite technological progress, achieving comprehensive self-understanding and well-being through solely quantitative methods remains challenging [4]. First, current technologies inadequately capture nuanced contextual data crucial for interpreting subjective experiences. For example, while wearable devices might detect physiological signals indicative of stress indicators, they often struggle to identify underlying contextual triggers [13, 14]—whether stemming from work obligations, family dynamics, or environmental factors. Second, individuals inherently possess “blind areas”—aspects known to others but unrecognized by themselves, such as non-conscious behaviors and communication styles, as described by the Johari Window model [22]. Addressing these blind spots requires external feedback, highlighting the limitations of relying solely on self-generated data. Lastly, even when individuals strive for enhanced self-awareness and improved well-being, they frequently encounter external constraints beyond their control, such as interpersonal conflicts at work or restrictive organizational cultures [2, 34]. Therefore, achieving a more holistic understanding of the self and fostering eudaimonic well-being requires illuminating

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

DIS '25 Companion, Funchal, Portugal

© 2025 Copyright held by the owner/author(s).

ACM ISBN 979-8-4007-1486-3/25/07

<https://doi.org/10.1145/3715668.3735628>

dimensions of personal experience that remain hidden from current technologies, introspective access, and organizational transparency.

In my dissertation, I aim to surface the subtle and context-specific factors that influence how individuals experience and pursue well-being, through the design and exploration of personal informatics systems across intrapersonal, interpersonal, and institutional domains. Additionally, I intend to investigate how personal efforts toward well-being might reciprocally influence social and organizational well-being. To achieve this, I propose three research questions:

- RQ 1. How should self-tracking tools be designed to capture implicit and subjective aspects of stress and psychological states encountered in everyday life?
- RQ 2. How can personal informatics systems involving external participation help uncover data that individuals struggle to self-generate or recognize? Furthermore, how does interpersonal engagement influence the dynamics of social relationships and mutual well-being?
- RQ 3. In organizational settings resistant to substantial change, how can personal informatics systems be effectively integrated to support individual well-being? Additionally, what role should organizations play in this process, and how does their support influence broader organizational wellness?

To answer these research questions, I implemented a set of personal informatics systems and conducted empirical studies in diverse domains of life. These investigations demonstrate how a multi-layered approach to personal informatics can deepen self-understanding and support meaningful well-being, particularly when embedded within supportive social and institutional structures.

2 Capturing Implicit and Subjective Data for Individual Well-being (RQ1)

Mental health is as crucial as physical health for individual well-being, and stress significantly affects mental well-being [3, 19]. Accurately understanding daily behaviors associated with stress is vital yet challenging due to the invisible, ephemeral, and subjective nature of mental health data [18]. To address this, I have designed self-tracking tools for capturing and managing mental health data within everyday contexts, such as academic life and workplaces.

In Study 1, recognizing the link between daily stressors and scheduled activities, I developed a calendar-based stress anticipation application [17]. This tool enables users to log upcoming events, anticipate potential stress levels, plan personalized coping interventions, and later reflect by comparing anticipated stress with what they actually experienced. A 30-day deployment with 47 university students revealed that surfacing stressors proactively aided participants in identifying triggers and significantly reduced stress through the planning and executing of personalized interventions. This work contributes to understanding the potential role of prospective and future-centric approaches within personal informatics systems.

Study 2 (ongoing) focuses on a mobile app tailored for call center employees who frequently face emotional dissonance due to expressing mandated emotions while suppressing genuine ones [9, 11]. Through formative research involving surveys and focus group

interviews, we gained insights into the fast-paced, high-stress environment of call center work, where employees have limited time to recover from emotional exhaustion. These insights informed the design of the application, allowing users to quickly log their emotional states and providing evidence-based microbreak interventions (each under two minutes). Preliminary findings from a 6-week deployment with 46 call center workers indicated improved self-awareness regarding authentic emotions and contextual triggers. The tracking process itself served as a healing activity, providing brief yet meaningful emotional relief. Regular usage of the application also facilitated workers in developing personalized coping strategies and significantly reduced depression in a high-stress environment.

3 Extending Self-Awareness Through Reciprocal Tracking (RQ2)

Through my previous studies, I confirmed that self-tracking nuanced personal data significantly enhances self-understanding and promotes well-being. However, a critical question remains: Can we fully understand ourselves just by analyzing the data we generate? Individuals inherently possess “blind areas”—aspects visible to others but unnoticed by themselves—suggesting the necessity of external perspectives. Personal Informatics (PI) research has explored how social features help self-trackers gain new insights into their personal data by sharing with social networks (e.g., friends, family, or online communities) [23, 25, 26, 31]. Additionally, caregivers often facilitate tracking for children or patients who find self-tracking challenging [12, 24, 30]. However, while assistance from caregivers might be considered natural or expected, consistently involving others in the everyday tracking process remains difficult.

To address this, Study 3 proposes reciprocal tracking, a mutual exchange of meaningful observations and insights between pairs of participants closely familiar with each other's contexts [20]. In a week-long study with 9 dyads (18 participants), reciprocal tracking provided participants with contextualized insights into their behaviors, expanding their self-perception by revealing previously unnoticed behaviors, clarifying vague self-understandings, and enhancing awareness of how others perceive their actions. The study also highlighted the impact of reciprocal tracking on interpersonal relationships and social well-being. Positive outcomes included increased mutual interest, shared activities, and stronger emotional bonds through deeper conversations. Conversely, notable challenges arose, illustrated by a case where one pair withdrew due to feedback that inadvertently caused emotional hurt and reduced mutual trust. Thus, this work contributes to personal informatics by introducing reciprocal tracking as an approach that ensures mutual benefits and broadens the scope of social features within personal informatics systems.

4 Future Work (RQ3)

Through Study 2, I found that call center employees improved their intrapersonal well-being through emotion management. However, despite personal efforts, substantial improvements were limited by external factors beyond individual control, including heavy workloads, interactions with aggressive customers, and workplace

conflicts [1, 35]. This raises the question: How can personal informatics systems support individual well-being in such challenging contexts?

Employee well-being is closely connected to organizational health. Improved employee well-being fosters positive work attitudes and increased productivity, benefiting overall organizational performance and culture [28, 32]. Yet, organizations typically lack effective methods to understand factors influencing employees' well-being beyond performance metrics, often relying on gut feelings based on workers' facial expressions or performance declines.

To address this, I will collaborate with a call center employing over 40 workers, deploying the emotional state tracking tool from Study 2 for at least 12 weeks. By analyzing aggregated data, I will provide narrative reports detailing emotional distributions, influencing factors, and effective micro-intervention activities, ensuring privacy by sharing only collective data. This approach aims to facilitate organizational understanding of employees' emotional states, encouraging the design and implementation of targeted interventions at departmental or center levels, and contributing to long-term organizational strategies. Expected outcomes include gaining contextual insights previously unavailable to organizations, identifying effective data-driven micro-interventions, evaluating their impact on employee well-being, and exploring how organizational support for individual well-being enhances overall organizational health.

5 Expected Contribution

This dissertation contributes to the advancement of personal informatics by reimagining how self-tracking technologies can support well-being through richer, more contextually grounded understandings of the self. By focusing on nuanced and subjective aspects of human experience, it addresses the limitations of conventional systems that primarily rely on quantitative data. Through a series of empirical studies and system designs, this work demonstrates how self-awareness can be deepened through interpersonal feedback and how organizations can play a constructive role in supporting individual well-being. Overall, the research offers a comprehensive, multi-layered perspective on personal informatics that spans intrapersonal, interpersonal, and institutional domains.

In particular, this work acknowledges the burden often associated with self-reporting and explores ways to reduce it by designing data collection experiences that align with users' natural behaviors, everyday tools, and contextual environments. Rather than imposing rigid input structures, the systems developed in this dissertation aim to support more fluid and sustainable engagement through user-centered data collection strategies. These design directions open important questions around how we might further balance manual and automated methods, personalize data capture experiences, and support meaningful yet low-effort reflection in everyday life [4]. I look forward to discussing these challenges—and their broader implications—through the Doctoral Consortium.

Acknowledgments

I would like to thank my collaborators and the Data Interaction Design Lab at KAIST. Special thanks to my wife, Som, for her unwavering support and encouragement. This work is supported by

the Institute of Information & communications Technology Planning & Evaluation (IITP) grant funded by the Korean government (MSIT) (No. 2022-0-00064, Development of Human Digital Twin Technologies for Prediction and Management of Emotion Workers' Mental Health Risks)

References

- [1] 2007. Display Rules Versus Display Autonomy: Emotion Regulation, Emotional Exhaustion, and Task Performance in a Call Center Simulation. *Journal of occupational health psychology* 12, 3 (1 jul 2007), 301–318. <https://doi.org/10.1037/1076-8998.12.3.301>
- [2] Marie Andela, Didier Truchot, and Margot van Der Doef. 2016. Job stressors and burnout in hospitals: The mediating role of emotional dissonance. *International Journal of Stress Management* 23, 3 (Aug. 2016), 298–317. <https://doi.org/10.1037/str0000013>
- [3] Amid Ayobi, Tobias Sonne, Paul Marshall, and Anna L. Cox. 2018. Flexible and Mindful Self-Tracking: Design Implications from Paper Bullet Journals. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems* (Montreal QC, Canada) (CHI '18). Association for Computing Machinery, New York, NY, USA, 1–14. <https://doi.org/10.1145/3173574.3173602>
- [4] Eun Kyoung Choe, Saeed Abdullah, Mashfiqui Rabbi, Edison Thomaz, Daniel A. Epstein, Felicia Cordeiro, Matthew Kay, Gregory D. Abowd, Tanzeem Choudhury, James Fogarty, Bongshin Lee, Mark Matthews, and Julie A. Kientz. 2017. Semi-Automated Tracking: A Balanced Approach for Self-Monitoring Applications. *IEEE Pervasive Computing* 16, 1 (2017), 74–84. <https://doi.org/10.1109/MPRV.2017.18>
- [5] Eun Kyoung Choe, Bongshin Lee, Matthew Kay, Wanda Pratt, and Julie A. Kientz. 2015. SleepTight: low-burden, self-monitoring technology for capturing and reflecting on sleep behaviors. In *Proceedings of the 2015 ACM International Joint Conference on Pervasive and Ubiquitous Computing* (Osaka, Japan) (UbiComp '15). Association for Computing Machinery, New York, NY, USA, 121–132. <https://doi.org/10.1145/2750858.2804266>
- [6] Jongyoon Choi and Ricardo Gutierrez-Osuna. 2009. Using Heart Rate Monitors to Detect Mental Stress. In *2009 Sixth International Workshop on Wearable and Implantable Body Sensor Networks*. 219–223. <https://doi.org/10.1109/BSN.2009.13>
- [7] Sunny Consolvo, David W. McDonald, Tammy Toscos, Mike Y. Chen, Jon Froehlich, Beverly Harrison, Predrag Klasnja, Anthony LaMarca, Louis LeGrand, Ryan Libby, Ian Smith, and James A. Landay. 2008. Activity sensing in the wild: a field trial of ubifit garden. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Florence, Italy) (CHI '08). Association for Computing Machinery, New York, NY, USA, 1797–1806. <https://doi.org/10.1145/1357054.1357335>
- [8] Pooja M. Desai, Elliot G. Mitchell, Maria L. Hwang, Matthew E. Levine, David J. Albers, and Lena Mamykina. 2019. Personal Health Oracle: Explorations of Personalized Predictions in Diabetes Self-Management. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems* (Glasgow, Scotland UK) (CHI '19). Association for Computing Machinery, New York, NY, USA, 1–13. <https://doi.org/10.1145/3290605.3300600>
- [9] James M. Diefendorff and Erin M. Richard. 2003. Antecedents and consequences of emotional display rule perceptions. *Journal of Applied Psychology* 88, 2 (04 2003), 284–294. <https://www.proquest.com/scholarly-journals/antecedents-consequences-emotional-display-rule/docview/614382101/se-2>
- [10] Daniel A. Epstein, Clara Caldeira, Mayara Costa Figueiredo, Xi Lu, Lucas M. Silva, Lucretia Williams, Jong Ho Lee, Qingyang Li, Simran Ahuja, Qier Chen, Payam Dowlatyari, Craig Hilby, Sazeda Sultana, Elizabeth V. Eikey, and Yunan Chen. 2020. Mapping and Taking Stock of the Personal Informatics Literature. *Proc. ACM Interact. Mob. Wearable Ubiquitous Technol.* 4, 4, Article 126 (dec 2020), 38 pages. <https://doi.org/10.1145/3432231>
- [11] Alicia A. Grandey. 2000. Emotional regulation in the workplace: A new way to conceptualize emotional labor. *Journal of occupational health psychology* 5, 1 (01 2000), 95–110. <https://www.proquest.com/scholarly-journals/emotional-regulation-workplace-new-way/docview/614387526/se-2>
- [12] Eunhyung Jo, Seora Park, Hyeonseok Bang, Youngeun Hong, Yeni Kim, Jungwon Choi, Bung Nyun Kim, Daniel A. Epstein, and Hwajung Hong. 2022. GeniAuti: Toward Data-Driven Interventions to Challenging Behaviors of Autistic Children through Caregivers' Tracking. *Proc. ACM Hum.-Comput. Interact.* 6, CSCW1, Article 92 (apr 2022), 27 pages. <https://doi.org/10.1145/3512939>
- [13] Gyuwon Jung, Sangjun Park, and Uichin Lee. 2024. DeepStress: Supporting Stressful Context Sensemaking in Personal Informatics Systems Using a Quasi-experimental Approach. In *Proceedings of the CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '24). Association for Computing Machinery, New York, NY, USA, Article 1000, 18 pages. <https://doi.org/10.1145/3613904.3642766>
- [14] Ravi Karkar, Jessica Schroeder, Daniel A. Epstein, Laura R. Pina, Jeffrey Scofield, James Fogarty, Julie A. Kientz, Sean A. Munson, Roger Vilardaga, and Jasmine

- Zia. 2017. TummyTrials: A Feasibility Study of Using Self-Experimentation to Detect Individualized Food Triggers. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems* (Denver, Colorado, USA) (CHI '17). Association for Computing Machinery, New York, NY, USA, 6850–6863. <https://doi.org/10.1145/3025453.3025480>
- [15] Matthew Kay, Eun Kyoung Choe, Jesse Shepherd, Benjamin Greenstein, Nathaniel Watson, Sunny Consolvo, and Julie A. Kientz. 2012. Lullaby: a capture & access system for understanding the sleep environment. In *Proceedings of the 2012 ACM Conference on Ubiquitous Computing* (Pittsburgh, Pennsylvania) (UbiComp '12). Association for Computing Machinery, New York, NY, USA, 226–234. <https://doi.org/10.1145/2370216.2370253>
- [16] Ellen E. Lee, John Torous, Munmun De Choudhury, Colin A. Depp, Sarah A. Graham, Ho-Cheol Kim, Martin P. Paulus, John H. Krystal, and Dilip V. Jeste. 2021. Artificial Intelligence for Mental Health Care: Clinical Applications, Barriers, Facilitators, and Artificial Wisdom. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging* 6, 9 (2021), 856–864. <https://doi.org/10.1016/j.bpsc.2021.02.001>
- [17] Kwangyoung Lee, Hyewon Cho, Kobiljon Toshnazarov, Nematjon Narziev, So Young Rhim, Kyungsik Han, YoungTae Noh, and Hwajung Hong. 2020. Toward Future-Centric Personal Informatics: Expecting Stressful Events and Preparing Personalized Interventions in Stress Management. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '20). Association for Computing Machinery, New York, NY, USA, 1–13. <https://doi.org/10.1145/3313831.3376475>
- [18] Kwangyoung Lee and Hwajung Hong. 2017. Designing for Self-Tracking of Emotion and Experience with Tangible Modality. In *Proceedings of the 2017 Conference on Designing Interactive Systems* (Edinburgh, United Kingdom) (DIS '17). Association for Computing Machinery, New York, NY, USA, 465–475. <https://doi.org/10.1145/3064663.3064697>
- [19] Kwangyoung Lee and Hwajung Hong. 2018. MindNavigator: Exploring the Stress and Self-Interventions for Mental Wellness. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems* (Montreal QC, Canada) (CHI '18). Association for Computing Machinery, New York, NY, USA, 1–14. <https://doi.org/10.1145/3173574.3174146>
- [20] Kwangyoung Lee, Yeohyun Jung, Gyuwon Jung, Xi Lu, and Hwajung Hong. 2025. Peerspective: A Study on Reciprocal Tracking for Self-awareness and Relational Insight. In *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems* (CHI '25). Association for Computing Machinery, New York, NY, USA, Article 692, 17 pages. <https://doi.org/10.1145/3706598.3713404>
- [21] Ian Li, Anind Dey, and Jodi Forlizzi. 2010. A stage-based model of personal informatics systems. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Atlanta, Georgia, USA) (CHI '10). Association for Computing Machinery, New York, NY, USA, 557–566. <https://doi.org/10.1145/1753326.1753409>
- [22] Joseph Luft and Harry Ingham. 1961. The johari window. *Human relations training news* 5, 1 (1961), 6–7.
- [23] Andrew D. Miller and Elizabeth D. Mynatt. 2014. StepStream: a school-based pervasive social fitness system for everyday adolescent health. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Toronto, Ontario, Canada) (CHI '14). Association for Computing Machinery, New York, NY, USA, 2823–2832. <https://doi.org/10.1145/2556288.2557190>
- [24] Sonali R. Mishra, Predrag Klasnja, John MacDuffie Woodburn, Eric B. Hekler, Larsson Omberg, Michael Kellen, and Lara Mangravite. 2019. Supporting Coping with Parkinson's Disease Through Self Tracking. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems* (Glasgow, Scotland UK) (CHI '19). Association for Computing Machinery, New York, NY, USA, 1–16. <https://doi.org/10.1145/3290605.3300337>
- [25] Laura Pina, Sang-Wha Sien, Clarissa Song, Teresa M. Ward, James Fogarty, Sean A. Munson, and Julie A. Kientz. 2020. DreamCatcher: Exploring How Parents and School-Age Children can Track and Review Sleep Information Together. *Proc. ACM Hum.-Comput. Interact.* 4, CSCW1, Article 70 (may 2020), 25 pages. <https://doi.org/10.1145/3392882>
- [26] Aare Puussaari, Adrian K. Clear, and Peter Wright. 2017. Enhancing Personal Informatics Through Social Sensemaking. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems* (Denver, Colorado, USA) (CHI '17). Association for Computing Machinery, New York, NY, USA, 6936–6942. <https://doi.org/10.1145/3025453.3025804>
- [27] John Rooksby, Mattias Rost, Alistair Morrison, and Matthew Chalmers. 2014. Personal tracking as lived informatics. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Toronto, Ontario, Canada) (CHI '14). Association for Computing Machinery, New York, NY, USA, 1163–1172. <https://doi.org/10.1145/2556288.2557039>
- [28] Brent D. Rosso, Kathryn H. Dekas, and Amy Wrzesniewski. 2010. On the meaning of work: A theoretical integration and review. *Research in Organizational Behavior* 30 (2010), 91–127. <https://doi.org/10.1016/j.riob.2010.09.001>
- [29] Richard M. Ryan and Edward L. Deci. 2001. On Happiness and Human Potentials: A Review of Research on Hedonic and Eudaimonic Well-Being. *Annual Review of Psychology* 52, Volume 52, 2001 (2001), 141–166. <https://doi.org/10.1146/annurev.psych.52.1.141>
- [30] Herman Saksono, Ashwini Ranade, Geeta Kamarthi, Carmen Castaneda-Sceppa, Jessica A. Hoffman, Cathy Wirth, and Andrea G. Parker. 2015. Spaceship Launch: Designing a Collaborative Exergame for Families. In *Proceedings of the 18th ACM Conference on Computer Supported Cooperative Work & Social Computing* (Vancouver, BC, Canada) (CSCW '15). Association for Computing Machinery, New York, NY, USA, 1776–1787. <https://doi.org/10.1145/2675133.2675159>
- [31] Lucas M. Silva, Franceli L. Cibrian, Elissa Monteiro, Arpita Bhattacharya, Jesus A. Beltran, Clarisse Bonang, Daniel A. Epstein, Sabrina E. B. Schuck, Kimberley D. Lakes, and Gillian R. Hayes. 2023. Unpacking the Lived Experiences of Smart-watch Mediated Self and Co-Regulation with ADHD Children. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems* (Hamburg, Germany) (CHI '23). Association for Computing Machinery, New York, NY, USA, Article 90, 19 pages. <https://doi.org/10.1145/3544548.3581316>
- [32] Scott Sonenshein, Jane E. Dutton, Adam M. Grant, Gretchen M. Spreitzer, and Kathleen M. Sutcliffe. 2013. Growing at Work: Employees' Interpretations of Progressive Self-Change in Organizations. *Organization Science* 24, 2 (2013), 552–570. <https://doi.org/10.1287/orsc.1120.0749> arXiv:<https://doi.org/10.1287/orsc.1120.0749>
- [33] Sabine Sonnentag. 2015. Dynamics of Well-Being. *Annual Review of Organizational Psychology and Organizational Behavior* 2, Volume 2, 2015 (2015), 261–293. <https://doi.org/10.1146/annurev-orgpsych-032414-111347>
- [34] Dieter Zapf. 2002. Emotion work and psychological well-being: A review of the literature and some conceptual considerations. *Human Resource Management Review* 12, 2 (2002), 237–268. [https://doi.org/10.1016/S1053-4822\(02\)00048-7](https://doi.org/10.1016/S1053-4822(02)00048-7)
- [35] Dieter Zapf, Christoph Vogt, Claudia Seifert, Heidrun Mertini, and Amela Isic. 1999. Emotion Work as a Source of Stress: The Concept and Development of an Instrument. *European Journal of Work and Organizational Psychology* 8, 3 (1999), 371–400. <https://doi.org/10.1080/135943299398230> arXiv:<https://doi.org/10.1080/135943299398230>