

QuickPhone — Context Diagram (logical)

The whole system as one process and the five external entities it serves; flows match the Level 0 diagram




QuickPhone — Level 0 DFD (complete) (logical)

All nine processes, seven data stores and five external entities, each drawn once. Each line is one data flow; its name sits beside the process it leaves or enters.




QuickPhone — Level 1 DFD: 1.0 Schedule Appointment (logical)

Optional appointment booking (FR01, UC-12). A walk-in needs no appointment; 2.0 pre-fills a job from one when it exists.




QuickPhone — Level 1 DFD: 2.0 Register Repair Job (logical)

From UC-01 and FR02–FR04. 2.1 finds a returning customer; 2.4 takes an optional device passcode and an optional technician.




QuickPhone — Level 1 DFD: 3.0 Record Diagnosis (logical)

From UC-02 and UC-03 (FR04–FR07). A technician works their own jobs and may claim an unassigned job or appointment (3.1).




QuickPhone — Level 1 DFD: 4.0 Record Repair Work (logical)

From UC-04 (FR06, FR07). A part used is deducted from stock automatically; a part request goes to the Manager, who orders it.




QuickPhone — Level 1 DFD: 5.0 Send Pickup Notification (logical)

From UC-05 (FR12). Never automatic: staff, or the Technician who finished the repair, click Send. The system fills in the address.




QuickPhone — Level 1 DFD: 6.0 Record Device Release (logical)

From UC-06 (FR08). Released only after payment is recorded. A device that could not be repaired owes nothing (no diagnostic fee).



QuickPhone — Level 1 DFD: 7.0 Process Purchase Orders (logical)

From UC-08 to UC-10 (FR09, FR10). A Manager approves every order and places it with the supplier outside the system; nothing is ordered automatically.



QuickPhone — Level 1 DFD: 9.0 Maintain Shop Records (logical)

From UC-07 and UC-11 (FR09, FR11, FR14). Every master-data store has a process that creates and changes it.

