

Plastering Management Application

Kyle Kirkby

October 3, 2014

Contents

1	Analysis	5
1.1	Introduction	5
1.1.1	Client Identification	5
1.1.2	Define the current system	5
1.1.3	Describe the problems	6
1.1.4	Section appendix	6
1.2	Investigation	8
1.2.1	The current system	8
1.2.2	The proposed system	24
1.3	Objectives	33
1.3.1	General Objectives	33
1.3.2	Specific Objectives	33
1.3.3	Core Objectives	34
1.3.4	Other Objectives	35
1.4	ER Diagrams and Descriptions	37
1.4.1	ER Diagram	37
1.4.2	Entity Descriptions	38
1.5	Object Analysis	38
1.5.1	Object Listing	38
1.5.2	Relationship diagrams	40
1.5.3	Class definitions	41
1.6	Other Abstractions and Graphs	45
1.7	Constraints	45
1.7.1	Hardware	45
1.7.2	Software	45
1.7.3	Time	45
1.7.4	User Knowledge	46
1.7.5	Access restrictions	46
1.8	Limitations	46
1.8.1	Areas which will not be included in computerisation	46
1.8.2	Areas considered for future computerisation	46
1.9	Solutions	47
1.9.1	Alternative solutions	47

1.9.2	Justification of chosen solution	49
2	Design	51
2.1	Overall System Design	52
2.1.1	Short description of the main parts of the system	52
2.1.2	System flowcharts showing an overview of the complete system	52
2.2	User Interface Designs	52
2.3	Program Structure	52
2.3.1	Top-down design structure charts	52
2.3.2	Algorithms in pseudo-code for each data transformation process	52
2.3.3	Object Diagrams	52
2.3.4	Class Definitions	52
2.4	Prototyping	52
2.5	Definition of Data Requirements	52
2.5.1	Identification of all data input items	52
2.5.2	Identification of all data output items	52
2.5.3	Explanation of how data output items are generated	52
2.5.4	Data Dictionary	52
2.5.5	Identification of appropriate storage media	52
2.6	Database Design	52
2.6.1	Normalisation	52
2.7	Security and Integrity of the System and Data	52
2.7.1	Security and Integrity of Data	52
2.7.2	System Security	52
2.8	Validation	52
2.9	Testing	52
2.9.1	Outline Plan	53
2.9.2	Detailed Plan	53
3	Testing	54
3.1	Test Plan	54
3.1.1	Original Outline Plan	55
3.1.2	Changes to Outline Plan	55
3.1.3	Original Detailed Plan	55
3.1.4	Changes to Detailed Plan	55
3.2	Test Data	56
3.2.1	Original Test Data	56
3.2.2	Changes to Test Data	56
3.3	Annotated Samples	56
3.3.1	Actual Results	56
3.3.2	Evidence	56
3.4	Evaluation	57
3.4.1	Approach to Testing	57
3.4.2	Problems Encountered	57

3.4.3	Strengths of Testing	57
3.4.4	Weaknesses of Testing	57
3.4.5	Reliability of Application	57
3.4.6	Robustness of Application	57
4	System Maintenance	58
4.1	Environment	59
4.1.1	Software	59
4.1.2	Usage Explanation	59
4.1.3	Features Used	59
4.2	System Overview	59
4.2.1	System Component	59
4.3	Code Structure	59
4.3.1	Particular Code Section	59
4.4	Variable Listing	59
4.5	System Evidence	59
4.5.1	User Interface	59
4.5.2	ER Diagram	59
4.5.3	Database Table Views	59
4.5.4	Database SQL	59
4.5.5	SQL Queries	59
4.6	Testing	59
4.6.1	Summary of Results	59
4.6.2	Known Issues	59
4.7	Code Explanations	59
4.7.1	Difficult Sections	59
4.7.2	Self-created Algorithms	59
4.8	Settings	59
4.9	Acknowledgements	59
4.10	Code Listing	59
4.10.1	Module 1	60
5	User Manual	61
5.1	Introduction	62
5.2	Installation	62
5.2.1	Prerequisite Installation	62
5.2.2	System Installation	62
5.2.3	Running the System	62
5.3	Tutorial	62
5.3.1	Introduction	62
5.3.2	Assumptions	62
5.3.3	Tutorial Questions	62
5.3.4	Saving	62
5.3.5	Limitations	62
5.4	Error Recovery	62
5.4.1	Error 1	62

5.4.2	Error 2	62
5.5	System Recovery	62
5.5.1	Backing-up Data	62
5.5.2	Restoring Data	62
6	Evaluation	63
6.1	Customer Requirements	64
6.1.1	Objective Evaluation	64
6.2	Effectiveness	64
6.2.1	Objective Evaluation	64
6.3	Learnability	64
6.4	Usability	64
6.5	Maintainability	64
6.6	Suggestions for Improvement	64
6.7	End User Evidence	64
6.7.1	Questionnaires	64
6.7.2	Graphs	64
6.7.3	Written Statements	64

Chapter 1

Analysis

1.1 Introduction

1.1.1 Client Identification

My client is 30 year old plasterer Dan Austin who runs his own plastering business known as DnA Plastering. Dan mainly uses his Toshiba laptop (Dual Core Intel with 6 GB Ram and running Windows 8 64 bit) to do basic tasks such as social networking and receiving/sending emails.

The current system is a paper based method where he records the prices and measurements of the plastering/screening/rendering jobs he undertakes. Dan works in an around the Suffolk/Essex area but occasionally takes on larger jobs further afield in places such as London or Epping. All the recording and calculations are done by Dan himself and does not require additional assistance in completing these tasks but is looking for a digital solution to the organisation problems faced with the current manual paper method.

Dan is looking to introduce a computer based system to replace the current one in order to make keeping track of jobs and pricing up new jobs easier and more efficient. Alongside this he would like to be able to keep information on all of his customers so he can simply search for clients' details and contact information all in one location. He will also be able to look up the jobs that he has done for them to make sending invoices easier and manageable.

1.1.2 Define the current system

The current system in place is a paper/notebook based system where details of clients are stored along with prices of jobs and cost of materials needed etc.

The details of the clients include their address, phone number, email, first name and surname. The information about the job usually includes the measurements of what needs to be plastered along with how long it will take to complete and if he is taking any labourers to too. Calculations are often also made to work out how much to charge depending on the price he is charging per square meter. This rate often changes depending on the current economy.

Once all the calculations are made, he works out how much the materials are going to cost and also how long it will take him to complete the job. Once all these calculations and prices have been evaluated he notifies the client of the price; when the price is confirmed the job is undertaken.

Finally, Dan writes out an invoice using a standard invoice book purchased from a stationary store to inform the client of the costs and charges of the job. The current folder containing the invoices for his clients is not organised and offers another problem whereby finding information for jobs is difficult due to the inability to search quickly for any given customer.

1.1.3 Describe the problems

Problems are plentiful in the current system. One of the main problems is keeping valuable client data from being lost or damaged as there is only one hard copy made in a notebook. Another problem with the notebook is not being able to easily search through the details of all the clients to find specific phone numbers or contact details. Using a computer based system would allow Dan to search through his clients efficiently and allow him to make backups of the valuable client and job data.

1.1.4 Section appendix

Interview with client

1. What system are you currently using?

I've got a Toshiba laptop with Windows 8, 6GB RAM and a dual core processor

2. Are there any issues with the system currently being employed?

Just organisational issues when it comes to finding clients information etc. Would be good to have a database which I could search for info with.

3. What data do you record at the moment?

The clients name, address, phone number, job information like measurements of the rooms etc.

4. **How often do you record data in the current system and how much data is stored each time?**

A few times a week and not much, a few lines in the workbook I use.

5. **What happens to older client information?**

Normally gets lost as and when I replace any of my books I write the details down in.

6. **Are there any storage issues when it comes to storing data manually?**

No, nothing really as I only need room for a book or two.

7. **Are changes often made to existing records of client data or job info?**

Occasionally when a client gives me a new contact number but nothing major.

8. **What is the typical routine when it comes to gaining a new client or job?**

Normally I get a call from a colleague who gives me the details about a job which I can take on or not depending on the time I have available. Sometimes clients will find my number through my website dnaplastering.co.uk or through word of mouth and will ask me to give them a quote on a job. Then I will go to the job and work out any costs involved and the time it would take to complete. Then I can arrange a time to do the job and after the job is completed I will usually write out an invoice for the client telling them about the cost for materials,labouring and profit etc.

9. **What does the client recieve in terms of invoices?**

I write out an invoice and give it to them in person after the job is completed.

10. **What format should the outputs be in within the new system?**

It would be good to be able to print the clients invoices out with minimal effort involved and possibly email the clients the invoice.

11. **Will you need to print reports and invoices or will it be sent entirely digitally to the client via email?**

I definitely need to print out some of the invoices as most of my work is done face to face so it is easier to give it to them in person. It might be

useful to email it to them as well.

12. **Is there a security issue in regards to the data you store in the current system?**

Not much of an issues as it is just client information but added security would be a bonus.


13. **Are there any foreseeable constraints required in the proposed system?**

None that I am aware of.

14. **Do you have a picture in mind of what the new system could look like?**

Not really bothered about the look of it too much anything that works as expected would be brilliant.

Signed:



1.2 Investigation

1.2.1 The current system

Data sources and destinations

There are four main data sources within the current system - The plasterer, the client, the builders merchant and visiting the clients job. A client contacts Dan through a phone call placed to Dan's mobile. Sometimes a client may leave Dan a voicemail message if he is too busy to answer the call at that given moment. If this is the case then Dan will get back to the client as soon as possible. Most of the data in the current system will come from the client or the clients job - this data will be the job measurements and the clients contact information. The main data destinations are the forms given to the client i.e the quote and the invoice document.

Source	Data	Example Data	Destination
Client	Client Contact information First-name - Lastname - phoneNumber - AddrLine1 - AddrLine2 - AddrLine3 - AddrLine4 - PostCode - Email - JobType	John - Smith - 07809726812 - 15 - Crowley Road - Haverhill - Suffolk - CB90DJ - john@gmail.com - Plastering Bedroom	Appointment and Client Book.
Plasterer	Appointment Time and Place	16:00 at 15 Crowley Road, Haverhill	Client Calendar or Diary
Visiting Job Site	Measurements of Job Size and Materials that need to be purchased	4m x 5m x 3m = $60m^2$ 10 Bags of Plaster	Work Notebook
Plasterers Calculations	Quote for the work that needs doing and agree a date it can be done.	£600, 1 Day, 15th October	Quote written out on paper or agree in person.
Plasterers calculations for the materials needed for the job	Quantity of materials needed for the job	25 bags of plaster and 12m of angle beading	Builders Merchant
Builders Merchant	A price for the materials needed	£350 for the bags of plaster and angle beading	Plasterer
Plasterer	Total cost of the job broken down - cost of parts,labouring and vat. Date of Job	£600 - £350 materials - £50 VAT - 14/08/14	Client.

Algorithms

There are three main algorithms utilised in the current system. The first is an algorithm to agree the price of the job with the client.

Algorithm 1 Agreeing a price Algorithm

```
1: SET agreed TO false
2: WHILE agreed = False DO
3:   IF "Client does not agree with quoted price" THEN
4:     Discuss price and change quote if new price is agreed upon.
5:   ELSE
6:     SET agreed TO true
7:   Arrange a date for the work to be started on.
8:   END IF
9: END WHILE
```

The second algorithm currently being used in the system is an algorithm used to see whether the work is completed.

Algorithm 2 Checking whether work is complete or not.

```
1: SET Complete TO False
2: WHILE Complete = False DO
3:   IF "Issue/problem not fixed." THEN
4:     Check the current problem and fix issue.
5:   ELSE
6:     SET Complete TO True
7:   END IF
8: END WHILE
9: Create and send invoice
```

The third algorithm being used in the system is an algorithm used to see whether the work has been paid for completely.

Algorithm 3 Checking whether work has been paid for yet.

```
1: SET Paid TO False
2: WHILE Paid = False DO
3:   IF "Money has not been given." THEN
4:     Send invoice and contact client
5:   ELSE
6:     SET Paid TO True
7:   END IF
8: END WHILE
9: Update job to paid for in book.
```

Data flow diagrams

Key




Figure 1.1: This is the Key to be used for the following data flow diagrams.




Figure 1.2: This diagram shows the flow of data when gaining a new clients information.




Figure 1.3: The signifies the flow of data when making an appoint for a job.




Figure 1.4: This diagram shows the flow of data when collecting the measurements for a job.




Figure 1.5: The flow of data when generating a quote for the client.




Figure 1.6: This shows the data flow when getting a quote for the materials.




Figure 1.7: The Data flow when an invoice is given to the client.

Input Forms, Output Forms, Report Formats

In the system currently being used there are two main forms - the work book input form and the invoice output form. Below are a few examples of these forms as they are currently being used in the system:

Day 1st 0715 11:45

4th Dell School £180 cash

5th Day off

6th Dell floor halstead £180 cash

7th kelvin £100 cash

8th Day off

11th Day off

12th Paul trinder

13th kelvin £100 cash

14th Dell floor ^{little} ~~brush~~ £180 cash

15th Justin Out side work ^{Rigwell} £200 cash

Monday Justin " " £200 cash

Tuesday 19th Justin out side work £100 cash

20th Day off

21st Sue osden Cash £200 " "

22nd Sue osden Cash £200 not Tax paid

25th Bank holiday Monday

26th Day off

27th

Wednesday 28th Dell halstead $\frac{1}{2}$ day £90

29th ~~Day off~~ Dell halstead £180

Figure 1.8: This is an example of an input form where data is put into the system and is a page from a work book used to store details about jobs.

Figure 1.9: This is an example of an invoice output form which is given to clients.




Figure 1.10: Here is an illustration of the type of information which goes on an invoice to the client.




Figure 1.11: This is also another example of an invoice which is given to a client.

1.2.2 The proposed system

Data sources and destinations

Source	Data	Data Type	Destination
Client	Firstname	String/text	Plasterer
Client	Surname	String/text	Plasterer
Client	AddrLine1	String/text	Plasterer
Client	AddrLine2	String/text	Plasterer
Client	AddrLine3	String/text	Plasterer
Client	AddrLine4	String/text	Plasterer
Client	PostCode	String/text	Plasterer
Client	Email	String/text	Plasterer
Client	MobNumber	String/text	Plasterer
Plasterer	ClientID	Integer	Client Records
Plasterer	Firstname	String/text	Client Records
Plasterer	Surname	String/text	Client Records
Plasterer	AddrLine1	String/text	Client Records
Plasterer	AddrLine2	String/text	Client Records
Plasterer	AddrLine3	String/text	Client Records
Plasterer	AddrLine4	String/text	Client Records
Plasterer	PostCode	String/text	Client Records
Plasterer	Email	String/text	Client Records
Plasterer	MobNumber	String/text	Client Records
Job site	JobID	Integer	Job Records
Job site	ClientID	Integer	Job Records
Job site	Job Desc	Text	Job Records
Job site	AddrLine1	String/text	Job Records
Job site	AddrLine2	String/text	Job Records
Job site	AddrLine3	String/text	Job Records
Job site	AddrLine4	String/text	Job Records
Job site	PostCode	String/text	Job Records
Job site	Job Total Price	Currency	Job Records
Job site	JobPaid	Boolean	Job Records
Job site	JobDaysWorked	Integer	Job Records
Job site	JobComplete	Boolean	Job Records
Plasterer	AppointmentID	Integer	Appointment Records
Plasterer	ClientID	String/text	Appointment Records
Plasterer	PlastererID	String/text	Appointment Records
Plasterer	AppointmentDate	String/text	Appointment Records

Plasterer	AppointmentTime	String/text	Appointment Records
Plasterer	AppointmentAddr1	String/text	Appointment Records
Plasterer	AppointmentAddr2	String/text	Appointment Records
Plasterer	AppointmentAddr3	String/text	Appointment Records
Plasterer	AppointmentAddr4	String/text	Appointment Records
Plasterer	InvoiceID	Integer	Invoice Records
Plasterer	ClientID	Integer	Invoice Records
Plasterer	JobID	Integer	Invoice Records
Plasterer	PlastererID	Integer	Invoice Records
Plasterer	InvoiceAmountPreTax	Currency	Invoice Records
Plasterer	InvoiceAmountAfterTax	Currency	Invoice Records
Plasterer	InvoiceReceived	Boolean	Invoice Records
Plasterer	InvoiceDate	DateTime	Invoice Records
Plasterer	InvoiceText	Text	Invoice Records
Plasterer	JobMaterialsID	Integer	JobMaterials Records
Plasterer	JobID	Integer	JobMaterials Records
Plasterer	MaterialsID	Integer	JobMaterials Records
Plasterer	JobMaterialsQuantity	Integer	JobMaterials Records


Data flow diagrams

Figure 1.12: This data flow diagram signifies the flow of data in the proposed system when gaining a new clients info.




Figure 1.13: This data flow diagram signifies the flow of data in the proposed system when collecting the measurements from the job site.




Figure 1.14: This diagram shows the flow of the data in the proposed system when a client is given an appointment time.




Figure 1.15: This diagram shows the flow of the data in the proposed system when the plasterer gets a quote for the materials from the builders merchants.




Figure 1.16: This diagram shows the flow of the data in the proposed system when a quote is generated for the client and given to them.

Data dictionary

Name	Data Type	Length	Validation	Example Data	Comment
ClientID	Integer	1 - 1000	Range	1, 200, 45	Primary Key
ClientTitle	String	2 - 10 Chars	Length	Mr,Mrs,Sir	
ClientFirstName	String	3 - 25 Chars	Length	Dan, kyle	
ClientSurname	String	3 - 35 Chars	Length	Austin, Kirkby	
ClientAddrLine1	String	5 - 30 Chars	Length	15 Crowley Road	Street name
ClientAddrLine2	String	5 - 30 Chars	Length	Haverhill	Town / City
ClientAddrLine3	String	5 - 30 Chars	Length	Suffolk	County
ClientAddrLine4	String	6 - 7 Chars	Length and Format Check	CB9 0DJ	Post Code
ClientEmail	String	7 - 50 Chars	Length and format check	dan@gmail.com	
ClientPhoneNumber	String	11 Chars	Length	07809 726 812	
PlastererID	Integer	1 - 50	Range	1, 2, 45	Primary Key
PlastererFirstName	String	3 - 30 Chars	Length	Dan, Kyle	
PlastererSurname	String	3 - 30 Chars	Length	Austin, Kirkby	
PlastererAddrLine1	String	5 - 30 Chars	Length	15 Long Road	Street Name
PlastererAddrLine2	String	5 - 30 Chars	Length	Cambridge	Town / City
PlastererAddrLine3	String	5 - 30 Chars	Length	Essex	County
PlastererAddrLine4	String	6 - 7 Chars	Length and Format Check	CB2 5HD	Post Code
PlastererEmail	String	7 - 50 Chars	Length and Format Check	dan@gmail.com	
PlastererPhoneNumber	String	11 Chars	Length	07710 300 678	
PlastererDailyRate	Currency	40 - 250	Range Check	70, 150, 200	
JobID	Integer	1 - 2000	Range Check	1, 3, 5	Primary Key
JobDescription	Text	10 - 1000 Chars	Range Check	5m x 4m x 3m Living Room to be plastered.	Description of job.
JobAddrLine1	String	5 - 30 Chars	Length	15 Long Road	Street Name

JobAddrLine2	String	5 - 30 Chars	Length	Cambridge	Town / City
JobAddrLine3	String	5 - 30 Chars	Length	Essex	County
JobAddrLine4	String	6 - 7 Chars	Length and Format Check	CB2 5HD	Post Code
JobDaysWorked	Integer	0 - 30	Range Check	1, 7 14	
JobComplete	Boolean		Presence Check	TRUE, FALSE	
JobPaid	Boolean		Presence Check	TRUE, FALSE	
MaterialID	Integer	1 - 50	Range Check	3, 4, 29	Primary Key
MaterialName	String	3 - 50	Length	Angle Bead- ing	
MaterialPrice	Currency	1 - 1000	Range Check	1, 3, 20	
JobMaterialsID	Integer	1 - 4000	Range Check	1, 300, 3563	Primary Key
JobMaterialsQuantity	Integer	1 - 500	Range Check	59, 245, 309	
InvoiceID	Integer	1 - 2000	Range Check	1, 2, 45	Primary Key
InvoiceAmountPreTax	Currency	50 - 7000	Range Check	140, 890, 1050	
InvoiceAmountAfterTax	Currency	50 - 7000	Range Check	100, 800, 900	
InvoiceReceived	Boolean		Presence Check	TRUE, FALSE	
InvoiceDate	DateTime		Presence Check	14/12/2013 14:20	
InvoiceText	Text	1 - 1000	Length	5 Days Worked	
AppointmentID	Integer	1 - 2500	Range Check	1, 2, 45	Primary Key
AppointmentDate	Date		Presence Check	07/12/2013	
AppointmentTime	Time		Presence Check	16:10	
AppointmentAddrLine1	String	5 - 30 Chars	Length	15 Long Road	Street Name
AppointmentAddrLine2	String	5 - 30 Chars	Length	Cambridge	Town / City
AppointmentAddrLine3	String	5 - 30 Chars	Length	Essex	County
AppointmentAddrLine4	String	6 - 7 Chars	Length and Format Check	CB2 5HD	Post Code

Volumetrics

In the current system Dan only has a few regular clients but it is possible to receive up to 4-5 additional clients each week (mentioned in interview question 8). Therefore using the guideline of around 4 clients a week and a trial period for the application of 3 months, there could be upto 48 new clients (4 clients a week x 4 weeks in month x 3 months = 48) added into the database. It would also be useful to add the existing clients from paper so another 50 clients could be added from what is already stored manually. So around 100 clients may be added to the new system. This size can be increased later if necessary.

In the job details table each client may have up to 10 or more jobs. Some clients will only have one and some will be recurring customers so will have a few more. In the calculations for minimum storage space I will say that each field takes up 1KB of hard disk space and all together there will be around 50 related fields for each client so:

- $100 \times 50\text{KB} = 5000 \text{ KB}$
- $5000 \text{ KB} / 1024 = 4.8\text{MB}$

s If the application took up around 5MB itself then the total space required for the proposed system would be around 9.8MB ($4.8\text{MB} + 5\text{MB} = 9.8\text{MB}$). Dans computer has plenty of hard disk space that could be used when installing the application. This proposed system would therefore have enough storage space for 100 clients to be added to the client database.

1.3 Objectives

1.3.1 General Objectives

- Clean and easy to use GUI.
- Use a database for storing data.
- Make it as easy as possible to find data.
- Add clients to database.
- Make it easy to calculate costs involved.
- Sort client data and add search functionality.
- Ability to add multiple jobs per client.

1.3.2 Specific Objectives

Client Data Store Objectives

- Ability for Dan to add a client to a database.
- Ability for Dan to be able to delete a client from the database if needed.
- Dan should be able to modify and append existing clients details with an easy to use system.
- A search feature that will let Dan filter the database of clients to find vital information.

Jobs Objectives

- Dan will be able to add a job which will relate to a client stored in the client entity.
- Multiple jobs can be added.
- The jobs will contain the job details (description) and address etc (see entity descriptions for more details).
- Each job will be able to generate invoices from the data.
- The invoice will be able to be sent to the client digitally (by email) or manually (print invoice).
- The user will have the ability to edit the details if needed for each job.

Management features objectives.

- Dan will be able to generate reports between x and y time periods in order to see the amount earned within that period.
- A feature will be implemented whereby the user can deduct tax and other specified costs from the amount earned within that period.
- Ability to print this pay report and generate a digital versatile copy of the report.

1.3.3 Core Objectives

- The application must store the client details in a database.
- The application must be able to add jobs for each client.
- The application must be able to modify client and job details.
- The application must be able to send an invoice to the client via email.
- The application must be able to generate a report for the amount earned within a time period.

1.3.4 Other Objectives

- The application may be able to print an invoice for the client.
- The application may be able to send quotes for jobs via email.
- The application may be able to print a report for the amount earned within a time period.

1.4 ER Diagrams and Descriptions

1.4.1 ER Diagram




Figure 1.17: This is the entity relationship diagram for the sqlite3 database.

1.4.2 Entity Descriptions

Below are the entity descriptions for the various entites in the proposed system. An underlined attribute denotes a primary key and a *emphasised* attribute signifies a foreign key in the entity.

Client(ClientID, ClientTitle, ClientFirstName, ClientSurname,
ClientAddrLine1, ClientAddrLine2, ClientAddrLine3, ClientAddrLine4,
ClientEmail, ClientPhoneNumber, *PlastererID*)

Plasterer(PlastererID, PlastererFirstName, PlastererSurname,
PlastererAddrLine1, PlastererAddrLine2, PlastererAddrLine3,
PlastererAddrLine4, PlastererEmail,PlastererPhoneNumber,
PlastererDailyRate)

Job(JobID, *ClientID*, *PlastererID*, JobDescription, JobAddrLine1,
JobAddrLine2, JobAddrLine3, JobAddrLine4, JobDaysWorked, JobComplete,
JobPaid, *InvoiceID*)

Material(MaterialID,MaterialName,MaterialPrice)

JobMaterials(JobMaterialsID, *JobID*, *MaterialsID*, JobMaterialsQuantity)

Invoice(InvoiceID, *ClientID*, *JobID*, *PlastererID* InvoiceAmountPreTax,
InvoiceAmountAfterTax, InvoiceReceived, InvoiceDate, InvoiceText)

Appointment(AppointmentID, *ClientID*, *PlastererID*, AppointmentDate,
AppointmentTime, AppointmentAddrLine1, AppointmentAddrLine2,
AppointmentAddrLine3, AppointmentAddrLine4)

1.5 Object Analysis

1.5.1 Object Listing

Objects

- Client
- Jobs
- Materials
- JobsMaterials
- Invoices
- Appointment
- Plasterer

1.5.2 Relationship diagrams




Figure 1.18: Relationship Diagram for the entities in the proposed system.

1.5.3 Class definitions

Key:	Label
	Attributes
	Behaviour

Client:
ClientID
ClientTitle
ClientFirstName
ClientSurname
ClientAddrLine1
ClientAddrLine2
ClientAddrLine3
ClientAddrLine4
ClientEmail
ClientPhoneNumber
AddClientTitle
AddClientFirstName
AddClientSurname
AddClientAddrLine1
AddClientAddrLine2
AddClientAddrLine3
AddClientAddrLine4
AddClientEmail
AddClientPhoneNumber
EditClientTitle
EditClientFirstName
EditClientSurname
EditClientAddrLine1
EditClientAddrLine2
EditClientAddrLine3
EditClientAddrLine4
EditClientEmail
EditClientPhoneNumber

Plasterer:
PlastererID
PlastererFirstName
PlastererSurname
PlastererAddrLine1
PlastererAddrLine2
PlastererAddrLine3
PlastererAddrLine4
PlastererEmail
PlastererPhoneNumber
PlastererDailyRate
AddPlastererFirstName
AddPlastererSurname
AddPlastererAddrLine1
AddPlastererAddrLine2
AddPlastererAddrLine3
AddPlastererAddrLine4
AddPlastererEmail
AddPlastererPhoneNumber
AddPlastererDailyRate
EditPlastererFirstName
EditPlastererSurname
EditPlastererAddrLine1
EditPlastererAddrLine2
EditPlastererAddrLine3
EditPlastererAddrLine4
EditPlastererEmail
EditPlastererPhoneNumber
EditPlastererDailyRate

Job:
JobID ClientID PlastererID JobDescription JobAddrLine1 JobAddrLine2 JobAddrLine3 JobAddrLine4 JobDaysWorked JobComplete JobPaid InvoiceID
AddJobDescription AddJobAddrLine1 AddJobAddrLine2 AddJobAddrLine3 AddJobAddrLine4 AddJobDaysWorked EditJobComplete EditJobPaid EditJobDescription EditJobAddrLine1 EditJobAddrLine2 EditJobAddrLine3 EditJobAddrLine4 EditJobDaysWorked
Material:
MaterialID MaterialName MaterialPrice
AddMaterialName AddMaterialPrice
EditMaterialName EditMaterialPrice
JobMaterials:
JobMaterialsID JobID MaterialsID JobMaterialsQuantity
AddJobMaterialsQuantity EditJobMaterialsQuantity

Invoice:
InvoiceID ClientID JobID PlastererID InvoiceAmountPreTax InvoiceAmountAfterTax InvoiceReceived InvoiceDate InvoiceText
AddInvoiceAmountPreTax AddInvoiceAmountAfterTax AddInvoiceReceived AddInvoiceDate AddInvoiceText EditInvoiceAmountPreTax EditInvoiceAmountAfterTax EditInvoiceReceived EditInvoiceDate EditInvoiceText
Appointment:
AppointmentID ClientID PlastererID AppointmentDate AppointmentTime AppointmentAddrLine1 AppointmentAddrLine2 AppointmentAddrLine3 AppointmentAddrLine4
AddAppointmentDate AddAppointmentTime AddAppointmentAddrLine1 AddAppointmentAddrLine2 AddAppointmentAddrLine3 AddAppointmentAddrLine4 EditAppointmentDate EditAppointmentTime EditAppointmentAddrLine1 EditAppointmentAddrLine2 EditAppointmentAddrLine3 EditAppointmentAddrLine4

1.6 Other Abstractions and Graphs

1.7 Constraints

1.7.1 Hardware

Dan currently has a Toshiba Laptop with the following hardware components:

- 6GB DDR3 RAM
- Intel 2.0ghz Dual Core Processor
- High Resolution 1920 x 1080 Display
- 1 TB HDD
- Intel Onboard Integrated Graphics

The specification of Dan's laptop is more than powerful enough and has enough RAM to run the proposed python application alongside multiple other programs that he regularly uses (such as a Web Browser and Media Player). The hard drive has enough storage space to install the application (which will only be around 10MB) so storage is not a problem. The only possible complication when it comes to hardware may be the screen resolution as the application will have to keep within the resolution and be optimized for this screen size and many more to keep the software versatile.

1.7.2 Software

Dan is running the Windows 8 operating system on his laptop. The proposed system will need to be able to run on this operating system which is not a problem as the proposed system can easily be packaged into a installation executable which he will be able to run and install the proposed system. This will remove the constraint of not having python natively installed on the system.

1.7.3 Time

Dan is very flexible when it comes to time as he is a freelancer and is in no rush for a replacement to his old system. He does not mind how long the new system takes to be implemented just that it works and functions as expected. Therefore the only time constraint for the proposed system would be the coursework deadline which is Friday 27th March 2015.

1.7.4 User Knowledge

Dan has no formal qualifications in IT and has never performed complex computerised tasks. Browsing the internet, watching films and playing music is the extent to which Dan currently uses his laptop. Therefore user knowledge is a possible constraint and the proposed system will need to be easy to navigate and use. This may be achieved by providing a simple non-complex GUI and detailed tutorials/documentation.

1.7.5 Access restrictions

The proposed system will not need additional security measures as no one else will be using the system and Dan is the only person that will use the application so different user accounts will not be needed.

1.8 Limitations

1.8.1 Areas which will not be included in computerisation

- The collection of the measurements from the job site will still have to be done manually so will not be included in computerisation.
- Getting the quote for the price of the materials will still be done manually as it will be difficult to computerise as you have to visit the Builders Merchants in person.

1.8.2 Areas considered for future computerisation

- The collection of the measurements, which is currently being done manually, may be implemented using a device which has kinect like sensors, you could scan a room and pick up the measurements of it using just a phone for example. This might be possible.

1.9 Solutions

1.9.1 Alternative solutions

Solution	Advantages	Disadvantages
Web Application	Can be accessed on multiple devices where there is an internet connection. Only a web browser required (already installed in most cases). Can be easier to make it look "pretty" as there are many graphical libraries for the web. Can use different server side languages to program the backend of the website. (Python (Django), Ruby (RoR), PHP (Zend, Magento)).	Need an internet connection to visit site if not hosted locally. A web host may need to be purchased. Need to optimize for different browsers (Internet Explorer, Chrome, Firefox, Safari). Problems may happen with host which means the client may not be able to access their application (site may be subject to DDOS (may need to purchase Cloudflare or similar service)).
Mobile Phone Application	Can mean the application is extremely mobile so the client will be able to take the app wherever he goes which may be useful to take to jobs. Client is familiar with using a mobile phone so may be easier for them to use.	Will take longer to complete. It is more complex and can be solved easier with a different method. Client may lose phone which would then result in loss of application.
Command-Line Application	No long waiting time for GUI to load. System resources are not used up as much.	Can be more complicated, so it seems to the client. Interface would be less effective and harder to use for the non-technical client. Errors may occur and look unfamiliar to client. If laptop is lost/stolen the program may be lost too so backups need to be kept online (not so much a problem with a web application).

Spreadsheet	Can be faster than a application with a GUI to load. Data can be exported easily. Queries are easy to run and execute fast.	No abstraction from the data. Client would have to familiarise themselves with the syntax for queries. You18(e)504or
-------------	---	--

sometimes Dan takes his laptop where there is no internet connection and hosting the site locally would not be feasible. Also there are hidden costs involved with purchasing a domain and hosting if a web application solution was chosen. A mobile application may have also been good but would have taken longer to accomplish due to the time it takes to develop complex mobile phone applications. A spreadsheet would also not have been the perfect solution as it requires knowledge of writing queries which, due to Dan's lack of technical computer knowledge, he does not have. Therefore I believe that a Python and PyQt4 application would be the best solution to go for.

Chapter 2

Design

2.1 Overall System Design

2.1.1 Short description of the main parts of the system

2.1.2 System flowcharts showing an overview of the complete system

2.2 User Interface Designs

2.3 Program Structure

2.3.1 Top-down design structure charts

2.3.2 Algorithms in pseudo-code for each data transformation process

2.3.3 Object Diagrams

2.3.4 Class Definitions

2.4 Prototyping

2.5 Definition of Data Requirements

2.5.1 Identification of all data input items

2.5.2 Identification of all data output items

2.5.3 Explanation of how data output items are generated

2.5.4 Data Dictionary

2.5.5 Identification of appropriate storage media

2.9.1 Outline Plan

Test Series	Purpose of Test Series	Testing Strategy	Strategy Rationale
Example	Example	Example	Example

2.9.2 Detailed Plan

Test Series	Purpose of Test	Test Description	Test Data	Test Data Type (Normal/Erroneous/Boundary)	Expected Result	Actual Result	Evidence
Example	Example	Example	Example	Example	Example	Example	Example

Chapter 3

Testing

3.1 Test Plan

3.1.1 Original Outline Plan

Test Series	Purpose of Test Series	Testing Strategy	Strategy Rationale
Example	Example	Example	Example

3.1.2 Changes to Outline Plan

Test Series	Purpose of Test Series	Testing Strategy	Strategy Rationale
Example	Example	Example	Example

3.1.3 Original Detailed Plan

Test Series	Purpose of Test	Test Description	Test Data	Test Data Type (Normal/Erroneous/Boundary)	Expected Result	Actual Result	Evidence
Example	Example	Example	Example	Example	Example	Example	Example

3.1.4 Changes to Detailed Plan

Test Series	Purpose of Test	Test Description	Test Data	Test Data Type (Normal/ Erroneous/ Boundary)	Expected Result	Actual Result	Evidence
Example	Example	Example	Example	Example	Example	Example	Example

3.2 Test Data

3.2.1 Original Test Data

3.2.2 Changes to Test Data

3.3 Annotated Samples

3.3.1 Actual Results

3.3.2 Evidence

3.4 Evaluation

3.4.1 Approach to Testing

3.4.2 Problems Encountered

3.4.3 Strengths of Testing

3.4.4 Weaknesses of Testing

3.4.5 Reliability of Application

3.4.6 Robustness of Application

Chapter 4

System Maintenance

4.1 Environment

4.1.1 Software

4.1.2 Usage Explanation

4.1.3 Features Used

4.2 System Overview

4.2.1 System Component

4.3 Code Structure

4.3.1 Particular Code Section

4.4 Variable Listing

4.5 System Evidence

4.5.1 User Interface

4.5.2 ER Diagram

4.5.3 Database Table Views

4.5.4 Database SQL

59

4.5.5 SQL Queries

4.6 Testing

4.6.1 Screenshots of Results

4.10.1 Module 1

Chapter 5

User Manual

5.1 Introduction

5.2 Installation

5.2.1 Prerequisite Installation

Installing Python

Installing PyQt

Etc.

5.2.2 System Installation

5.2.3 Running the System

5.3 Tutorial

5.3.1 Introduction

5.3.2 Assumptions

5.3.3 Tutorial Questions

Question 1

Question 2

5.3.4 Saving

5.3.5 Limitations

5.4 Error Recovery

5.4.1 Error 1

Chapter 6

Evaluation

6.1 Customer Requirements

6.1.1 Objective Evaluation

6.2 Effectiveness

6.2.1 Objective Evaluation

6.3 Learnability

6.4 Usability

6.5 Maintainability

6.6 Suggestions for Improvement

6.7 End User Evidence

6.7.1 Questionnaires

6.7.2 Graphs

6.7.3 Written Statements