

Plastering Management Application

Kyle Kirkby

November 9, 2014

Contents

1	Analysis	5
1.1	Introduction	5
1.1.1	Client Identification	5
1.1.2	Define the current system	5
1.1.3	Describe the problems	6
1.1.4	Section appendix	6
1.2	Investigation	9
1.2.1	The current system	9
1.2.2	The proposed system	24
1.3	Objectives	34
1.3.1	General Objectives	34
1.3.2	Specific Objectives	34
1.3.3	Core Objectives	35
1.3.4	Other Objectives	35
1.4	ER Diagrams and Descriptions	37
1.4.1	ER Diagram	37
1.4.2	Entity Descriptions	38
1.5	Object Analysis	39
1.5.1	Object Listing	39
1.5.2	Relationship diagrams	40
1.5.3	Class definitions	41
1.6	Other Abstractions and Graphs	44
1.7	Constraints	44
1.7.1	Hardware	44
1.7.2	Software	44
1.7.3	Time	44
1.7.4	User Knowledge	45
1.7.5	Access restrictions	45
1.8	Limitations	45
1.8.1	Areas which will not be included in computerisation	45
1.8.2	Areas considered for future computerisation	45
1.9	Solutions	46
1.9.1	Alternative solutions	46

1.9.2	Justification of chosen solution	48
2	Design	49
2.1	Overall System Design	50
2.1.1	Short description of the main parts of the system	50
2.1.2	System flowcharts showing an overview of the complete system	50
2.2	User Interface Designs	50
2.3	Program Structure	50
2.3.1	Top-down design structure charts	50
2.3.2	Algorithms in pseudo-code for each data transformation process	50
2.3.3	Object Diagrams	50
2.3.4	Class Definitions	50
2.4	Prototyping	50
2.5	Definition of Data Requirements	50
2.5.1	Identification of all data input items	50
2.5.2	Identification of all data output items	50
2.5.3	Explanation of how data output items are generated	50
2.5.4	Data Dictionary	50
2.5.5	Identification of appropriate storage media	50
2.6	Database Design	50
2.6.1	Normalisation	50
2.7	Security and Integrity of the System and Data	56
2.7.1	Security and Integrity of Data	56
2.7.2	System Security	56
2.8	Validation	56
2.9	Testing	56
2.9.1	Outline Plan	57
2.9.2	Detailed Plan	57
3	Testing	58
3.1	Test Plan	58
3.1.1	Original Outline Plan	59
3.1.2	Changes to Outline Plan	59
3.1.3	Original Detailed Plan	59
3.1.4	Changes to Detailed Plan	59
3.2	Test Data	60
3.2.1	Original Test Data	60
3.2.2	Changes to Test Data	60
3.3	Annotated Samples	60
3.3.1	Actual Results	60
3.3.2	Evidence	60
3.4	Evaluation	61
3.4.1	Approach to Testing	61
3.4.2	Problems Encountered	61

3.4.3	Strengths of Testing	61
3.4.4	Weaknesses of Testing	61
3.4.5	Reliability of Application	61
3.4.6	Robustness of Application	61
4	System Maintenance	62
4.1	Environment	63
4.1.1	Software	63
4.1.2	Usage Explanation	63
4.1.3	Features Used	63
4.2	System Overview	63
4.2.1	System Component	63
4.3	Code Structure	63
4.3.1	Particular Code Section	63
4.4	Variable Listing	63
4.5	System Evidence	63
4.5.1	User Interface	63
4.5.2	ER Diagram	63
4.5.3	Database Table Views	63
4.5.4	Database SQL	63
4.5.5	SQL Queries	63
4.6	Testing	63
4.6.1	Summary of Results	63
4.6.2	Known Issues	63
4.7	Code Explanations	63
4.7.1	Difficult Sections	63
4.7.2	Self-created Algorithms	63
4.8	Settings	63
4.9	Acknowledgements	63
4.10	Code Listing	63
4.10.1	Module 1	64
5	User Manual	65
5.1	Introduction	66
5.2	Installation	66
5.2.1	Prerequisite Installation	66
5.2.2	System Installation	66
5.2.3	Running the System	66
5.3	Tutorial	66
5.3.1	Introduction	66
5.3.2	Assumptions	66
5.3.3	Tutorial Questions	66
5.3.4	Saving	66
5.3.5	Limitations	66
5.4	Error Recovery	66
5.4.1	Error 1	66

5.4.2	Error 2	66
5.5	System Recovery	66
5.5.1	Backing-up Data	66
5.5.2	Restoring Data	66
6	Evaluation	67
6.1	Customer Requirements	68
6.1.1	Objective Evaluation	68
6.2	Effectiveness	68
6.2.1	Objective Evaluation	68
6.3	Learnability	68
6.4	Usability	68
6.5	Maintainability	68
6.6	Suggestions for Improvement	68
6.7	End User Evidence	68
6.7.1	Questionnaires	68
6.7.2	Graphs	68
6.7.3	Written Statements	68

Chapter 1

Analysis

1.1 Introduction

1.1.1 Client Identification

My client is 30 year old plasterer Dan Austin who runs his own plastering business known as DnA Plastering. Dan mainly uses his Toshiba laptop (Dual Core Intel with 6 GB Ram and running Windows 8 64 bit) to do basic tasks such as social networking and receiving/sending emails.

The current system is a paper based method where he records the prices and measurements of the plastering/screening/rendering jobs he undertakes. Dan works in an around the Suffolk/Essex area but occasionally takes on larger jobs further afield in places such as London or Epping. All the recording and calculations are done by Dan himself and does not require additional assistance in completing these tasks but is looking for a digital solution to the organisation problems faced with the current manual paper method.

Dan is looking to introduce a computer based system to replace the current one in order to make keeping track of jobs and pricing up new jobs easier and more efficient. Alongside this he would like to be able to keep information on all of his customers so he can simply search for clients' details and contact information all in one location. He will also be able to look up the jobs that he has done for them to make sending invoices easier and manageable.

1.1.2 Define the current system

The current system in place is a paper/notebook based system where details of clients are stored along with prices of jobs and cost of materials needed etc.

The details of the clients include their address, phone number, email, first name and surname. The information about the job usually includes the measurements of what needs to be plastered along with how long it will take to complete and if he is taking any labourers to too. Calculations are often also made to work out how much to charge depending on the price he is charging per square meter. This rate often changes depending on the current economy.

Once all the calculations are made, he works out how much the materials are going to cost and also how long it will take him to complete the job. Once all these calculations and prices have been evaluated he notifies the client of the price; when the price is confirmed the job is undertaken.

Finally, Dan writes out an invoice using a standard invoice book purchased from a stationary store to inform the client of the costs and charges of the job. The current folder containing the invoices for his clients is not organised and offers another problem whereby finding information for jobs is difficult due to the inability to search quickly for any given customer.

1.1.3 Describe the problems

One of the main problems in the current system is the ability to keep valuable client data from being lost or damaged as there is only one hard copy made in a notebook. The notebook is also partial to an occasional coffee stain and would not be the case if they data is stored digitally.

Another problem with the current system is the inability to easily search through the details of all the clients to find specific phone numbers or contact details. Dan often has to find client data to get in contact with them and without an easy way to search through it all he has to go through each contact to find details needed.

Being able to generate an invoice is currently a lot harder than it needs to be as all the client information and job information can be in different locations(i.e multiple workbooks or paper etc) and hard to locate.

With the proposed computer based system, it would allow Dan to search through his clients efficiently and allow him to make backups of the valuable client and job data which is otherwise hard to achieve, due to it all being stored manually in the notebook, in the current system.

1.1.4 Section appendix

Interview with client

- 1. What system are you currently using?**

I've got a Toshiba laptop with Windows 8, 6GB RAM and a dual core processor

2. Are there any issues with the system currently being employed?

Just organisational issues when it comes to finding clients information etc. Would be good to have a database which I could search for info with.

3. What data do you record at the moment?

The clients name, address, phone number, job information like measurements of the rooms etc.

4. How often do you record data in the current system and how much data is stored each time?

A few times a week and not much, a few lines in the workbook I use.

5. What happens to older client information?

Normally gets lost as and when I replace any of my books I write the details down in.

6. Are there any storage issues when it comes to storing data manually?

No, nothing really as I only need room for a book or two.

7. Are changes often made to existing records of client data or job info?

Occasionally when a client gives me a new contact number but nothing major.

8. What is the typical routine when it comes to gaining a new client or job?

Normally I get a call from a colleague who gives me the details about a job which I can take on or not depending on the time I have available. Sometimes clients will find my number through my website dnaplastering.co.uk or through word of mouth and will ask me to give them a quote on a job. Then I will go to the job and work out any costs involved and the time it would take to complete. Then I can arrange a time to do the job and after the job is completed I will usually write out an invoice for the client telling them about the cost for materials,labouring and profit etc.

9. What does the client recieve in terms of invoices?

I write out an invoice and give it to them in person after the job is completed.

10. What format should the outputs be in within the new system?

It would be good to be able to print the clients invoices out with minimal effort involved and possibly email the clients the invoice.

11. Will you need to print reports and invoices or will it be sent entirely digitally to the client via email?

I definitely need to print out some of the invoices as most of my work is done face to face so it is easier to give it to them in person. It might be useful to email it to them as well.

12. Is there a security issue in regards to the data you store in the current system?

Not much of an issues as it is just client information but added security would be a bonus.

13. Are there any foreseeable constraints required in the proposed system?

None that I am aware of.

14. Do you have a picture in mind of what the new system could look like?

Not really bothered about the look of it too much anything that works as expected would be brilliant.

Signed:

A handwritten signature in dark ink, appearing to read 'K. Kirkby', is written on a piece of lined paper.

1.2 Investigation

1.2.1 The current system

Data sources and destinations

There are four main data sources within the current system - The plasterer, the client, the builders merchant and visiting the clients job. A client contacts Dan through a phone call placed to Dan's mobile. Sometimes a client may leave Dan a voicemail message if he is too busy to answer the call at that given moment. If this is the case then Dan will get back to the client as soon as possible. Most of the data in the current system will come from the client or the clients job - this data will be the job measurements and the clients contact information. The main data destinations are the forms given to the client i.e the quote and the invoice document.

Source	Data	Example Data	Destination
Client	Client Contact information First-name - Lastname - phoneNumber - AddrLine1 - AddrLine2 - AddrLine3 - AddrLine4 - PostCode - Email - JobType	John - Smith - 07809726812 - 15 - Crowley Road - Haverhill - Suffolk - CB90DJ - john@gmail.com - Plastering Bedroom	Appointment and Client Book.
Plasterer	Appointment Time and Place	16:00 at 15 Crowley Road, Haverhill	Client Calendar or Diary
Plasterer	Measurements of Job site and Materials that need to be purchased	4m x 5m x 3m = $60m^2$ 10 Bags of Plaster	Work Notebook
Plasterer	Quote for the work that needs doing and agree a date it can be done.	£600, 1 Day, 15th October	Quote written out on paper or agree in person.
Plasterer	Quantity of materials needed for the job	25 bags of plaster and 12m of angle beading	Builders Merchant
Builders Merchant	A price for the materials needed	£350 for the bags of plaster and angle beading	Plasterer
Plasterer	Invoice - Total cost of the job broken down - cost of parts,labouring and vat. Date of Job	£600 - £350 materials - £50 VAT - 14/08/14	Client.

Algorithms

There are four main algorithms utilised in the current system. The first is an algorithm to agree the price of the job with the client.

Algorithm 1 Agreeing a price Algorithm

```
1: agreed  $\leftarrow$  false
2: WHILE agreed = False
3:   IF "Client does not agree with quoted price" THEN
4:     Discuss price and change quote if new price is agreed upon.
5:   ELSE
6:     agreed  $\leftarrow$  true
7:   Arrange a date for the work to be started on.
8:   ENDIF
9: ENDWHILE
```

The second algorithm currently being used in the system is an algorithm used to see whether the work is completed.

Algorithm 2 Checking whether work is complete or not.

```
1: Complete  $\leftarrow$  False
2: WHILE Complete = False
3:   IF "Issue/problem not fixed." THEN
4:     Check the current problem and fix issue.
5:   ELSE
6:     Complete  $\leftarrow$  True
7:   ENDIF
8: ENDWHILE
9: Create and send invoice
```

The third algorithm being used in the system is an algorithm used to see whether the work has been paid for completely.

Algorithm 3 Checking whether work has been paid for yet.

```
1: Paid  $\leftarrow$  False
2: WHILE Paid = False
3:   IF "Money has not been given." THEN
4:     Send invoice and contact client
5:   ELSE
6:     Paid  $\leftarrow$  True
7:   ENDIF
8: ENDWHILE
9: Update job to paid for in book.
```

The fourth algorithm being used in the system is an algorithm which helps to generate a quote for the client.

Algorithm 4 Generating a quote for the client.

```
1: NumberOfWorkingDaysNeeded  $\leftarrow$  USERINPUT  
2: CostOfMaterials  $\leftarrow$  USERINPUT  
3: DailyRateOfCharge  $\leftarrow$  USERINPUT  
4: QuoteCost  $\leftarrow$  NumberOfWorkingDaysNeeded * DailyRateOfCharge  
5: QuoteCost  $\leftarrow$  QuoteCost + CostOfMaterials
```


Data flow diagrams**Key**

Figure 1.1: This is the Key to be used for the following data flow diagrams.




Figure 1.2: This diagram shows the flow of data when gaining a new clients information.




Figure 1.3: The signifies the flow of data when making an appoint for a job.




Figure 1.4: This diagram shows the flow of data when collecting the measurements for a job.




Figure 1.5: The flow of data when generating a quote for the client.




Figure 1.6: This shows the data flow when getting a quote for the materials.




Figure 1.7: The Data flow when an invoice is given to the client.

Input Forms, Output Forms, Report Formats

In the system currently being used there are two main forms - the work book input form and the invoice output form. Below are a few examples of these forms as they are currently being used in the system:

Handwritten ledger entries from a work book:

Date	Description	Amount	Notes
4th	Dell School	£180	cash
5th	Day off		
6th	Dell floor halstead	£180	cash
7th	Kelvin	£100	cash
8th	Day off		
11th	Day off		
12th	Paul trinder		
13th	Kelvin	£100	cash
14th	Dell floor little	£180	cash
15th	Justin out side work	£200	cash
Monday	Justin	£200	cash
Tuesday 19th	Justin out side work	£100	cash
20th	Day off		
21st	Sue osden	£200	cash
22nd	Sue osden	£200	not Tax paid
25th	Bank holiday Monday		
26th	Day off		
27th	Dell halstead	£90	1/2 day
28th	Dell halstead	£180	

Figure 1.8: This is an example of an input form where data is put into the system and is a page from a work book used to store details about jobs.

16/1/14 011
Doniel Austin
Paul TRINDOR Building
Services
Work Carried
out for plaster-
ing
At Hurdon
Price work as
agreed and
Extras (Price) - £ 750
NI JT999754c(excl) £ 270
UTR 1111745968
My address
IS THE GLEBE
HAVERHILL
CB9 0DL
£1,020

Figure 1.10: Here is an illustration of the type of information which goes on an invoice to the client.




Figure 1.11: This is also another example of an invoice which is given to a client.

1.2.2 The proposed system

Data sources and destinations

Source	Data	Data Type	Destination
Client	Firstname	String/text	Plasterer
Client	Surname	String/text	Plasterer
Client	AddrLine1	String/text	Plasterer
Client	AddrLine2	String/text	Plasterer
Client	AddrLine3	String/text	Plasterer
Client	AddrLine4	String/text	Plasterer
Client	PostCode	String/text	Plasterer
Client	Email	String/text	Plasterer
Client	MobNumber	String/text	Plasterer
Plasterer	ClientID	Integer	Client Records
Plasterer	Firstname	String/text	Client Records
Plasterer	Surname	String/text	Client Records
Plasterer	AddrLine1	String/text	Client Records
Plasterer	AddrLine2	String/text	Client Records
Plasterer	AddrLine3	String/text	Client Records
Plasterer	AddrLine4	String/text	Client Records
Plasterer	PostCode	String/text	Client Records
Plasterer	Email	String/text	Client Records
Plasterer	MobNumber	String/text	Client Records
Job site	JobID	Integer	Job Records
Job site	ClientID	Integer	Job Records
Job site	Job Desc	Text	Job Records
Job site	AddrLine1	String/text	Job Records
Job site	AddrLine2	String/text	Job Records
Job site	AddrLine3	String/text	Job Records
Job site	AddrLine4	String/text	Job Records
Job site	PostCode	String/text	Job Records
Job site	Job Total Price	Currency	Job Records
Job site	JobPaid	Boolean	Job Records
Job site	JobDaysWorked	Integer	Job Records
Job site	JobComplete	Boolean	Job Records
Plasterer	AppointmentID	Integer	Appointment Records
Plasterer	ClientID	String/text	Appointment Records
Plasterer	PlastererID	String/text	Appointment Records
Plasterer	AppointmentDate	String/text	Appointment Records

Plasterer	AppointmentTime	String/text	Appointment Records
Plasterer	AppointmentAddr1	String/text	Appointment Records
Plasterer	AppointmentAddr2	String/text	Appointment Records
Plasterer	AppointmentAddr3	String/text	Appointment Records
Plasterer	AppointmentAddr4	String/text	Appointment Records
Plasterer	InvoiceID	Integer	Invoice Records
Plasterer	ClientID	Integer	Invoice Records
Plasterer	JobID	Integer	Invoice Records
Plasterer	PlastererID	Integer	Invoice Records
Plasterer	InvoiceAmountPreTax	Currency	Invoice Records
Plasterer	InvoiceAmountAfterTax	Currency	Invoice Records
Plasterer	InvoiceReceived	Boolean	Invoice Records
Plasterer	InvoiceDate	DateTime	Invoice Records
Plasterer	InvoiceText	Text	Invoice Records
Plasterer	JobMaterialsID	Integer	JobMaterials Records
Plasterer	JobID	Integer	JobMaterials Records
Plasterer	MaterialsID	Integer	JobMaterials Records
Plasterer	JobMaterialsQuantity	Integer	JobMaterials Records


Data flow diagrams

Figure 1.12: This data flow diagram signifies the flow of data in the proposed system when gaining a new clients info.




Figure 1.13: This data flow diagram signifies the flow of data in the proposed system when collecting the measurements from the job site.




Figure 1.14: This diagram shows the flow of the data in the proposed system when a client is given an appointment time.




Figure 1.15: This diagram shows the flow of the data in the proposed system when the plasterer gets a quote for the materials from the builders merchants.




Figure 1.16: This diagram shows the flow of the data in the proposed system when a quote is generated for the client and given to them.

Data dictionary

Name	Data Type	Length	Validation	Example Data	Comment
ClientID	Integer	1 - 1000	Range	1, 200, 45	Primary Key
ClientTitle	String	2 - 10 Chars	Length	Mr,Mrs,Sir	
ClientFirstName	String	3 - 25 Chars	Length	Dan, kyle	
ClientSurname	String	3 - 35 Chars	Length	Austin, Kirkby	
ClientAddrLine1	String	5 - 30 Chars	Length	15 Crowley Road	Street name
ClientAddrLine2	String	5 - 30 Chars	Length	Haverhill	Town / City
ClientAddrLine3	String	5 - 30 Chars	Length	Suffolk	County
ClientAddrLine4	String	6 - 7 Chars	Length and Format Check	CB9 0DJ	Post Code
ClientEmail	String	7 - 50 Chars	Length and format check	dan@gmail.com	
ClientPhoneNumber	String	11 Chars	Length	07809 726 812	
PlastererID	Integer	1 - 50	Range	1, 2, 45	Primary Key
PlastererFirstName	String	3 - 30 Chars	Length	Dan, Kyle	
PlastererSurname	String	3 - 30 Chars	Length	Austin, Kirkby	
PlastererAddrLine1	String	5 - 30 Chars	Length	15 Long Road	Street Name
PlastererAddrLine2	String	5 - 30 Chars	Length	Cambridge	Town / City
PlastererAddrLine3	String	5 - 30 Chars	Length	Essex	County
PlastererAddrLine4	String	6 - 7 Chars	Length and Format Check	CB2 5HD	Post Code
PlastererEmail	String	7 - 50 Chars	Length and Format Check	dan@gmail.com	
PlastererPhoneNumber	String	11 Chars	Length	07710 300 678	
PlastererDailyRate	Currency	40 - 250	Range Check	70, 150, 200	
JobID	Integer	1 - 2000	Range Check	1, 3, 5	Primary Key
JobDescription	Text	10 - 1000 Chars	Range Check	5m x 4m x 3m Living Room to be plastered.	Description of job.
JobAddrLine1	String	5 - 30 Chars	Length	15 Long Road	Street Name

JobAddrLine2	String	5 - 30 Chars	Length	Cambridge	Town / City
JobAddrLine3	String	5 - 30 Chars	Length	Essex	County
JobAddrLine4	String	6 - 7 Chars	Length and Format Check	CB2 5HD	Post Code
JobDaysWorked	Integer	0 - 30	Range Check	1, 7 14	
JobComplete	Boolean		Presence Check	TRUE, FALSE	
JobPaid	Boolean		Presence Check	TRUE, FALSE	
MaterialID	Integer	1 - 50	Range Check	3, 4, 29	Primary Key
MaterialName	String	3 - 50	Length	Angle Bead- ing	
MaterialPrice	Currency	1 - 1000	Range Check	1, 3, 20	
JobMaterialsID	Integer	1 - 4000	Range Check	1, 300, 3563	Primary Key
JobMaterialsQuantity	Integer	1 - 500	Range Check	59, 245, 309	
InvoiceID	Integer	1 - 2000	Range Check	1, 2, 45	Primary Key
InvoiceAmountPreTax	Currency	50 - 7000	Range Check	140, 890, 1050	
InvoiceAmountAfterTax	Currency	50 - 7000	Range Check	100, 800, 900	
InvoiceReceived	Boolean		Presence Check	TRUE, FALSE	
InvoiceDate	DateTime		Presence Check	14/12/2013 14:20	
InvoiceText	Text	1 - 1000	Length	5 Days Worked	
AppointmentID	Integer	1 - 2500	Range Check	1, 2, 45	Primary Key
AppointmentDate	Date		Presence Check	07/12/2013	
AppointmentTime	Time		Presence Check	16:10	
AppointmentAddrLine1	String	5 - 30 Chars	Length	15 Long Road	Street Name
AppointmentAddrLine2	String	5 - 30 Chars	Length	Cambridge	Town / City
AppointmentAddrLine3	String	5 - 30 Chars	Length	Essex	County
AppointmentAddrLine4	String	6 - 7 Chars	Length and Format Check	CB2 5HD	Post Code

Volumetrics

In the current system Dan only has a few regular clients but it is possible to receive up to 4-5 additional clients each week (mentioned in interview question 4 6). Therefore using the guideline of around 4 clients a week and a trial period for the application of 3 months, there could be upto 48 new clients (4 clients a week x 4 weeks in month x 3 months = 48) added into the database. It would also be useful to add the existing clients from paper so another 50 clients could be added from what is already stored manually. So around 100 clients may be added to the new system. This size can be increased later if necessary.

Below I have established the various attribute types and the relative storage space required to store them.

Attribute sizes for proposed SQL database in project:

- Boolean - 1 Byte (Stored as 0 or 1 in sqlite3)
- Integer - 1 - 8 Bytes depending on size of number (we will use the middle value for calculations - 4)
- Real - 8 Byte Floating point number
- Text - Depends on size of text (1 Byte per character)

In the interview (6) Dan said that only a few lines of text are put in the workbook each time data is entered. A few lines may be roughly 50 Characters on average, give or take a few characters. So in the calculations below Text attributes will be 50 Bytes, Boolean attributes will be 1 Byte, Integer attributes will be 4 Bytes(average) and Real/Currency attributes will be 8 Bytes.

- Integers = 9 Attributes
- Booleans = 3 Attributes
- Real/Currency = 4 Attributes
- String/Text = 31 Attributes (Including date and time)

From the above values I can calculate an average attribute/field size to use in calculations:

- Total number of attributes = 47
- Calculating the average attribute size:
 - $= (9 * 4 \text{ B}) + (3 * 1 \text{ B}) + (4 * 8 \text{ B}) + (31 * 30 \text{ B})$
 - $= 1001$
 - $= 1001 / 47$
 - $= 21.3 \text{ Bytes}$

In the job details table each client may have up to 10 or more jobs. Some clients will only have one and some will be recurring customers so will have a few more. All together there are 37 attributes (minimum) per client that will need to be added and some clients have more than one job with Dan. So for each client lets say there are 100 fields at 21.3 Bytes each added to the database. Below are the calculations to find out the required storage space for the proposed system.

- $100 \times 21.3 \text{ B} = 2130 \text{ Bytes}$
- $2130 / 1024 = 2 \text{ KB}$
- $2\text{KB} \times 100 = 200 \text{ KB}$
- $200 \text{ KB} + 200\text{KB}(\text{Additional fields and database structure}) = 400\text{KB}$

If the application took up around 10MB itself then the total space required for the proposed system would be around $(10\text{MB} + 0.4\text{MB} = 10.4\text{MB})$. Dans computer has plenty of hard disk space that could be used when installing the application. This proposed system would therefore have enough storage space for 100 clients to be added to the client database.

1.3 Objectives

1.3.1 General Objectives

- Clean and easy to use GUI.
- Use a database for storing data.
- Make it as easy as possible to find data.
- Add clients to database.
- Make it easy to calculate costs involved.
- Sort client data and add search functionality.
- Ability to add multiple jobs per client.

1.3.2 Specific Objectives

Client Data Store Objectives

- Ability for Dan to add a client to a database.
- Ability for Dan to be able to delete a client from the database if needed.
- Dan should be able to modify and append existing clients details with and easy to use system.

- A search feature that will let Dan filter the database of clients to find vital information.

Jobs Objectives

- Dan will be able to add a job which will relate to a client stored in the client entity.
- Multiple jobs can be added.
- The jobs will contain the job details (description) and address etc (see entity descriptions for more details).
- Each job will be able to generate invoices from the data.
- The invoice will be able to be sent to the client digitally (by email) or manually (print invoice).
- The user will have the ability to edit the details if needed for each job.

Management features objectives.

- Dan will be able to generate reports between x and y time periods in order to see the amount earned within that period.
- A feature will be implemented whereby the user can deduct tax and other specified costs from the amount earned within that period.
- Ability to print this pay report and generate a digital versatile copy of the report.

1.3.3 Core Objectives

- The application must store the client details in a database.
- The application must be able to add jobs for each client.
- The application must be able to modify client and job details.
- The application must be able to send an invoice to the client via email.
- The application must be able to generate a report for the amount earned within a time period.

1.3.4 Other Objectives

- The application may be able to print an invoice for the client.
- The application may be able to send quotes for jobs via email.
- The application may be able to print a report for the amount earned within a time period.

1.4 ER Diagrams and Descriptions

1.4.1 ER Diagram




Figure 1.17: This is the entity relationship diagram for the sqlite3 database.

1.4.2 Entity Descriptions

Below are the entity descriptions for the various entites in the proposed system. An underlined attribute denotes a primary key and a *emphasised* attribute signifies a foreign key in the entity.

Client(ClientID, ClientTitle, ClientFirstName, ClientSurname, ClientAddrLine1, ClientAddrLine2, ClientAddrLine3, ClientAddrLine4, ClientEmail, ClientPhoneNumber, *PlastererID*)

Plasterer(PlastererID, PlastererFirstName, PlastererSurname, PlastererAddrLine1, PlastererAddrLine2, PlastererAddrLine3, PlastererAddrLine4, PlastererEmail,PlastererPhoneNumber, PlastererDailyRate)

Job(JobID, *ClientID*, *PlastererID*, JobDescription, JobAddrLine1, JobAddrLine2, JobAddrLine3, JobAddrLine4, JobDaysWorked, JobComplete, JobPaid, *InvoiceID*)

Material(MaterialID,MaterialName,MaterialPrice)

JobMaterials(JobMaterialsID, *JobID*, *MaterialsID*, JobMaterialsQuantity)

Invoice(InvoiceID, *ClientID*, *JobID*, *PlastererID* InvoiceAmountPreTax, InvoiceAmountAfterTax, InvoiceReceived, InvoiceDate, InvoiceText)

Appointment(AppointmentID, *ClientID*, *PlastererID*, AppointmentDate, AppointmentTime, AppointmentAddrLine1, AppointmentAddrLine2, AppointmentAddrLine3, AppointmentAddrLine4)

1.5 Object Analysis

1.5.1 Object Listing

Objects

- Client
- Jobs
- Materials
- Invoices
- Appointments
- Plasterer

1.5.2 Relationship diagrams




Figure 1.18: Relationship Diagram for the entities in the proposed system.

1.5.3 Class definitions

Key:	Label
	Attributes
	Behaviour

Member
MemberID
MemberTitle
MemberFirstName
MemberSurname
MemberAddrLine1
MemberAddrLine2
MemberAddrLine3
MemberAddrLine4
MemberEmail
MemberPhoneNumber
AddMemberTitle
AddMemberFirstName
AddMemberSurname
AddMemberAddrLine1
AddMemberAddrLine2
AddMemberAddrLine3
AddMemberAddrLine4
AddMemberEmail
AddMemberPhoneNumber
EditMemberTitle
EditMemberFirstName
EditMemberSurname
EditMemberAddrLine1
EditMemberAddrLine2
EditMemberAddrLine3
EditMemberAddrLine4
EditMemberEmail
EditMemberPhoneNumber

Client: extends Member

Plasterer: extends Member
PlastererDailyRate
AddPlastererDailyRate
EditPlastererDailyRate

Job:
JobID ClientID PlastererID JobDescription JobAddrLine1 JobAddrLine2 JobAddrLine3 JobAddrLine4 JobDaysWorked JobComplete JobPaid InvoiceID
AddJobDescription AddJobAddrLine1 AddJobAddrLine2 AddJobAddrLine3 AddJobAddrLine4 AddJobDaysWorked EditJobComplete EditJobPaid EditJobDescription EditJobAddrLine1 EditJobAddrLine2 EditJobAddrLine3 EditJobAddrLine4 EditJobDaysWorked
Material:
MaterialID MaterialName MaterialPrice
AddMaterialName AddMaterialPrice
EditMaterialName EditMaterialPrice

Document:
DocumentID DocumentDate DocumentTime DocumentText
AddDocumentDate AddDocumentTime AddDocumentText EditDocumentDate EditDocumentTime EditDocumentText
Invoice: extends Document
ClientID JobID PlastererID InvoiceAmountPreTax InvoiceAmountAfterTax InvoiceReceived
AddInvoiceAmountPreTax AddInvoiceAmountAfterTax AddInvoiceReceived EditInvoiceAmountPreTax EditInvoiceAmountAfterTax EditInvoiceReceived
Appointment: extends Document
ClientID PlastererID AppointmentAddrLine1 AppointmentAddrLine2 AppointmentAddrLine3 AppointmentAddrLine4
AddAppointmentAddrLine1 AddAppointmentAddrLine2 AddAppointmentAddrLine3 AddAppointmentAddrLine4 EditAppointmentAddrLine1 EditAppointmentAddrLine2 EditAppointmentAddrLine3 EditAppointmentAddrLine4

1.6 Other Abstractions and Graphs

Due to the nature of this project there are no graphs that could represent the current or proposed systems.

1.7 Constraints

1.7.1 Hardware

Dan currently has a Toshiba Laptop with the following hardware components:

- 6GB DDR3 RAM
- Intel 2.0ghz Dual Core Processor
- High Resolution 1920 x 1080 Display
- 1 TB HDD
- Intel Onboard Integrated Graphics

The specification of Dan's laptop is more than powerful enough and has enough RAM to run the proposed python application alongside multiple other programs that he regularly uses (such as a Web Browser and Media Player). The hard drive has enough storage space to install the application (which will only be around 10MB) so storage is not a problem. The only possible complication when it comes to hardware may be the screen resolution as the application will have to keep within the resolution and be optimized for this screen size and many more to keep the software versatile.

1.7.2 Software

Dan is running the Windows 8 operating system on his laptop which does not have Python 3 installed. The proposed system will need to be able to run on this operating system therefore it is a software constraint that will need to be addressed. This could be achieved by building an installer for the python application so it can be installed on Windows 8 as pythons libraries are included.

1.7.3 Time

Dan is very flexible when it comes to time as he is a freelancer and is in no rush for a replacement to his old system. He does not mind how long the new system takes to be implemented just that it works and functions as expected.

Therefore the only time constraint for the proposed system would be the implementation deadline which is Friday 13th February 2015.

1.7.4 User Knowledge

Dan has no formal qualifications in IT and has never performed complex computerised tasks. Browsing the internet, watching films and playing music is the extent to which Dan currently uses his laptop. Therefore user knowledge is a possible constraint and the proposed system will need to be easy to navigate and use. This may be achieved by providing a simple non-complex GUI and detailed tutorials/documentation. Also any errors must be handled correctly as Dan does not know Python and the errors would be useless in that format to him. This can be handled with user friendly exceptions put in throughout the program.

1.7.5 Access restrictions

The proposed system does not have any specific requirements when it comes to security however it needs to conform to the Data Protection Act 1998 which requires personal information to be stored securely, accurately and up to date. This is a possible constraint when it comes to access restrictions and will need to be addressed in order to not breach the UK legislation on this. The database may need to also be encrypted to not reveal personal information in plain text to any malicious threats.

1.8 Limitations

1.8.1 Areas which will not be included in computerisation

- The collection of the measurements, which is currently being done manually, may be implemented using a device which has kinect like sensors, you could scan a room and pick up the measurements of it using just a phone for example. This might be possible.

1.8.2 Areas considered for future computerisation

- Getting the quote for the price of the materials will still be done manually as it will be difficult to computerise as you would have to visit the Builders Merchants in person. But in the future an API might be available from selected builders merchants to get live quotes for materials.

1.9 Solutions

1.9.1 Alternative solutions

Solution	Advantages	Disadvantages
Web Application	Can be accessed on multiple devices where there is an internet connection. Only a web browser required (already installed in most cases). Can be easier to make it look "pretty" as there are many graphical libraries for the web. Can use different server side languages to program the backend of the website. (Python (Django), Ruby (RoR), PHP (Zend, Magento)).	Need an internet connection to visit site if not hosted locally. A web host may need to be purchased. Need to optimize for different browsers (Internet Explorer, Chrome, Firefox, Safari). Problems may happen with host which means the client may not be able to access their application (site may be subject to DDOS (may need to purchase Cloudflare or similar service)).
Mobile Phone Application	Can mean the application is extremely mobile so the client will be able to take the app wherever he goes which may be useful to take to jobs. Client is familiar with using a mobile phone so may be easier for them to use.	Will take longer to complete. It is more complex and can be solved easier with a different method. Client may lose phone which would then result in loss of application.
Command-Line Application	No long waiting time for GUI to load. System resources are not used up as much.	Can be more complicated, so it seems to the client. Interface would be less effective and harder to use for the non-technical client. Errors may occur and look unfamiliar to client. If laptop is lost/stolen the program may be lost too so backups need to be kept online (not so much a problem with a web application).

Spreadsheet	Can be faster than a application with a GUI to load. Data can be exported easily. Queries are easy to run and execute fast.	No abstraction from the data. Client would have to familiarise themselves with the syntax for queries. You can add a lot more features in PyQt and Python Applications. No GUI to make it easier for the client to control the functions and run queries.
PyQt4 GUI and Python3 Application	Python is easy to write and can therefore get the project done quicker leaving more time for debugging and testing. The GUI will make it a lot easier for the client to use the application. With this form of application it can be packaged for Mac, Windows and Linux Systems. GUI gives a clear visual representation of the applications features.	Uses python which needs to be packaged with the program as windows does not have Python natively installed but Mac and Linux do. Writing a GUI is a lot more work than other solutions.

1.9.2 Justification of chosen solution

I have chosen to use Python 3 alongside the Qt Framework (PyQt4) to create a standalone application. This is due to the versatility which Python and PyQt4 offers. Using this method to program a solution to my clients problem I will be able to get it done effeciently due to my existing knowledge of Python and I will be able to generate different executables for different operating systems which may be beneficial to the client as he is looking to buy a Apple System. It will also offer a visual representation through the use of GUI as opposed to hard to use Console application approach; which would not be suitable for the client as he does not have enough technical knowledge with computers to understand and use it easily - therefore going for something with a GUI would be a good choice. A web application may have been good but sometimes Dan takes his laptop where there is no internet connection and hosting the site locally would not be feasible. Also there are hidden costs involved with purhcasing a domain and hosting if a web application solution was chosen. A mobile application may have also been good but would have taken longer to accomplish due to the time it takes to develop complex mobile phone applications. A spreadsheet would also not have been the perfect solution as it requires knowledge of writing queries which, due to Dan's lack of technical computer knowledge, he does not have. Therefore I believe that a Python and PyQt4 application would be the best solution to go for.

Chapter 2

Design

2.1 Overall System Design

2.1.1 Short description of the main parts of the system

2.1.2 System flowcharts showing an overview of the complete system

2.2 User Interface Designs

2.3 Program Structure

2.3.1 Top-down design structure charts

2.3.2 Algorithms in pseudo-code for each data transformation process

2.3.3 Object Diagrams

2.3.4 Class Definitions

2.4 Prototyping

2.5 Definition of Data Requirements

2.5.1 Identification of all data input items

2.5.2 Identification of all data output items

2.5.3 Explanation of how data output items are generated

2.5.4 Data Dictionary

2.5.5 Identification of appropriate storage media


ER Diagrams

Figure 2.1: This is the entity relationship diagram for the sqlite3 database.

Entity Descriptions

Below are the entity descriptions for the various entites in the proposed system. An underlined attribute denotes a primary key and a *emphasised* attribute signifies a foreign key in the entity.

Client(ClientID, ClientTitle, ClientFirstName, ClientSurname, ClientAddrLine1, ClientAddrLine2, ClientAddrLine3, ClientAddrLine4, ClientEmail, ClientPhoneNumber, *PlastererID*)

Plasterer(PlastererID, PlastererFirstName, PlastererSurname, PlastererAddrLine1, PlastererAddrLine2, PlastererAddrLine3, PlastererAddrLine4, PlastererEmail,PlastererPhoneNumber, PlastererDailyRate)

Job(JobID, *ClientID*, *PlastererID*, JobDescription, JobAddrLine1, JobAddrLine2, JobAddrLine3, JobAddrLine4, JobDaysWorked, JobComplete, JobPaid, *InvoiceID*)

Material(MaterialID,MaterialName,MaterialPrice)

JobMaterials(JobMaterialsID, *JobID*, *MaterialsID*, JobMaterialsQuantity)

Invoice(InvoiceID, *ClientID*, *JobID*, *PlastererID* InvoiceAmountPreTax, InvoiceAmountAfterTax, InvoiceReceived, InvoiceDate, InvoiceText)

Appointment(AppointmentID, *ClientID*, *PlastererID*, AppointmentDate, AppointmentTime, AppointmentAddrLine1, AppointmentAddrLine2, AppointmentAddrLine3, AppointmentAddrLine4)

1NF to 3NF

1NF
Non-Repeating Attributes
PersonID (Primary Key) ClientTitle ClientFirstName ClientSurname ClientAddrLine1 ClientAddrLine2 ClientAddrLine3 ClientAddrLine4 ClientEmail ClientPhoneNumber PlastererTitle PlastererFirstName PlastererSurname PlastererAddrLine1

PlastererAddrLine2
PlastererAddrLine3
PlastererAddrLine4
PlastererEmail
PlastererPhoneNumber
PlastererDailyRate
Repeating Attributes
JobID (Primary Key)
PersonID (Composite Key)
JobDescription
JobAddrLine1
JobAddrLine2
JobAddrLine3
JobAddrLine4
JobDaysWorked
JobComplete
JobPaid
MaterialName
MaterialPrice
JobMaterialsQuantity
InvoiceAmountAfterTax
InvoiceAmountPreTax
InvoiceReceived
InvoiceDate
InvoiceText
AppointmentDate
AppointmentTime
AppointmentAddrLine1
AppointmentAddrLine2
AppointmentAddrLine3
AppointmentAddrLine4

2NF
Group
PersonID (Primary Key)
ClientTitle
ClientFirstName
ClientSurname
ClientAddrLine1
ClientAddrLine2
ClientAddrLine3
ClientAddrLine4
ClientEmail

ClientPhoneNumber
PlastererTitle
PlastererFirstName
PlastererSurname
PlastererAddrLine1
PlastererAddrLine2
PlastererAddrLine3
PlastererAddrLine4
PlastererEmail
PlastererPhoneNumber
PlastererDailyRate
Group
JobID (Primary Key)
PersonID (Composite Key)
JobDescription
JobAddrLine1
JobAddrLine2
JobAddrLine3
JobAddrLine4
JobDaysWorked
JobComplete
JobPaid
Group
JobID (Primary Key)
MaterialName
MaterialPrice
JobMaterialsQuantity
Group
PersonID (Primary Key)
InvoiceAmountAfterTax
InvoiceAmountPreTax
InvoiceReceived
InvoiceDate
InvoiceText
AppointmentDate
AppointmentTime
AppointmentAddrLine1
AppointmentAddrLine2
AppointmentAddrLine3
AppointmentAddrLine4

3NF
Group

PersonID (Primary Key) ClientTitle ClientFirstName ClientSurname ClientAddrLine1 ClientAddrLine2 ClientAddrLine3 ClientAddrLine4 ClientEmail ClientPhoneNumber PlastererTitle PlastererFirstName PlastererSurname PlastererAddrLine1 PlastererAddrLine2 PlastererAddrLine3 PlastererAddrLine4 PlastererEmail PlastererPhoneNumber PlastererDailyRate
Group
JobID (Primary Key) PersonID (Composite Key) JobDescription JobAddrLine1 JobAddrLine2 JobAddrLine3 JobAddrLine4 JobDaysWorked JobComplete JobPaid
Group
JobID (Primary Key) MaterialID (Foreign Key) JobMaterialsQuantity
Group
MaterialID (Primary Key) MaterialName MaterialPrice
Group
InvoiceID (Primary Key) InvoiceAmountAfterTax InvoiceAmountPreTax InvoiceReceived InvoiceDate

InvoiceText
Group
AppointmentID (Primary Key)
AppointmentDate
AppointmentTime
AppointmentAddrLine1
AppointmentAddrLine2
AppointmentAddrLine3
AppointmentAddrLine4
Group
PersonID (Primary Key)
AppointmentID (Foreign Key)
InvoiceID (Foreign Key)

2.7 Security and Integrity of the System and Data

2.7.1 Security and Integrity of Data

2.7.2 System Security

2.8 Validation

2.9 Testing

2.9.1 Outline Plan

Test Series	Purpose of Test Series	Testing Strategy	Strategy Rationale
Example	Example	Example	Example

2.9.2 Detailed Plan

Test Series	Purpose of Test	Test Description	Test Data	Test Data Type (Normal/Erroneous/Boundary)	Expected Result	Actual Result	Evidence
Example	Example	Example	Example	Example	Example	Example	Example

Chapter 3

Testing

3.1 Test Plan

3.1.1 Original Outline Plan

Test Series	Purpose of Test Series	Testing Strategy	Strategy Rationale
Example	Example	Example	Example

3.1.2 Changes to Outline Plan

Test Series	Purpose of Test Series	Testing Strategy	Strategy Rationale
Example	Example	Example	Example

3.1.3 Original Detailed Plan

Test Series	Purpose of Test	Test Description	Test Data	Test Data Type (Normal/Erroneous/Boundary)	Expected Result	Actual Result	Evidence
Example	Example	Example	Example	Example	Example	Example	Example

3.1.4 Changes to Detailed Plan

Test Series	Purpose of Test	Test Description	Test Data	Test Data Type (Normal/ Erroneous/ Boundary)	Expected Result	Actual Result	Evidence
Example	Example	Example	Example	Example	Example	Example	Example

3.2 Test Data

3.2.1 Original Test Data

3.2.2 Changes to Test Data

3.3 Annotated Samples

3.3.1 Actual Results

3.3.2 Evidence

3.4 Evaluation

3.4.1 Approach to Testing

3.4.2 Problems Encountered

3.4.3 Strengths of Testing

3.4.4 Weaknesses of Testing

3.4.5 Reliability of Application

3.4.6 Robustness of Application

Chapter 4

System Maintenance

4.1 Environment

4.1.1 Software

4.1.2 Usage Explanation

4.1.3 Features Used

4.2 System Overview

4.2.1 System Component

4.3 Code Structure

4.3.1 Particular Code Section

4.4 Variable Listing

4.5 System Evidence

4.5.1 User Interface

4.5.2 ER Diagram

4.5.3 Database Table Views

4.5.4 Database SQL

63

4.5.5 SQL Queries

4.6 Testing

4.6.1 Screenshots of Results

4.10.1 Module 1

Chapter 5

User Manual

5.1 Introduction

5.2 Installation

5.2.1 Prerequisite Installation

Installing Python

Installing PyQt

Etc.

5.2.2 System Installation

5.2.3 Running the System

5.3 Tutorial

5.3.1 Introduction

5.3.2 Assumptions

5.3.3 Tutorial Questions

Question 1

Question 2

5.3.4 Saving

5.3.5 Limitations

5.4 Error Recovery

5.4.1 Error 1

Chapter 6

Evaluation

6.1 Customer Requirements

6.1.1 Objective Evaluation

6.2 Effectiveness

6.2.1 Objective Evaluation

6.3 Learnability

6.4 Usability

6.5 Maintainability

6.6 Suggestions for Improvement

6.7 End User Evidence

6.7.1 Questionnaires

6.7.2 Graphs

6.7.3 Written Statements