# **Brainstorming**

users can sign into the app with their email and password

- User id
- User email
- User Password
- User name
- User phone
- User address

users can create recipes with ingredients and instructions

- Recipe id
- Recipe name
- Recipe instructions
- Recipe ingredients list
- Recipe created date
- Recipe created-by user id

# recipes can be marked as public or private

- Recipe public boolean
- List of private recipes
- List of public recipes

users can view other people's recipes

ingredients from recipes can be added to user's grocery lists

- Ingredients id
- Ingredients names
- Ingredients price?
- Grocery list id
- · Grocery list user id
- Grocery list items
- Grocery list items quantities

users can create their own occasions and assign recipes to occasions

- Occasion id
- Occasion user id
- Occasion name
- Occasion recipes list
- Occasion description

### **Table Ideas**

#### Users

This table will hold information about the user. Each row will be an individual user.

## Recipes

This table will hold information about recipes that users post.

### **Ingredients**

This table will hold information about the ingredients needed for a recipe.

# **Grocery list**

This table will hold a list of the ingredients in a user's grocery cart. Each row will be an ingredient.

### Occasions

This table will hold a list of recipes associated with different occasions.

#### **Users Groceries**

This table will contain the relationship between a user (user id) and their grocery list (ingredients ids)

### Users Recipes

This table will contain the relationship between a user (user id) and their recipes (recipe id)

### **Users Occasions**

This table will contain the relationship between a user (user id) and their occasions (occasion id)

#### Occasions Recipes

This table will contain the relationship between an occasion (occasion id) and its recipes (recipe id)

### **Grocery List Ingredients**

This table will contain the relationship between a grocery list (list id) and its ingredients (ingredient id)

## Recipes Ingredients

This table will contain the relationship between a recipe (recipe id) and its ingredients (ingredients id)

### Relationships

### One-to-One

### One-to-Many

 Users => Recipes - each user will have many recipes and each recipe belongs to one user  Users => Occasions - each user will have many occasions and each occasion will have one user

# Many-to-Many

- Users => Ingredients each user will have many ingredients and each ingredient will have many users
- Grocery List => Ingredients each grocery list will have many recipe ingredients
- Recipes => Ingredients each recipe will have many ingredients and each ingredient can be in many recipes
- Occasions => Recipes each occasion will have many recipes and there will be only one
  of each occasion

#### Columns

## **U**sers

- id Needs a primary key. Primary keys should be integers.
- name Need to know the user's name. Needs to be text, but length should be limited.
- email Need to know the user's email. Needs to be text, but length should be limited.
- password Need to know the user's password. Needs to be text, not sure how long hashes are.
- address Can know the user's address. Needs to be text, but length should be limited.
- phone Can know the user's phone number. Needs to be an integer with a length of 10.

## Recipes

- id Needs a primary key. Primary keys should be integers.
- created by Need to know who created the recipe. Needs to match user id data type.
- name Need to know the recipe's name. Needs to be text, but length should be limited.
- instructions Need to know the recipe's instructions. Needs to be text because it will
  contain letters and numbers and could be quite long.
- public Need to know if the recipe is public or private. Should be a boolean because public flag will be true or false.

# Occasions

- id Needs a primary key. Primary keys should be integers.
- user id Need to know who created the occasion. Needs to match user id data type.
- name Need to know the occasion's name. Needs to be text, but length should be limited.
- description Optional description of the occasion. Needs to be text, but length should be limited.

### **Ingredients**

- id Needs a primary key. Primary keys should be integers.
- name Need to know the ingredient's name. Needs to be text, but length should be limited.

## Occasions Recipes

- occasion\_id Need to know which occasion has which recipes. Needs to match occasion id data type.
- recipe\_id Need to know which occasion has which recipes. Needs to match recipe id data type.

### Recipes Ingredients

- recipe\_id Need to know which recipe has which ingredients. Needs to match recipe id data type.
- ingredient\_id Need to know which recipe has which ingredients. Needs to match ingredients id data type.

#### <u>Users Ingredients</u>

- user\_id Need to know which user has which ingredients in their cart. Needs to match user id data type.
- ingredient\_id Need to know which user has which ingredients in their cart. Needs to match ingredients id data type.

#### **SQL Statements**

### **Create Tables**

```
CREATE TABLE users (
  id SERIAL PRIMARY KEY NOT NULL UNIQUE,
  name VARCHAR(100) NOT NULL,
  email VARCHAR(50) NOT NULL UNIQUE,
  password VARCHAR(50) NOT NULL,
  address VARCHAR(100),
  phone INTEGER
);
CREATE TABLE recipes (
  id SERIAL PRIMARY KEY NOT NULL UNIQUE,
  created by INTEGER NOT NULL REFERENCES users(id),
  name VARCHAR(100) NOT NULL,
  instructions VARCHAR(2000) NOT NULL,
  public BOOLEAN
);
CREATE TABLE occasions (
  id SERIAL PRIMARY KEY NOT NULL UNIQUE,
  user id INTEGER NOT NULL REFERENCES users(id).
  name VARCHAR(100) NOT NULL UNIQUE,
```

```
description VARCHAR(255)
);
CREATE TABLE ingredients (
  id SERIAL PRIMARY KEY NOT NULL UNIQUE,
  name VARCHAR(50) NOT NULL
);
CREATE TABLE users ingredients (
  user id INTEGER NOT NULL REFERENCES users(id),
  ingredient id INTEGER NOT NULL REFERENCES ingredients(id)
);
CREATE TABLE recipes_ingredients (
  recipe id INTEGER NOT NULL REFERENCES recipes(id).
  ingredient_id INTEGER NOT NULL REFERENCES ingredients(id)
);
CREATE TABLE occasions_recipes (
  occasion id INTEGER NOT NULL REFERENCES occasions(id),
  recipe id INTEGER NOT NULL REFERENCES recipes(id)
);
Insert Data
INSERT INTO users (name, email, password, address, phone)
('Kyle Kocherhans', 'kylesEmail@gmail.com', 'kylesPassword', '123 Street', 1234567890),
('Mike Wazowski', 'mikesEmail@yahoo.com', 'mikesPassword', '456 Monster Ln', 0987654321);
INSERT INTO occasions (user id, name, description)
VALUES (1, 'Thanksgiving', 'some description for Christmas'),
(1, 'Christmas', 'some description for Christmas'),
(2, 'Wedding', 'some description for wedding'),
(2, 'Monster Party', 'some description for monster party');
INSERT INTO recipes (created_by, name, instructions, public)
VALUES (1, 'Garlic Herb Butter Roast Turkey', 'put instructions here', true),
(1, 'The BEST Mashed Potatoes!', 'put instructions here', false),
(1, 'Minute Steak Stacks with Herbed Anchovy Butter', 'put instructions here', true),
(1, 'Harissa Sweet Potato Tarte Tatin', 'put instructions here', true),
(2, 'Southeast Asian Bites', 'put instructions here', true),
(2, 'Chicken Tacos', 'put instructions here', true),
(2, 'BBQ Chicken Wings', 'put instructions here', true),
```

```
(2, 'Secret Recipe Punch', 'put instructions here', false);
INSERT INTO occasions_recipes (occasion_id, recipe_id)
VALUES (1, 1),
(1, 2),
(2, 3),
(2, 4),
(3, 5),
(3, 6),
(3, 8),
(4, 7),
(4, 8);
INSERT INTO ingredients (name)
VALUES ('whole turkey'),
('garlic herb butter'),
('butter'),
('potatoes'),
('turkey gravy'),
('steak'),
('anchovy butter'),
('sweet potatoes'),
('harissa'),
('cumin'),
('red kimchi'),
('lo-dough'),
('lean tenderloin pork fillet'),
('chicken breast'),
('taco shells'),
('BBQ sauce'),
('chicken wings'),
('fruit punch mix'),
('Sprite');
INSERT INTO recipes_ingredients (recipe_id, ingredient_id)
VALUES (1, 1),
(1, 2),
(2, 4),
(2, 3),
(2, 5),
(3, 6),
(3, 7),
(4, 8),
(4, 9),
```

```
(4, 10),
(5, 17),
(5, 18),
(5, 19),
(6, 11),
(6, 12),
(7, 13),
(7, 14),
(8, 15),
(8, 16);
INSERT INTO users_ingredients (user_id, ingredient_id)
VALUES (1, 1),
(1, 2),
(1, 3),
(1, 4),
(1, 5),
(1, 6),
(1, 7),
(1, 8),
(1, 9),
(1, 10),
(2, 11),
(2, 12),
(2, 13),
(2, 14),
(2, 15),
(2, 16),
(2, 17),
(2, 18),
(2, 19),
(2, 3),
```

(1, 15);