



HALO3 GAME MASTER
USER'S GUIDE - v0.1.7

Author:
Kyle LEMONS

Editor:
None YET

February 13, 2009

Contents

1	Introduction	3
2	Keys and Commands	4
2.1	Game Screen	4
2.2	Player Editor	4
2.3	Game, Map, and Setup Editor	4
3	Interface	5
3.1	Game Screen	5
3.1.1	Team Grid	5
3.1.2	Game Timer	5
3.1.3	Game Type, Map, and Image	5
3.1.4	Screen Border	6
3.2	Authentication Screen	6
3.3	Player Editor	6
3.3.1	Player List	6
3.3.2	Player Configuration	6
4	Game and Map Editor	8
5	Setup Editor	9
5.1	Team Generation	9
5.2	Player Allocation	9
5.3	Time Between Games	9
5.4	Team Names	9
5.5	Team Capacities	10
5.6	Database	10
6	Other Features	11
6.1	Built-in Mobile Web Server	11
6.2	Game Mirror Server	11
6.2.1	Mirror Hosting	11
6.2.2	Mirror Clients	11
6.2.3	Mirror Proxies	12
6.2.4	Limitations of the Mirror Server	12

7	Change Log	13
7.1	New in v0.1.7	13
7.2	New in v0.1.6	13
7.3	New in v0.1.5	13
7.4	New in v0.1.4	13
7.5	New in v0.1.3	14
7.6	New in v0.1.2	14
7.7	New in v0.1.1	14

Chapter 1

Introduction

First off, thank you for downloading this package! I hope you find it as useful as we have. There are some basic things about the motivations for why this was created that might make use of it easier:

1. We have frequent, well-attended events at which Halo is the central theme.
2. Fairness, speed, and variety are key components in these events.
3. There are typically any number of Xboxes on the premises, each devoted to a particular team.
4. It is not practical for everybody to crowd around one computer screen to find where their teams are.
5. Multiple computers should be able to reliably show the same game state, and updates should be very fast.
6. To keep things flowing, there needs to be some visible indication of how much time remains before the game begins.
7. To accomodate different skill levels of players, games should be generated such that they are not consistently ganged up upon.
8. The system should be as self-sufficient as possible.
9. All of these basically add up to one thing: Maximize the amount of fun that can be had in any given amount of time!

Chapter 2

Keys and Commands

2.1 Game Screen

Fn Key	Hot Key	Command
F2	P	Switch to the Player Editor
F3	G	Switch to the Game/Map Editor
F4	S	Switch to the Setup Editor
F5	R	Hold for 4 seconds to regenerate the Game
F11	T	Time-out (pause the timer)
	H	Start local server Hosting
	C	Connect to configured remote server
	\	Toggle display of team skills

2.2 Player Editor

Fn Key	Hot Key	Command
	Space	Toggle the “Is Playing?” status of active player
F1		Switch back to the Main Screen
F3		Switch to the Game/Map Editor
F4		Switch to the Setup Editor

Note that the Space hot key only works when you have the player selected in the list, e.g. immediately after clicking on the player. If another input has focus, this hot key will not work. This is intended for quickly adjusting the active players by using the arrow keys and the space bar in the user list.

2.3 Game, Map, and Setup Editor

Fn Key	Hot Key	Command
F1		Switch back to the Main Screen
F3		Switch to the Game/Map Editor
F4		Switch to the Setup Editor

Chapter 3

Interface

3.1 Game Screen

3.1.1 Team Grid

The team grid is the focal point of the interface. Each row corresponds to a team chosen by the generator. The first column is the team name. This either indicates the color of the team, the team number, or a configurable team name (see the Setup Editor Interface section), which could correspond to where the team is situated, etc.

Each of the subsequent columns contains the name of a player assigned to the team on whose row the name appears. Players are assigned first to the teams at the top of the list, up to the maximum number of players allowable for an evenly distributed match. For instance, with fourteen players and four teams, the only fair distribution is a maximum of four players per team. Unless team capacities have been configured (see the Setup Editor Interface section), the two empty slots will always be allocated to the lowest team in the grid.

It is possible to configure the game such that all unallocated spaces are assigned to a team whose players are not actually involved in the game, and as such not included in the fairness calculations. The primary purpose of this is to facilitate game generation with more than sixteen players without affecting the fairness calculations. This can be configured, along with the rest of the team generation options, in the Setup Editor.

Almost all changes to the configuration screens will cause a regeneration of the teams listed here.

3.1.2 Game Timer

The game timer reflects the amount of time left before the next game is intended to start. The time displayed here is based on the game delay set in the Setup configuration.

3.1.3 Game Type, Map, and Image

At the bottom of the screen, the generated game/map combination is displayed in white letters above an image which corresponds to the chosen map.

3.1.4 Screen Border

The border of the screen will typically remain black, but in the rare case where the players cannot be allocated correctly (too many team capacities have been set, leaving no room for some players), the border will turn red.

3.2 Authentication Screen

The authentication screen will appear when a user attempts to switch from the main game screen to a configuration screen. It will not appear if no users are properly configured as Major Players, or if no such players have a passcode properly set. This screen is empty with the exception of a passcode entry field. Any major player can enter their code here, and as the last character is typed, the screen will change to the intended configuration screen.

Should the authentication screen become unpassable, whether it be by all of the major players leaving or through a mis-entered passcode in the Player Editor, it is possible to get into the configuration screen by moving the database file and loading the generator. This will load the default players and configurations, which includes no major players and no passcodes. On the Setup Editor screen, the Load Database button will remain disabled until the F12 key is pressed, at which point the name of the original database can be entered and loaded. Please note that this is **only** for recovery purposes, and only the Player Editor will be updated to reflect the loaded entries, though the maps, game types, and setup configurations are all loaded. At this point, the user can fix the passcodes and save the database. When the generator is relaunched, it should again be possible to use the correct passcodes to display the configuration screens.

3.3 Player Editor

3.3.1 Player List

This list displays a scrolling list of all players saved in the database. When one has been recently selected, the arrow keys and space bar can be used to scroll through the list and toggle the playing status of the currently selected player (respectively). The space bar shortcut will **not** work when another element in the player setup screen has been focused.

3.3.2 Player Configuration

The player name and gamer tag identify the player. As of this release, the gamer tag is not displayed or used, but the player name is displayed in the main screen team grid.

The player skill level represents how proficient the player is at Halo. This should be scaled such that the best player has a score of 10, and is the equivalent of two players who have a skill of 5.

The passcode, if the player is selected as a major player, will allow the player to enter the configuration screens.

If the gamer is playing (the checkbox is selected), the player will be considered by the generator for placement into a team.

The “New Player” button will create a new player with the default values for all settings. The “Duplicate Player” button will duplicate the player that is currently selected (bracketing their name to indicate the duplicate in the menu), with the exception of their passcode and major player status.

The “Delete Player” button will (when the checkbox next to it is selected) remove the selected player from the database. If the checkbox is not selected, it will become selected such that another click of the “Delete Player” button will cause the player entry to be deleted.

Chapter 4

Game and Map Editor

Documentation will be forthcoming. Hopefully it's somewhat self-explanatory.

Chapter 5

Setup Editor

5.1 Team Generation

The slider in this section controls how many teams will be generated.

5.2 Player Allocation

The fairness slider controls how hard the game works to make the teams fair. At zero, the generated game will be completely random. At one, it will generate two games and pick the more fair of the two. At fifty, it will generate fifty-one combinations of players and discard fifty of them in favor of the one whose teams are fairest.

The fairness of the game is determined by adding up the skills of all players on each team, and finding the difference between the team with the highest total skill and the team with the lowest total skill. The fairest game is the one in which this difference is smallest.

5.3 Time Between Games

When a game is generated, the counter begins counting down from this number, and at zero the progress bar will display the text “Game Time!” This setting¹ can be changed without causing the game to be regenerated; but² the counter will only reflect this change when a new game is generated. If more time is desired, pause the game timer or regenerate the game.

5.4 Team Names

These eight fields contain the names of the teams as they will display on the main game screen. The top row, from left to right, is for the first four teams,

¹This setting is one of the few that behave this way. Most will cause the game to be generated afresh.

²This behavior applies as of v0.1.6, before that the counter **would** recalculate the new time.

the second row for the last four. Any teams not generated may have a name, but the name and team will not be shown on the main player table.

5.5 Team Capacities

When set to zero, these sliders allow the game generator to distribute players as evenly among the teams as it can. If a team should not have more than a certain number (it bears mentioning that a single xbox can only have four players connected to it at once), the appropriate slider can be set to restrict the number of players the generator will assign there. Note that it will only fine-tune the number of players using these sliders, it will not take them into account when determining the global number of players per team. Switch these all to zero and then fine-tune again if your settings here cause the main screen to have a red border.

5.6 Database

The database can be saved from this section. Whether or not the database was loaded successfully on generator startup is also displayed here. The database should be saved frequently, as the generator will not automatically save updates. The default name of the database (and the name that is used at startup) is listed in the text box, but can be changed to save a backup or alternate database. The load database button is for recovery purposes only, see the Authentication section above for more details.

Chapter 6

Other Features

6.1 Built-in Mobile Web Server

As of v0.1.5, there is a **very** simple webserver built in that simply responds to every request by sending an HTML page with the current game on it. This is ideally suited for iPhones, iPod Touches, and any other mobile device with a roughly 480px wide screen. To access it, simply go to the following URL (replacing <IP> with the IP address or hostname of the machine running the game generator):

`http://<IP>:1880/`

6.2 Game Mirror Server

As of v0.1.5, there is also a mirroring server component and client component embedded into the application. This is intended to allow the main game to be mirrored on computer screens in different areas, to prevent bottlenecks when it comes time to get to the room and so that the hosting Xbox may have a computer near it from which they can check the generated game to make sure all players are accounted for and the game/map are properly set.

6.2.1 Mirror Hosting

To use it, set up the server computer with the desired players and games and enable hosting with the “H” command on the main screen. At this point, the border of the screen will turn blue to indicate that the server is waiting to distribute the game until you explicitly regenerate it. Every generation from here on out will be broadcasted to any clients connected at that moment, along with the game delay *at the time of generation*. If this delay changes, it will not trigger a regeneration and thus will not get propagated.

6.2.2 Mirror Clients

The clients need only have the server’s IP address configured for the mirroring to work. For forwarding purposes, this server runs on port 1881 (one higher

than the webserver). Once the server has been started, load up the clients and (with their remote server addresses set correctly in the setup screen) initiate the connection via the “C” command from the main screen. As it is connecting, the border of the main screen will turn green. When the connection is successful, the displayed game will be nulled out in preparation for receiving the update from the server. On error, the displayed game will be replaced with an error message. Should this happen, the server can then act independantly – regenerating the game as normal – or it can be reconnected via the “C” command.

If, while it is in client mode, a user tries to regenerate the game manually, a yellow border will appear to remind them that the application is mirroring a game that is hosted elsewhere.

6.2.3 Mirror Proxies

Should forwarding be an issue for game mirroring, it is possible to proxy the server by connecting to an inaccessible Mirror host from an accessible client, and then hosting the game again (via the “H” command) from the accessible client. It should then be possible to connect the problematic client to this accessible proxy host. Any updates from the primary mirror host will be proxied through the client/server to the outside client¹. Of course, all normal forwarding methods (SSH tunneling, VPN, etc) should work perfectly well, but this is a built-in solution should that be more desirable.

6.2.4 Limitations of the Mirror Server

The view-only screens have no access to the data on the main server. While this is the general idea, it does cause one slight problem: The game delay only gets broadcasted when the game is regenerated, so slave screens will maintain the same delay even if the master screen has its delay updated. This may change in later versions².

¹This is all highly theoretical. My network setup didn’t allow me to test this out.

²For instance, it may be that the main screen’s delay doesn’t update until it regenerates as well.

Chapter 7

Change Log

7.1 New in v0.1.7

- Team fairness level now goes up to 500
- Game time progress bar now properly reflects time remaining
- Fixed the wording for the game fairness choices
- Changed the team weighting to allow an arbitrary number of fair teams

7.2 New in v0.1.6

- Local and remote game timer pausing (“T” command)
- Game timer updates now wait for a regen to apply (fixes network timer synchronization issues¹ that were caused if this was changed mid-game)

7.3 New in v0.1.5

- Built-in mobile web viewer (port 1880)
- Built-in game Mirror server (port 1881)
- Plaintext logging²

7.4 New in v0.1.4

- Changed the game generation algorithm to improve fairness
- Removed placement priority
- Added “Ignore Last Team” functionality

¹If anyone has better suggestions or depended on this feature, let me know

²XML logging is available– if this is desired, contact the developer and it can be included in further versions. Plaintext logging is seen to be more useful.

- Added authentication screen
- Changed Look and Feel on Mac OS to the cross-platform L&F to improve usability and unify the interface

7.5 New in v0.1.3

- Support for adding and deleting players added
- Fixed additional bugs and interface concerns about player editor
- Fixed creation and update of games and maps
- Logging support added
- Player, game, map, and setup save and load supported
- Game time slider and progress bar added
- Fixed loading of map images after save and load on different computer
- Changed background of team names in main screen

7.6 New in v0.1.2

- Interface changes, simplifications, hot keys, and a unified user table
- Images working in JAR mode
- Player editor bugs fixed

7.7 New in v0.1.1

- First working release
- Full-screen support
- Images work in application mode