Kyle Palucki

1) PHP is case-sensitive for variable names, NOT case-sensitive for keywords.

2) $x is a global variable, $y is a local variable, $z is a static variable, and the value of $z is 60 after calling myTest() 4 times.

```php
function echo_indexed_array_info($arr) {
    $a_len = count($arr);
    if ($a_len==0) {
        echo "The array is empty";
    } else {
        for ($i=0; $i<$a_len; $i++) {
            echo $arr[$i];
        }
    }
    echo "<br>";
    echo "<br>";
}
$arr1 = array("a", "b", "c", "d", "e");
$arr2 = array("z", "x", "y", "w", "v");
$arr3 = array();
echo_indexed_array_info($arr1);
echo_indexed_array_info($arr2);
echo_indexed_array_info($arr3);
```
3)

```php
function echo_accociative_array_info($arr) {
    $a_len = count($arr);
    if (empty($arr)) {
        echo "The array is empty";
    } else {
        foreach ($arr as $key => $value) {
            echo "Key= " . $key . ", Value= " . $value;
            echo "<br>";
        }
    }
    echo "<br>";
}

$arr4 = array("Peter"=>"35", "Ben"=>"37", "Joe"=>"43");
$arr5 = array("Kyle"=>"50", "Cole"=>"6", "Mike"=>"384");
$arr3 = array();
echo_accociative_array_info($arr4);
echo_accociative_array_info($arr5);
echo_accociative_array_info($arr3);
```

4)