ITI 1120

Lab # 2

numbers, expressions, assignment statements, functions ... bit of strings

#### What is in this lab?

Objective of this lab is to get familiar with Python's expressions, function calls, assignment statements and function design via:

1. 2 Tasks (each with a number of questions). You should try to do these tasks at home on a paper.

#### 2. and 4 programming exercises

The slides that are included here but do not display either Tasks or Programming exercises are there for you as a reminder of some relevant material that is needed for this lab.

## Starting Lab 2

- Open a browser and log into Brightspace
- On the left hand side under Labs tab, find lab2 material contained in lab2-students.zip file
- Download that file and unzip it.

## Before starting, always make sure you are running Python 3

This slide is applicable to all labs, exercises, assignments ... etc

ALWAYS MAKE SURE FIRST that you are running Python 3

That is, when you click on IDLE (or start python any other way) look at the first line that the Python shell displays. It should say Python 3

If you do not know how to do this, read the material provided with Lab 1. It explains it step by step

#### div // and mod % operators in Python

```
// is called div operator in Python. It computes integer division
is called mod operator in Python. It computes the remainder of integer division
If uncertain, here is how to compute a//b and a%b
1. Compute first x=a/b
2. a//b is then equal to the whole (i.e integer) part of x. More precisely a//b is equal the integer that is closest to a/b but not bigger than a/b
3. a%b is equal to a - (a//b) * b
```

#### Task 1

- Open the pdf file called in Task1-lab2.pdf
- Read the instructions and complete all the exercises

Note: If you have not printed this document beforehand or do not have a tablet with a pen, just take a piece of blank paper and write your answers on that paper.

#### Task 2

- Go to coursera webpage and log in.
- Go to this link:

https://www.coursera.org/learn/learn-to-program/home/welcome

Go to Week 1, Assessments and complete Quiz 1 (online)

If you have issues signing up for free to this coursera course, below steps helped resolve it for most students (as shared by TA David Worley):

- 1. Signing up with a personal email instead of a school email
- 2. Signing up with email/password instead of logging in through Google
- 3. Trying on a different browser/device

Some students had no issues with using their uottawa email, but for students who did have issues that seemed to help in most cases.

# Task 2 (in case coursera does not work)

- Only do this if coursera web page is giving you difficulties. The quiz in the following file Task2-lab2.pdf is the same as on coursera webpage.
- Open the pdf file called in Task2-lab2.pdf
- Read the instructions and complete all the questions

## Strings

In addition to integer, float (i.e. number) and boolean objects. Python has string objects. (For now think of objects as just values)

•A string is a sequence of characters between single quotes, double quotes or triple quotes.

'This is a string'

Note that these are also strings:

" " this is a string that is comprised of one blank space

'257' this is a string unlike 257 which is an integer

Strings can be assigned to variables. Examples:

```
s1='Harry'
s2="Potter"
```

•There are many operations that can be applied on strings. For example when the + operator is applied to two strings, the result is a string that is the concatenation of the two. For example, s1+s2, would result in a string 'HarryPotter'

Note that "The year is "+ 2525 would cause a syntax error since the + operator can be applied to two numbers or two strings but not the mix of the two. This however is a valid expression 'The is year "+ "2025"

Python also has \* operator for strings. It can be applied to a string and an integer. Eg: 4 \* "la" gives 'lalalala'

Pretend that the following 4 programming questions are your Assignment 1. Write all your solutions to the following 4 questions in one file called lab2\_prog\_solutions.py

You will be instructed to do a similar thing in your Assignment 1.

#### IMPORTANTE NOTE: for this LAB and the ASSIGNMENT(s):

If a question specifies the function name and the names of its parameters, then that same function name and function parameter names must be used when programming your functions. That will be the case in every question in your assignment 1. For example in the question on the next page, your function definition MUST start with:

def repeater(s1, s2, n):

as that is specified as a part of the question

Write a function called repeater(s1, s2, n) that given two strings s1 and s2 and an integer n returns a string that starts with an underscore, then s1 and s2 alternate n times, then ends with an underscore. (For those who know loops: you may not use loops to solve this questions.)

#### Testing your code:

>>>

Here is what the output of your function should look like when you make the following function calls:

Read the first paragraph of this page on quadratic equation and finding its roots (it. solutions)

https://en.wikipedia.org/wiki/Quadratic\_equation

Write a function called roots(a, b, c) that given three coefficients a and b and c prints a nicely formatted message displaying the equation and its two roots (the two roots may be the same number). You may assume that a is a non zero number, and that a and b and c are such that b²-4ac is a positive number. (Do you know why we are making this assumption?)

```
>>>
>>> roots(-1, 4, 1.5)
The quadratic equation with coefficients a = -1 b = 4 c = 1.5
has the following solutions (i.e. roots):
-0.34520787991171487 and 4.345207879911715
>>> roots(1, 2, 1)
The quadratic equation with coefficients a = 1 b = 2 c = 1
has the following solutions (i.e. roots):
-1.0 and -1.0
```

Think back on the previous question ...

Write a function called real\_roots(a, b, c) that returns True if the quadratic equation with the given three coefficients a and b and c has real roots. Otherwise it returns False.

Recall that roots of a quadratic equation are real if and only if b<sup>2</sup>-4ac is a non-negative number. (Do not use if statements nor loops)

#### **Testing your code:**

```
>>>
>>> real_roots(-1, 4, 1.5)
True
>>> real_roots(1, 2, 1)
True
>>> real_roots(1, 1, 1)
False
>>>
```

Write a function called reverse(x) that given a two digit positive integer x returns the number with reversed digits. (You may assume that x is a two digit positive integer). (Do not use if statements nor loops)

Hints: Think of mod and div operators and how they can help. What number should you div x with to get the 1<sup>st</sup> digit.

#### **Testing your code:**

```
>>> reverse(27)
72
>>> reverse(44)
44
>>> reverse(19)
91
>>>
```