

**U.S. DEPARTMENT OF TRANSPORTATION  
ALCOHOL TESTING FORM**

**Federal Transit Administration — 49 CFR Part 655 / 49 CFR Part 40**

Employer copy — retained by Alder Creek Transit District, Office of Compliance & Safety Assurance

Form control no.: ACTD-DOT-ATF-2025-1018-0417

Report finalized and filed: 10/20/2025

**STEP 1 — EMPLOYEE IDENTIFICATION (to be completed by employee)**

|                                                   |                                                                                                                                            |
|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Employee name (printed)                           | Raymond T. Keeler                                                                                                                          |
| Date of birth                                     | 04/11/1979                                                                                                                                 |
| Employee ID / Badge no.                           | ACTD Badge #4417                                                                                                                           |
| Employee CDL class / endorsement                  | Class B commercial; passenger endorsement                                                                                                  |
| Employee signature                                | (see Step 4 — refusal to sign box <i>UNCHECKED</i> ; employee signed at 04:32 a.m., 10/18/2025, in custody at Rivergate Police Department) |
| Employer name                                     | Alder Creek Transit District ("ACTD")                                                                                                      |
| Employer DOT operating administration             | FTA (Federal Transit Administration) — 49 CFR Part 655                                                                                     |
| Employer address                                  | 1200 Alder Creek Way, Rivergate, CA 91766                                                                                                  |
| Employer designated employer representative (DER) | M. Okonkwo, Director of Safety                                                                                                             |
| Employer telephone                                | (626) 555-0100                                                                                                                             |

Reason for test (check one — one only):

|                                         |                                               |                                                          |
|-----------------------------------------|-----------------------------------------------|----------------------------------------------------------|
| <input type="checkbox"/> Random         | <input type="checkbox"/> Reasonable suspicion | <input type="checkbox"/> Post-accident (49 CFR § 655.44) |
| <input type="checkbox"/> Return-to-duty | <input type="checkbox"/> Follow-up            | <input type="checkbox"/> Pre-employment                  |

**STEP 2 — BREATH ALCOHOL TECHNICIAN (BAT) IDENTIFICATION**

|                                            |                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BAT name (printed)                         | Rachel Ngo                                                                                                                                                                                                                                                                                                                                                                                                                    |
| BAT certification no.                      | BAT-4471                                                                                                                                                                                                                                                                                                                                                                                                                      |
| BAT certifying course / training authority | DOT-approved BAT course, 49 CFR § 40.213; refresher current within 5-yr cycle                                                                                                                                                                                                                                                                                                                                                 |
| BAT employer                               | ACTD Office of Compliance & Safety Assurance                                                                                                                                                                                                                                                                                                                                                                                  |
| Collection site                            | Rivergate Police Department — Traffic Investigations Division, secure processing suite (Room 114-A), 300 Rivergate Plaza, Rivergate, CA 91766                                                                                                                                                                                                                                                                                 |
| Basis for on-site (non-ACTD) collection    | Employee already in law-enforcement custody following arrest at 02:35 a.m. on 10/18/2025; BAT deployed to LEA processing suite by coordination between ACTD Compliance and Rivergate PD watch commander to preserve the 8-hour post-accident testing window under 49 CFR § 655.44(b)(1)(ii). Access to employee, testing area, and screen/confirmation observation coordinated through RPD Officer R. Delacruz (Badge #2814). |

**STEP 3 — SCREENING TEST**

Evidential Breath Testing (EBT) device:

|                   |                                                                                                                                     |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| EBT make/model    | Intoximeters Alco-Sensor IV-XL (DOT Conforming Products List, National Highway Traffic Safety Administration, current at test date) |
| EBT serial number | ASIV-XL-73142-KN                                                                                                                    |

|                                                                                    |                                                                                                                                                        |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>EBT firmware / software version</b>                                             | v3.6.2                                                                                                                                                 |
| <b>Calibration verification — last external calibration check on this device</b>   | 10/03/2025 (within 30 days pre-test), passed at 0.040 g/210L target $\pm 0.005$ , actual reading 0.041 g/210L; log entry ACTD-CAL-2025-10-03-ASIV73142 |
| <b>Calibration verification — on-site pre-test air-blank</b>                       | 0.000 g/210L (04:07 a.m., 10/18/2025)                                                                                                                  |
| <b>Calibration verification — on-site pre-test cal check (0.040 g/210L target)</b> | 0.040 g/210L (04:08 a.m., 10/18/2025), within tolerance                                                                                                |

**Screening test administration:**

|                                                                      |                                                                                                                                                                       |
|----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Employee observation period (15-minute pre-test, § 40.241(b))</b> | Began 03:55 a.m.; concluded 04:10 a.m.; observed continuously by BAT Ngo; employee did not eat, drink, smoke, belch, or place anything in the mouth during the period |
| <b>Time of screening test</b>                                        | <b>04:10 a.m., 10/18/2025</b>                                                                                                                                         |
| <b>Screening test result</b>                                         | <b>0.098 g/210L</b>                                                                                                                                                   |
| <b>Sequential test number printed by EBT</b>                         | 002417                                                                                                                                                                |
| <b>BAT initials at screening</b>                                     | R.N.                                                                                                                                                                  |

Because the screening test result was 0.02 g/210L or greater, a confirmation test was required per 49 CFR § 40.251(b) and § 40.253.

**STEP 4 — CONFIRMATION TEST**

Per 49 CFR § 40.253, the confirmation test was conducted on the same EBT after a minimum 15-minute waiting period following the screening test, during which the employee was continuously observed by BAT Ngo and did not eat, drink, smoke, belch, or place anything in the mouth.

**Confirmation administration:**

|                                              |                                                                                                                                                                 |
|----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Confirmation-test EBT serial no.</b>      | ASIV-XL-73142-KN (same device)                                                                                                                                  |
| <b>Confirmation-test pre-test air-blank</b>  | 0.000 g/210L (04:24 a.m., 10/18/2025)                                                                                                                           |
| <b>Waiting period start</b>                  | 04:10 a.m.                                                                                                                                                      |
| <b>Waiting period end</b>                    | 04:25 a.m.                                                                                                                                                      |
| <b>Time of confirmation test</b>             | <b>04:25 a.m., 10/18/2025</b>                                                                                                                                   |
| <b>Confirmation test result</b>              | <b>0.100 g/210L</b>                                                                                                                                             |
| <b>Sequential test number printed by EBT</b> | 002418                                                                                                                                                          |
| <b>BAT initials at confirmation</b>          | R.N.                                                                                                                                                            |
| <b>Printed result tape affixed to form?</b>  | Yes — Attachment A (two-copy EBT thermal printout, screening + confirmation, sequential numbers 002417 and 002418, both bearing device serial ASIV-XL-73142-KN) |

**Employee behavior during confirmation:** cooperative; no refusal; no attempt to obstruct sample; adequate breath sample delivered on first attempt.

**Employee signature block:** signed R. T. Keeler, 04:32 a.m., 10/18/2025.

**Refusal-to-test box:** UNCHECKED (not a refusal under § 40.261).

**STEP 5 — CHAIN OF CUSTODY (BAT / RPD COORDINATED)**

Because the employee was in law-enforcement custody at the time of the DOT test, custody of the employee (as the source of the breath specimen) and custody of the test record were coordinated as follows:

| Time (10/18/2025)  | Custodian                                           | Event                                                                                                                                                                                                                                                   |
|--------------------|-----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 02:35 a.m.         | Rivergate PD (Officer R. Delacruz, Badge #2814)     | Employee arrested at collision scene, South Main Street & Third Avenue, Rivergate                                                                                                                                                                       |
| 03:40 a.m.         | ACTD Compliance duty desk                           | Post-accident test dispatch initiated; BAT Ngo assigned; coordination call placed to RPD watch commander                                                                                                                                                |
| 04:02 a.m.         | BAT R. Ngo (arriving at RPD suite Room 114-A)       | Signed in through RPD visitor log entry #10-18-0402; escorted to processing suite; identity of employee confirmed against ACTD photo-badge record and RPD booking sheet                                                                                 |
| 03:55 – 04:10 a.m. | BAT R. Ngo                                          | 15-minute pre-test observation of employee, continuous                                                                                                                                                                                                  |
| 04:10 a.m.         | BAT R. Ngo                                          | Screening test administered — result 0.098 g/210L (Step 3)                                                                                                                                                                                              |
| 04:10 – 04:25 a.m. | BAT R. Ngo                                          | 15-minute post-screen observation of employee, continuous                                                                                                                                                                                               |
| 04:25 a.m.         | BAT R. Ngo                                          | Confirmation test administered — result 0.100 g/210L (Step 4)                                                                                                                                                                                           |
| 04:32 a.m.         | BAT R. Ngo                                          | Employee signature obtained (Step 4); BAT signature affixed (Step 6)                                                                                                                                                                                    |
| 04:45 a.m.         | BAT R. Ngo → RPD evidence intake                    | Copy of completed form and duplicate EBT tape released to Officer Delacruz for inclusion in RPD investigative packet per coordinated-custody protocol; ACTD-Compliance-retained originals sealed in tamper-evident envelope no. ACTD-TE-2025-1018-04417 |
| 06:10 a.m.         | ACTD Compliance secure intake, 1200 Alder Creek Way | Sealed envelope logged in; envelope integrity intact; placed in Compliance safe pending DER review                                                                                                                                                      |
| 10/20/2025         | M. Okonkwo, DER                                     | Form reviewed, dated, and filed as report of record                                                                                                                                                                                                     |

Employee remained continuously in RPD custody throughout the observation, screening, and confirmation intervals; at no point was employee outside the physical presence of either BAT Ngo (for testing purposes) or RPD custody staff.

#### STEP 6 — BAT CERTIFICATION AND SIGNATURE

I certify that I am a Breath Alcohol Technician trained and qualified under 49 CFR § 40.213; that the device identified above is on the NHTSA Conforming Products List for evidential breath testing and had a passing external calibration check within 30 days prior to this test; that I performed the screening test at 04:10 a.m. on 10/18/2025 and the confirmation test at 04:25 a.m. on 10/18/2025 in accordance with 49 CFR Part 40, Subpart M, and Part 655; that I continuously observed the employee for the pre-test 15-minute period and the between-tests 15-minute period; and that the readings recorded above (0.098 g/210L screening, 0.100 g/210L confirmation) are as displayed and printed by the EBT.

|                               |                             |
|-------------------------------|-----------------------------|
| <b>BAT signature:</b>         | Rachel Ngo — /s/ Rachel Ngo |
| <b>BAT printed name:</b>      | Rachel Ngo                  |
| <b>BAT certification no.:</b> | BAT-4471                    |
| <b>Date/time signed:</b>      | 10/18/2025, 04:32 a.m.      |

#### STEP 7 — DESIGNATED EMPLOYER REPRESENTATIVE (DER) RECEIPT

Received by ACTD Office of Compliance & Safety Assurance and reviewed for completeness under 49 CFR § 655.53.

|                                                   |                                      |
|---------------------------------------------------|--------------------------------------|
| <b>Reviewer:</b>                                  | M. Okonkwo, Director of Safety (DER) |
| <b>Reviewer signature:</b>                        | /s/ M. Okonkwo                       |
| <b>Date reviewed / filed as report of record:</b> | 10/20/2025                           |

#### Distribution:

- Original — ACTD Compliance file, Employee Testing Record, Keeler, R. T. (Badge #4417)

- Copy — ACTD Human Resources / Employee Assistance Program referral file
- Copy — ACTD General Counsel (D. Farkas)
- Copy — Rivergate PD investigative packet (per coordinated custody, Step 5)
- Attachment A (retained in ACTD Compliance file): EBT printed result tape, sequential nos. 002417, 002418
- Attachment B (retained in ACTD Compliance file): calibration log excerpt, device ASIV-XL-73142-KN
- Attachment C (retained in ACTD Compliance file): BAT Rachel Ngo certification card, BAT-4471

---

*Retention: 5 years from date of test per 49 CFR § 655.71(a)(1) (post-accident test with result 0.02 g/210L or greater).*