

Pro360_Performance_Report

26/08/2026

Author Details	
First Name	QC
Surname	QA
Job Title	Pro360_Performance_Report_100_User_2s_1User
Organization	FIS

General Details

Scenario Name	Scenario1
Run Name	res.lrr
Run Date	26/08/2026 10:38:46
Period	26/08/2026 10:38:46 - 26/08/2026 10:44:13
Run Duration	5 minutes and 27 seconds
PC Project Name	res.lrr

Executive Summary

Conclusions

Business Process

Run Name	Group Name	Script Name	Concurrent Vusers	% of Total Vusers	Transactions per Hour	Start Time	Think Time	Pacing	Browser Cache
res.lrr	Pro360_Performance	Pro360_Performance	9	100	15364.8	26/08/2026 10:38:46	Replay as recorded	As soon as possible	
		Total:	9	100%					

Script: Pro360_Performance


Description:

#	Transaction
1	01_Trans_Update_Project
2	02_Trans_Create_Version
3	03_Trans_Update_Version
4	04_Trans_Create_Component
5	05_Trans_Update_Component
6	06_Trans_Create_Issue
7	07_Trans_Update_Issue
8	08_Trans_Delete_Issue
9	09_Trans_Create_Worklog
10	10_Trans_Update_Worklog
11	11_Trans_Delete_Worklog
12	Action_Transaction
13	vuser_end_Transaction
14	vuser_init_Transaction

Workload Characteristics

Measurement	res.lrr
Max Running Vusers	9
Average Hits per Second	3.3
Total Hits	1100

Total Passed Transactions per Second	4.3
Total Passed Transactions per Minute	255.3
Total Transactions Number	14



Color	Graph	Scale	Measurement	Graph's Minimum	Graph's Average	Graph's Maximum	Graph's Median	Graph's Std. Deviation
	Running Vusers	1	Run	0.000	6.401	9.000	7.000	1.608
	Total Transactions per Second	1	Pass	0.000	4.255	9.000	4.000	1.696

Performance Overview

Measurement	Value
Run Name	res.lrr
Weighted Average of Transaction Response Time	0.1
Total Passed Transactions	1400
Total Failed Transactions	0
Transactions Success Rate, %	100
Total Errors per Second	0
Total Errors	0

HTTP Responses Summary

HTTP Response Name	Total	Per Second
HTTP_200	1100	3.4

Transaction Summary


Filter Transaction End Status= (Pass)

Run Name	Transaction Name	Minimum	Average	Maximum	Std. Deviation	90%	Pass Count	Fail Count	Stop Count
res.lrr	01_Trans_Update_Project	0.1	0.1	0.2	0	0.1	100	0	0
res.lrr	02_Trans_Create_Version	0	0	0	0	0	100	0	0
res.lrr	03_Trans_Update_Version	0	0	0.1	0	0	100	0	0
res.lrr	04_Trans_Create_Component	0	0	0.1	0	0	100	0	0
res.lrr	05_Trans_Update_Component	0	0	0.1	0	0	100	0	0
res.lrr	06_Trans_Create_Issue	0	0	0.1	0	0	100	0	0
res.lrr	07_Trans_Update_Issue	0	0	0.1	0	0	100	0	0
res.lrr	08_Trans_Delete_Issue	0	0	0.1	0	0	100	0	0
res.lrr	09_Trans_Create_Worklog	0	0	0.1	0	0	100	0	0
res.lrr	10_Trans_Update_Worklog	0	0	0.1	0	0	100	0	0
res.lrr	11_Trans_Delete_Worklog	0	0	0.1	0	0	100	0	0
res.lrr	Action_Transaction	0.5	0.5	0.7	0	0.6	100	0	0
res.lrr	vuser_end_Transaction	0	0	0	0	0	100	0	0
res.lrr	vuser_init_Transaction	0	0	0	0	0	100	0	0


Worst URLs (by average response time)

URL name	Parent transaction name	Layers breakdown of the URL	Count	Total	Min	Max	Avg	StdDev
https://pro360-test.fis.vn/api/sync/public/project-details/updateProjectDetailRequest	01_Trans_Update_Project		1	0.2	0.2	0.2	0.2	0
https://pro360-test.fis.vn/api/sync/public/worklog/deleteWorklog	11_Trans_Delete_Worklog		1	0	0	0	0	0
https://pro360-test.fis.vn/api/sync/public/worklog/updateWorklog	10_Trans_Update_Worklog		1	0	0	0	0	0
https://pro360-test.fis.vn/api/sync/public/issue/createIssue	06_Trans_Create_Issue		1	0	0	0	0	0
https://pro360-test.fis.vn/api/sync/public/issue/deleteIssue	08_Trans_Delete_Issue		1	0	0	0	0	0
https://pro360-test.fis.vn/api/sync/public/issue/updateIssue	07_Trans_Update_Issue		1	0	0	0	0	0
https://pro360-test.fis.vn/api/sync/public/version-details/updateVersionDetailJiraRequest	03_Trans_Update_Version		1	0	0	0	0	0
https://pro360-test.fis.vn/api/sync/public/worklog/createWorklogList	09_Trans_Create_Worklog		1	0	0	0	0	0
https://pro360-test.fis.vn/api/sync/public/version-details/createVersionDetail	02_Trans_Create_Version		1	0	0	0	0	0

Worst URLs (by average response time)



Most Resource Consuming URLs



Largest URLs by Average KBytes

URL name	Parent transaction name	Average size	Count	Total	Min	Max	Avg	StdDev
https://pro360-test.fis.vn/api/sync/public/worklog/deleteWorklog	11_Trans_Delete_Worklog		1	1.5	1.5	1.5	1.5	0.4

Largest URLs by Average KBytes

URL name	Parent transaction name	Average size	Count	Total	Min	Max	Avg	StdDev
https://pro360-test.fis.vn/api/sync/public/worklog/updateWorklog	10_Trans_Update_Worklog		1	1.5	1.5	1.5	1.5	0.4
https://pro360-test.fis.vn/api/sync/public/issue/createIssue	06_Trans_Create_Issue		1	1.5	1.5	1.5	1.5	0.4
https://pro360-test.fis.vn/api/sync/public/issue/deleteIssue	08_Trans_Delete_Issue		1	1.5	1.5	1.5	1.5	0.4
https://pro360-test.fis.vn/api/sync/public/issue/updateIssue	07_Trans_Update_Issue		1	1.5	1.5	1.5	1.5	0.4
https://pro360-test.fis.vn/api/sync/public/version-details/updateVersionDetailJiraRequest	03_Trans_Update_Version		1	1.5	1.5	1.5	1.5	0.4
https://pro360-test.fis.vn/api/sync/public/worklog/createWorklogList	09_Trans_Create_Worklog		1	1.5	1.5	1.5	1.5	0.4
https://pro360-test.fis.vn/api/sync/public/version-details/createVersionDetail	02_Trans_Create_Version		1	1.5	1.5	1.5	1.5	0.4
https://pro360-test.fis.vn/api/sync/public/component-details/createComponentDetail	04_Trans_Create_Component		1	1.5	1.5	1.5	1.5	0.4
https://pro360-test.fis.vn/api/sync/public/project-details/updateProjectDetailRequest	01_Trans_Update_Project		1	1.5	1.5	1.5	1.5	0.4



Average size

Running Vusers


TitleRunning Vusers

Current ResultsC:\Users\danhnc14\AppData\Local\Temp\res\res.lrr

FiltersVuser Status = (Run)

Group By

Granularity8 Seconds



Color	Scale	Measurement	Graph Minimum	Graph Average	Graph Maximum	Graph Median	Graph Std. Deviation
	1	Run	0.000	6.214	9.000	7.000	1.739

Description: Displays the number of Vusers that executed Vuser scripts, and their status, during each second of a load test. This graph is useful for determining the Vuser load on your server at any given moment.

Hits per Second


TitleHits per Second

Current ResultsC:\Users\danhnc14\AppData\Local\Temp\res\res.Irr

FiltersNone

Group By

Granularity8 Seconds



Color	Scale	Measurement	Graph Minimum	Average	Graph Maximum	Graph Median	Graph Std. Deviation
	1	Hits	0.000	3.354	4.375	3.500	0.946

Description: Displays the number of hits made on the Web server by Vusers during each second of the load test. This graph helps you evaluate the amount of load Vusers generate, in terms of the number of hits.

Throughput


TitleThroughput

Current ResultsC:\Users\danhnc14\AppData\Local\Temp\res\res.Irr

FiltersNone

Group By

Granularity8 Seconds



Color	Scale	Measurement	Graph Minimum	Average	Graph Maximum	Graph Median	Graph Std. Deviation
	1	Throughput	0.000	4,980.183	6,496.875	5,197.500	1,405.085

Description: Displays the amount of throughput (in bytes) on the Web server during the load test. Throughput represents the amount of data that the Vusers received from the server at any given second. This graph helps you to evaluate the amount of load Vusers generate, in terms of server throughput.


Transaction Summary

TitleTransaction Summary

Current ResultsC:\Users\danhnc14\AppData\Local\Temp\res\res.lrr

Filters(do not Include Think Time)

Group By



Color	Scale	Measurement
	1	Pass

Description: Displays the number of transactions that passed, failed, stopped, or ended with errors.

Average Transaction Response Time


TitleAverage Transaction Response Time

Current ResultsC:\Users\danhnc14\AppData\Local\Temp\res\res.lrr

FiltersTransaction End Status = (Pass)(do not Include Think Time)

Group By

Granularity8 Seconds,



Color	Scale	Measurement	Minimum	Average	Maximum	Std. Deviation
	1	01_Trans_Update_Project	0.132	0.140	0.193	0.008
	1	02_Trans_Create_Version	0.037	0.040	0.049	0.002
	1	03_Trans_Update_Version	0.036	0.040	0.126	0.009
	1	04_Trans_Create_Component	0.036	0.040	0.069	0.005
	1	05_Trans_Update_Component	0.036	0.040	0.065	0.004
	1	06_Trans_Create_Issue	0.037	0.041	0.072	0.004
	1	07_Trans_Update_Issue	0.037	0.040	0.057	0.002
	1	08_Trans_Delete_Issue	0.036	0.039	0.064	0.004
	1	09_Trans_Create_Worklog	0.037	0.041	0.065	0.004
	1	10_Trans_Update_Worklog	0.037	0.040	0.065	0.003
	1	11_Trans_Delete_Worklog	0.036	0.040	0.074	0.005
	1	Action_Transaction	0.513	0.545	0.672	0.024
	1	vuser_end_Transaction	0.000	0.000	0.000	0.000
	1	vuser_init_Transaction	0.000	0.000	0.000	0.000

Description: Displays the average time taken to perform transactions during each second of the load test. This graph helps you determine whether the performance of the server is within acceptable minimum and maximum transaction performance time ranges defined for your system.

Terminology

LoadRunner Objects

Term	Definition
Vuser Scripts	A Vuser script describes the actions that a Vuser performs during the scenario. Each Vuser executes a Vuser script during a scenario run. The Vuser scripts include functions that measure and record the performance of your application components.
Load Test	Tests a system's ability to handle a heavy workload. A load test simulates multiple transactions or users interacting with the computer at the same time and provides reports on response times and system behavior.
Run-Time Settings	Run-Time settings allow you to customize the way a Vuser script is executed. You configure the run-time settings from the Controller or VuGen before running a scenario. You can view information about the Vuser groups and scripts that were run in each scenario, as well as the run-time settings for each script in a scenario, in the Scenario Run-Time Settings dialog box.
Scenario	A scenario defines the events that occur during each testing session. For example, a scenario defines and controls the number of users to emulate, the actions that they perform, and the machines on which they run their emulations.
Scheduler	The Schedule Builder allows you to set the time that the scenario will start running, the duration time of the scenario or of the Vuser groups within the scenario, and to gradually run and stop the Vusers within the scenario or within a Vuser group. It also allows you to set the load behavior of Vusers in a scenario.
Session	When you work with the Analysis utility, you work within a session. An Analysis session contains at least one set of scenario results (lrr file). The Analysis utility processes the scenario result information and generates graphs and reports. The Analysis stores the display information and layout settings for the active graphs in a file with an .lra extension. Each session has a session name, result file name, database name, directory path, and type.
Transactions	A transaction represents an action or a set of actions used to measure the performance of the server. You define transactions within your Vuser script by enclosing the appropriate sections of the script with start and end transaction statement.
Vusers	Vusers or virtual users are used by LoadRunner as a replacement for human users. When you run a scenario, Vusers emulate the actions of human users working with your application. A scenario can contain tens, hundreds, or even thousands of Vusers running concurrently on a single workstation.

Graph Information

Term	Definition
Average	Average value of the graph measurement's.
Hits	The number of HTTP requests made by Vusers to the Web server.
Maximum	Maximum value of the graph measurement's.
Measurement	This is the type of resource being monitored
Median	Middle value of the graph measurement's.
Minimum	Minimum value of the graph measurement's.
Network Delay	The time it takes for a packet of data sent across the network to go to the requested node and return.
Network Path	The Network Path is the route data travels between the source machine and the destination machine.
Response time	The time taken to perform a transaction.
Scale (or granularity)	In order to display all the measurements on a single graph, thus making the graphs easier to read and analyze, you can change the scale or (granularity) of the x-axis. You can either set measurement scales manually, view measurement trends for all measurements in the graph, or let Analysis scale them automatically. The Legend tab indicates the scale factor for each resource.
Standard Deviation (SD)	The square root of the arithmetic mean value of the squares of the deviations from the arithmetic mean.
Throughput	Throughput is measured in bytes and represents the amount of data that the Vusers received from the server.
Vuser Load	When you run a scenario, the Vusers generate load or stress on the server. LoadRunner monitors the effect of this load on the performance of your application.