

Azure function APP publishing.

- ① Create function APP
(search in search bar)
- ② Create function App
 - flexi consumption plan.
 - consumption plan.

Select Resource group -
(if not there then create one)

Region: East US.

Next ✓✓

Networking — public ~~access~~ access on ?

- ③ Monitoring is pending,
so we select "No"

②

④ function App khudse ek validation lagata hai portal me then ek function App create hoti hai.

deployment is done by portal.

Go to Resource (shows our deployed Azure App).

⑤ then we will go to settings
→ configuration.

→ Check the (SCM Basic Auth publishing credentials)



Apply

overview



(Reset publish profile) To Reflect the changes.



Download (Get publish profile).

⑥ (What is deployment slot setting). ③

then we will add the Env Variables
Of the local settings. JSON.

⑦ download & publish the App in
VS code → Build → Publish
(doubt) ? selection.

⑧ Service Bus (search it)

↓
(create) one

↳ Make sure to select the Resource
group which was selected/
Create.
while creating function APP.

⑨ Choose pricing tier - Basic.

⑩ next → next → next → Create
go to resource.

(4)

(11) go to Access control

↓
Add role assignment

Doubt

Receiver Owner?

↓
Search - { service Bus Data Sender }.

↗
Select this.

(12) Add members → Select the name who had created the Application.
(client ID / client secret.
Registered the App).

(why we do this ?).

for Authentication purpose.

So here only shubh (∵ he is selected member)
can have access to service bus by Application user App.

(13) Next → Preview & Assign.

(14) Check ~~the~~ access.

(I have given access to shubh
and listen to
service bus)

(Ab kya?) } Learn How to
 { trigger service bus }

(15) Now we create Queue.

↳ Entity → Queue.

Create One.

- Select on the create queue.

- go to Service Bus Explorer.

↳ from here we can send
the messages

⑥ How we will access the queue?

go to Settings



Shared Access Policy



Add




Add Manage
role

(selects both listen & send)



Name the SAS policy,

name



(AzureGridSecret)

go to this Secret Key



Copy Primary connection String

paste in notepad. (Remove Entity Path)

(17) with this url endpoint which we passed (SAS key) we can access the queue from vs code.

(18) then we go to our vs code Azure function App.

(azure function app project.)

↳ add azure function



HTTP triggered

Select Service Bus Queue Trigger (azureServiceBusQueue).

Service Bus Trigger ("myqueue", connection = " - ")

* M. JmP

@ delete and

paste the name

of queue which you created

Inside the Service Bus).

(Service Bus - connection)

(ENV - & Add to local settings well)

(SAS key which we copied)

Add to env & local settings JSON.

(19) to access the URL for Port man.

we select on the function
the select Out function URL.
Copy paste in Notepad (default functⁿ
key).

(20) Imp Port

↳ Port written After the
code is token
which helps to access
the function. (Apoi
function).

(21) Learn. How to trigger of service Bus.

- What's the use of it. ?

- In which ~~are~~ case we use
Service bus.

Console

JS

Azure function. ?

{ Peek Mode / Receive Mode }

VS code project

Azure function → Azure funct.

plugin → Class library,
(.Net framework).

Console App → Console App.

Queue → Add
Service bus
triggered.

Normal
AZ funct^A = HTTP
triggered.