

Table of Contents

RecommendedMetTriggers2016	1
----------------------------------	---

RecommendedMetTriggers2016

Trigger Group	Single jet	Multi jets	MET	
period A	HLT_j340 HLT_j360_a10r_L1J100 HLT_j360_a10_lcw_L1J100 HLT_j260_320eta490	HLT_3j175 HLT_4j85 HLT_5j55 HLT_6j45 HLT_7j45 HLT_10j40_L14J20	HLT_xe90_mht_L1XE50 (a)	
period B-C	HLT_j380 HLT_j400_a10r_L1J100 HLT_j400_a10_lcw_L1J100 HLT_j260_320eta490	HLT_3j175 HLT_4j100 HLT_5j70_L14J15 HLT_6j60 HLT_6j45_0eta240 HLT_7j45 HLT_10j40_L14J20	HLT_xe90_mht_L1XE50	H
period D1-D3	HLT_j380 HLT_j400_a10r_L1J100 HLT_j400_a10_lcw_L1J100 HLT_j260_320eta490	HLT_3j175 HLT_4j100 HLT_5j70_L14J15 HLT_6j60 HLT_6j45_0eta240 HLT_7j45 HLT_10j40_L14J20	HLT_xe90_mht_L1XE50	H
period D4-E3	HLT_j380 HLT_j400_a10_lcw_L1J100 HLT_j400_a10r_L1J100 HLT_j260_320eta490	HLT_3j175 HLT_4j100 HLT_5j70_L14J15 HLT_5j65_0eta240_L14J15 HLT_6j60 HLT_6j45_0eta240 HLT_7j45_L14J15 HLT_10j40_L14J15	HLT_xe110_mht_L1XE50 (*)	HL
period F1	HLT_j380 HLT_j420_a10_lcw_L1J100 HLT_j420_a10r_L1J100 HLT_j260_320eta490	HLT_3j200 HLT_4j100 HLT_5j70_L14J15 HLT_5j65_0eta240_L14J15 HLT_6j60 HLT_6j45_0eta240 HLT_7j45_L14J15 HLT_10j40_L14J15	HLT_xe110_mht_L1XE50 (*)	HL
period F2-	HLT_j380 HLT_j420_a10_lcw_L1J100 HLT_j420_a10r_L1J100 HLT_j260_320eta490	HLT_3j200 HLT_4j100 HLT_5j70_L14J15 HLT_5j65_0eta240_L14J15 HLT_6j60 HLT_6j45_0eta240 HLT_7j45_L14J15	HLT_xe110_mht_L1XE50	HL

Trigger Group	Single jet	Multi jets	MET	
		HLT_10j40_L14J15		

(a) Analyses using MET triggers should also check events that fire

HLT_noalg_L1J400 to see if any of these events were **not** fired by the met trigger in the analysis phase-space.

(*) HLT_xe100_mht_L1XE50 ran unprescaled during D4-F1 other than at the start of some high-luminosity runs.

The menu evolution for the un-prescaled triggers can also be found at LowestUnprescaledMET.

Triggers monitored in the express stream are listed on the twiki

The lowest unprescaled trigger for 2016 uses the MHT algorithm. MHT is the negative vector sum of trigger jet pT, where the trigger jet calibration is EM + pileup subtraction + JES.

Luminosity calculation

<https://atlas-tagservices.cern.ch/tagservices/RunBrowser/runBrowserReport/runBrowserReport.php?fnt=&pn=&runs=>

The decision was made, based on a wide sample of physics analyses using 2015 data, to dedicate the majority of the rate to the topocluster-based MET algorithms (tc_lcw and mht), calibrated at using the LCW algorithm, rather than the cell algorithm. The MET-only trigger is being allocated most rate rather than MET+X in order to maintain the lowest unprescaled threshold possible, since the MET-only trigger is used by a very wide range of analyses.

The menu choices were based on the findings from 2015 data. Some basic performance plots from that data can be found in the 2015 Trigger performance paper <https://cds.cern.ch/record/2140103/>

rationale may be found in the Jira thread

<https://its.cern.ch/jira/browse/ATR-13380>

[↗](#). More of the

[↗](#).

More general information on the content of the menu can be found at:

TriggerPhysicsMenu#Physics_menu_for_2016 and on the spreadsheets from the Signature Coordination Meeting <https://indico.cern.ch/event/512378/>

[↗](#)

Major updates:

-- MoritzBackes - 2017-10-05

Responsible: MoritzBackes

Last reviewed by: **Never reviewed**

This topic: Atlas > RecommendedMetTriggers2016

Topic revision: r1 - 2017-05-10 - MoritzBackes



Copyright & © 2008-2026 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.

or Ideas, requests, problems regarding TWiki? use Discourse or Send feedback

```
var _paq = window._paq = window._paq || []; /* tracker methods like
"setCustomDimension" should be called before "trackPageView" */
_paq.push(['trackPageView']); _paq.push(['enableLinkTracking']);
(function() { var u="https://webanalytics.web.cern.ch/";
_paq.push(['setTrackerUrl', u+'matomo.php']); _paq.push(['setSiteId',
'5']); var d=document, g=d.createElement('script'),
s=d.getElementsByTagName('script')[0]; g.async=true; g.src=u+'matomo.js';
s.parentNode.insertBefore(g,s); })();
```