# F1 Statistics API

1.0.0 OAS 3.1

/openapi.json

A RESTful API for Formula 1 race data including drivers, teams, races, and results.

Authorize

## Drivers

GET /drivers/ List Drivers

**Parameters**

Cancel

| Name | Description |
| --- | --- |
| active_only<br>boolean<br>*(query)* | Filter to active drivers<br>true |
| nationality<br>string \| (string \| null)<br>*(query)* | Filter by nationality<br>British |
| team_id<br>integer \| (integer \| null)<br>*(query)* | Filter by team ID<br>team_id |
| name<br>string \| (string \| null)<br>*(query)* | Search by forename or surname<br>name |

Execute Clear

**Responses**

### Curl

```
curl -X 'GET' \
  'https://kyrik2005.pythonanywhere.com/drivers/?active_only=true&nationality=British' \
  -H 'accept: application/json'
```

### Request URL

```
https://kyrik2005.pythonanywhere.com/drivers/?active_only=true&nationality=British
```

### Server response

| Code | Details |
|---|---|
| 200 | |

**Response body**


```
[
  {
    "code": "BEA",
    "forename": "Oliver",
    "surname": "Bearman",
    "nationality": "British",
    "date_of_birth": "2005-05-08",
    "number": 38,
    "team_id": 210,
    "active": true,
    "id": 860
  },
  {
    "code": "HAM",
    "forename": "Lewis",
    "surname": "Hamilton",
    "nationality": "British",
    "date_of_birth": "1985-01-07",
    "number": 44,
    "team_id": 131,
    "active": true,
    "id": 1
  },
  {
    "code": "NOR",
    "forename": "Lando",
    "surname": "Norris",
    "nationality": "British",
```


Download

**Response headers**

```
connection: keep-alive
content-encoding: gzip
content-type: application/json
date: Wed,18 Mar 2026 03:29:17 GMT
server: PythonAnywhere
transfer-encoding: chunked
vary: Accept-Encoding
x-clacks-overhead: GNU Terry Pratchett
```

### Responses

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

**application/json**

Controls `Accept` header.

| Code | Description | Links |
|---|---|---|

**Example Value** Schema


```
[
  {
    "code": "str",
    "forename": "string",
    "surname": "string",
    "nationality": "string",
    "date_of_birth": "2026-03-18",
    "number": 99,
    "team_id": 0,
    "active": true,
    "id": 0
  }
]
```


422 Validation Error *No links*

Media type

**application/json**

**Example Value** Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```


POST `/drivers/` Create Driver

**Parameters** Cancel Reset

No parameters

**Request body** required **application/json**

**Edit Value** Schema

```
{
  "code": "KYR",
  "forename": "Kyri",
  "surname": "Konis",
  "nationality": "British",
  "date_of_birth": "2005-08-10",
  "number": 77,
  "team_id": 131,
  "active": true
}
```

Execute | Clear

## Responses

### Curl

```
curl -X 'POST' \
  'https://kyrik2005.pythonanywhere.com/drivers/' \
  -H 'accept: application/json' \
  -H 'X-API-Key: f1-api-key' \
  -H 'Content-Type: application/json' \
  -d '{
  "code": "KYR",
  "forename": "Kyri",
  "surname": "Konis",
  "nationality": "British",
  "date_of_birth": "2005-08-10",
  "number": 77,
  "team_id": 131,
  "active": true
}'
```

### Request URL

```
https://kyrik2005.pythonanywhere.com/drivers/
```

### Server response

| Code | Details |
|---|---|
| 201 | **Response body** |

```
{
  "code": "KYR",
  "forename": "Kyri",
  "surname": "Konis",
  "nationality": "British",
  "date_of_birth": "2005-08-10",
  "number": 77,
  "team_id": 131,
  "active": true,
```

| Code | Details | Download |
|---|---|---|

```
  "id": 863
}
```

**Response headers**

```
access-control-allow-origin: *
connection: keep-alive
content-length: 152
content-type: application/json
date: Wed,18 Mar 2026 03:30:25 GMT
server: PythonAnywhere
x-clacks-overhead: GNU Terry Pratchett
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 201 | Successful Response | *No links* |

Media type

**application/json**

Controls `Accept` header.

**Example Value** Schema

```
{
  "code": "str",
  "forename": "string",
  "surname": "string",
  "nationality": "string",
  "date_of_birth": "2026-03-18",
  "number": 99,
  "team_id": 0,
  "active": true,
  "id": 0
}
```

| | | |
|---|---|---|
| 422 | Validation Error | *No links* |

Media type

**application/json**

**Example Value** Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

GET `/drivers/{driver_ref}` Get Driver

Fetch a driver by database ID, 3 letter code (e.g. HAM), or name.

## Parameters

Cancel

| Name | Description |
| --- | --- |
| **driver_ref** * required<br>`string`<br>*(path)* | Kyri |

Execute Clear

## Responses

### Curl

```
curl -X 'GET' \
  'https://kyrik2005.pythonanywhere.com/drivers/Kyri' \
  -H 'accept: application/json'
```

### Request URL

```
https://kyrik2005.pythonanywhere.com/drivers/Kyri
```

### Server response

| Code | Details |
| --- | --- |
| 200 | **Response body** |


```
{
  "code": "KYR",
  "forename": "Kyri",
  "surname": "Konis",
  "nationality": "British",
  "date_of_birth": "2005-08-10",
  "number": 77,
  "team_id": 131,
  "active": true,
  "id": 863
}
```


Download

**Response headers**

```
connection: keep-alive
content-length: 152
content-type: application/json
date: Wed,18 Mar 2026 03:30:34 GMT
server: PythonAnywhere
x-clacks-overhead: GNU Terry Pratchett
```

### Responses

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

**application/json**

Controls `Accept` header.

**Example Value** Schema


```
{
  "code": "str",
  "forename": "string",
  "surname": "string",
  "nationality": "string",
  "date_of_birth": "2026-03-18",
  "number": 99,
  "team_id": 0,
  "active": true,
  "id": 0
}
```


| 422 | Validation Error | *No links* |
|---|---|---|

Media type

**application/json**

**Example Value** Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```


PATCH `/drivers/{driver_id}` Update Driver

DELETE `/drivers/{driver_id}` Delete Driver

**Parameters** Cancel

| Name | Description |
|---|---|
| **driver_id** * required<br>`integer`<br>*(path)* | 863 |

Execute | Clear

## Responses

### Curl

```
curl -X 'DELETE' \
  'https://kyrik2005.pythonanywhere.com/drivers/863' \
  -H 'accept: */*' \
  -H 'X-API-Key: f1-api-key'
```

### Request URL

```
https://kyrik2005.pythonanywhere.com/drivers/863
```

### Server response

| Code | Details |
|---|---|
| 204 | **Response headers** |

```
access-control-allow-origin: *
connection: keep-alive
content-type: application/json
date: Wed,18 Mar 2026 03:30:51 GMT
server: PythonAnywhere
x-clacks-overhead: GNU Terry Pratchett
```

### Responses

| Code | Description | Links |
|---|---|---|
| 204 | Successful Response | *No links* |
| 422 | Validation Error | *No links* |

Media type

**application/json**

**Example Value** Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

# Teams

GET /teams/ List Teams

## Parameters

Cancel

| Name | Description |
| --- | --- |
| active_only<br>boolean<br>*(query)* | Filter to active teams only<br>false |
| name<br>string \| (string \| null)<br>*(query)* | Search by team name<br>Error |

Execute Clear

## Responses

### Curl

```
curl -X 'GET' \
  'https://kyrik2005.pythonanywhere.com/teams/?active_only=false&name=Error' \
  -H 'accept: application/json'
```

### Request URL

https://kyrik2005.pythonanywhere.com/teams/?active_only=false&name=Error

### Server response

| Code | Details |
| --- | --- |
| 200 | **Response body**<br>[]<br>Download<br>**Response headers**<br>connection: keep-alive<br>content-length: 2<br>content-type: application/json<br>date: Wed,18 Mar 2026 03:39:29 GMT<br>server: PythonAnywhere<br>x-clacks-overhead: GNU Terry Pratchett |

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

**application/json**

Controls `Accept` header.

**Example Value** Schema


```
[
  {
    "name": "string",
    "full_name": "string",
    "nationality": "string",
    "base": "string",
    "founded_year": 1900,
    "championships": 0,
    "active": true,
    "id": 0
  }
]
```


| 422 | Validation Error | *No links* |
|---|---|---|

Media type

**application/json**

**Example Value** Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```


POST `/teams/` Create Team

**Parameters** Cancel Reset

No parameters

**Request body** required **application/json**

**Edit Value** Schema

```
{
  "name": "Wrong API Key Used",
  "full_name": "Unauthorized",
  "nationality": "string",
  "base": "string",
  "founded_year": 1900,
  "championships": 0,
  "active": true
}
```

Execute | Clear

## Responses

### Curl

```
curl -X 'POST' \
  'https://kyrik2005.pythonanywhere.com/teams/' \
  -H 'accept: application/json' \
  -H 'X-API-Key: WrongKey' \
  -H 'Content-Type: application/json' \
  -d '{
  "name": "Wrong API Key Used",
  "full_name": "Unauthorized",
  "nationality": "string",
  "base": "string",
  "founded_year": 1900,
  "championships": 0,
  "active": true
}'
```

### Request URL

```
https://kyrik2005.pythonanywhere.com/teams/
```

### Server response

| Code | Details |
|---|---|
| 401<br>*Undocumented* | Error: Unauthorized<br>**Response body**<br>`{ "detail": "Invalid or missing API key" }`<br>Download<br>**Response headers**<br>`access-control-allow-origin: *`<br>`connection: keep-alive` |

| Code | Details |
|---|---|
| | content-length: 39<br>content-type: application/json<br>date: Wed,18 Mar 2026 03:43:27 GMT<br>server: PythonAnywhere |

**Responses**

| Code | Description | Links |
|---|---|---|
| 201 | Successful Response<br>Media type<br>**application/json**<br>Controls `Accept` header.<br>**Example Value** Schema | *No links* |

```
{
  "name": "string",
  "full_name": "string",
  "nationality": "string",
  "base": "string",
  "founded_year": 1900,
  "championships": 0,
  "active": true,
  "id": 0
}
```

| | | |
|---|---|---|
| 422 | Validation Error<br>Media type<br>**application/json**<br>**Example Value** Schema | *No links* |

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

GET `/teams/{team_ref}` Get Team

Fetch a team by numeric ID or name (e.g. 'Red_Bull', 'Ferrari').

**Parameters** Cancel

| Name | Description |
| --- | --- |
| **team_ref** * required<br>string<br>*(path)* | Ferrari |

Execute | Clear

## Responses

### Curl

```
curl -X 'GET' \
  'https://kyrik2005.pythonanywhere.com/teams/Ferrari' \
  -H 'accept: application/json'
```

### Request URL

```
https://kyrik2005.pythonanywhere.com/teams/Ferrari
```

### Server response

| Code | Details |
| --- | --- |
| 200 | **Response body**<br>{<br>"name": "ferrari",<br>"full_name": "Ferrari",<br>"nationality": "Italian",<br>"base": null,<br>"founded_year": null,<br>"championships": 0,<br>"active": true,<br>"id": 6<br>}<br>Download<br>**Response headers**<br>connection: keep-alive<br>content-length: 135<br>content-type: application/json<br>date: Wed,18 Mar 2026 03:31:54 GMT<br>server: PythonAnywhere<br>x-clacks-overhead: GNU Terry Pratchett |

### Responses

| Code | Description | Links |
| --- | --- | --- |
| 200 | Successful Response<br>Media type<br>application/json | *No links* |

| Code | Description | Links |
|---|---|---|
| | Controls `Accept` header. | |

**Example Value** Schema


```
{
  "name": "string",
  "full_name": "string",
  "nationality": "string",
  "base": "string",
  "founded_year": 1900,
  "championships": 0,
  "active": true,
  "id": 0
}
```


| | | |
|---|---|---|
| 422 | Validation Error | *No links* |

Media type

**application/json**

**Example Value** Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```


PATCH `/teams/{team_id}` Update Team

DELETE `/teams/{team_id}` Delete Team

## Races

GET `/races/` List Races

**Parameters** Cancel

| Name | Description |
|---|---|
| year<br>`integer \| (integer \| null)`<br>*(query)* | Filter by year<br>2023 |

| Name | Description |
| --- | --- |
| country<br>string \| (string \| null)<br>*(query)* | Filter by country<br>USA |
| circuit<br>string \| (string \| null)<br>*(query)* | Search by circuit name<br>circuit |

Execute | Clear

## Responses

### Curl

```
curl -X 'GET' \
  'https://kyrik2005.pythonanywhere.com/races/?year=2023&country=USA' \
  -H 'accept: application/json'
```

### Request URL

```
https://kyrik2005.pythonanywhere.com/races/?year=2023&country=USA
```

### Server response

| Code | Details |
| --- | --- |
| 200 | **Response body** |


```
[
  {
    "year": 2023,
    "round": 5,
    "name": "Miami Grand Prix",
    "circuit_name": "Miami International Autodrome",
    "circuit_location": "Miami",
    "country": "USA",
    "date": "2023-05-07",
    "id": 1102
  },
  {
    "year": 2023,
    "round": 18,
    "name": "United States Grand Prix",
    "circuit_name": "Circuit of the Americas",
    "circuit_location": "Austin",
    "country": "USA",
    "date": "2023-10-22",
    "id": 1116
  }
]
```


Download

**Response headers**

| Code | Details |
|---|---|

```
connection: keep-alive
content-encoding: gzip
content-type: application/json
date: Wed,18 Mar 2026 03:32:12 GMT
server: PythonAnywhere
transfer-encoding: chunked
vary: Accept-Encoding
x-clacks-overhead: GNU Terry Pratchett
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

**application/json**

Controls `Accept` header.

**Example Value** Schema

```
[
  {
    "year": 1950,
    "round": 1,
    "name": "string",
    "circuit_name": "string",
    "circuit_location": "string",
    "country": "string",
    "date": "2026-03-18",
    "id": 0
  }
]
```

| | | |
|---|---|---|
| 422 | Validation Error | *No links* |

Media type

**application/json**

**Example Value** Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

POST `/races/` Create Race

GET /races/{race_ref} Get Race

PATCH /races/{race_id} Update Race

DELETE /races/{race_id} Delete Race

## Results

GET /results/ List Results

**Parameters**

Cancel

| Name | Description |
| --- | --- |
| race_id<br>integer \| (integer \| null)<br>*(query)* | Filter by race ID<br>1116 |
| driver_id<br>integer \| (integer \| null)<br>*(query)* | Filter by driver ID<br>1 |
| team_id<br>integer \| (integer \| null)<br>*(query)* | Filter by team ID<br>team_id |

Execute Clear

**Responses**

**Curl**

```
curl -X 'GET' \
  'https://kyrik2005.pythonanywhere.com/results/?race_id=1116&driver_id=1' \
  -H 'accept: application/json'
```

**Request URL**

https://kyrik2005.pythonanywhere.com/results/?race_id=1116&driver_id=1

**Server response**

| Code | Details |
|---|---|
| 200 | |

**Response body**


```
[
  {
    "race_id": 1116,
    "driver_id": 1,
    "team_id": 131,
    "grid": 3,
    "position": null,
    "points": 0,
    "laps": 56,
    "status": "Disqualified",
    "fastest_lap_rank": 4,
    "fastest_lap_time": "1:39.582",
    "id": 26204
  }
]
```


Download

**Response headers**

```
connection: keep-alive
content-length: 180
content-type: application/json
date: Wed,18 Mar 2026 03:33:51 GMT
server: PythonAnywhere
x-clacks-overhead: GNU Terry Pratchett
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

**application/json**

Controls `Accept` header.

**Example Value** Schema


```
[
  {
    "race_id": 0,
    "driver_id": 0,
    "team_id": 0,
    "grid": 0,
    "position": 1,
    "points": 0,
    "laps": 0,
    "status": "Finished",
    "fastest_lap_rank": 1,
    "fastest_lap_time": "string",
    "id": 0
  }
]
```


| 422 | Validation Error | *No links* |
|---|---|---|

Media type

**application/json**

**Example Value** Schema

| Code | Description | Links |
|---|---|---|


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```


POST /results/ Create Result

GET /results/{result_id} Get Result

**Parameters**

Cancel

| Name | Description |
|---|---|
| **result_id** * required<br>integer<br>*(path)* | 26204 |

Execute Clear

**Responses**

**Curl**

```
curl -X 'GET' \
  'https://kyrik2005.pythonanywhere.com/results/26204' \
  -H 'accept: application/json'
```

**Request URL**

```
https://kyrik2005.pythonanywhere.com/results/26204
```

**Server response**

| Code | Details |
|---|---|
| 200 | **Response body** |


```
{
  "race_id": 1116,
  "driver_id": 1,
```

| Code | Details |
|---|---|


```
  "team_id": 131,
  "grid": 3,
  "position": null,
  "points": 0,
  "laps": 56,
  "status": "Disqualified",
  "fastest_lap_rank": 4,
  "fastest_lap_time": "1:39.582",
  "id": 26204
}
```


Download

**Response headers**

```
connection: keep-alive
content-length: 178
content-type: application/json
date: Wed,18 Mar 2026 03:36:44 GMT
server: PythonAnywhere
x-clacks-overhead: GNU Terry Pratchett
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

**application/json**

Controls `Accept` header.

**Example Value** Schema


```
{
  "race_id": 0,
  "driver_id": 0,
  "team_id": 0,
  "grid": 0,
  "position": 1,
  "points": 0,
  "laps": 0,
  "status": "Finished",
  "fastest_lap_rank": 1,
  "fastest_lap_time": "string",
  "id": 0
}
```


| 422 | Validation Error | *No links* |
|---|---|---|

Media type

**application/json**

**Example Value** Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
```

| Code | Description | Links |
|---|---|---|

```
  ]
}
```

PATCH /results/{result_id} Update Result

DELETE /results/{result_id} Delete Result

## Analysis

GET /analysis/standings/drivers/{year} Driver Standings

World Drivers' Championship standings for a given season. Returns official standings if available, falls back to driver with the highest sum of points. doesn't account for dropped scores or countback tiebreakers.

### Parameters

Cancel

| Name | Description |
|---|---|
| year * required<br>integer<br>(path) | 2024 |

Execute Clear

### Responses

#### Curl

```
curl -X 'GET' \
  'https://kyrik2005.pythonanywhere.com/analysis/standings/drivers/2024' \
  -H 'accept: application/json'
```

#### Request URL

https://kyrik2005.pythonanywhere.com/analysis/standings/drivers/2024

#### Server response

| Code | Details |
|---|---|
| 200 | |

**Response body**


```
[
  {
    "position": 1,
    "driver_id": 830,
    "driver": "Max Verstappen",
    "code": "VER",
    "team": "red_bull",
    "points": 437,
    "source": "verified"
  },
  {
    "position": 2,
    "driver_id": 846,
    "driver": "Lando Norris",
    "code": "NOR",
    "team": "mclaren",
    "points": 374,
    "source": "verified"
  },
  {
    "position": 3,
    "driver_id": 844,
    "driver": "Charles Leclerc",
    "code": "LEC",
    "team": "ferrari",
    "points": 356,
    "source": "verified"
  },
```


Download

**Response headers**

```
connection: keep-alive
content-encoding: gzip
content-type: application/json
date: Wed,18 Mar 2026 03:37:10 GMT
server: PythonAnywhere
transfer-encoding: chunked
vary: Accept-Encoding
x-clacks-overhead: GNU Terry Pratchett
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

**application/json**

Controls `Accept` header.

**Example Value** Schema

```
"string"
```

| | | |
|---|---|---|
| 422 | Validation Error | *No links* |

Media type

**application/json**

| Code | Description | Links |
|---|---|---|

**Example Value** Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```


GET `/analysis/standings/constructors/{year}` Constructor Standings

GET `/analysis/leaderboard/wins` All Time Wins

All time race wins leaderboard

**Parameters** Cancel

| Name | Description |
|---|---|
| limit<br>*integer*<br>*(query)* | Number of drivers to return<br>5<br>*maximum: 100*<br>*minimum: 1* |

Execute Clear

**Responses**

**Curl**

```
curl -X 'GET' \
  'https://kyrik2005.pythonanywhere.com/analysis/leaderboard/wins?limit=5' \
  -H 'accept: application/json'
```

**Request URL**

```
https://kyrik2005.pythonanywhere.com/analysis/leaderboard/wins?limit=5
```

**Server response**

| Code | Details |
|---|---|
| 200 | |

**Response body**


```
[
  {
    "rank": 1,
    "driver_id": 1,
    "driver": "Lewis Hamilton",
    "code": "HAM",
    "nationality": "British",
    "wins": 105
  },
  {
    "rank": 2,
    "driver_id": 30,
    "driver": "Michael Schumacher",
    "code": "MSC",
    "nationality": "German",
    "wins": 91
  },
  {
    "rank": 3,
    "driver_id": 830,
    "driver": "Max Verstappen",
    "code": "VER",
    "nationality": "Dutch",
    "wins": 63
  },
  {
    "rank": 4,
    "driver_id": 20,
```


Download

**Response headers**

```
connection: keep-alive
content-encoding: gzip
content-type: application/json
date: Wed,18 Mar 2026 03:41:37 GMT
server: PythonAnywhere
transfer-encoding: chunked
vary: Accept-Encoding
x-clacks-overhead: GNU Terry Pratchett
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

**application/json**

Controls `Accept` header.

**Example Value** Schema

```
"string"
```

| | | |
|---|---|---|
| 422 | Validation Error | *No links* |

Media type

**application/json**

| Code | Description | Links |
|---|---|---|

**Example Value** Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```


GET `/analysis/drivers/{driver_ref}/career` Driver Career

Driver Career Summary: points, wins, podiums, and season breakdowns. Accepts database ID, 3 letter code, or name.

**Parameters** Cancel

| Name | Description |
|---|---|
| **driver_ref** * required<br>`string`<br>*(path)* | VER |

Execute Clear

**Responses**

**Curl**

```
curl -X 'GET' \
  'https://kyrik2005.pythonanywhere.com/analysis/drivers/VER/career' \
  -H 'accept: application/json'
```

**Request URL**

```
https://kyrik2005.pythonanywhere.com/analysis/drivers/VER/career
```

**Server response**

| Code | Details |
|---|---|
| 200 | |

**Response body**


```
{
  "driver_id": 830,
  "driver": "Max Verstappen",
  "code": "VER",
  "nationality": "Dutch",
  "career_totals": {
    "races": 209,
    "points": 2912.5,
    "wins": 63,
    "podiums": 112,
    "points_finishes": 172
  },
  "seasons": [
    {
      "year": 2015,
      "team": "toro_rosso",
      "races": 19,
      "points": 49,
      "wins": 0
    },
    {
      "year": 2016,
      "team": "red_bull",
      "races": 17,
      "points": 191,
      "wins": 1
    },
    {
```


Download

**Response headers**

```
connection: keep-alive
content-encoding: gzip
content-type: application/json
date: Wed,18 Mar 2026 03:37:23 GMT
server: PythonAnywhere
transfer-encoding: chunked
vary: Accept-Encoding
x-clacks-overhead: GNU Terry Pratchett
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

**application/json**

Controls `Accept` header.

**Example Value** Schema

```
"string"
```

| | | |
|---|---|---|
| 422 | Validation Error | *No links* |

Media type

**application/json**

| Code | Description | Links |
| --- | --- | --- |
| | **Example Value** Schema | |


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```


# Root

GET / Root

## Schemas

**DriverCreate** Expand all `object`

**DriverResponse** Expand all `object`

**DriverUpdate** Expand all `object`

**HTTPValidationError** Expand all `object`

**RaceCreate** Expand all `object`

**RaceResponse** Expand all `object`

**RaceUpdate** Expand all `object`

**ResultCreate** Expand all `object`

**ResultResponse** Expand all `object`

**ResultUpdate** > Expand all `object`

**TeamCreate** > Expand all `object`

**TeamResponse** > Expand all `object`

**TeamUpdate** > Expand all `object`

**ValidationError** > Expand all `object`