GAIKINDO WHOLESALES DATA
`JAN-DEC 2022

1. SEDAN TYPE SALES
`JAN-DEC 2022

CATEGORY		BRAND	TYPE MODEL	CC	TRANS	FUEL	TANK CAPT	GVW (Kg)	GEAR RATIO	WHEEL & TYRE SIZE	PS / HP	WHEEL BASE	DIMENSION P x L xT	SEATER	DRIVE SYS.		SPEED	DOOR	WHEELS	CBU / CKD	ORIGIN COUNTRY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	SHARE BY BRAND	MARKET SHARE	TOTAL 2022
SEDAN TYPE	CC < 1.500 [G/D]	HONDA	All New City	1,497	CVT	G	40	-	-	16 x 6J	120	2,600	4442 x 1694 x 1477	5	4X2	FF	-	4	4	CBU	Thailand	57	101	136	58	34	16	20	73	42	58	22	13	24.1%	7.8%	630
			All New Civic	1,500	CVT	G	57	1,285	-	-	141	2,700	4542 x 1755 x 1435	5	4X2	FF	-	4	4	CBU	Thailand	80	158	64	57	30	-	87	4	88	1	1	60	24.1%	7.8%	630
		HYUNDAI HMID	Ioniq EV Prime	-	AT	EV	-	1,970	-	205/60/R16	-	2,700	4470 x 1820 x 1475	5	4X2	-	-	5	4	CBU	South Korea	-	-	-	-	-	-	-	4	-	-	-	-	0.2%	0.0%	4
			Ioniq EV Signature	-	AT	EV	-	1,970	-	205/60/R16	-	2,700	4470 x 1820 x 1475	5	4X2	-	-	5	4	CBU	South Korea	17	1	6	2	1	2	-	12	-	-	-	-	1.6%	0.5%	41
			Genesis G80 EV	-	AT	EV	-	2,265	-	245/45/R19	-	3,010	5005 x 1925 x 1475	5	4X2	-	-	5	4	CBU	South Korea	-	-	1	-	-	9	-	-	-	-	-	124	5.1%	1.7%	134
		MERCEDES BENZ PC	CLA 200 AMG Line (C118)	1,332	AT	G	43	1,950	7	225/45 R18	163	2,729	4,695 x 1,999 x 1430	5	4X2	FF	-	4	4	CBU	-	-	-	6	-	17	-	11	28	10	5	-	-	2.9%	1.0%	77
			AMG CLA 45 S	1,332	AT	G	43	1,950	7	225/45 R18	163	2,729	4,695 x 1,999 x 1430	5	4X4	AWD	-	4	4	CBU	-	-	-	19	2	1	4	7	7	1	2	2	1	1.8%	0.6%	46
			C 200 AVA Line (W206)	1,496	AT	G	66	-	9	-	254			4	4X2	FR	-	4	4	CKD	-	-	-	-	-	-	-	58	27	60	11	38	19	8.1%	2.6%	213
		MAZDA	New Mazda 2 Sedan	1,496	AT	G	44	-	-	185/60R16	111	2,570	4340 x 1695 x 1479	5	4X2	FF	-	4	4	CBU	Thailand	-	-	-	-	-	-	47	64	88	32	17	26	10.5%	3.4%	274
		MORRIS GARAGE	5 GT Activate 1.5L	1,498	CVT	G	45	1,233	-	205/55 R16	114	2,680	4675 x 1842 x 1473	5	4X2	FF	8	5	4	CBU	Thailand	-	-	-	-	-	-	-	-	1	3	2	1	0.3%	0.1%	7
			5 GT Ignite 1.5L	1,498	CVT	G	45	1,233	-	215/50 R17	114	2,680	4675 x 1842 x 1473	5	4X2	FF	8	5	4	CBU	Thailand	-	-	-	-	-	-	48	72	30	-	-	32	7.0%	2.3%	182
			5 GT Magnify 1.5L	1,498	CVT	G	45	1,233	-	215/50 R17	114	2,680	4675 x 1842 x 1480	5	4X2	FF	8	5	4	CBU	Thailand	-	-	-	-	-	-	-	-	53	14	42	21	5.0%	1.6%	130
		TOYOTA	VIOS 1.5 E	1,500	MT	G	42	1,060	-	195/50 R16	109 / 6000	2,550	4410X1700X1475	5	4X2	FF	-	4	4	CKD	INA	-	-	12	3	-	-	-	1	-	-	-	-	0.6%	0.2%	16
			VIOS 1.5 G	1,500	MT	G	42	1,060	-	195/50 R16	109 / 6000	2,550	4410X1700X1475	5	4X2	FF	-	4	4	CKD	INA	4	-	1	10	-	1	-	-	-	-	-	-	0.6%	0.2%	16
			VIOS 1.5 G A/T FMC	1,500	AT	G	42	1,080	-	195/50 R16	109 / 6000	2,550	4410X1700X1475	5	4X2	FF	-	4	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	25	72	3.7%	1.2%	97
			Vios G AT	1,500	AT	G	42	1,080	-	195/50 R16	109 / 6000	2,550	4410X1700X1475	5	4X2	FF	-	4	4	CKD	INA	35	13	10	1	10	21	18	13	-	-	-	-	4.6%	1.5%	121
										TOTAL												193	273	255	133	93	53	296	305	373	126	149	369	100%	32%	2,618
										CUMULATIVE												193	466	721	854	947	1,000	1,296	1,601	1,974	2,100	2,249	2,618			
	CC 1.501 - 3.000 [G] / 2.500 [D]	AUDI	A5 2.0 TFSI	1,984	AT	G	63	1,465	3,778	255/35/R18	211	2,810	4625 x 1884 x 1372	5	4X4	4WD	-	2	4	CBU	Germany	-	-	-	-	-	-	1	1	-	-	1	1	0.1%	0.0%	4
			A5 2.0 TFSI A/T SB	1,984	AT	G	54	1,490	-	245/40/R18	190	2,824	4757 x 1843 x 1386	5	4X2	FF	241	5	4	CBU	Germany	-	-	1	-	-	-	-	2	1	-	-	2	0.1%	0.1%	6
			A6 2.0TFSI AT	1,984	AT	G	65	1,635	3,667	245/45/R18	180	2,912	4915 x 1874 x 1455	5	4X2	FF	226	4	4	CBU	Germany	1	-	-	-	-	1	-	-	1	-	-	2	0.1%	0.1%	5
			RS4 2.9 TFSI A/T	2,900	AT	G	58	-	-	-	-	-	-	5	4X4	4WD	-	5	4	CBU	Germany	-	-	-	2	-	1	1	-	-	-	-	-	0.1%	0.0%	4
			RS5 2.9 TFSI A/T	2,900	AT	G	61	-	-	-	-	-	-	5	4X4	4WD	-	5	4	CBU	Germany	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
		BMW	218i Gran Coupe	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43	4	-	-	43	30	38	32	24	45	5	4.9%	3.3%	264
			220i Coupe A/T	1,998	AT	G	52	1,965	-	225/45 R18 95Y; 255/40 R18 99Y	184	2,741	4537 x 1838 x 1390	-	4X2	FR	-	-	4	CBU	Germany	-	-	-	-	-	-	-	7	2	-	-	1	0.2%	0.1%	10
			320i CKD A/T	1,998	AT	G	59	2,050	-	225/45 R18 95Y	184	2,851	4709x1827x1435	-	4X2	FR	-	-	4	CKD	INA	41	22	47	64	8	28	18	14	16	23	1	9	5.4%	3.6%	291
			330i CKD A/T	1,998	AT	G	59	2,060	-	225/45 R18 95Y; 255/40 R18 99Y	258	2,851	4709x1827x1435	-	4X2	FR	-	-	4	CKD	INA	-	18	2	4	-	24	40	6	47	25	1	1	3.1%	2.1%	168
			320i CKD A7 A/T	1,998	AT	G	59	2,070	-	225/45 R18 95Y; 255/40 R18 99Y	184	2,851	4713 x 1827 x 1440	5	4X2	FR	-	4	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	48	0.9%	0.6%	48
			330i CKD B7 A/T	1,998	AT	G	59	2,080	-	225/40 R19 93Y; 255/35 R19 96Y	258	2,851	4713 x 1827 x 1440	5	4X2	FR	-	4	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	22	0.4%	0.3%	22
			M3 A/T	2,993	AT	G	59	2,210	-	275/35 ZR19 100Y; 285/30 ZR20 99	510	2,857	4794 x 1903 x 1433	-	4X2	FR	-	-	4	CBU	Germany	-	-	2	3	1	8	10	6	-	-	-	-	0.6%	0.4%	30
			M4 CSL A/T	2,993	AT	G	59	1,970	-	275/35 ZR19 100Y; 285/30 ZR20 99	551	2,857	4794 x 1921 x 1386	2	4X2	FR	-	2	4	CBU	Germany	-	-	-	-	-	-	-	-	-	-	-	1	0.0%	0.0%	1
			M4 Coupe A/T	2,993	AT	G	59	2,155	-	275/35 ZR19 100Y; 285/30 ZR20 99	510	2,857	4794 x 1887 x 1393	-	4X2	FR	-	-	4	CBU	Germany	-	-	12	1	1	6	4	11	-	6	37	25	1.9%	1.3%	103
			430i Convertible A/T	1,998	AT	G	59	2,200	-	225/40 R19 93Y; 255/35 R19 96Y	258	2,851	4768 x 1852 x 1384	-	4X2	FR	-	-	4	CBU	Germany	-	-	6	3	-	7	2	6	1	-	-	-	0.5%	0.3%	25
			430i Coupe A/T	1,998	AT	G	59	2,030	-	225/40 R19 93Y; 255/35 R19 96Y	258	2,851	4768 x 1852 x 1383	-	4X2	FR	-	-	4	CBU	Germany	-	-	7	6	-	7	5	6	2	8	-	-	0.8%	0.5%	41
			530i CKD A/T	1,998	AT	G	68	3,205	-	245/40 R19 98Y; 275/35 R19 100Y	252	2,975	4963 x 1868 x 1479	-	4X2	FR	-	-	4	CKD	INA	-	7	30	8	2	1	19	5	-	-	-	1	1.3%	0.9%	73
			530i Touring RHD A/T	1,998	AT	G	68	2,425	-	245/40 R19 98Y; 275/35 R19 100Y	252	2,975	4963 x 1868 x 1498	-	4X2	FR	-	-	4	CBU	Germany	-	-	-	-	-	5	17	2	1	-	-	-	0.5%	0.3%	25
			520i G30 CKD A/T	1,998	AT	G	68	2,285	-	245/40 R19 98Y; 275/35 R19 100Y	184	2,975	4963 x 1868 x 1479	-	4X2	FR	-	-	4	CKD	INA	44	14	2	24	1	23	2	15	30	3	2	20	3.3%	2.2%	180
			72AG 520I	1,998	AT	G	-	-	-	-	-	-	-	-	-	-	-	-	4	CBU	Germany	-	-	-	-	-	-	2	-	-	-	-	-	0.0%	0.0%	2
			730Li G12 CKD A/T	1,998	AT	G	78	2,445	-	245/40 R20 99Y; 275/35 R20 102Y	265	3,210	5260x1902x1479	-	4X2	FR	-	-	4	CKD	INA	10	1	1	-	-	1	16	11	19	5	-	1	1.2%	0.8%	65
			740Li G12 CKD A/T	2,998	AT	G	78	2,500	-	245/40 R20 99Y; 275/35 R20 102Y	340	3,210	5260x1902x1479	-	4X2	FR	-	-	4	CKD	INA	-	-	-	-	1	9	10	9	5	1	-	-	0.6%	0.4%	35
			740Li A/T	2,998	AT	G	78	2,500	-	245/40 R20 99Y; 275/35 R20 102Y	340	3,210	5260x1902x1479	-	4X2	FR	-	-	4	CBU	Germany	-	-	-	-	-	1	-	-	-	-	-	-	0.0%	0.0%	1
			Z4 sDrive30i A/T	1,998	AT	G	52	1,740	-	255/40 ZR18 95Y; 275/40 ZR18 99Y	258	2,470	4324x1864x1304	-	4X2	FR	-	2	4	CBU	Germany	-	-	6	-	-	16	1	2	-	-	-	-	0.5%	0.3%	25
			Z4 M40i A/T	2,998	AT	G	52	1,860	-	255/35 ZR19 96Y; 275/35 ZR19 100	387	2,470	4324 x 1864 x 1304	-	4X2	FR	-	-	4	CBU	Germany	-	-	-	-	-	-	-	13	1	-	-	-	0.3%	0.2%	14
			840i Coupe A/T	2,998	AT	G	68	2,225	-	245/35 R20 95Y; 275/30 R20 97Y	340	2,822	4843x1902x1341	-	4X2	FR	-	-	4	CBU	Germany	-	-	2	3	-	-	1	8	1	6	1	-	0.4%	0.3%	22
			840i Gran Coupe A/T	2,998	AT	G	68	2,435	-	245/35 R20 95Y; 275/30 R20 97Y	340	3,023	5074x1932x1401	-	4X2	FR	-	-	4	CBU	Germany	-	-	1	2	-	-	1	2	-	1	-	-	0.1%	0.1%	7
		HONDA	New ACCORD VTI-L	2,354	CVT	G	65	1,525	-		176	2,275	4870 x 1850 x 1465	5	4X2	FF	-	4	4	CBU	Thailand	34	28	40	46	31	30	-	20	22	7	29	12	5.5%	3.7%	299
		LEXUS	ES 250	2,494	AT	G	-	-	-		181 / 6000	-	4900X1820X1450	4	4X2	FR	-	4	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	
			ES 300 h	2,494	AT	HYBRID	65	-	-	215 / 55 R17	202 / 5700	2,820	4900X1820X1450	4	4X2	FR	-	4	4	CBU	Japan	-	11	25	15	8	16	20	50	-	11	2	2	3.0%	2.0%	160
			ES 300h Ultra Luxury	2,494	AT	HYBRID	65	-	-	215 / 55 R17	202 / 5700	2,820	4900X1820X1450	4	4X2	FR	-	4	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
		MAZDA	MX-5 RF	1,999	AT	G	50	-	3,863	205/45R17	160	2,330	4020 x 1720 x 1255	2	4X2	FR	-	4	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	4	-	0.1%	0.0%	4
			All New Mazda 3 Sedan	1,998	AT	G	51	-	-	215/45R18	155	2,725	4,660 x 1,795 x 1,440	5	4X2	FF	-	5	4	CBU	Japan	-	-	-	4	-	1	3	1	5	14	-	9	0.7%	0.5%	37
			All-new Mazda 6 Elite	2,488	AT	G	64	-	4,056	225/45R19	187	2,830	4865 x 1840 x 1450	5	4X2	FF	-	4	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			New Mazda 6 Elite Sedan	2,488	AT	G	64	-	4,056	225/45R19	187	2,830	4865 x 1840 x 1450	5	4X2	FF	-	4	4	CBU	Japan	3	3	-	-	-	-	-	24	10	2	2	3	0.9%	0.6%	47
		MERCEDES-BENZ PC	CLA 200 AMG Line (C117)	1,556	AT	G	50	1,920	7	225/40 R18	156	2,669	4,669 x 2,032 x 1,427	5	4X2	FF	-	4	4	CKD		1	-	-	10	12	1	1	-	-	-	-	42	1.2%	0.8%	67
			A 200	1,991	AT	G	41	2,030	7	225/50 R17	184	2,840	4,686 x 2,020 x 1,442	5	4X2	FR	-	4	4	CKD	INA	20	2	17	2	4	4	16	21	4	-	1	24	2.1%	1.4%	115
			C180	1,991	AT	G	41	2,030	7	225/50 R17	184	2,840	4,686 x 2,020 x 1,442	5	4X2	FR	-	4	4	CKD	INA	-	1	-	-	-	1	-	2	-	-	-	-	0.1%	0.0%	4
			C 200 AMG	1,991	AT	G	66	2,030	9	225/45, 245/40 R18	184	2,840	4,686 x 2,020 x 1,442	5	4X2	FR	-	4	4	CKD	INA	-	-	-	-	-	1	-	-	-	-	-	-	0.0%	0.0%	1
			C 300 AMG	1,991	AT	G	66	2,135	9	225/45, 245/40 R18	258	2,840	4,702 x 2,020 x 1,432	5	4X2	FR	-	4	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			E 200 AVA	1,991	AT	G	66	2,265	9	245/45 R18	184	2,939	4,686 x 2,065 x 1,468	5	4X2	FR	-	4	4	CKD	INA	24	20	14	13	15	10	-	12	10	2	19	27	3.1%	2.1%	166
			E 200 Coupe (C238)*	2,999	AT	G	-	-	-	-	-	-	-	-	4X4	4WD	-	-	-	CBU	-	-	-	1	-	-	-	-	-	-	2	-	-	0.1%	0.0%	3
			E 250 AVA	1,991	AT	G	66	2,255	9	245/45 R18	211	2,939	4,686 x 2,065 x 1,468	5	4X2	FR	-	4	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			E 300 AMG	1,991	AT	G	66	2,295	9	245/40, 275/35 R19	258	2,939	4,702 x 2,065 x 1,452	5	4X2	FR	-	4	4	CKD	INA	23	14	34	38	27	8	20	23	5	17	5	45	4.8%	3.2%	259
			E 300 AVA	1,991	AT	G	66	2,395	9	245/45 R18	258	2,939	4,686 x 2,065 x 1,468	5	4X2	FR	-	4	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			E 350 AMG	1,991	AT	G	66	2,410	9	245/40, 275/35 R19	299	2,939	4,702 x 2,065 x 1,452	5	4X2	FR	-	4	4	CKD	INA	-	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			S 450	2,996	AT	G	80	2,700	9	245/45, 275/40 R19	367	3,165	5,255 x 2,130 x 1,494	5	4X2	FR	-	4	4	CKD	INA	-	4	31	27	15	20	23	30	21	8	30	24	4.3%	2.9%	233
			C 200 Cabrio	1,991	AT	G	66	2,190	9	245/45 R18	204	2,840	4,702 x 2,020 x 1,457	5	4X2	FR	-	5	4	CBU	-	-	-	-	-	-	-	-	-	-	-	-	5	0.1%	0.1%	5
			S 450 (CBU)	3,000	-	G	-	-	-	-	-	-	-	-	-	-	-	-	-	CBU	-	-	-	-	-	-	-	-	1	-	-	-	-	0.0%	0.0%	1
			CLS 350 AMG	1,991	AT	G	66	2,410	9	245/35, 275/30 R20	299	2,939	4,996 x 2,069 x 1,436	5	4X2	FR	-	4	4	CBU	-	-	-	-	-	-	5	1	-	6	5	-	1	0.3%	0.2%	18
			C 300 AMG Line (W206)	1,998	AT	G	66	-	-	-	-	-	-	4	4X2	FR	-	4	4	CKD	-	-	-	-	-	-	23	40	44	8	23	44	53	4.3%	2.9%	235
			AMG CLA 45 S Shooting Brake (X118)	1,998	-	-	-	-	-	-	-	-	-	-	4X2	-	-	4	4	CBU	-	-	-	-	-	-	7	-	1	-	-	1	-	0.2%	0.1%	9
		SUBARU	BRZ 2.0 MT (ZD8)	2,387	AT	G	63	1,670	-	215/40 R18	237	2,575	4,265 x 1,775 x 1,310	4	4X2	FR	-	2	4	CBU	Japan	-	-	-	-	-	-	-	-	2	2	4	4	0.2%	0.1%	12
			BRZ 2.0 AT (ZD8)	2,387	AT	G	63	1,700	-	215/40 R18	237	2,575	4,265 x 1,775 x 1,310	4	4X2	FR	-	2	4	CBU	Japan	-	-	-	-	-	-	-	-	4	7	3	-	0.3%	0.2%	14
		TOYOTA	All New Corolla Altis V AT	1,800	AT	G	55	1,270	5	215/45 R17	151 / 6400	2,700	4620X1776X1460	5	4X2	FF	-	4	4	CBU	Thailand	-	71	11	49	35	34	21	19	161	301	76	72	15.7%	10.5%	850
			All New Corolla Altis 1.8 Hybrid AT	1,800	AT	HYBRID	55	1,250	4	205/55R16	151 / 6400	2,700	4620X1776X1460	5	4X2	FF	-	4	4	CBU	Thailand	-	18	17	30	14	7	22	22	15	18	14	19	3.6%	2.4%	196
			All New Camry 2.5 G	2,500	AT	G	70	1,465	3,815	215/60R16	181 / 6000	2,775	4825X1825X1470	5	4X2	FF	-	4	4	CBU	Thailand	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			All New Camry 2.5 V	2,500	AT	G	70	1,465	3,815	215/55R17	181 / 6000	2,775	4825X1825X1470	5	4X2	FF	-	4	4	CBU	Thailand	29	91	60	54	28	52	73	87	127	123	85	78	16.4%	11.0%	887
			All New Camry 2.5 Hybrid Mi	2,500	AT	HYBRID	65	1,625	3,542	215/55R17	156.6 /5700	2,775	4825X1825X1470	5	4X2	FF	-	4	4	CBU	Thailand	17	60	42	36	19	9	12	15	2	18	28	26	5.2%	3.5%	284
			GR 86 A/T	1,998	AT	G	50	-	-	215/45R17	147 / 6.800	2,570	4240X1775X1285	5	4X2	FR	6	4	4	CBU	Japan	-	-	-	-	-	-	-	-	-	14	7	8	0.5%	0.4%	29
			Supra 3.0 A/T	2,459	AT	G	50	-	-	-	-	-	-	5	4X2	FR	6	4	4	CBU	Japan	-	2	-	-	-	-	-	-	-	-	-	5	0.1%	0.1%	7
			86 MT	2,000	MT	G	50	-	-	215/45R17	147 / 6.800	2,570	4240X1775X1285	5	4X2	FR	-	4	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
										TOTAL												247	431	415	444	222	410	432	536	561	676	442	598	100%	67%	5,414
										CUMULATIVE												247	678	1,093	1,537	1,759	2,169	2,601	3,137	3,698	4,374	4,816	5,414			
	CC > 3.001 [G] / 2.501 [D]	BMW	M5 A/T	4,395	AT	G	68	2,440	-	275/35 ZR20 102Y; 285/35 ZR20 104	625	2,982	4983 x 1903 x 1473	-	4X4	4WD	-	-	4	CBU	Germany	-	-	-	-	-	-	-	-	-	1	-	-	2.2%	0.0%	1
		LEXUS	LS 500 Executive	3,445	AT	G	-	2,760	-	245 / 45 R20	-	3,125	5235X1900X1450	4	4X2	FR	10	4	4	CBU	Japan	-	-	2	-	-	-	-	2	-	-	-	-	8.9%	0.0%	4
			LS 500 Hybrid	3,445	AT	HYBRID	-	-	-	245 / 45 R20	-	-	5235X1900X1450	-	4X2	FR	-	-	4	CBU	Japan	-	-	1	-	-	-	1	1	-	2	2	2	20.0%	0.1%	9
			LC 500	4,969	AT	G	66	2,870	-	-	471 / 7100	2,730	4770X1920X1345	2	4X2	FR	-	2	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	2	1	6.7%	0.0%	3
		MERCEDES-BENZ PC	S 560 (X222)*	3,982	AT	G	80	2,815	9	-	469	3,365	5,462 x 2,130 x 1,498	4	4X2	FR	-	4	4	CBU	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			AMG GT Black Series	3,982	AT	G	65	1,890	9	-	522	2,630	4,544 x 2,075 x 1,288	2	4X2	FR	-	2	4	CBU	-	-	-	-	-	-	1	-	-	-	1	-	-	4.4%	0.0%	2
			GT 53 4MATIC+ (X290)*	3,982	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CBU	-	-	-	1	-	1	2	3	3	1	3	1	1	35.6%	0.2%	16
			Maybach S 580 (Z223)*	3,982	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CBU	-	-	-	-	-	-	-	-	-	-	-	7	3	22.2%	0.1%	10
										TOTAL												-	-	4	-	1	3	4	6	1	7	12	7	100%	1%	45
										CUMULATIVE												-	-	4	4	5	8	12	18	19	26	38	45		100%	
										SEDAN TYPE SALES TOTAL												440	704	674	577	316	466	732	847	935	809	603	974			8,077
										SEDAN TYPE SALES CUMULATIVE												440	1,144	1,818	2,395	2,711	3,177	3,909	4,756	5,691	6,500	7,103	8,077			0.8%

2. 4 X 2 TYPE SALES
`JAN-DEC 2022

CATEGORY		BRAND	TYPE MODEL	CC	TRANS	FUEL	TANK CAPT	GVW (Kg)	GEAR RATIO	WHEEL & TYRE SIZE	PS / HP	WHEEL BASE	DIMENSION P x L xT	SEATER	DRIVE SYS.		SPEED	DOOR	WHEELS	CBU / CKD	ORIGIN COUNTRY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	Segment Share	4X2 Share	TOTAL 2022
4X2 TYPE	CC < 1.500 [G/D]	BMW	X1 sDrive18i F48 A/T	1,499	AT	G	61	2,025		225/50 R18 95W	140	2,670	4447x1821x1598	-	4X2	FF	-	-	4	CKD	INA	48	34	27	67	36	8	22	43	23	5	3	2	0.1%	0.1%	318
			X2 sDrive18i A/T	1,499	AT	G	-	2,005	-	225/45 R19 92W	-	2,670	4360x1824x1526	-	4X2	FF	-	-	4	CBU	Germany	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
		DAIHATSU	Grand New Xenia 1.3 X MT	1,329	MT	G	45	1,120	5,125	185/70R14	97	2,655	4190X1660X1695	7	4X2	FR	-	5	4	CKD	INA	64	333	194	105	-	29	91	186	172	318	216	270	0.4%	0.3%	1,978
			All New Xenia 1.3 M MT	1,329	MT	G	43	1,705	5,545	185/65R15	97	2,750	4395X1730X1690	7	4X2	FF	-	5	4	CKD	INA	37	135	89	63	11	64	16	86	85	98	112	31	0.2%	0.1%	827
			All New Xenia 1.3 X MT	1,329	MT	G	43	1,705	5,545	185/65R15	97	2,750	4395X1730X1690	7	4X2	FF	-	5	4	CKD	INA	958	822	962	340	3	90	174	1,025	861	951	766	682	1.6%	1.3%	7,634
			All New Xenia 1.3 X CVT	1,329	AT	G	43	1,705	5,105	185/65R15	97	2,750	4395X1730X1690	7	4X2	FF	-	5	4	CKD	INA	431	662	240	168	6	67	45	332	446	489	387	182	0.7%	0.6%	3,455
			All New Xenia 1.3 R MT	1,329	MT	G	43	1,705	5,545	185/65R15	97	2,750	4395X1730X1690	7	4X2	FF	-	5	4	CKD	INA	672	613	624	456	35	477	624	134	740	511	395	654	1.3%	1.0%	5,935
			All New Xenia 1.3 R CVT	1,329	AT	G	43	1,705	5,105	185/65R15	97	2,750	4395X1730X1690	7	4X2	FF	-	5	4	CKD	INA	659	398	496	84	-	161	262	57	309	400	467	650	0.8%	0.7%	3,943
			All New Xenia 1.5 R MT	1,496	MT	G	43	1,705	5,077	195/60R16	106	2,750	4395X1730X1700	7	4X2	FF	-	5	4	CKD	INA	137	199	45	55	5	131	106	43	65	18	48	51	0.2%	0.2%	903
			All New Xenia 1.5 R CVT	1,496	AT	G	43	1,705	5,105	195/60R16	106	2,750	4395X1730X1700	7	4X2	FF	-	5	4	CKD	INA	276	298	20	41	-	13	1	10	29	64	103	67	0.2%	0.2%	922
			All New Xenia 1.5 R ASA CVT	1,496	AT	G	43	1,705	5,105	195/60R16	106	2,750	4395X1730X1700	7	4X2	FF	-	5	4	CKD	INA	278	186	18	21	-	-	-	-	15	10	7	9	0.1%	0.1%	544
			New Sirion 1.3 MT 2022	1,329	MT	G	40	940	4,032	175/65R14	90	2,440	3690X1665X1545	5	4X2	FF	-	5	4	CBU	Malaysia	-	-	-	-	40	30	30	60	60	-	-	-	0.0%	0.0%	220
			New Sirion 1.3 CVT 2022	1,329	CVT	G	40	940	4,032	175/65R14	90	2,440	3690X1665X1545	5	4X2	FF	-	5	4	CBU	Malaysia	-	-	-	79	21	10	30	70	120	200	50	-	0.1%	0.1%	580
			Gran Max BV 1.3	1,298	MT	G	43	2,000	5,125	165R13-8PR	88	2,650	4045X1665X1900	2	4X2	FR	-	5	4	CKD	INA	851	651	746	932	536	1,091	1,042	956	1,200	1,190	642	437	2.2%	1.8%	10,274
			Gran Max BV 1.5	1,500	MT	G	43	2,000	5,125	165R13-8PR	88	2,650	4045X1665X1900	2	4X2	FR	-	5	4	CKD	INA	243	251	299	1	104	308	1	-	10	-	-	-	0.3%	0.2%	1,217
			Gran Max MB 1.3 HI FF	1,298	MT	G	43	1,840	5,125	165R13-8PR	88	2,650	4045X1665X1900	8	4X2	FR	-	5	4	CKD	INA	145	28	94	17	19	40	48	88	107	80	69	120	0.2%	0.1%	855
			Gran Max MB 1.3 HI	1,298	MT	G	43	1,840	5,125	165R13-8PR	88	2,650	4045X1665X1900	9	4X2	FR	-	5	4	CKD	INA	200	52	149	142	78	169	122	164	219	225	319	461	0.5%	0.4%	2,300
			Gran Max MB 1.5 HI	1,495	MT	G	43	1,840	4,875	165R13-8PR	88	2,650	4045X1665X1900	9	4X2	FR	-	5	4	CKD	INA	177	29	95	34	31	169	96	103	141	187	238	260	0.3%	0.3%	1,560
			Luxio 1.5 D (New)	1,495	MT	G	43	1,290	5,152	195/65R15	97	2,650	4215X1710X1915	8	4X2	FR	-	5	4	CKD	INA	31	58	55	69	35	50	33	16	23	50	68	60	0.1%	0.1%	548
			Luxio 1.5 X MT (New)	1,495	MT	G	43	1,320	5,152	195/65R15	97	2,650	4215X1710X1915	8	4X2	FR	-	5	4	CKD	INA	73	184	212	150	21	78	75	115	88	101	171	168	0.3%	0.2%	1,436
			Luxio 1.5 X AT (New)	1,495	AT	G	43	1,320	5,152	195/65R15	97	2,650	4215X1710X1915	8	4X2	FR	-	5	4	CKD	INA	29	65	64	93	5	10	20	35	34	57	79	59	0.1%	0.1%	550
			Luxio 1.5 AK MT	1,495	MT	G	43	1,320	5,152	195/65R15	97	2,650	4215X1710X1915	2	4X2	FR	-	5	4	CKD	INA	5	5	3	5	2	2	3	3	5	3	1	3	0.0%	0.0%	40
			All New Terios IDS X MT	1,496	MT	G	45	1,245	5,571	215/65/R16	104	2,685	4435X1695X1705	7	4X2	FR	-	5	4	CKD	INA	996	1,006	1,700	1,064	458	890	1,004	639	1,428	648	1,258	2,063	2.8%	2.3%	13,154
			All New Terios IDS X AT	1,496	AT	G	45	1,255	5,857	215/65/R16	104	2,685	4435X1695X1705	7	4X2	FR	-	5	4	CKD	INA	362	272	591	376	191	322	118	30	284	177	346	592	0.8%	0.6%	3,661
			All New Terios IDS R	1,496	MT	G	45	1,260	5,571	215/60/R17	104	2,685	4435X1695X1705	7	4X2	FR	-	5	4	CKD	INA	594	625	1,050	615	61	70	328	242	317	334	599	562	1.1%	0.9%	5,397
			All New Terios IDS R	1,496	AT	G	45	1,270	5,857	215/60/R17	104	2,685	4435X1695X1705	7	4X2	FR	-	5	4	CKD	INA	434	253	396	412	48	15	52	33	206	231	168	333	0.5%	0.4%	2,581
			All New Terios IDS Custom MT	1,496	MT	G	45	1,260	5,571	215/60/R17	104	2,685	4435X1695X1705	7	4X2	FR	-	5	4	CKD	INA	2	2	2	2	2	3	1	-	-	-	2	-	0.0%	0.0%	16
			All New Terios IDS Custom AT	1,496	AT	G	45	1,270	5,857	215/60/R17	104	2,685	4435X1695X1705	7	4X2	FR	-	5	4	CKD	INA	2	2	2	2	2	3	1	-	-	-	2	-	0.0%	0.0%	16
			Rocky 1.0 R ASA CVT	998	AT	G	36	1,680	5,105	205/60/R17	98	2,525	4030X1710X1635	5	4X2	FR	-	5	4	CKD	INA	42	24	50	128	8	31	35	-	23	40	19	15	0.1%	0.1%	415
			Rocky 1.0 R CVT	998	AT	G	36	1,680	5,105	205/60/R17	98	2,525	4030X1710X1635	5	4X2	FR	-	5	4	CKD	INA	84	44	162	364	21	67	-	-	10	110	30	48	0.2%	0.2%	940
			Rocky 1.0 R MT	998	MT	G	36	1,680	5,462	205/60/R17	98	2,525	4030X1710X1635	5	4X2	FR	-	5	4	CKD	INA	2	-	-	92	-	37	5	23	58	15	10	17	0.1%	0.0%	259
			Rocky 1.2 X CVT	1,200	AT	G	36	1,680	5,105	205/65/R16	88	2,525	4030X1710X1635	5	4X2	FR	-	5	4	CKD	INA	384	399	637	391	43	218	429	447	519	352	184	137	0.9%	0.7%	4,140
			Rocky 1.2 X MT	1,200	MT	G	36	1,680	5,462	205/65/R16	88	2,525	4030X1710X1635	5	4X2	FR	-	5	4	CKD	INA	3	-	10	128	44	821	452	218	195	34	1	-	0.4%	0.3%	1,906
			Rocky 1.2 M CVT	1,200	AT	G	36	1,680	5,105	205/65/R16	88	2,525	4030X1710X1635	5	4X2	FR	-	5	4	CKD	INA	-	4	-	36	15	127	148	-	50	10	-	-	0.1%	0.1%	390
			Rocky 1.2 M MT	1,200	MT	G	36	1,680	5,462	205/65/R16	88	2,525	4030X1710X1635	5	4X2	FR	-	5	4	CKD	INA	1	-	-	100	-	40	74	-	30	10	22	9	0.1%	0.0%	286
		DFSK	GLORY 580 1.5T A/T CVT COMFORT	1,498	AT	G	58	2,035	-	226/60R17	150	2,780	4680 X 1845 X 1715	7	4X2	FF	-	4	4	CKD	INA	-	-	-	-	-	1	-	-	-	-	13	-	0.0%	0.0%	14
			GLORY 580 1.5T M/T LUXURY	1,498	MT	G	58	2,035	-	226/60R17	150	2,780	4680 X 1845 X 1715	7	4X2	FF	-	4	4	CKD	INA	-	-	-	-	-	1	-	-	-	-	-	-	0.0%	0.0%	1
			GLORY 580 1.5T A/T CVT LUXURY	1,498	AT	G	58	2,035	-	226/60R17	150	2,780	4680 X 1845 X 1715	7	4X2	FF	-	4	4	CKD	INA	-	-	-	10	30	2	-	-	-	-	-	-	0.0%	0.0%	42
			GLORY 580 1.5 M/T COMFORT	1,498	MT	G	58	2,035	-	225/60R17	150	2,780	4680 X 1845 X 1715	7	4X2	FF	-	4	4	CKD	INA	-	-	-	-	-	1	-	-	-	-	-	-	0.0%	0.0%	1
			GLORY 560 1.5T 6M/T LUXURY	1,498	MT	G	50	2,005	-	215/60R17	150	2,690	4515 X 1815 X 1735	7	4X2	FF	-	4	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	10	0.0%	0.0%	10
			GLORY 560 1.5T A/T CVT LUXURY	1,498	AT	G	50	2,005	-	215/60R17	150	2,690	4515 X 1815 X 1735	7	4X2	FF	-	4	4	CKD	INA	12	3	-	10	6	51	21	5	20	-	1	36	0.0%	0.0%	165
			GLORY I-AUTO	1,498	AT	G	58	2,035	-	225/60R17	150	2,780	4680 X 1845 X 1715	7	4X2	FF	-	4	4	CKD	INA	1	2	3	3	1	3	4	2	-	-	-	-	0.0%	0.0%	19
			GELORA Blind Van (4X2) M/T	1,498	MT	G	55	-	-	185/80 R14	109	3,050	4500 X 1680 X 2000	2	4X2	FR	-	4	4	CKD	INA	7	-	7	3	13	9	6	15	16	-	6	3	0.0%	0.0%	85
			GELORA C36 MINI BUS 1.5 (4X2) M/T	1,498	MT	G	55	-	-	185/80 R14	109	3,050	4500 X 1680 X 2000	2	4X2	FR	-	4	4	CKD	INA	2	3	-	3	1	14	4	18	10	-	-	10	0.0%	0.0%	65
			GELORA EC35 BLIND VAN (4X2) A/T	1,498	AT	EV	58	2,035	-	225/60R17	150	2,780	4680 X 1845 X 1715	7	4X2	FF	-	4	4	CBU	China	-	-	-	-	-	2	-	-	-	-	2	1	0.0%	0.0%	5
			GELORA EC36 MINI BUS 1.5 (4X2) A/T	-	AT	EV	58	2,035	-	225/60R17	150	2,780	4680 X 1845 X 1715	7	4X2	FF	-	4	4	CBU	China	-	-	-	-	-	2	1	-	1	-	1	1	0.0%	0.0%	6
		HONDA	Brio RS	1,198	MT	G	35	960	-	-	88	2,345	3610 x 1680 x 1485	5	4X2	FF	-	5	4	CKD	INA	60	354	519	202	121	122	2	358	108	132	135	227	0.5%	0.4%	2,340
			Brio RS	1,198	CVT	G	35	960	-	-	88	2,345	3610 x 1680 x 1485	5	4X2	FF	-	5	4	CKD	INA	940	1,108	1,241	972	805	648	1,054	841	1,312	1,000	805	1,155	2.5%	2.0%	11,881
			New CR-V T	1,500	CVT	G	58	-	-	18 x 7,5J	190	2,660	4584 x 1855 x 1679	-	4X2	FF	-	5	4	CKD	INA	166	48	93	44	6	62	56	64	1	47	71	62	0.2%	0.1%	720
			New CR-V Prestige	1,500	CVT	G	58	-	-	18 x 7,5J	190	2,660	4585 x 1855 x 1679	-	4X2	FF	-	5	4	CKD	INA	491	717	730	726	161	729	630	596	498	416	418	514	1.4%	1.1%	6,626
			HR-V E+	1,497	CVT	G	40	-	-	-	-	-	-	5	4X2	FF	-	5	4	CKD	INA	1,440	-	-	-	-	-	-	-	-	-	-	-	0.3%	0.2%	1,440
			New HR-V S	1,497	CVT	G	-	-	-	-	-	-	-	5	4X2	FF	-	5	4	CKD	INA	-	-	82	88	40	22	63	94	59	2	58	2	0.1%	0.1%	510
			New HR-V E	1,497	CVT	G	-	-	-	-	-	-	-	5	4X2	FF	-	5	4	CKD	INA	-	-	594	316	227	300	388	544	719	598	152	121	0.8%	0.7%	3,959
			New HR-V SE	1,497	CVT	G	-	-	-	-	-	-	-	5	4X2	FF	-	5	4	CKD	INA	-	-	598	756	967	1,086	2,282	2,107	2,140	2,049	1,292	1,813	3.2%	2.6%	15,090
			New HR-V RS	1,497	CVT	G	-	-	-	-	-	-	-	5	4X2	FF	-	5	4	CKD	INA	-	-	314	398	565	484	724	690	719	328	7	-	0.9%	0.7%	4,229
			CITY HB RS	1,500	MT	G	40	-	-	16 x 6J	121	2,600	4349 x 1748 x 1488	-	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	32	18	3	61	61	62	63	0.1%	0.1%	300
			CITY HB RS	1,500	CVT	G	40	-	-	16 x 6J	121	2,600	4349 x 1748 x 1488	-	4X2	FF	-	5	4	CKD	INA	914	1,261	890	594	16	3	40	291	485	178	74	71	1.0%	0.8%	4,817
			CITY HB RS-HS	1,500	CVT	G	40	-	-	16 x 6J	121	2,600	4349 x 1748 x 1488	-	4X2	FF	-	5	4	CKD	INA	-	-	-	-	402	111	117	247	202	1	-	-	0.2%	0.2%	1,080
			New Mobilio S	1,497	MT	G	42	-	-	15.0	118	2,650	4386 x 1683 x 1603	7	4X2	FF	-	5	4	CKD	INA	-	-	257	223	114	108	18	120	57	60	79	164	0.3%	0.2%	1,200
			New Mobilio E	1,497	MT	G	42	-	-	15.0	118	2,650	4386 x 1683 x 1603	7	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%		-
			WR-V E	1,500	CVT	G	35	-	-	16 x 7J	119	2,485	4060 x 1780 x 1608	-	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	180	0.0%	0.0%	180
			WR-V RS	1,500	CVT	G	35	-	-	17 x 7J	119	2,485	4060 x 1780 x 1608	-	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	810	0.2%	0.1%	810
			WR-V RS - HS	1,500	CVT	G	35	-	-	17 x 7J	119	2,485	4060 x 1780 x 1608	-	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	750	0.2%	0.1%	750
			BR-V S	1,500	MT	G	42	-	-	-	-	-	-	7	4X2	FF	-	5	4	CKD	INA	118	199	226	6	30	20	-	-	-	-	56	5	0.1%	0.1%	660
			BR-V E+	1,500	MT	G	42	-	-	-	-	-	-	7	4X2	FF	-	5	4	CKD	INA	145	633	596	23	56	92	45	55	55	10	91	120	0.4%	0.3%	1,921
			BR-V E+	1,500	CVT	G	42	-	-	-	-	-	-	7	4X2	FF	-	5	4	CKD	INA	781	675	1,119	115	84	121	162	237	181	-	271	737	0.9%	0.8%	4,483
			BR-V E Prestige	1,500	CVT	G	42	-	-	-	-	-	-	7	4X2	FF	-	5	4	CKD	INA	1,118	1,320	1,724	371	331	261	588	523	758	465	1,467	610	2.0%	1.6%	9,536
			BR-V Prestige-HS	1,500	CVT	G	42	-	-	-	-	-	-	7	4X2	FF	-	5	4	CKD	INA	1,095	687	1,200	1,401	899	1,101	465	1,153	1,011	50	389	626	2.1%	1.7%	10,077
		HYUNDAI - HIM	Grand i10	1,200	MT	G	35	-	-	-	-	-	-	-	4X2	FF	-	4	4	CBU	India	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
		HYUNDAI - HMID	Creta Active 1.5 MT	1,500	MT	G	40	1,590	-	215/60R17	115	2,610	4315 x 1790 x 1630	5	4X2	FF	-	5	4	CKD	INA	41	18	12	5	6	5	3	17	13	6	1	20	0.0%	0.0%	147
			Creta Trend 1.5 MT	1,500	MT	G	40	1,590	-	215/60R17	115	2,610	4315 x 1790 x 1630	5	4X2	FF	-	5	4	CKD	INA	38	40	27	10	7	4	2	-	-	-	1	-	0.0%	0.0%	129
			Creta Trend 1.5 IVT	1,500	AT	G	40	1,660	-	215/60R17	115	2,610	4315 x 1790 x 1630	5	4X2	FF	-	5	4	CKD	INA	236	287	190	218	168	132	172	91	128	196	69	30	0.4%	0.3%	1,917
			Creta Style 1.5 IVT	1,500	AT	G	40	1,660	-	215/60R17	115	2,610	4315 x 1790 x 1630	5	4X2	FF	-	5	4	CKD	INA	387	329	347	347	181	245	242	176	285	155	57	28	0.6%	0.5%	2,779
			Creta Prime 1.5 IVT	1,500	AT	G	40	1,660	-	215/60R17	115	2,610	4315 x 1790 x 1630	5	4X2	FF	-	5	4	CKD	INA	120	528	583	414	284	263	272	194	212	417	154	41	0.7%	0.6%	3,482
			Creta Prime 1.5 IVT Two Tone	1,500	AT	G	40	1,660	-	215/60R17	115	2,610	4315 x 1790 x 1630	5	4X2	FF	-	5	4	CKD	INA	110	798	846	651	426	925	643	765	1,094	534	467	217	1.6%	1.3%	7,476
			Stargazer Active MT	1,500	MT	G	40	1,780	-	205/55/R15	115	2,780	4460 x 1780 x 1695	7	4X2	FF	-	5	4	CBU		-	-	-	-	-	-	-	-	5	20	3	-	0.0%	0.0%	28
			Stargazer Active IVT	1,500	AT	G	40	1,830	-	205/55/R15	115	2,780	4460 x 1780 x 1695	7	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	-	23	5	22	5	55	0.0%	0.0%	110
			Stargazer Trend MT 7 Seat	1,500	MT	G	40	1,780	-	205/55/R16	115	2,780	4460 x 1780 x 1695	7	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	25	16	9	31	0.0%	0.0%	81
			Stargazer Trend MT 6 Seat	1,500	MT	G	40	1,780	-	205/55/R16	115	2,780	4460 x 1780 x 1695	6	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	18	24	4	7	0.0%	0.0%	53
			Stargazer Trend IVT 7 Seat	1,500	AT	G	40	1,830	-	205/55/R16	115	2,780	4460 x 1780 x 1695	7	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	23	162	64	59	52	26	0.1%	0.1%	386
			Stargazer Trend IVT 6 Seat	1,500	AT	G	40	1,830	-	205/55/R16	115	2,780	4460 x 1780 x 1695	6	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	-	68	98	67	63	31	0.1%	0.1%	327
			Stargazer Style 7 Seat	1,500	AT	G	40	1,830	-	205/55/R16	115	2,780	4460 x 1780 x 1695	7	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	35	209	162	2	2	-	0.1%	0.1%	410
			Stargazer Style 6 Seat	1,500	AT	G	40	1,830	-	205/55/R16	115	2,780	4460 x 1780 x 1695	6	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	-	117	90	17	5	2	0.0%	0.0%	231
			Stargazer Prime 7 Seat	1,500	AT	G	40	1,830	-	205/55/R16	115	2,780	4460 x 1780 x 1695	7	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	173	756	512	274	179	233	0.4%	0.4%	2,127
			Stargazer Prime 6 Seat	1,500	AT	G	40	1,830	-	205/55/R16	115	2,780	4460 x 1780 x 1695	6	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	46	1,299	1,073	562	382	711	0.9%	0.7%	4,073
			Stargazer Prime 7 Seat Two Tone	1,500	AT	G	40	1,830	-	205/55/R16	115	2,780	4460 x 1780 x 1695	7	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	88	415	73	163	7	2	0.2%	0.1%	748
			Stargazer Prime 6 Seat Two Tone	1,500	AT	G	40	1,830	-	205/55/R16	115	2,780	4460 x 1780 x 1695	6	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	135	906	714	258	113	394	0.5%	0.4%	2,520
			Ioniq5 Prime Reguler	-	AT	EV	-	-	-	-	-	-	-	5	4X2	FF	-	5	4	CKD	INA	-	-	-	1	15	2	5	5	1	3	4	-	0.0%	0.0%	36
			Ioniq5 Prime Extended	-	AT	EV	-	-	-	-	-	-	-	5	4X2	FF	-	5	4	CKD	INA	-	-	-	4	1	8	27	10	2	20	6	1	0.0%	0.0%	79
			Ioniq5 Signature Reguler	-	AT	EV	-	-	-	-	-	-	-	5	4X2	FF	-	5	4	CKD	INA	-	-	-	25	38	55	8	-	48	3	20	-	0.0%	0.0%	197
			Ioniq5 Signature Extended	-	AT	EV	-	-	-	-	-	-	-	5	4X2	FF	-	5	4	CKD	INA	-	-	-	60	141	45	77	159	210	497	286	42	0.3%	0.3%	1,517
		KIA	Seltos	1,353	AT	G	55	1,705	-	215/60 R17	140/6000	2,610	4315 x 1800 x 1620	5	4X2	FF	7	5	4	CBU	India	24	57	14	1	13	5	21	39	33	39	-	1	0.1%	0.0%	247
			Seltos CRDi	1,353	AT	G	55	1,705	-	215/60 R17	140/6000	2,610	4315 x 1800 x 1620	5	4X2	FF	7	5	4	CBU	India	-	-	21	-	8	1	-	-	-	-	-	-	0.0%	0.0%	30
			Sonet Premiere	1,500	AT	G	55	1,705	-	215/60 R17	140/6000	2,610	4315 x 1800 x 1620	5	4X2	FF	7	5	4	CBU	India	88	10	67	110	99	63	137	216	241	241	50	66	0.3%	0.2%	1,388
			Carens	1,353	AT	G	80	2,960	3,195	235/60 R18	270/6400	3,090	5155 x 2000 x 1785	11	4X2	FF	8	5	4	CBU	Korea	-	-	-	-	-	-	-	-	30	3	1	-	0.0%	0.0%	34
			Carens	1,497	AT	G	80	2,960	3,195	235/60 R18	202/3800	3,090	5155 x 2000 x 1785	11	4X2	FF	8	5	4	CBU	Korea	-	-	-	-	-	-	-	33	3	84	-	20	0.0%	0.0%	140
		MAZDA	Mazda 2 R AT IPM	1,498	AT	G	43	-	4,147	195/45R16	103	2,490	3913 x 1695 x 1475	5	4X2	FF	-	5	4	CBU	Thailand	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Mazda 2 GT AT IPM	1,498	AT	G	43	-	4,147	195/45R16	103	2,490	3913 x 1695 x 1475	5	4X2	FF	-	5	4	CBU	Thailand	-	31	36	16	4	33	32	32	13	1	-	10	0.0%	0.0%	208
		MORRIS GARAGE	ZS Activate 1.5L CVT	1,498	AT	G	48	1,258	-	215/60 R16	114	2,585	4323 x 1809 x 1628	5	4X2	FF	4	5	4	CBU	Thailand	-	-	-	-	-	11	-	-	-	-	-	2	0.0%	0.0%	13
			ZS Ignite 1.5L CVT	1,498	AT	G	48	1,258	-	215/60 R16	114	2,585	4323 x 1809 x 1653	5	4X2	FF	4	5	4	CBU	Thailand	-	19	-	1	-	5	-	-	-	-	-	-	0.0%	0.0%	25
			ZS Magnify 1.5L CVT	1,498	AT	G	48	1,258	-	215/55 R17	114	2,585	4323 x 1809 x 1653	5	4X2	FF	4	5	4	CBU	Thailand	151	50	-	-	-	29	-	-	-	-	1	54	0.1%	0.0%	285
			HS Excite	1,490	AT	G	55	1,510	-	215/60 R17	162	2,720	4574 x 1876 x 1664	5	4X2	FF	7	5	4	CBU	Thailand	-	-	-	-	-	-	-	-	-	-	-	1	0.0%	0.0%	1
			HS Ignite	1,490	AT	G	55	1,510	-	235/50 R18	162	2,720	4574 x 1876 x 1664	5	4X2	FF	7	5	4	CBU	Thailand	23	-	-	20	33	13	10	9	4	2	3	1	0.0%	0.0%	118
			HS i-Smart Magnify	1,490	AT	G	55	1,510	-	235/50 R18	162	2,720	4574 x 1876 x 1664	5	4X2	FF	7	5	4	CBU	Thailand	38	39	2	4	-	-	56	26	24	3	15	6	0.0%	0.0%	213
		MINI	Cooper Hatch A/T	1,499	AT	G	40	1,595	-	205/45 R17 88W	-	2,495	3821 x 1727 x 1414	-	4X2	FR	-	-	4	CBU	UK	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Cooper Hatch A/T	1,499	AT	G	40	1,595	-	205/45 R17 88W	-	2,495	3821 x 1727 x 1414	-	4X2	FR	-	-	4	CBU	UK	2	3	8	4	5	5	-	-	2	3	-	-	0.0%	0.0%	32
			Cooper 5 Door A/T	1,499	AT	G	40	1,710	-	205/45 R17 88W	-	2,567	3982 x 1727 x 1425	-	4X2	FR	-	-	4	CBU	UK	1	1	2	2	1	-	-	1	-	1	-	-	0.0%	0.0%	9
			Cooper Convertible A/T	1,499	AT	G	40	1,695	-	205/45 R17 88W	-	2,495	3821 x 1727 x 1415	-	4X2	FR	-	-	4	CBU	Germany	-	-	3	-	-	2	1	2	-	-	-	-	0.0%	0.0%	8
			Cooper Clubman A/T	1,499	AT	G	48	1,890	-	225/45 R17 94Y	136	2,670	4266 x 1800 x 1441	-	4X2	FR	-	4	4	CBU	UK	-	-	2	-	3	-	1	4	2	1	-	-	0.0%	0.0%	13
			Cooper Countryman F60 CKD A/T	1,499	AT	G	61	1,985	-	225/50 R18 95W	136	2,670	4299 x 1822 x 1557	-	4X2	FF	-	-	4	CKD	INA	15	8	4	4	14	9	9	12	17	8	1	-	0.0%	0.0%	101
			Cooper SE Hatch A/T	-	AT	EV	-	1,775	-	205/45 R17 88W	-	2,495	3850 x 1727 x 1432	-	4X2	FF	-	-	4	CBU	UK	-	-	-	-	-	-	3	6	4	-	13	6	0.0%	0.0%	32
		MITSUBISHI MOTORS	Eclipse Cross	1,499	AT	G	63	2,100	-	225/55 R18	150	2,670	4405 X 1805 X 1674	5	4X2	FF	-	4	4	CBU	Japan	-	-	-	-	-	2	-	-	-	-	-	-	0.0%	0.0%	2
			Xpander 1.5L Ultimate (4X2) A/T	1,499	AT	G	45	1,780	4,375	205/55 R16	104	2,775	4475 X 1750 X 1700	7	4X2	FF	-	4	4	CKD	INA	1	5	-	-	-	1	-	-	-	-	-	-	0.0%	0.0%	7
			Xpander 1.5L Sport (4X2) A/T	1,499	AT	G	45	1,780	4,375	205/55 R16	104	2,775	4475 X 1750 X 1700	7	4X2	FF	-	4	4	CKD	INA	-	2	-	-	-	1	-	-	-	-	-	-	0.0%	0.0%	3
			Xpander 1.5L Sport (4X2) M/T	1,499	MT	G	45	1,780	4,375	205/55 R16	104	2,775	4475 X 1750 X 1700	7	4X2	FF	-	4	4	CKD	INA	-	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			Xpander 1.5L Exceed (4X2) A/T	1,499	AT	G	45	1,780	4,375	205/55 R16	104	2,775	4475 X 1750 X 1700	7	4X2	FF	-	4	4	CKD	INA	-	1	-	-	-	3	-	-	-	-	-	-	0.0%	0.0%	4
			Xpander 1.5L Exceed (4X2) M/T	1,499	MT	G	45	1,780	4,812	205/55 R16	104	2,775	4475 X 1750 X 1700	7	4X2	FF	-	4	4	CKD	INA	-	-	-	-	-	1	-	-	-	-	-	-	0.0%	0.0%	1
			Xpander 1.5L GLS (4X2) A/T	1,499	AT	G	45	1,780	4,812	185/65 R15	104	2,775	4475 X 1750 X 1695	7	4X2	FF	-	4	4	CKD	INA	-	1	-	-	-	-	1	-	-	-	-	-	0.0%	0.0%	2
			Xpander 1.5L GLS (4X2) M/T	1,499	MT	G	45	1,780	4,812	185/65 R15	104	2,775	4475 X 1750 X 1695	7	4X2	FF	-	4	4	CKD	INA	-	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			Xpander Cross 1.5L PREMIUM (4X2) A/T	1,499	AT	G	45	1,840	4,375	205/55 R17	105	2,775	4500 X 1800 X 1750	7	4X2	FF	-	4	4	CKD	INA	-	-	-	-	-	2	-	-	-	-	-	-	0.0%	0.0%	2
			Xpander Cross 1.5L (4X2) A/T	1,499	AT	G	45	1,840	4,375	205/55 R17	105	2,775	4500 X 1800 X 1750	7	4X2	FF	-	4	4	CKD	INA	1	5	-	-	-	1	-	-	-	-	-	-	0.0%	0.0%	7
			Xpander 1.5L ULTIMATE (4X2) CVT	1,499	CVT	G	45	1,840	4,375	205/55 R17	104	2,775	4595 X 1750 X 1750	7	4X2	FF	-	4	4	CKD	INA	924	2,021	2,197	2,448	1,120	448	1,827	3,628	2,378	1,304	440	1,144	4.2%	3.4%	19,879
			Xpander 1.5L SPORT (4X2) CVT	1,499	CVT	G	45	1,840	4,375	195/65 R16	104	2,775	4595 X 1750 X 1750	7	4X2	FF	-	4	4	CKD	INA	433	409	262	119	37	19	-	181	54	35	27	38	0.3%	0.3%	1,614
			Xpander 1.5L SPORT (4X2) M/T	1,499	MT	G	45	1,840	4,375	195/65 R16	104	2,775	4595 X 1750 X 1750	7	4X2	FF	-	4	4	CKD	INA	362	223	218	111	14	31	285	291	115	147	101	122	0.4%	0.3%	2,020
			Xpander 1.5L EXCEED (4X2) CVT	1,499	CVT	G	45	1,840	4,375	195/65 R16	104	2,775	4595 X 1750 X 1750	7	4X2	FF	-	4	4	CKD	INA	380	283	311	67	57	285	455	414	153	253	292	440	0.7%	0.6%	3,390
			Xpander 1.5L EXCEED (4X2) M/T	1,499	MT	G	45	1,840	4,375	195/65 R16	104	2,775	4595 X 1750 X 1750	7	4X2	FF	-	4	4	CKD	INA	264	166	138	25	37	89	183	378	149	117	163	261	0.4%	0.3%	1,970
			Xpander 1.5L GLS (4X2) CVT	1,499	CVT	G	45	1,840	4,375	195/65 R16	104	2,775	4595 X 1750 X 1730	7	4X2	FF	-	4	4	CKD	INA	3	20	129	110	49	-	45	110	82	74	53	94	0.2%	0.1%	769
			Xpander 1.5L GLS (4X2) M/T	1,499	MT	G	45	1,840	4,375	195/65 R16	104	2,775	4595 X 1750 X 1730	7	4X2	FF	-	4	4	CKD	INA	46	20	65	-	124	256	30	210	351	326	290	146	0.4%	0.3%	1,864
			Xpander Cross 1.5L PREMIUM (4X2) CVT	1,499	CVT	G	45	1,840	4,375	205/55 R17	105	2,775	4500 X 1800 X 1750	7	4X2	FF	-	4	4	CKD	INA	1,504	574	316	585	663	824	1,109	337	81	2,221	2,258	1,245	2.5%	2.0%	11,717
			Xpander Cross 1.5L (4X2) CVT	1,499	CVT	G	45	1,840	4,375	205/55 R17	105	2,775	4500 X 1800 X 1750	7	4X2	FF	-	4	4	CKD	INA	859	294	249	25	6	290	274	91	18	-	1	-	0.4%	0.4%	2,107
			Xpander Cross 1.5L (4X2) M/T	1,499	AT	G	45	1,840	4,375	205/55 R17	105	2,775	4500 X 1800 X 1750	7	4X2	FF	-	4	4	CKD	INA	505	161	266	52	2	248	356	48	2	360	242	220	0.5%	0.4%	2,462
		MERCEDES-BENZ PC	GLB 200 Progressive Line (X247)	1,332	AT	G	43	1,885	7	225/45 R18	163	2,729	4,419 x 1,992 x 1,440	5	4X2	FF	-	5	4	CBU	-	9	1	1	43	37	16	17	26	28	5	8	1	0.0%	0.0%	192
		NISSAN	Livina EL MT	1,498	MT	G	-	-	-	-	-	-	-	-	4X2	-	-	-	-	CKD	INA	1	1	9	10	7	2	-	-	-	6	-	-	0.0%	0.0%	36
			Livina VE	1,498	AT	G	-	-	-	-	-	-	-	-	4X2	-	-	-	-	CKD	INA	32	30	87	9	34	9	10	6	2	1	3	2	0.0%	0.0%	225
			Livina VL	1,498	AT	G	-	-	-	-	-	-	-	-	4X2	-	-	-	-	CKD	INA	194	160	100	78	5	4	47	44	13	66	32	93	0.2%	0.1%	836
			KICKS E-POWER	1,200	AT	HYBRID	-	-	-	-	-	-	-	-	4X2	-	-	-	-	CKD	INA	47	47	49	25	5	57	33	81	89	4	-	30	0.1%	0.1%	467
			Leaf	-	AT	EV	-	-	-	-	-	-	-	-	4X2	-	-	-	-	CBU	Japan	1	6	9	6	2	7	-	-	1	-	20	11	0.0%	0.0%	63
			Magnite Premium Turbo CVT	999	AT	G	-	-	-	-	-	-	3.994 x 1,758 x 1.572	5	4X2	-	-	5	4	CBU	Thailand	35	52	49	11	30	58	20	3	28	75	35	1	0.1%	0.1%	397
			Magnite Premium Turbo MT	999	MT	G	-	-	-	-	-	-	3.994 x 1,758 x 1.572	5	4X2	-	-	5	4	CBU	Thailand	3	3	1	2	-	3	6	3	2	1	-	20	0.0%	0.0%	44
			Magnite Premium Upper Turbo CVT	999	AT	G	-	-	-	-	-	-	3.994 x 1,758 x 1.572	5	4X2	-	-	5	4	CBU	Thailand	-	-	-	-	-	-	2	2	-	-	-	1	0.0%	0.0%	5
			Magnite Premium Upper Turbo MT	999	MT	G	-	-	-	-	-	-	3.994 x 1,758 x 1.572	5	4X2	-	-	5	4	CBU	Thailand	-	-	-	1	-	3	-	1	1	1	-	-	0.0%	0.0%	7
		PEUGEOT	2008 AT	1,199	AT	G	43	1,353	6	215/60/ R17	130	2,612	4,312 x 1,785 x 1,545	5	4X2	FF	6	5	4	CBU	Malaysia	-	-	9	17	6	6	9	12	12	12	3	1	0.0%	0.0%	87
		SUZUKI	Ignis GL MT	1,197	MT	G	43	1,430	4,388	165/60 R15	85	2,360	3715 X 1680 X 1618	5	4X2	FF	-	4	4	CBU	India	17	24	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	41
			Ignis GX MT	1,197	MT	G	43	1,430	4,388	185/60 R15	85	2,360	3715 X 1680 X 1618	5	4X2	FF	-	4	4	CBU	India	3	1	-	86	38	74	12	36	19	36	22	22	0.1%	0.1%	349
			Ignis GX AT	1,197	AT	G	43	1,430	4,375	185/60 R15	85	2,360	3715 X 1680 X 1618	5	4X2	FF	-	4	4	CBU	India	16	14	3	6	8	4	-	115	65	109	82	92	0.1%	0.1%	514
			S-Presso Mt	998	MT	G	-	-	-	-	-	-	-	-	4X2	FF	-	-	-	CBU	India	-	-	-	-	-	-	244	410	411	231	3	-	0.3%	0.2%	1,299
			S-Presso At	998	AT	G	-	-	-	-	-	-	-	-	4X2	FF	-	-	-	CBU	India	-	-	-	-	-	-	334	344	257	64	-	-	0.2%	0.2%	999
			All New Ertiga 02 GA	1,462	MT	G	45	1,765	4,687	185/65 R15	92	2,740	4265 X 1695 X 1685	7	4X2	FF	-	4	4	CKD	INA	11	13	11	-	13	6	18	22	16	13	4	25	0.0%	0.0%	152
			All New Ertiga 02 GL MT	1,462	MT	G	45	1,765	4,687	185/65 R15	92	2,740	4265 X 1695 X 1685	7	4X2	FF	-	4	4	CKD	INA	156	395	443	-	159	141	285	287	118	160	206	295	0.6%	0.5%	2,645
			All New Ertiga 02 GX MT	1,462	MT	G	45	1,775	4,687	185/65 R15	92	2,740	4265 X 1695 X 1685	7	4X2	FF	-	4	4	CKD	INA	161	118	353	-	-	-	-	-	-	-	-	-	0.1%	0.1%	632
			All New Ertiga 02 GL AT	1,462	AT	G	45	1,775	4,545	185/65 R15	92	2,740	4265 X 1695 X 1685	7	4X2	FF	-	4	4	CKD	INA	94	46	145	-	72	68	220	205	127	105	131	133	0.3%	0.2%	1,346
			All New Ertiga 02 GX AT	1,462	AT	G	45	1,765	4,545	185/65 R15	92	2,740	4325 X 1695 X 1685	7	4X2	FF	-	4	4	CKD	INA	156	219	238	1	1	-	-	-	-	-	-	-	0.1%	0.1%	615
			All New Ertiga SS MT	1,462	MT	G	45	1,775	4,687	185/65 R15	92	2,740	4325 X 1695 X 1685	7	4X2	FF	-	4	4	CKD	INA	47	81	82	-	-	-	1	-	-	-	-	-	0.0%	0.0%	211
			All New Ertiga SS AT	1,462	AT	G	45	1,855	4,687	185/65 R15	92	2,740	4265 X 1695 X 1685	7	4X2	FF	-	4	4	CKD	INA	73	130	116	2	2	-	1	-	-	-	-	-	0.1%	0.1%	324
			ALL NEW ERTIGA GX HYBRID MT	1,462	MT	G	45	1,775	4,687	185/65 R15	92	2,740	4325 X 1695 X 1685	7	4X2	FF	-	5	4	CKD	INA	-	-	-	-	280	286	132	79	62	48	48	104	0.2%	0.2%	1,039
			ALL NEW ERTIGA GX HYBRID AT	1,462	AT	G	45	1,855	4,687	185/65 R15	92	2,740	4265 X 1695 X 1685	7	4X2	FF	-	5	4	CKD	INA	-	-	-	-	432	539	315	207	209	242	163	245	0.5%	0.4%	2,352
			ALL NEW ERTIGA SS HYBRID MT	1,462	MT	G	45	1,775	4,687	185/65 R15	92	2,740	4325 X 1695 X 1685	7	4X2	FF	-	5	4	CKD	INA	-	-	-	-	115	79	45	40	47	48	39	48	0.1%	0.1%	461
			ALL NEW ERTIGA SS HYBRID AT	1,462	AT	G	45	1,855	4,687	185/65 R15	92	2,740	4265 X 1695 X 1685	7	4X2	FF	-	5	4	CKD	INA	-	-	-	-	205	146	224	245	146	149	122	155	0.3%	0.2%	1,392
			XL-7 ZETA MT	1,462	MT	G	45	1,720	4,353	195/65 R16	105	2,740	4450 X 1775 X 1710	7	4X2	FF	-	4	4	CKD	INA	-	13	77	29	72	80	122	84	108	192	111	106	0.2%	0.2%	994
			XL-7 ZETA AT	1,462	AT	G	45	1,730	4,375	195/65 R16	105	2,740	4450 X 1775 X 1710	7	4X2	FF	-	4	4	CKD	INA	-	30	68	38	137	100	286	69	201	266	216	96	0.3%	0.3%	1,507
			XL-7 BETA MT	1,462	MT	G	45	1,720	4,353	195/65 R16	105	2,740	4450 X 1775 X 1710	7	4X2	FF	-	4	4	CKD	INA	175	317	874	271	143	131	61	88	53	138	272	210	0.6%	0.5%	2,733
			XL-7 BETA AT	1,462	AT	G	45	1,730	4,375	195/65 R16	105	2,740	4450 X 1775 X 1710	7	4X2	FF	-	4	4	CKD	INA	134	148	960	371	199	576	236	207	247	274	445	588	0.9%	0.8%	4,385
			XL-7 ALPHA MT	1,462	MT	G	45	1,720	4,353	195/65 R16	105	2,740	4450 X 1775 X 1710	7	4X2	FF	-	4	4	CKD	INA	116	57	3	367	137	116	82	113	98	127	129	197	0.3%	0.3%	1,542
			XL-7 ALPHA AT	1,462	AT	G	45	1,730	4,375	195/65 R16	105	2,740	4450 X 1775 X 1710	7	4X2	FF	-	4	4	CKD	INA	306	145	11	468	226	289	297	317	221	248	331	520	0.7%	0.6%	3,379
			New Baleno	1,490	MT	G	-	1,650	-	195/55 R15	110	2,480	4350 X 1690 X 1545	5	4X2	FF	-	4	4	CBU	India	4	-	-	-	-	-	186	90	30	19	15	14	0.1%	0.1%	358
			New Baleno AT	1,490	AT	G	-	1,650	-	195/55 R15	110	2,480	4350 X 1690 X 1545	5	4X2	FF	-	4	4	CBU	India	31	2	1	-	-	-	-	1	122	244	284	155	0.2%	0.1%	840
			New SX4 S-Cros AT	1,490	AT	G	48	1,670	-	205/60 R16	109	2,600	4300 X 1765 X 1690	5	4X2	FF	-	4	4	CBU	India	-	1	21	30	28	29	18	14	40	85	57	70	0.1%	0.1%	393
			APV-GE	1,495	MT	G	46	1,950	4,300	185/80 R14	105	2,625	4225 X 1655 X 1855	8	4X2	FR	-	5	4	CKD	INA	66	200	242	101	85	80	111	95	113	103	118	84	0.3%	0.2%	1,398
			APV-GL	1,495	MT	G	46	1,950	4,300	185/80 R14	105	2,625	4225 X 1655 X 1855	8	4X2	FR	-	5	4	CKD	INA	43	65	92	62	36	82	88	64	72	61	80	3	0.2%	0.1%	748
			APV-GX	1,495	MT	G	46	1,950	4,300	195/65 R15	105	2,625	4225 X 1655 X 1855	8	4X2	FR	-	5	4	CKD	INA	19	49	45	50	48	54	33	60	47	116	55	342	0.2%	0.2%	918
			APV SGX	1,495	MT	G	46	1,950	4,300	195/65 R15	105	2,625	4225 X 1655 X 1855	7	4X2	FR	-	5	4	CKD	INA	10	11	15	14	9	31	35	21	17	27	36	62	0.1%	0.0%	288
		TOYOTA	Avanza 1.3 A/T Transmover	1,298	AT	G	45	1,085	5,571	185/70R14	92 / 6000	2,655	4140X1660X1695	7	4X2	FR	4	5	4	CKD	INA	-	198	100	201	26	97	779	1,957	1,344	1,125	25	2	1.2%	1.0%	5,854
			All New Avanza 1.5 G BMC 2015	1,298	MT	G	45	1,085	5,125	185/70R14	92 / 6000	2,655	4140X1660X1695	7	4X2	FR	4	5	4	CKD	INA	-	-	1	-	-	-	1	-	-	-	-	-	0.0%	0.0%	2
			New Avanza 1.3 E 2019	1,298	MT	G	45	1,085	5,125	185/70R14	92 / 6000	2,655	4140X1660X1695	7	4X2	FR	4	5	4	CKD	INA	(2)	-	1	-	-	1	1	-	1	-	-	-	0.0%	0.0%	2
			New Avanza 1.3 E A/T 2019	1,298	AT	G	45	1,085	5,571	185/70R14	92 / 6000	2,655	4140X1660X1695	7	4X2	FR	4	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			New Avanza 1.3 G 2019	1,298	MT	G	45	1,085	5,125	185/70R14	92 / 6000	2,655	4140X1660X1695	7	4X2	FR	4	5	4	CKD	INA	-	-	2	1	-	3	-	-	-	-	1	-	0.0%	0.0%	7
			New Avanza 1.3 G A/T 2019	1,298	AT	G	45	1,085	5,571	185/70R14	92 / 6000	2,655	4140X1660X1695	7	4X2	FR	4	5	4	CKD	INA	-	-	1	-	-	-	1	-	-	-	-	-	0.0%	0.0%	2
			New Avanza Veloz 1.3 2019	1,329	MT	G	45	1,085	4,875	185/65R15	104 / 6000	2,655	4140X1660X1695	7	4X2	FR	5	5	4	CKD	INA	-	-	1	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			New Avanza Veloz 1.5 2019	1,495	MT	G	45	1,085	4,875	185/65R15	104 / 6000	2,655	4140X1660X1695	7	4X2	FR	4	5	4	CKD	INA	(1)	-	-	1	-	-	1	-	-	-	-	-	0.0%	0.0%	1
			New Avanza Veloz 1.5 A/T 2019	1,495	AT	G	45	1,085	5,125	185/65R15	104 / 6000	2,655	4140X1660X1695	7	4X2	FR	4	5	4	CKD	INA	-	-	-	-	-	-	1	-	-	-	-	-	0.0%	0.0%	1
			All New Avanza 1.3 E 2021	1,298	MT	G	45	1,085	4,875	185/65R15	104 / 6000	2,655	4140X1660X1695	7	4X2	FR	5	5	4	CKD	INA	341	246	3,106	439	1,093	1,737	1,985	1,885	1,305	977	617	480	3.0%	2.4%	14,211
			All New Avanza 1.3 E Cvt 2021	1,298	AT	G	45	1,085	4,875	185/65R15	104 / 6000	2,655	4140X1660X1695	7	4X2	FR	5	5	4	CKD	INA	23	2	248	341	86	616	611	498	441	271	545	788	0.9%	0.8%	4,470
			All New Avanza 1.5 G 2021	1,495	MT	G	45	1,085	4,875	185/65R15	104 / 6000	2,655	4140X1660X1695	7	4X2	FR	5	5	4	CKD	INA	1,290	1,304	1,734	2,597	242	2,528	2,699	2,221	2,040	1,477	745	1,504	4.3%	3.5%	20,381
			All New Avanza 1.5 G CVT 2021	1,497	AT	G	-	-	-	185/60 R15	107 / 6000	-	4235X1695X1690	7	4X2	FR	5	5	4	CKD	INA	1,472	877	869	1,440	338	1,189	1,087	461	1,572	1,108	1,925	2,264	3.1%	2.5%	14,602
			All New Avanza 1.5 G CVT TSS 2021	1,497	AT	G	-	-	-	185/60 R15	107 / 6000	-	4235X1695X1690	7	4X2	FR	5	5	4	CKD	INA	62	434	21	20	7	2	376	8	152	-	1	5	0.2%	0.2%	1,088
			All New Avanza Veloz 1.5 G BMC 2015	1,298	MT	G	45	1,085	5,125	185/70R14	92 / 6000	2,655	4140X1660X1695	7	4X2	FR	4	5	4	CKD	INA	-	-	1	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			All New Avanza Veloz 1.5 G AT BMC 2015	1,298	AT	G	45	1,085	5,125	185/70R14	92 / 6000	2,655	4140X1660X1695	7	4X2	FR	4	5	4	CKD	INA	-	-	-	1	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			All New Veloz 1.5 2021	1,497	MT	G	-	-	-	185/60 R15	107 / 6000	-	4235X1695X1690	7	4X2	FR	5	5	4	CKD	INA	1,430	1,165	492	463	213	391	108	825	391	647	460	54	1.4%	1.1%	6,639
			All New Veloz 1.5 CVT 2021	1,497	AT	G	-	-	-	185/60 R15	107 / 6000	-	4235X1695X1690	7	4X2	FR	5	5	4	CKD	INA	-	-	-	2	-	-	421	278	102	181	10	-	0.2%	0.2%	994
			All New Veloz 1.5 Q Cvt 2021	1,497	AT	G	-	-	-	185/60 R15	107 / 6000	-	4235X1695X1690	7	4X2	FR	5	5	4	CKD	INA	1,675	847	1,293	2,444	303	435	730	1,277	2,768	1,566	2,918	168	3.5%	2.8%	16,424
			All New Veloz 1.5 Q Cvt Tss 2021	1,497	AT	G	-	-	-	185/60 R15	107 / 6000	-	4235X1695X1690	7	4X2	FR	5	5	4	CKD	INA	1,672	851	1,439	1,950	422	344	128	51	150	290	329	334	1.7%	1.4%	7,960
			Sienta V 1.5 CVT	1,497	AT	G	-	-	-	195/50 R16	107 / 6000	-	4235X1695X1690	7	4X2	FR	5	5	4	CKD	INA	1	-	-	-	2	3	-	2	5	1	14	2	0.0%	0.0%	30
			Sienta Q 1.5 CVT	1,497	AT	G	-	-	-	195/50 R16	107 / 6000	-	4235X1695X1690	7	4X2	FR	5	5	4	CKD	INA	4	-	4	1	-	5	-	14	4	2	7	-	0.0%	0.0%	41
			Sienta V 1.5 CVT Welcab	1,497	A/T	G	-	-	-	195/50 R16	107 / 6000	-	4235X1695X1690	7	4X2	FR	5	5	4	CKD	INA	3	5	-	4	-	3	9	-	2	-	2	-	0.0%	0.0%	28
			Raize 1.0T G One Tone New 2021	998	MT	G	36	1,680	5,462	235/60R16	98 / 6000	2,525	4030X1710X1635	5	4X2	FF	5	5	4	CKD	INA	86	36	62	82	33	117	60	62	66	186	5	39	0.2%	0.1%	834
			Raize 1.0T G Two Tone New 2021	998	MT	G	36	1,680	5,462	235/60R16	98 / 6000	2,525	4030X1710X1635	5	4X2	FF	5	5	4	CKD	INA	4	11	2	11	-	1	-	-	-	-	-	-	0.0%	0.0%	29
			Raize 1.0T G CVT One Tone New 2021	998	CVT	G	36	1,680	5,105	235/60R16	98 / 6000	2,525	4030X1710X1635	5	4X2	FF	5	5	4	CKD	INA	52	110	329	72	55	114	444	539	83	181	470	97	0.5%	0.4%	2,546
			Raize 1.0T G CVT Two Tone New 2021	998	CVT	G	36	1,680	5,105	235/60R16	98 / 6000	2,525	4030X1710X1635	5	4X2	FF	5	5	4	CKD	INA	5	12	7	93	14	26	64	-	109	34	25	21	0.1%	0.1%	410
			Raize 1.0T GR CVT One Tone New 2021	998	CVT	G	36	1,680	5,105	235/60R16	98 / 6000	2,525	4030X1710X1635	5	4X2	FF	5	5	4	CKD	INA	352	62	904	523	72	390	65	1,157	78	689	725	73	1.1%	0.9%	5,090
			Raize 1.0T GR CVT Two Tone New 2021	998	CVT	G	36	1,680	5,105	235/60R16	98 / 6000	2,525	4030X1710X1635	5	4X2	FF	5	5	4	CKD	INA	452	448	788	592	117	509	134	825	769	1,029	512	367	1.4%	1.1%	6,542
			Raize 1.0T GR TSS CVT One Tone New 2021	998	CVT	G	36	1,680	5,105	235/60R16	98 / 6000	2,525	4030X1710X1635	5	4X2	FF	5	5	4	CKD	INA	342	126	329	172	66	98	65	40	5	83	13	32	0.3%	0.2%	1,371
			Raize 1.0T GR TSS CVT Two Tone New 2021	998	CVT	G	36	1,680	5,105	235/60R16	98 / 6000	2,525	4030X1710X1635	5	4X2	FF	5	5	4	CKD	INA	272	391	359	156	105	289	55	357	528	173	177	138	0.6%	0.5%	3,000
			Raize 1.2T G New 2021	998	MT	G	36	1,680	5,462	235/60R16	98 / 6000	2,525	4030X1710X1635	5	4X2	FF	5	5	4	CKD	INA	61	74	14	-	13	36	20	10	18	27	24	21	0.1%	0.1%	318
			Raize 1.2T G CVT New 2021	998	CVT	G	36	1,680	5,105	235/60R16	98 / 6000	2,525	4030X1710X1635	5	4X2	FF	5	5	4	CKD	INA	54	161	113	150	142	432	546	594	317	430	579	434	0.8%	0.7%	3,952
			New Rush 1.5 S MT Mi TRD Sportivo	1,500	MT	G	45	1,200	5,857	235/60R16	109 / 6000	2,685	4420X1745X1740	5	4X2	FR	-	5	4	CKD	INA	(1)	-	1	1	-	1	1	-	-	-	-	1	0.0%	0.0%	4
			New Rush 1.5 S MT Mi TRD Sportivo AT	1,500	AT	G	45	1,200	5,857	235/60R16	109 / 6000	2,685	4420X1745X1740	5	4X2	FR	-	5	4	CKD	INA	-	-	1	-	-	-	1	-	-	-	-	-	0.0%	0.0%	2
			New Rush 1.5 G	1,496	MT	G	45	1,200	5,857	215/65R16	104 / 6000	2,685	4435X1695X1705	7	4X2	FR	4	5	4	CKD	INA	161	298	358	153	124	277	417	295	549	168	679	376	0.8%	0.7%	3,855
			New Rush 1.5 G A/T	1,496	AT	G	45	1,200	5,857	215/65R16	104 / 6000	2,685	4435X1695X1705	5	4X2	FR	4	5	4	CKD	INA	143	218	213	121	123	248	294	253	379	356	481	183	0.6%	0.5%	3,012
			New Rush1.5 GR Sport 2021	1,496	MT	G	45	1,200	5,857	215/60R17	104 / 6000	2,685	4435X1695X1705	7	4X2	FR	4	5	4	CKD	INA	1,745	1,941	2,245	1,647	623	2,273	2,040	1,463	1,825	2,470	1,743	1,256	4.5%	3.7%	21,271
			New Rush 1.5 GR Sport A/T 2021	1,496	AT	G	45	1,200	5,857	215/60R17	104 / 6000	2,685	4435X1695X1705	7	4X2	FR	4	5	4	CKD	INA	1,703	1,354	1,773	1,272	479	1,910	1,526	918	605	2,013	1,589	1,705	3.6%	2.9%	16,847
			New Yaris 1.5 G CVT 3 Airbag	1,496	AT	G	42	1,075	4,237	185/60R16	107 / 6000	2,550	4145X1730X1500	5	4X2	FF	4	5	4	CKD	INA	-	-	5	1	-	5	-	-	-	-	-	-	0.0%	0.0%	11
			New Yaris 1.5 TRD CVT 3 Airbag	1,496	AT	G	42	1,055	4,058	195/50R16	107 / 6000	2,550	4145X1730X1500	5	4X2	FF	5	5	4	CKD	INA	-	-	-	1	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			New Yaris 1.5 TRD CVT 7 Airbag	1,496	AT	G	42	1,075	4,237	195/50R16	107 / 6000	2,550	4145X1730X1500	5	4X2	FF	4	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	1	-	0.0%	0.0%	1
			New Yaris 1.5 GR Sport 3 Airbag 2021	1,496	MT	G	42	1,055	4,058	195/50R16	107 / 6000	2,550	4145X1730X1500	5	4X2	FF	4	5	4	CKD	INA	14	43	51	42	21	43	13	1	-	-	12	7	0.1%	0.0%	247
			New Yaris 1.5 GR Sport CVT 3 Airbag 2021	1,496	AT	G	42	1,055	4,058	195/50R16	107 / 6000	2,550	4145X1730X1500	5	4X2	FF	5	5	4	CKD	INA	264	427	398	290	149	345	69	19	416	417	170	59	0.6%	0.5%	3,023
			New Yaris 1.5 GR Sport CVT 7 Airbag 2021	1,496	AT	G	42	1,075	4,237	195/50R16	107 / 6000	2,550	4145X1730X1500	5	4X2	FF	4	5	4	CKD	INA	-	13	91	80	33	67	28	-	64	73	32	17	0.1%	0.1%	498
			GR YARIS 1.6	1,618	MT	G	42	1,075	4,237	225/40R18	261 / 6500	2,560	3,995X1,805X1,455	5	4X2	FF	4	5	4	CBU	JAPAN	16	2	5	14	1	-	-	-	-	-	-	-	0.0%	0.0%	38
			C+POD EV	-	AT	EV	-	-	-	-	-	-	-	-	-	-	-	2	4	CBU	Japan	-	-	2	-	-	-	10	-	-	-	-	-	0.0%	0.0%	12
			BZ4X EV	-	AT	EV	-	-	-	-	-	-	-	-	-	-	-	2	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	1	0.0%	0.0%	1
		VOLKSWAGEN	Polo 1.2 GT TSI AT	1,200	AT	G	-	-	-	-	-	-	-	5	4X2	FF	-	5	4	CBU	India	2	-	6	4	3	5	7	6	3	2	3	5	0.0%	0.0%	46
			T-Cross 1.0 TSI AT	999	AT	G	50			205/55 R17	115	2,651	4,221X1,760X1,612	5	4X2	FF	-	5	4	CBU	India	-	-	2	-	-	-	-	-	5	5	3	3	0.0%	0.0%	18
			Tiguan Allspace 1.4 TSI AT	1,400	AT	G	64	1,510	3,949	25/55/R17	150	2,604	4426 x 1809 x 1703	-	4X2	FF	193	5	4	CKD	INA	33	21	54	16	20	24	48	44	15	45	4	15	0.1%	0.1%	339
		WULING	Confero S 1.5	1,500	MT	G	42	-	5	195/60 R15	107	2,720	4493X1691X1715	-	4X2	FR	-	5	4	CKD	INA	771	510	504	410	191	460	404	635	581	873	692	1,614	1.6%	1.3%	7,645
			Confero S 1.5C	1,500	MT	G	42	-	5	195/60 R15	107	2,720	4530X1691X1730	-	4X2	FR	-	5	4	CKD	INA	172	183	109	161	134	286	86	312	46	65	65	315	0.4%	0.3%	1,934
			Confero S 1.5L	1,500	MT	G	42	-	5	195/60 R15	107	2,720	4530X1691X1730	-	4X2	FR	-	5	4	CKD	INA	208	548	114	100	40	30	-	-	-	-	5	-	0.2%	0.2%	1,045
			Confero S 1.5L ACT	1,500	AT	G	42	-	5	195/60 R15	107	2,720	4530X1691X1730	-	4X2	FR	-	5	4	CKD	INA	35	57	11	16	49	2	-	-	-	-	50	-	0.0%	0.0%	220
			Cortez 1.5C T MT	1,500	MT	G	52	-	4,058	205/55 R16	129	2,750	4780X1816X1755	-	4X2	FF	-	5	4	CKD	INA	8	-	2	57	48	11	1	22	6	-	2	1	0.0%	0.0%	158
			Cortez 1.5C T CVT	1,500	AT	G	52	-	4,058	205/55 R16	129	2,750	4780X1816X1755	-	4X2	FF	-	5	4	CKD	INA	33	79	22	6	-	-	-	-	-	-	-	-	0.0%	0.0%	140
			Cortez 1.5L T CVT	1,500	AT	G	52	-	4,058	205/55 R16	129	2,750	4780X1816X1755	-	4X2	FF	-	5	4	CKD	INA	62	66	52	24	5	4	2	2	2	3	-	31	0.1%	0.0%	253
			Cortez 1.5S T CVT	1,500	AT	G	52	-	4,058	205/55 R16	129	2,750	4780X1816X1755	-	4X2	FF	-	5	4	CKD	INA	195	122	232	86	57	7	18	19	16	5	13	92	0.2%	0.1%	862
			Cortez 1.5S T MT	1,500	MT	G	52	-	4,058	205/55 R16	129	2,750	4780X1816X1755	-	4X2	FF	-	5	4	CKD	INA	40	15	105	49	10	8	45	48	1	-	2	33	0.1%	0.1%	356
			Cortez 1.5 CE	1,500	CVT	G	-	-	-	-	-	-	-	-	4X2	-	-	5	4	CKD	INA	-	-	115	161	49	81	66	89	34	15	31	63	0.1%	0.1%	704
			Cortez 1.5 EX	1,500	CVT	G	-	-	-	-	-	-	-	-	4X2	-	-	5	4	CKD	INA	-	-	192	133	115	255	210	401	39	59	26	89	0.3%	0.3%	1,519
			Formo 1.2 BV	1,200	MT	G	42	-	5	195/60 R15	107	2,720	4530X1691X1730	-	4X2	FR	-	5	4	CKD	INA	41	22	-	11	3	26	6	47	30	7	1	14	0.0%	0.0%	208
			Formo 1.2	1,200	MT	G	42	-	5	195/60 R15	107	2,720	4530X1691X1730	-	4X2	FR	-	5	4	CKD	INA	282	22	260	183	14	11	10	27	91	26	5	146	0.2%	0.2%	1,077
			Air EV Standard Range	-	AT	EV	-	-	-	-	-	-	-	-	4X2	FR	-	3	4	CKD	INA	-	-	-	-	-	-	-	173	562	295	92	72	0.3%	0.2%	1,194
			Air EV Long Range	-	AT	EV	-	-	-	-	-	-	-	-	4X2	FR	-	3	4	CKD	INA	-	-	-	-	-	-	-	648	1,325	1,334	1,492	2,060	1.4%	1.2%	6,859
			Almaz 1.5E+ T CVT	1,500	AT	G	-	-	-	-	-	-	-	-	4X2	FR	-	5	4	CKD	INA	92	65	123	131	5	4	148	184	88	155	301	8	0.3%	0.2%	1,304
			Almaz 1.5E T CVT	1,500	AT	G	-	-	-	-	-	-	-	-	4X2	FR	-	5	4	CKD	INA	66	14	72	26	-	3	35	44	32	12	20	2	0.1%	0.1%	326
			Almaz 1.5SE T CVT	1,500	AT	G	-	-	-	-	-	-	-	-	4X2	FR	-	5	4	CKD	INA	156	85	126	163	6	19	49	17	23	4	1	82	0.2%	0.1%	731
			Almaz 1.5SE T MT	1,500	MT	G	-	-	-	-	-	-	-	-	4X2	FR	-	5	4	CKD	INA	74	30	57	91	6	3	7	5	1	-	7	16	0.1%	0.1%	297
			Almaz RS 1.5T EX	1,500	AT	G	-	-	-	-	-	-	-	-	4X2	FR	-	5	4	CKD	INA	82	35	30	61	10	9	66	9	28	34	140	212	0.2%	0.1%	716
			Almaz RS 1.5T Pro	1,500	AT	G	-	-	-	-	-	-	-	-	4X2	FR	-	5	4	CKD	INA	184	155	374	332	73	17	353	139	95	18	84	40	0.4%	0.3%	1,864
										TOTAL												40,256	37,113	49,579	38,032	18,623	34,267	38,843	46,838	47,006	43,058	39,017	40,845	100%	82%	473,477
										CUMULATIVE												40,256	77,369	126,948	164,980	183,603	217,870	256,713	303,551	350,557	393,615	432,632	473,477			

GAIKNDO WHOLESALES DATA
`JAN-DEC 2022

4X2 TYPE SALES `JAN-DEC 2022

CATEGORY		BRAND	MODEL/TYPE	CC	TRANS	FUEL	TANK CAPT	GVW (Kg)	GEAR RATIO	WHEEL & TYRE SIZE	PS / HP	WHEEL BASE	DIMENSION P x L x T	SEATER	DRIVE SYS.		SPEED	DOOR	WHEEL	CBU / CKD	ORIGIN COUNTRY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	Segment Share	4X2 Share	TOTAL 2022
4X2 TYPE	CC 1.501 - 2.501 [G/D]	BMW	X3 sDrive20i G01 CKD A/T	1,998	AT	G	65	2,400	-	245/50 R19 105W	184	2,864	4708x1891x1676	-	4X2	FR	-	-	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			X3 xDrive20i G01 CKD A/T	1,998	AT	G	65	2,400	-	245/50 R19 105W	184	2,864	4708 x 1891 x 1676	-	4X2	FR	-	-	4	CKD	INA	-	-	40	42	31	6	20	3	1	16	7	23	0.2%	0.0%	189
		DFSK	GLORY 580 1.8 M/T COMFORT	1,798	MT	G	58	1,985	-	226/60R17	139	2,780	4680 X 1845 X 1715	7	4X2	FF	-	4	4	CKD	INA	-	-	-	-	-	1	-	-	-	-	-	-	0.0%	0.0%	1
			GLORY 580 1.8 CVT LUXURY	1,798	AT	G	58	1,985	-	226/60R17	139	2,780	4680 X 1845 X 1715	7	4X2	FF	-	4	4	CKD	INA	-	-	-	-	-	1	-	-	-	-	-	-	0.0%	0.0%	1
			GLORY 560 1.8 A/T CVT LUXURY	1,798	AT	G	50	1,985	-	215/60R17	139	2,690	4515 X 1815 X 1735	7	4X2	FF	-	4	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
		HONDA	New CR-V	2,000	CVT	G	58	-	-	18 x 7,5J	155	2,660	4586 x 1855 x 1679	-	4X2	FF	-	5	4	CKD	INA	50	4	29	30	-	7	50	10	30	30	48	13	0.3%	0.1%	301
			HR-V E	1,800	CVT	G	40	-	-	-	-	-	-	5	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			HR-V Prestige	1,800	CVT	G	40	-	-	-	-	-	-	5	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	2	-	0.0%	0.0%	2
			Odyssey Prestige	2,354	CVT	G	55	1,855	-	17 x 7J	175	2,900	4830 x 1820 x 1695	7	4X2	FF	-	5	4	CBU	Japan	5	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	5
		HYUNDAI - HMID	Kona EV	-	AT	EV	-	2,020	-	215/55/R17	-	2,600	4180 x 1800 x 1570	5	4X2	-	-	5	4	CBU	South Korea	18	2	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	20
			Santa Fe D2.2 8DCT Style	2,200	AT	D	67	2,550	-	235/60/18	202	2,765	4785 x 1900 x 1710	5	4X2	FF	-	5	4	CBU	South Korea	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Santa Fe D2.2 8DCT Prime	2,200	AT	D	67	2,550	-	235/60/18	202	2,765	4785 x 1900 x 1710	5	4X2	FF	-	5	4	CBU	South Korea	9	6	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	15
			Santa Fe D2.2 8DCT Signature	2,200	AT	D	67	2,550	-	235/60/18	202	2,765	4785 x 1900 x 1710	5	4X2	FF	-	5	4	CBU	South Korea	54	46	4	1	-	-	-	-	-	-	-	-	0.1%	0.0%	105
			Santa Fe G2.5 6AT Style	2,500	AT	G	67	2,510	-	235/60/18	180	2,765	4785 x 1900 x 1710	5	4X2	FF	-	5	4	CBU	South Korea	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Santa Fe G2.5 6AT Prime	2,500	AT	G	67	2,510	-	235/60/18	180	2,765	4785 x 1900 x 1710	5	4X2	FF	-	5	4	CBU	South Korea	3	2	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	5
			Santa Fe G2.5 6AT Signature	2,500	AT	G	67	2,510	-	235/60/18	180	2,765	4785 x 1900 x 1710	5	4X2	FF	-	5	4	CBU	South Korea	11	12	5	1	-	-	-	-	-	-	-	-	0.0%	0.0%	29
			Santa Fe D2.2 8DCT Style	2,200	AT	D	67	2,550	-	235/60/18	202	2,765	4785 x 1900 x 1710	5	4X2	FF	-	5	4	CBU	South Korea	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Santa Fe D2.2 8DCT Prime	2,200	AT	D	67	2,550	-	235/60/18	202	2,765	4785 x 1900 x 1710	5	4X2	FF	-	5	4	CBU	South Korea	-	-	-	-	17	3	14	11	21	3	1	-	0.1%	0.0%	70
			Santa Fe D2.2 8DCT Signature	2,200	AT	D	67	2,550	-	235/60/18	202	2,765	4785 x 1900 x 1710	5	4X2	FF	-	5	4	CBU	South Korea	-	-	-	3	35	8	64	133	92	88	36	18	0.6%	0.1%	477
			Santa Fe G2.5 6AT Style	2,500	AT	G	67	2,510	-	235/60/18	180	2,765	4785 x 1900 x 1710	5	4X2	FF	-	5	4	CBU	South Korea	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Santa Fe G2.5 6AT Prime	2,500	AT	G	67	2,510	-	235/60/18	180	2,765	4785 x 1900 x 1710	5	4X2	FF	-	5	4	CBU	South Korea	-	-	-	-	7	13	16	4	3	4	3	-	0.1%	0.0%	50
			Santa Fe G2.5 6AT Signature	2,500	AT	G	67	2,510	-	235/60/18	180	2,765	4785 x 1900 x 1710	5	4X2	FF	-	5	4	CBU	South Korea	-	-	-	3	37	29	24	29	36	37	60	24	0.3%	0.0%	279
			Palisade 2.2 CRDi	2,200	AT	D	-	-	-	-	-	-	-	-	-	-	-	-	-	CBU	South Korea	101	249	103	406	139	37	155	94	116	48	9	53	1.7%	0.3%	1,510
			Staria Signature 7	2,200	AT	D	-	-	-	-	-	-	-	7	4X2	FF	-	5	4	CBU	South Korea	25	9	4	14	3	13	9	7	7	1	1	-	0.1%	0.0%	93
			Staria Signature 9	2,200	AT	D	-	-	-	-	-	-	-	9	4X2	FF	-	5	4	CBU	South Korea	33	15	14	10	6	7	11	18	19	9	-	-	0.2%	0.0%	142
		ISUZU	MU-X RBD1	2,499	AT	D	47	2,540	-	-	-	-	-	7	4X2	-	-	5	4	CBU	Thailand	-	-	-	-	-	-	-	6	50	-	-	-	0.1%	0.0%	56
		KIA	Grand Sedona	2,199	AT	G	80	3,050	3,195	235/60 R18	270/6400	3,060	5115 x 1985 x 1740	11	4X2	FF	6	5	4	CBU	Korea	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Grand Carnival	2,151	AT	D	80	-	-	235/60 R18	202/3800	3,090	5115 x 1995 x 1750	11	4X2	FF	8	5	4	CBU	Korea	-	-	1	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			Grand Carnival	2,151	AT	D	80	-	-	235/60 R18	202/3800	3,090	5115 x 1995 x 1750	11	4X2	FF	8	5	4	CBU	Korea	-	-	32	80	14	22	38	2	17	22	2	16	0.3%	0.0%	245
		LEXUS	NX 300	1,998	AT	G	60	-	-	255 / 60 R18	235 / 4000	2,660	4630X1845X1630	4	4X2	FR	-	4	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			NX 350h	1,998	AT	G	60	-	-	255 / 60 R18	235 / 4000	2,660	4630X1845X1630	4	4X2	FR	-	4	4	CBU	Japan	-	-	-	-	1	4	5	1	-	1	-	-	0.0%	0.0%	12
			NX 250	1,998	AT	G	60	-	-	255 / 60 R18	235 / 4000	2,660	4630X1845X1630	4	4X2	FR	-	4	4	CBU	Japan	-	-	3	1	-	-	14	1	1	-	-	-	0.0%	0.0%	20
			NX 300 F-Sport	1,998	AT	G	60	-	-	255 / 60 R18	235 / 4000	2,660	4630X1845X1630	4	4X2	FR	-	4	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			RX 300 Luxury	1,998	AT	G	72	2,500	-	-	235 / 4400	2,790	4890X1895X1690	4	4X2	FR	-	4	4	CBU	Japan	-	22	36	24	23	5	1	-	2	-	1	-	0.1%	0.0%	114
			RX 300 F-Sport	1,998	AT	G	72	2,500	-	-	235 / 4400	2,790	4890X1895X1690	4	4X2	FR	-	4	4	CBU	Japan	-	38	61	31	44	9	-	-	-	-	-	-	0.2%	0.0%	183
			UX 200 Luxury	1,998	AT	G	72	2,500	-	-	235 / 4400	2,790	4890X1895X1690	4	4X2	FR	-	4	4	CBU	Japan	-	-	-	-	-	-	-	-	-	2	-	-	0.0%	0.0%	2
			UX 200 F-Sport	1,998	AT	G	72	2,500	-	-	235 / 4400	2,790	4890X1895X1690	4	4X2	FR	-	4	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	2	1	0.0%	0.0%	3
			UX 250h	1,998	AT	HYBRID	72	2,500	-	-	235 / 4400	2,790	4890X1895X1690	4	4X2	FR	-	4	4	CBU	Japan	-	-	-	-	1	-	-	-	10	4	3	-	0.0%	0.0%	18
			UX 300e	-	AT	EV	-	-	-	-	-	-	-	4	4X2	FR	-	4	4	CBU	Japan	-	-	1	1	2	-	-	4	-	5	29	85	0.1%	0.0%	127
		MAZDA	New CX-3 Pro	1,998	AT	G	48	-	-	215/50R18	149	2,570	4275 x 1765 x 1535	5	4X2	FF	-	5	4	CBU	Japan	2	-	-	9	2	8	1	-	1	-	-	-	0.0%	0.0%	23
			New CX-3 Sport	1,998	AT	G	48	-	-	215/50R18	149	2,570	4275 x 1765 x 1535	5	4X2	FF	-	5	4	CBU	Japan	48	6	1	171	62	155	8	8	44	48	45	230	1.0%	0.1%	826
			New CX-5 GT	2,488	AT	G	56	-	4,325	225/55R19	187	2,700	4540 x 1840 x 1710	5	4X2	FF	-	5	4	CBU	Malaysia	140	9	-	-	-	2	1	-	-	-	-	-	0.2%	0.0%	152
			New CX-5 Elite	2,488	AT	G	56	-	-	225/55R19	190	2,700	4550 x 1840 x 1680	5	4X2	FF	-	5	4	CBU	Japan	-	-	17	260	164	35	120	105	138	277	290	96	1.7%	0.3%	1,502
			CX-30 Touring	1,998	AT	G	51	-	-	215/55R18	155	2,655	4395 x 1795 x 1540	5	4X2	FF	-	5	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			CX-30 GT	1,998	AT	G	51	-	-	215/55R18	155	2,655	4395 x 1795 x 1540	5	4X2	FF	-	5	4	CBU	Japan	1	-	1	43	-	61	35	43	18	10	-	1	0.2%	0.0%	213
			CX-8 Elite	2,488	AT	G	72	-	-	255/50R20	231	2,930	5075 x 1969 x 1747	7	4X2	FF	-	5	4	CBU	Malaysia	-	-	40	46	9	5	-	-	-	-	-	-	0.1%	0.0%	100
			New CX-8 Elite	2,488	AT	G	72	-	-	225/55R19	190	2,930	4900 x 1840 x 1730	6	4X2	FF	-	5	4	CBU	Malaysia	-	-	-	-	-	-	65	26	6	19	1	4	0.1%	0.0%	121
			New CX-9	2,488	AT	G	72	-	-	255/50R20	231	2,930	5075 x 1969 x 1747	7	4X2	FF	-	5	4	CBU	Japan	3	-	10	34	1	1	15	3	5	12	22	11	0.1%	0.0%	117
			All New Mazda 3 Hatchback	1,998	AT	G	51	-	-	215/45R18	155	2,725	4,460 x 1,795 x 1,435	5	4X2	FF	-	5	4	CBU	Japan	3	2	1	32	3	8	3	21	-	17	2	20	0.1%	0.0%	112
			Mazda 6 Estate Elite	2,488	AT	G	62	-	-	225/45R19	192	2,750	4,800 x 1,840 x 1,480	5	4X2	FF	-	5	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			New Mazda 6 Elite Estate	2,488	AT	G	62	-	-	225/45R19	192	2,750	4,800 x 1,840 x 1,480	5	4X2	FF	-	5	4	CBU	Japan	8	7	-	-	-	1	1	35	18	4	3	2	0.1%	0.0%	79
		MERCEDES-BENZ PC	A 35 4 Matic (W177)*	2,000	-	G	-	-	-	-	-	-	-	-	-	-	-	-	-	CBU	-	1	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			GLA 200 AMG	1,595	AT	G	50	1,940	7	235/45 R19	156	2,699	4,443 x 2,022 x 1,483	5	4X2	FR	-	5	4	CKD	INA	-	-	-	-	-	-	-	17	8	21	15	4	0.1%	0.0%	65
			GLA 200	1,991	AT	G	66	2,360	9	255/45 R20	184	2,873	4,656 x 2,096 x 1,639	5	4X2	FR	-	5	4	CKD	INA	-	3	27	24	24	36	25	28	19	11	60	12	0.3%	0.0%	269
			GLC 200 AMG	1,991	AT	G	66	2,360	9	255/45 R20	184	2,873	4,656 x 2,096 x 1,639	5	4X2	FR	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			GLC 200 AMG (FL)	1,991	AT	G	66	2,360	9	255/45 R20	184	2,873	4,656 x 2,096 x 1,639	5	4X2	FR	-	5	4	CKD	INA	11	53	40	42	10	45	104	40	79	53	8	5	0.6%	0.1%	490
			GLC 200 Exclusive	1,991	AT	G	66	2,360	9	235/60 R18	184	2,873	4,656 x 2,096 x 1,639	5	4X2	FR	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			VITO	2,148	AT	D	-	2,940	-	-	-	-	-	-	-	-	-	5	-	CBU	Spain	-	-	-	-	-	-	-	-	-	-	1	1	0.0%	0.0%	2
			V 220	2,100	AT	D	-	2,940	-	-	-	-	-	-	-	-	-	5	-	CBU	Spain	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Seprinter	2,143	MT	D	-	5,300	-	-	-	-	-	-	4X2	-	-	4	-	CBU	Spain	6	5	8	3	7	5	1	-	1	-	-	-	0.0%	0.0%	36
		MINI	Cooper S Hatch A/T	1,998	AT	G	44	1,635	-	205/45 R17 88W	-	2,495	3850 x 1727 x 1414	-	4X2	FR	-	-	4	CBU	UK	2	2	13	16	13	7	9	25	14	7	30	14	0.2%	0.0%	152
			John Cooper Works Hatch A/T	1,998	AT	G	44	1,710	-	205/40 R18 86W	-	2,495	3874 x 1727 x 1414	-	4X2	FR	-	-	4	CBU	UK	2	-	9	10	4	4	3	-	2	-	-	-	0.0%	0.0%	34
			John Cooper Works GP A/T	1,998	AT	G	40	1,505	-	225/35 R18 87Y	306	2,495	3879 x 1762 x 1420	-	4X2	FR	-	-	4	CBU	UK	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Cooper S 5 Door A/T	1,998	AT	G	44	1,770	-	205/45 R17 88W	-	2,567	4005 x 1727 x 1425	-	4X2	FR	-	-	4	CBU	UK	-	2	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	2
			Cooper S 5 Door A/T	1,998	AT	G	44	1,770	-	205/45 R17 88W	-	2,567	4005 x 1727 x 1425	-	4X2	FR	-	-	4	CBU	UK	-	1	5	1	3	1	1	3	-	1	-	-	0.0%	0.0%	16
			Cooper S Clubman A/T	1,998	AT	G	48	1,945	-	225/40 R18 92Y	192	2,670	4266 x 1800 x 1441	-	4X2	FR	-	4	4	CBU	UK	-	-	4	4	1	3	-	5	2	-	-	-	0.0%	0.0%	19
			Cooper S Convertible A/T	1,998	AT	G	44	1,745	-	205/45 R17 88W	-	2,495	3850 x 1727 x 1415	-	4X2	FR	-	-	4	CBU	Germany	-	-	4	4	1	4	-	3	5	-	-	-	0.0%	0.0%	21
			John Cooper Works Convertible A/T	1,998	AT	G	44	1,795	-	205/40 R18 86W	231	2,495	3874 x 1727 x 1415	-	4X2	FR	-	-	4	CBU	Germany	-	-	1	-	1	2	1	-	1	-	-	-	0.0%	0.0%	6
			Cooper S Countryman F60 CKD A/T	1,998	AT	G	61	2,040	-	225/45 R19 92W	192	2,670	4299 x 1822 x 1557	-	4X2	FR	-	-	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Cooper S Countryman F60 CKD A/T	1,998	AT	G	61	2,040	-	225/45 R19 92W	192	2,670	4299 x 1822 x 1557	-	4X2	FF	-	-	4	CKD	INA	19	32	31	5	4	18	20	7	28	25	24	23	0.3%	0.0%	236
		MITSUBISHI MOTORS	Pajero Sport 2.4L DAKAR (4x2) 8AT	2,442	AT	D	68	2,600	3,692	265/60 R18	181	2,800	4785 X 1815 X 1805	7	4X2	FR	-	4	4	CKD	INA	1,982	1,606	1,896	847	1,682	1,560	916	1,060	743	782	1,001	976	17.4%	2.6%	15,051
			Pajero Sport 2.4L DAKAR Ultimate (4x2) 8AT	2,442	AT	D	68	2,600	3,692	265/60 R18	181	2,800	4785 X 1815 X 1805	7	4X2	FR	-	4	4	CKD	INA	-	578	366	340	74	85	60	87	32	61	57	62	2.1%	0.3%	1,802
			Pajero Sport 2.5 E HP (4X2) 5 AT - DAKAR	2,477	AT	D	70	2,650	3,917	265/65 R17	178	2,800	4695 X 1815 X 1840	7	4X2	FR	-	4	4	CBU	Thailand	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Pajero Sport 2.5 L EXCEED (4X2) 5AT	2,477	AT	D	70	2,650	3,917	265/60 R16	136	2,800	4785 X 1815 X 1800	7	4X2	FR	-	4	4	CKD	INA	33	21	38	28	2	29	-	29	31	27	32	13	0.3%	0.0%	283
			Pajero Sport 2.5L EXCEED-H (4x2) 5MT	2,477	MT	D	70	2,650	3,917	265/60 R16	136	2,800	4785 X 1815 X 1800	7	4X2	FR	-	4	4	CKD	INA	18	12	16	13	3	22	7	-	26	2	24	6	0.2%	0.0%	149
			Pajero Sport 2.5 L EXCEED (4X2) 5MT	2,477	MT	D	70	2,650	4,100	265/65 R17	136	2,800	4697 X 1815 X 1840	7	4X2	FR	-	4	4	CBU	Thailand	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
		NISSAN	New Serena-HWS	2,000	AT	G	60	1,965	-	195/60R18	149 / 5,600	2,862	4,770 x 1,735 x 1,867	7	4X2	FF	-	5	4	CKD	INA	-	41	34	16	33	17	30	51	1	32	72	6	0.4%	0.1%	333
		PEUGEOT	NEW 3008 AT Allure Midlife	1,598	AT	G	60	1,459	6	225/50 R17	163	2,613	4.365 x 1.836 x 1.639	5	4X2	FF	-	5	4	CBU	Malaysia	4	-	22	2	12	12	15	7	7	11	7	8	0.1%	0.0%	107
			NEW 5008 AT Allure Midlife	1,598	AT	G	60	1,459	6	225/50 R17	163	2,613	4.365 x 1.836 x 1.639	5	4X2	FF	-	5	4	CBU	Malaysia	-	-	21	3	23	1	10	9	9	4	2	7	0.1%	0.0%	89
			NEW 3008 AT Active	1,598	AT	G	60	1,459	6	225/50 R17	163	2,613	4.365 x 1.836 x 1.639	5	4X2	FF	-	5	4	CBU	Malaysia	20	20	-	19	5	7	4	3	10	2	1	1	0.1%	0.0%	92
			NEW 5008 AT Active	1,598	AT	G	60	1,459	6	225/50 R17	163	2,613	4.365 x 1.836 x 1.639	5	4X2	FF	-	5	4	CBU	Malaysia	26	12	13	5	-	8	2	4	2	2	1	1	0.1%	0.0%	76
		TOYOTA	All New Kijang Inova G 2015	1,998	MT	G	55	1,640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			All New Kijang Inova G AT 2015	1,998	AT	G	55	1,640	-	205/65 R15	136 / 5600	2,750	4585X1775X1750	7	4X2	FR	4	5	4	CKD	INA	-	-	-	1	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			All New Kijang Innova G M 2020	1,998	MT	G	55	1,640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	234	711	142	50	337	362	458	948	490	706	64	1,016	6.4%	1.0%	5,518
			All New Kijang Innova G Luxury M 2020	1,998	MT	G	55	1,640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	-	9	4	-	-	-	-	-	-	-	-	-	0.0%	0.0%	13
			All New Kijang Innova G A/T Mi 2020	1,998	AT	G	55	1,640	-	205/65 R15	136 / 5600	2,750	4585X1775X1750	7	4X2	FR	4	5	4	CKD	INA	222	511	323	446	203	231	248	264	1,170	731	7	1	5.0%	0.8%	4,357
			All New Kijang Innova G A/T Luxury Mi 2020	1,998	AT	G	55	1,640	-	205/65 R15	136 / 5600	2,750	4585X1775X1750	7	4X2	FR	4	5	4	CKD	INA	19	51	14	3	3	27	4	18	102	2	-	-	0.3%	0.0%	243
			All New Kijang Innova G DSL Mi 2020	2,494	MT	D	55	1,640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	394	778	936	495	313	451	497	741	689	573	479	339	7.7%	1.2%	6,685
			All New Kijang Innova G A/T DSL Mi 2020	2,494	AT	D	55	1,640	-	205/65 R15	136 / 5600	2,750	4585X1775X1750	7	4X2	FR	4	5	4	CKD	INA	724	1,221	866	1,281	620	751	403	560	839	429	4	1	8.9%	1.3%	7,699
			All New Kijang Innova V Mi 2020	1,998	MT	G	55	1,640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	16	30	31	43	41	70	13	26	131	41	-	(2)	0.5%	0.1%	440
			All New Kijang Innova V Luxury Mi 2020	1,998	MT	G	55	1,640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	5	7	1	-	-	-	-	-	-	-	-	-	0.0%	0.0%	13
			All New Kijang Innova V A/T Mi 2020	1,998	AT	G	55	1,640	-	205/65 R15	136 / 5600	2,750	4585X1775X1750	7	4X2	FR	4	5	4	CKD	INA	163	264	441	115	54	73	192	115	453	340	3	6	2.6%	0.4%	2,219
			All New Kijang Innova V A/T Luxury Mi 2020	1,998	AT	G	55	1,640	-	205/65 R15	136 / 5600	2,750	4585X1775X1750	7	4X2	FR	4	5	4	CKD	INA	22	41	21	4	66	29	3	13	84	14	-	-	0.3%	0.1%	297
			All New Kijang Innova V DSL Mi 2020	2,494	MT	D	55	1,640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	54	44	54	80	56	125	18	51	143	46	-	-	0.8%	0.1%	671
			All New Kijang Innova V A/T DSL Mi 2020	2,494	AT	D	55	1,640	-	205/65 R15	136 / 5600	2,750	4585X1775X1750	7	4X2	FR	4	5	4	CKD	INA	1,374	338	2,084	359	108	690	406	755	447	279	3	-	7.9%	1.2%	6,843
			All New Kijang Innova Venturer Mi 2020	1,998	MT	G	55	1,640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	3	5	6	-	-	-	-	-	-	-	-	-	0.0%	0.0%	14
			All New Kijang Innova Venturer A/T Mi 2020	1,998	AT	G	55	1,640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	43	82	62	136	105	83	120	40	261	8	-	1	1.1%	0.2%	941
			All New Kijang Innova Venturer DSL Mi 2020	2,494	MT	D	55	1,640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	7	10	5	2	2	2	-	-	-	-	-	-	0.0%	0.0%	28
			All New Kijang Innova Venturer A/T DSL Mi 2020	2,494	AT	D	55	1,640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	691	387	1,311	321	139	554	287	418	617	210	7	-	5.7%	0.9%	4,942
			All New Kijang Innova Zenix G Cvt 2.0	1,987	A/T	G	55	1,640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	306	845	1.3%	0.2%	1,151
			All New Kijang Innova Zenix V Cvt 2.0	1,987	A/T	G	55	1,640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	434	1,905	2.7%	0.4%	2,339
			All New Kijang Innova Zenix G Hev Cvt 2.0	1,987	A/T	HYBRID	55	1,640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	80	342	0.5%	0.1%	422
			All New Kijang Innova Zenix V Hev Cvt 2.0	1,987	A/T	HYBRID	55	1,640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	114	247	0.4%	0.1%	361
			All New Kijang Innova Zenix V Hev Cvt 2.0 Mod	1,987	A/T	HYBRID	55	1,640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	91	443	0.6%	0.1%	534
			All New Kilang Innova Zenix Q Hev Cvt Tss 2.0	1,987	A/T	HYBRID	55	1,640	-	205/65 R15	102 / 3600	2,750	4585X1775X1750	7	4X2	FR	5	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	339	863	1.4%	0.2%	1,202
			Voxy 2.0 AT	2,000	AT	G	60	2,205	-	205/60 R16	158 / 6200	-	4600X1695X1850	7	4X2	FF	-	5	4	CBU	Japan	10	25	527	204	189	186	303	203	98	192	210	358	2.9%	0.4%	2,505
			Alphard 2,5 G	2,500	AT	G	65	1,905	5,791	215/60/R17	170 / 6000	2,950	4870X1830X1905	7	4X2	FF	-	5	4	CBU	Japan	-	-	302	266	694	350	683	582	427	671	356	524	5.6%	0.8%	4,855
			Alphard 2.5 X	2,500	AT	G	65	1,905	5,791	215/60/R17	170 / 6000	2,950	4870X1830X1905	7	4X2	FF	-	5	4	CBU	Japan	-	-	2	2	1	-	-	7	-	-	45	-	0.1%	0.0%	57
			Vellfire 2.5	2,500	AT	G	65	1,905	5,791	215/60/R17	170 / 6000	2,950	4870X1830X1905	7	4X2	FF	-	5	4	CBU	Japan	-	(1)	33	29	30	24	37	32	40	41	38	19	0.4%	0.1%	322
			C-HR 1.8 A/T	1,798	AT	G	50	-	-	215 / 60 R17	141 / 6400	2,640	4360x1795x1565	5	4X2	FF	7	5	4	CBU	Thailand	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			C-HR 1.8 A/T Hybrid	1,798	AT	HYBRID	50	-	-	215 / 60 R17	141 / 6400	2,640	4360x1795x1565	5	4X2	FF	7	5	4	CBU	Thailand	7	6	6	10	-	2	11	6	11	11	27	12	0.1%	0.0%	109
			Corolla Cross 1.8 A/T	1,798	AT	G	50	-	-	215 / 60 R17	141 / 6400	2,640	4360x1795x1565	5	4X2	FF	7	5	4	CBU	Thailand	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Corolla Cross 1.8 A/T Hybrid	1,798	AT	HYBRID	50	-	-	215 / 60 R17	141 / 6400	2,640	4360x1795x1565	5	4X2	FF	7	5	4	CBU	Thailand	24	204	65	85	128	120	85	48	56	41	63	81	1.2%	0.2%	1,000
			Corolla Cross 1.8 A/T Hybrid GR Sport	1,798	AT	HYBRID	50	-	-	215 / 60 R17	141 / 6400	2,640	4360x1795x1565	5	4X2	FF	7	5	4	CBU	Thailand	-	-	-	-	-	-	-	-	-	-	1	-	0.0%	0.0%	1
			Fortuner VRZ 2.4 DSL A/T Mi 2020	2,393	AT	D	80	-	4.100	265 / 60 R18	149.3 / 3400	2,745	4795x1855x1835	7	4X2	FR	5	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	1	-	0.0%	0.0%	1
			Fortuner VRZ 2.4 TRD A/T DSL Mi 2020	2,393	AT	D	80	-	4.555	265 / 60 R18	163 / 3400	2,745	4795x1855x1835	7	4X2	FR	5	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Fortuner G 2.4 Dsl Imp 2021	2,393	MT	D	80	-	4.555	265 / 60 R18	163 / 3400	2,745	4795x1855x1835	7	4X2	FR	5	5	4	CKD	INA	79	57	35	32	2	13	51	-	78	13	9	51	0.5%	0.1%	420
			Fortuner G 2.4 Dsl A/T Imp 2021	2,393	AT	D	80	-	4.555	265 / 60 R18	163 / 3400	2,745	4795x1855x1835	7	4X2	FR	5	5	4	CKD	INA	48	35	50	54	79	45	50	33	37	31	39	40	0.6%	0.1%	541
			Fortuner VRZ 2.4 DSL A/T Imp 2021	2,393	MT	D	80	-	4.555	265 / 60 R18	163 / 3400	2,745	4795x1855x1835	7	4X2	FR	5	5	4	CKD	INA	142	9	-	(1)	-	-	1	-	-	-	-	-	0.2%	0.0%	151
			Fortuner VRZ 2.4 A/T 4x4 DSL Imp 2021	2,393	AT	G	80	-	4.555	265 / 60 R18	163 / 3400	2,745	4795x1855x1835	7	4X2	FR	5	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			New Fortuner VRZ 2.4 GR Sport DSL A/T 2021	2,393	MT	G	80	-	4.555	265 / 60 R18	163 / 3400	2,745	4795x1855x1835	7	4X2	FR	5	5	4	CKD	INA	1,287	63	4	1	-	1	2	1	-	-	1	-	1.6%	0.2%	1,360
			HI-ACE Commuter HI Grade	2,500	MT	G	70	2,145	-	195/R15	102 / 3600	3,110	5380X1880X2285	16	4X2	FR	-	2	5	CBU	Japan	98	74	91	-	85	142	162	92	76	154	202	110	1.5%	0.2%	1,286
		WULING	Almaz RS Hybrid	2,000	CVT	HYBRID	-	-	-	-	-	-	-	-	-	-	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	50	65	222	0.4%	0.1%	337
			TOTAL																			8,304	7,778	10,367	6,642	5,758	6,638	5,912	6,895	7,904	6,281	4,890	9,160	100%	15%	86,529
			CUMULATIVE																			8,304	16,082	26,449	33,091	38,849	45,487	51,399	58,294	66,198	72,479	77,369	86,529			
	CC 2.501 - 3.000 [G]	TOYOTA	Fortuner SRZ 2.7 TRD AT	2,694	AT	G	80	-	4,555	265 / 60 R18	163 / 3400	2,745	4795x1855x1835	7	4X2	FR	5	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	#DIV/0!	0.0%	-
			TOTAL																			-	-	-	-	-	-	-	-	-	-	-	-	#DIV/0!	0%	-
			CUMULATIVE																			-	-	-	-	-	-	-	-	-	-	-	-			
	CC > 3.001 [G] / 2.501 [D]	KIA	Grand Sedona	3,342	AT	G	80	3,050	3,195	235/60 R18	270/6400	3,060	5115 x 1985 x 1740	11	4X2	FF	6	5	4	CBU	Korea	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
		LEXUS	LM 350 4 Seater	4,969	AT	G	66	2,870	-	-	471 / 7100	2,730	4770X1920X1345	2	4X2	FR	-	2	4	CBU	Japan	-	-	13	10	15	3	15	-	16	18	4	-	0.5%	0.0%	94
			LM 350 7 Seater	4,969	AT	G	66	2,870	-	-	471 / 7100	2,730	4770X1920X1345	2	4X2	FR	-	2	4	CBU	Japan	-	-	28	31	21	15	32	-	51	38	5	-	1.1%	0.0%	221
			RX 350	3,456	AT	G	-	-	-	-	-	-	-	4	4X2	FR	-	4	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			LX 600	3,456	AT	G	-	-	-	-	-	-	-	4	4X2	FR	-	4	4	CBU	Japan	-	-	-	-	-	32	16	6	-	6	1	1	0.3%	0.0%	62
		MERCEDES-BENZ PC	V Klass	3,498	AT	G	-	2,940	-	-	-	-	-	-	-	-	-	5	-	CBU	Spain	2	-	20	-	1	2	-	-	-	5	2	26	0.3%	0.0%	58
		TOYOTA	New Fortuner SRZ 2.7 GR Sport A/T 2021	2,694	AT	D	80	-	4.555	265 / 60 R18	163 / 3400	2,745	4795x1855x1835	7	4X2	FR	5	5	4	CKD	INA	34	52	37	30	44	139	96	137	32	57	44	19	3.5%	0.1%	721
			New Fortuner Vrz 2.8 A/T 2022	2,755	AT	D	80	-	4.555	265 / 60 R18	163 / 3400	2,745	4795x1855x1835	7	4X2	FR	5	5	4	CKD	INA	82	182	268	237	91	141	343	297	201	98	70	87	10.2%	0.4%	2,097
			New Fortuner Vrz 2.8 Gr Sport A/T 2022	2,755	AT	D	80	-	4.555	265 / 60 R18	163 / 3400	2,745	4795x1855x1835	7	4X2	FR	5	5	4	CKD	INA	751	980	1,443	1,852	601	982	1,898	1,204	1,468	2,448	1,890	624	78.6%	2.8%	16,141
			HI-ACE 2.8 Premio	2,800	MT	D	70	2,145	-	195/R15	102 / 3600	3,110	5380X1880X2285	16	4X2	FR	5	4	4	CBU	Thailand	-	160	121	1	29	94	46	68	148	97	290	74	5.5%	0.2%	1,128
		TOYOTA	Alphard 3,5	3,500	AT	G	65	1,905	5,791	215/60/R17	170 / 6000	2,950	4870X1830X1905	7	4X2	FF	-	5	4	CBU	Japan	-	-	3	11	-	-	-	-	-	-	2	-	0.1%	0.0%	16
			TOTAL																			869	1,374	1,933	2,172	802	1,408	2,446	1,712	1,916	2,767	2,308	831	100%	4%	20,538
			CUMULATIVE																			869	2,243	4,176	6,348	7,150	8,558	11,004	12,716	14,632	17,399	19,707	20,538		100%	
			4X2 TYPE SALES TOTAL																			49,429	46,265	61,879	46,846	25,183	42,313	47,201	55,445	56,826	52,106	46,215	50,836			580,544
			4X2 TYPE SALES CUMULATIVE																			49,429	95,694	157,573	204,419	229,602	271,915	319,116	374,561	431,387	483,493	529,708	580,544			55.4%

3. 4X4 TYPE SALES `JAN-DEC 2022

CATEGORY		BRAND	MODEL/TYPE	CC	TRANS	FUEL	TANK CAPT	GVW (Kg)	GEAR RATIO	WHEEL & TYRE SIZE	PS / HP	WHEEL BASE	DIMENSION P x L x T	SEATER	DRIVE SYS.		SPEED	DOOR	WHEELS	CBU / CKD	ORIGIN COUNTRY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	Segment Share	4X4 Share	TOTAL 2022
4X4 TYPE	CC < 1.500 [G/D]	AUDI	Q3 1.4 TFSI A/T	1,400	AT	G	64	-	-	-	-	-	-	5	4X4	4WD	250	4	4	CBU	Germany	-	-	-	3	-	-	-	-	-	1	-	1	0.4%	0.1%	5
		SUZUKI	New Jimny MT	1,462	MT	G	40	1,435	4,090	195/80 R15	102	2,250	3625 X 1645 X 1720	4	4X4	4WD	-	4	4	CBU	Japan	5	3	3	6	13	13	8	2	4	4	7	6	6.3%	0.9%	74
			New Jimny AT	1,462	AT	G	40	1,435	4,300	195/80 R15	102	2,250	3625 X 1645 X 1720	4	4X4	4WD	-	4	4	CBU	Japan	-	7	125	74	92	70	67	11	56	78	88	88	64.5%	9.1%	756
			New Jimny 2TONE MT	1,462	MT	G	40	1,435	4,090	195/80 R15	102	2,250	3625 X 1645 X 1720	4	4X4	4WD	-	4	4	CBU	Japan	-	1	1	5	9	9	2	2	2	3	2	23	5.0%	0.7%	59
			New Jimny 2TONE AT	1,462	AT	G	40	1,435	4,300	195/80 R15	102	2,250	3625 X 1645 X 1720	4	4X4	4WD	-	4	4	CBU	Japan	2	-	61	31	35	37	44	3	23	14	28	1	23.8%	3.4%	279
		TOTAL																				7	11	190	119	149	129	121	18	85	100	125	119	100%	14%	1173
		CUMULATIVE																				7	18	208	327	476	605	726	744	829	929	1,054	1,173			
	CC 1.501 - 3.000 [G] / 2.500 [D]	AUDI	Q7 3.0 TFSI AT	2,995	AT	G	100	2,245	4,845	265/50/R19	272	3,002	5089 x 2002 x 1695	7	4X4	4WD	222	4	4	CBU	Germany	-	-	-	-	-	-	-	-	1	-	-	1	0.0%	0.0%	2
			Q8 3.0 TFSI A/T	2,995	AT	G	100	2,245	4,845	265/50/R19	272	3,002	5089 x 2002 x 1695	7	4X4	4WD	222	4	4	CBU	Germany	-	-	-	-	-	3	4	2	1	1	1	1	0.2%	0.2%	13
			Q5 2.0 TFSI AT	1,984	AT	G	75	1,845	3,692	255/55/R19	225	2,807	4629 x 1880 x 1653	5	4X4	4WD	222	4	4	CBU	Germany	-	-	-	2	1	5	-	-	2	1	-	3	0.3%	0.2%	14
		BMW	M135i xDrive A/T	1,998	AT	G	50	2,085	-	225/40 R18 92Y	306	2,670	4319x1799x1434	-	4X4	4WD	-	3	4	CBU	Germany	-	-	1	-	-	2	1	-	-	-	-	-	0.1%	0.0%	4
			X3 xDrive20i A/T	1,998	AT	G	-	2,400	-	245/50 R19 105W	-	2,864	4708x1891x1676	-	4X4	4WD	-	5	4	CBU	Germany	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			X3 xDrive30i G01 CKD A/T	1,998	AT	G	65	2,400	-	245/45 R20 103W; 275/40 R20 106W	252	2,864	4708 x 1891 x 1676	-	4X4	4WD	-	-	4	CKD	INA	1	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	2
			X3 xDrive30i G01 CKD A/T	1,998	AT	G	65	2,450	-	245/45 R20 103W; 275/40 R20 106W	252	2,864	4708 x 1891 x 1676	-	4X4	4WD	-	-	4	CKD	INA	-	-	35	30	43	26	8	17	25	40	27	32	5.4%	3.4%	283
			X3 M A/T	2,993	AT	G	65	2,500	-	255/40 ZR21 102Y; 265/40 ZR21 105Y	510	2,864	4726x1897x1667	-	4X4	4WD	-	-	4	CBU	Germany	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			X3 M RHD A/T	2,993	AT	G	65	2,500	-	255/40 ZR21 102Y; 265/40 ZR21 105Y	510	2,864	4716 x 1897 x 1669	-	4X4	4WD	-	-	4	CBU	USA	-	-	-	-	-	-	4	2	-	-	1	-	0.1%	0.1%	7
			X4 M A/T	2,993	AT	G	65	2,500	-	255/40 ZR21 102Y; 265/40 ZR21 105Y	510	2,864	4758x1927x1618	-	4X4	4WD	-	-	4	CBU	Germany	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			X4 M RHD A/T	2,993	AT	G	65	2,500	-	255/40 ZR21 102Y; 265/40 ZR21 105Y	510	2,864	4754 x 1927 x 1620	-	4X4	4WD	-	-	4	CBU	USA	-	-	-	-	-	-	8	3	-	2	-	-	0.2%	0.2%	13
			X4 xDrive30i RHD A/T	1,998	AT	G	65	2,450	-	245/45 R20 103W; 275/40 R20 106W	252	2,864	4751 x 1918 x 1621	-	4X4	4WD	-	-	4	CBU	USA	-	-	-	-	-	-	-	12	1	1	-	-	0.3%	0.2%	14
			X4 xDrive30i A/T	1,998	AT	G	65	2,400	-	245/45 R20 103W; 275/40 R20 106W	252	2,864	4752x1918x1621	-	4X4	4WD	-	-	4	CBU	Germany	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			X5 xDrive40i G05 CKD A/T	2,998	AT	G	83	2,800	-	275/45 R20 110Y; 305/40 R20 112Y	340	2,975	4922x2004x1745	-	4X4	4WD	-	-	4	CKD	INA	19	35	30	13	46	39	55	47	48	29	41	39	8.4%	5.3%	441
			X6 xDrive40i A/T	2,998	AT	G	83	2,800	-	275/40 R21 107Y; 315/35 R21 111Y	340	2,975	4935x2004x1696	-	4X4	4WD	-	-	4	CBU	Germany	-	-	-	11	9	6	1	1	-	-	-	-	0.5%	0.3%	28
			X7 xDrive40i A/T	2,998	AT	G	83	3,155	-	285/45 R21 113Y	340	3,105	5151x2000x1805	-	4X4	4WD	-	-	4	CBU	Germany	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			X7 xDrive40i G07 CKD A/T	2,998	AT	G	83	3,155	-	285/45 R21 113Y	340	3,105	5151 x 2000 x 1805	-	4X4	4WD	-	-	4	CKD	INA	15	3	2	12	11	22	13	12	18	24	2	5	2.7%	1.7%	139
		HYUNDAI (HMID)	Palisade 2.2 CRDi AWD	2,200	AT	D	-	-	-	-	-	-	-	-	4X4	AWD	-	-	-	CBU	South Korea	17	58	8	-	20	-	18	16	-	1	-	-	2.6%	1.7%	138
		ISUZU	MU-X RBD3	2,499	MT	D	47	2,540	-	-	-	-	-	7	4X4	-	-	5	4	CBU	Thailand	-	-	-	-	2	-	-	3	-	-	-	-	0.1%	0.1%	5
			MU-X 4X4	2,499	MT	D	47	2,540	-	-	-	-	-	7	4X4	-	-	5	4	CBU	Thailand	1	10	34	20	11	1	-	6	-	30	30	71	4.1%	2.6%	214
		MAZDA	New CX-9 AWD	2,488	AT	G	74	-	-	255/50R20	231	2,930	5075 x 1969 x 1747	7	4X4	4WD	-	5	4	CBU	Japan	-	-	4	12	-	4	9	-	2	18	18	6	1.4%	0.9%	73
		MERCEDES-BENZ PC	GLE 450 (V167)	2,999	AT	G	85	3,000	9	275/45, 315/40 R21	367	2,995	4,924 x 2,157 x 1,795	7	4X4	4WD	-	5	4	CKD	-	33	7	20	10	22	22	28	43	55	69	52	46	7.8%	4.9%	407
			GLS 450 (X167)	2,996	AT	G	100	3,250	9	295/40 R21	333	3,075	5,130 x 2,141 x 1,850	7	4X4	4WD	-	5	4	CBU	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			GLS 450 (X167)	2,996	AT	G	100	3,250	9	295/40 R21	333	3,075	5,130 x 2,141 x 1,850	7	4X4	4WD	-	5	4	CKD	INA	10	12	12	10	13	3	9	21	9	43	15	11	3.2%	2.0%	168
			GLS 600 Maybach (X167)	2,996	AT	G	100	3,250	9	295/40 R21	333	3,075	5,130 x 2,141 x 1,850	7	4X4	4WD	-	5	4	CBU	-	-	-	4	2	1	1	-	-	-	-	-	1	0.2%	0.1%	9
			GLE 450 Coupe 4MATIC AMG Line (C167)*	2,996	AT	G	100	3,250	9	295/40 R21	333	3,075	5,130 x 2,141 x 1,850	7	4X4	4WD	-	5	4	CBU	-	-	-	-	-	-	2	-	-	-	-	1	-	0.1%	0.0%	3
			AMG GLE 53 Coupe 4MATIC+ (C167)*	2,996	AT	G	100	3,250	9	295/40 R21	333	3,075	5,130 x 2,141 x 1,850	7	4X4	4WD	-	5	4	CBU	-	-	-	-	4	3	2	3	3	7	-	-	-	0.4%	0.3%	22
			GLC 300 Coupe	1,991	AT	G	66	2,430	9	235/55, 255/50 R19	245	2,873	4,729 x 2,096 x 1,586	5	4X4	4WD	-	5	4	CBU	-	1	-	-	2	1	2	-	-	1	2	-	2	0.2%	0.1%	11
		MINI	John Cooper Works ALL4 Clubman A/T	1,998	AT	G	48	2,040	-	225/40 R18 92Y	306	2,670	4266 x 1800 x 1441	-	4X4	4WD	-	-	4	CBU	UK	3	-	-	3	-	1	2	1	1	-	-	-	0.2%	0.1%	11
			John Cooper Works ALL4 A/T	1,998	AT	G	-	2,150	-	225/45 R19 92W	-	2,670	4299 x 1822 x 1557	-	4X4	4WD	-	3	4	CBU	Germany	2	2	1	-	-	-	2	-	1	-	-	-	0.2%	0.1%	8
		MITSUBISHI MOTORS	Pajero Sport 2.4L DAKAR ULTIMATE-L 4X4 8A/T	2,442	AT	D	68	2,710	3,692	265/60 R18	181	2,800	4785 X 1815 X 1805	7	4X4	4WD	-	4	4	CKD	INA	118	172	296	129	68	298	289	223	122	149	209	178	43.1%	27.1%	2,251
			Pajero Sport 2.5L GLX (4x4) 5MT	2,477	MT	D	70	2,710	4,090	265/60 R16	136	2,800	4785 X 1815 X 1800	7	4X4	4WD	-	4	4	CKD	INA	-	27	33	115	5	89	26	64	211	60	82	37	14.3%	9.0%	749
			Pajero Sport 2.5L GLX (4x4) 5MT	2,477	MT	D	70	2,710	4,090	265/60 R16	136	2,800	4785 X 1815 X 1800	7	4X4	4WD	-	4	4	CBU	Thailand	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Outlander PHEV	2,360	AT	PHEV	45	2,390	3,789	225/55 R18	128	2,670	4695 X 1800 X 1710	5	4X4	AWD	-	4	4	CBU	JPN	-	2	8	-	-	-	-	-	-	-	-	-	0.2%	0.1%	10
		NISSAN	Terra VL 2.5 AT 4x4	2,488	AT	G	-	-	-	-	-	-	-	-	4X4	-	-	5	4	CBU	Thailand	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
		SUBARU	XV 2.0i-S (GT7)	1,999	CVT	G	63	1,940	-	225/55 R18	154	2,665	4,485 x 1,800 x 1,615	5	4X4	4WD	-	4	4	CBU	Japan	-	-	-	-	-	-	-	13	3	2	3	4	0.5%	0.3%	25
			XV 2.0i-S ES (GT7)	1,999	CVT	G	63	1,940	-	225/55 R18	154	2,665	4,485 x 1,800 x 1,615	5	4X4	4WD	-	4	4	CBU	Japan	-	-	-	-	-	-	-	26	8	4	6	3	0.9%	0.6%	47
			Forester 2.0i-L (SK7)	1,999	CVT	G	63	2,223	-	225/60 R17	154	2,670	4,640 x 1,815 x 1,730	5	4X4	4WD	-	4	4	CBU	Japan	-	-	-	-	-	-	8	-	10	1	-	-	0.4%	0.2%	19
			Forester 2.0i-S ES (SK7)	1,999	CVT	G	63	2,223	-	225/55 R18	154	2,670	4,640 x 1,815 x 1,730	5	4X4	4WD	-	4	4	CBU	Japan	-	-	-	-	-	-	22	11	23	10	11	20	1.9%	1.2%	97
		TOYOTA	Fortuner G 2.4 A/T 4x4 DSL Imp 2021	2,393	AT	G	80	-	4.555	265 / 60 R18	163 / 3400	2,745	4795x1855x1835	7	4X4	FR	5	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			TOTAL																			220	329	488	375	256	528	510	526	549	486	500	460	100%	63%	5,227
			CUMULATIVE																			220	549	1,037	1,412	1,668	2,196	2,706	3,232	3,781	4,267	4,767	5,227			
	CC > 3.001 [G] / 2.501 [D]	LEXUS	LX 570	5,663	AT	G	138	2,635	-	285 / 50 R20	383 / 5600	-	5065X1980X1865	4	4X4	4WD	8	4	4	CBU	Japan	-	-	-	-	-	-	-	-	1	-	-	-	0.1%	0.0%	1
			LX 570 Sport	5,663	AT	G	138	2,635	-	285 / 50 R20	383 / 5600	-	5065X1980X1865	4	4X4	4WD	8	4	4	CBU	Japan	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
		BMW	X5 M A/T	4,395	AT	G	83	3,000	-	295/35 ZR21 107Y; 315/30 ZR22 107Y	625	2,972	4938 x 2015 x 1747	-	4X4	4WD	-	-	4	CBU	Germany	-	-	-	-	-	-	-	1	-	-	-	-	0.1%	0.0%	1
		MERCEDES BENZ	G 63	3,982	AT	G	100	3,200	9	-	585	2,890	4,873 x 2,187 x 1,969	5	4X4	4WD	-	5	4	CBU	-	-	-	-	4	3	4	1	3	5	1	-	-	1.1%	0.3%	21
		TOYOTA	Land Cruiser 300 GR-S	4,461	AT	D	-	-	-	-	-	-	-	7	4X4	AWD	5	5	4	CBU	Japan	41	8	10	4	11	7	9	4	-	-	13	17	6.6%	1.5%	124
			Land Cruiser 300 VX-R	4,461	AT	D	-	-	-	-	-	-	-	7	4X4	AWD	5	5	4	CBU	Japan	-	-	-	9	23	15	14	3	1	28	14	22	6.8%	1.6%	129
			Land Cruiser 300 ZX	4,461	AT	D	-	-	-	-	-	-	-	7	4X4	AWD	5	5	4	CBU	Japan	-	59	29	-	-	-	-	-	-	-	-	-	4.6%	1.1%	88
			LAND CRUISER 70	4,461	AT	D	-	-	-	-	-	-	-	7	4X4	AWD	5	5	4	CBU	Japan	-	-	-	-	-	-	2	129	2	1	2	2	7.3%	1.7%	138
			New Fortuner Vrz 2.8 Gr Sport 4X4 A/T 2022	2,755	AT	D	80	-	4.555	265 / 60 R18	163 / 3400	2,745	4795x1855x1835	7	4X4	AWD	5	5	4	CKD	INA	69	91	73	25	42	79	25	146	191	169	90	391	73.5%	16.8%	1,391
			New Fortuner Vrz 2.8 4X4 A/T 2022	2,755	AT	D	80	-	4.555	265 / 60 R18	163 / 3400	2,745	4795x1855x1835	7	4X4	AWD	5	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			TOTAL																			110	158	112	42	79	105	51	286	200	199	119	432	100%	23%	1,893
			CUMULATIVE																			110	268	380	422	501	606	657	943	1,143	1,342	1,461	1,893		100%	
			4X4 TYPE SALES TOTAL																			337	498	790	536	484	762	682	830	834	785	744	1,011			8,293
			4X4 TYPE SALES CUMULATIVE																			337	835	1,625	2,161	2,645	3,407	4,089	4,919	5,753	6,538	7,282	8,293			0.8%

4. BUS SALES `JAN-DEC 2022

CATEGORY		BRAND	MODEL/TYPE	CC	TRANS	FUEL	TANK CAPT	GVW (Kg)	GEAR RATIO	WHEEL & TYRE SIZE	PS / HP	WHEEL BASE	DIMENSION P x L x T	SEATER	DRIVE SYS.		SPEED	DOOR	WHEELS	CBU / CKD	ORIGIN COUNTRY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	Segment Share	BUS Share	TOTAL 2022
BUS	GVW 5 - 10 Ton [G/D]	MITSUBISHI FUSO	FE 71 BC - 4 W	3,908	MT	D	70	5,200	4,875	7,50-15-12PR	110	2,500	4890 X 1750 X 2055	3	4X2	FR	116	3	4	CKD	INA	11	29	105	9	9	5	8	11	2	-	-	-	11.7%	7.3%	189
			FE 83 BC - 6 W	3,908	MT	D	100	7,000	5,714	7,00-16-14PR	110	3,350	6260X 1930 X 1576	3	4X2	FR	100	3	6	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			FE 84G BC - 6 W	3,908	MT	D	100	8,000	6,166	7,50-16-14PR	136	3,350	6050 X 2035 X 2210	3	4X2	FR	112	3	6	CKD	INA	55	17	3	21	-	-	-	-	-	-	-	-	6.0%	3.7%	96
			FE 84G BC N	3,908	MT	D	100	8,000	6,166	7,50-16-14PR	136	3,350	6050 X 2035 X 2210	3	4X2	FR	112	3	6	CKD	INA	-	-	-	-	47	66	30	72	49	120	192	144	44.6%	27.7%	720
			FE 71 BC N	3,908	MT	D	70	5,200	4,875	7,50-15-12PR	110	2,500	4890 X 1750 X 2055	3	4X2	FR	116	3	4	CKD	INA	-	-	-	-	-	-	-	-	1	8	3	5	1.1%	0.7%	17
			FE 71L BC N	3,908	MT	D	70	5,200	4,875	7,50-15-12PR	110	2,500	4890 X 1750 X 2055	3	4X2	FR	116	3	4	CKD	INA	-	-	-	-	-	-	-	24	12	18	2	16	4.5%	2.8%	72
		HINO	FB 130	4,009	MT	D	100	8,000	6,167	7.50-16-14 PR	130	3,780	7045 x 2100 x 1770	27-31	4X2	FR	105	-	6	CKD	INA	4	16	21	1	-	-	4	-	-	-	-	-	2.9%	1.8%	46
			Dutro 110 SD-LB	4,009	MT	D	100	5,200	4,625	245/75R16-10PR	110	3,205	5420 x 1717 x 2092	23	4X2	FR	126	-	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			New 110 SDB	4,009	MT	D	100	7,000	5,125	7.00-16-14R	110	3,380	3380 x 6026 x 1864	-	4X2	FR	115	-	4	CKD	INA	1	-	3	1	-	-	1	-	-	17	-	1	1.5%	0.9%	24
			New 110 SDBL	4,009	MT	D	100	7,000	5,125	7.00-16-14R	110	3,380	3380 x 6026 x 1864	-	4X2	FR	115	-	4	CKD	INA	9	3	5	8	5	4	-	2	4	2	-	-	2.6%	1.6%	42
			136MDB L STD	4,009	MT	D	100	7,000	5,125	7.00-16-14R	110	3,380	3380 x 6026 x 1864	-	4X2	FR	115	-	4	CKD	INA	-	-	4	2	7	7	13	12	9	3	14	1	4.5%	2.8%	72
			GB150	4,009	-	D	100	8,000	5,571	17.5x6.00-127	150	3,870	7790x2065x1785	-	-	-	113	-	6	CKD	INA	-	-	-	14	46	41	-	36	26	26	4	10	12.6%	7.8%	203
			115SDB STD	4,009	MT	D	100	5,400	4,625	16x7JJ-30	115	2,530	5075x1730x2116	-	-	-	118	-	4	CKD	INA	-	-	-	-	-	-	-	72	31	13	11	5	8.2%	5.1%	132
		TATA	LP 713 Chassis	5,675	MT	D	120	7,700	3	7.5 R 16 - 14 PR	130	3,800	7125 x 2092 x 2878	19	4X2	RR	112	2	6	CBU	India	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			TOTAL																			80	65	141	56	114	123	56	229	134	207	226	182	100%	62%	1,613
			CUMULATIVE																			80	145	286	342	456	579	635	864	998	1,205	1,431	1,613			
	GVW 10 - 24 Ton [G/D]	HINO	FC Bus R	5,123	MT	D	200	10,400	6,098	8.25-16-14R	190	5,320	9150 x 2160 x 2135	40	4X2	FR	112	-	6	CKD	INA	1	1	3	-	-	4	5	5	-	-	-	-	1.9%	0.7%	19
			A 215	7,684	MT	D	200	14,200	5,125	11R225-16PR	215	5,800	11180 x 2425 x 2100	43-59	4X2	FR	105	-	6	CKD	INA	2	1	1	1	-	5	13	-	-	-	-	-	2.3%	0.9%	23
			R 260	7,684	MT	D	270	14,200	4,300	11R225-16PR	260	6,000	11470 x 2465 x 1890	43-59	4X2	FR	116	-	6	CKD	INA	26	4	10	38	4	54	41	-	-	-	-	-	18.0%	6.8%	177
			RN 285	7,684	MT	D	270	16,000	4,300	11R225-16PR	285	6,000	11670 x 2450 x 2020	43-59	4X2	FR	119	-	6	CKD	INA	10	-	-	-	-	2	15	2	4	2	-	-	3.6%	1.3%	35
			AK240 STD	-	-	-	-	15,000	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	-	-	1	-	-	-	-	2	9	1.2%	0.5%	12
			RM280 STD	-	-	-	-	16,500	-	-	-	-	-	-	-	-	-	-	-	-	INA	-	-	-	-	6	4	13	18	18	27	11	43	14.2%	5.4%	140
			RK280 STD	-	-	-	-	15,500	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	-	-	-	-	7	11	10	8	18	5.5%	2.1%	54
		MERCEDES BENZ CV	OF 917 MT (WB 4250)	3,900	MT	D	200	10,400	5.400 - 0.711	235/75 R 17.5	170	4,250	7447 x 2199	-	4X2	FR	110	-	4	CBU	India	2	4	-	-	-	1	3	3	6	9	4	9	4.2%	1.6%	41
			OF 917 MT (WB 5300)	3,900	MT	D	200	10,400	5.400 - 0.711	235/75 R 17.5	170	5,300	8606 x 2199	-	4X2	FR	110	-	4	CBU	India	1	1	5	-	2	4	2	2	5	3	6	21	5.3%	2.0%	52
			OF 917 (4X2) 5300 M/T [E4]	3,900	MT	D	200	10,400	3.100 - 0.610	235/75 R 17.5	170	5,300	8606 x 2199	-	4X2	FR	110	-	4	CBU	India	-	-	-	-	-	-	-	-	-	2	-	-	0.2%	0.1%	2
			OF 917 AT (WB 5300)	3,900	AT	D	200	10,400	3.100 - 0.610	235/75 R 17.5	170	5,300	8606 x 2199	-	4X2	FR	110	-	4	CBU	India	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			OF 917 (4X2) 4250 M/T [E4]	3,900	MT	D	200	10,400	5.400 - 0.711	235/75 R 17.5	170	4,250	7447 x 2199	-	4X2	FR	110	-	4	CBU	India	-	-	-	-	-	-	-	-	-	-	-	1	0.1%	0.0%	1
			OH 1526	6,374	MT	D	300	15,000	6.700 - 0.730	11.00 R 22.5	260	5,950	11500 x 2498	-	4X2	RR	120	-	4	CKD	INA	-	3	2	6	11	28	62	2	-	10	-	-	12.6%	4.8%	124
			OF 1623	6,374	MT	D	380	16,000	6.700 - 0.730	11.00 R 22.5	235	5,950	11650 x 2480	-	4X2	FR	110	-	4	CBU	India	-	-	-	-	-	-	7	7	9	29	12	2	6.7%	2.5%	66
			OH 1626 L MT	6,374	MT	D	300	16,000	6.700 - 0.730	11.00 R 22.5	260	5,950	12000 x 2498	-	4X2	RR	120	-	4	CKD	INA	45	23	23	22	1	-	-	1	-	-	-	-	11.7%	4.4%	115
			OH 1626 L AT	6,374	AT	D	300	16,000	3.49 - 0.65	11.00 R 22.5	260	5,950	12000 x 2498	-	4X2	RR	120	-	4	CKD	INA	-	-	2	-	-	-	1	2	40	27	1	4	7.8%	3.0%	77
			O 500 U 1726	6,374	AT	D	210	17,000	3.36 - 0.62	295 / 80 R 22.5	260	5,950	11786 x 2472	-	4X2	RR	60	-	4	CBU	Brazil	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			O 500 RS 1836	11,967	MT	D	300	18,000	6.528 - 0.799	295 / 80 R 22.5	349	6,300	12220 x 2458	-	4X2	RR	120	-	4	CKD	INA	2	2	-	9	-	13	1	8	3	4	2	1	4.6%	1.7%	45
			TOTAL																			89	39	46	76	24	116	163	57	96	123	46	108	100%	38%	983
			CUMULATIVE																			89	128	174	250	274	390	553	610	706	829	875	983			
	GVW > 24 Ton [G/D]	MERCEDES BENZ CV	OC 500 RF 2542 Maxi	11,967	AT	D	410	25,500	3.36 - 0.62	295 / 80 R 22.5	422	6,300	13500 x 2400	-	6X2	RR	120	-	6	CBU	Spain	-	-	-	-	-	-	-	-	-	-	-	-	#DIV/0!	0.0%	-
			OC 500 RF 2542 DD	11,967	AT	D	410	25,500	3.36 - 0.62	295 / 80 R 22.5	422	6,800	13500 x 2400	-	6X2	RR	100	-	6	CBU	Spain	-	-	-	-	-	-	-	-	-	-	-	-	#DIV/0!	0.0%	-
			TOTAL																			-	-	-	-	-	-	-	-	-	-	-	-	#DIV/0!	0%	-
			CUMULATIVE																			-	-	-	-	-	-	-	-	-	-	-	-			
			BUS SALES TOTAL																			169	104	187	132	138	239	219	286	230	330	272	290		100%	2,596
			BUS SALES CUMULATIVE																			169	273	460	592	730	969	1,188	1,474	1,704	2,034	2,306	2,596			0.2%

GAIKINDO WHOLESALES DATA
`JAN-DEC 2022

5. PICK UP/TRUCK SALES `JAN-DEC 2022

CATEGORY		BRAND	MODEL/TYPE	CC	TRANS	FUEL	TANK CAPT	GVW	GEAR RATIO	WHEEL & TYRE SIZE	PS / HP	WHEEL BASE	DIMENSION P x L xT	SEATER	DRIVE SYS.		SPEED	DOOR	WHEEL	CBU / CKD	ORIGIN COUNTRY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	Segment Share	PU/Truck Share	TOTAL 2022
PICK UP	GVW < 5 Ton (G/D)	DAIHATSU	Gran Max PU 1.3 STD	1,298	MT	G	43	1,950	5,125	175R13-8PR	88	2,650	4149X1665X1850	3	4X2	FR	-	2	4	CKD	INA	768	1,016	755	1,105	521	850	1,149	480	1,102	975	1,458	1,320	7.7%	4.7%	11,499
			Gran Max PU 1.3 3-WAY	1,298	MT	G	43	1,950	5,125	175R13-8PR	88	2,650	4195X1675X1890	3	4X2	FR	-	2	4	CKD	INA	92	52	84	62	43	79	112	27	47	61	92	80	0.6%	0.3%	831
			Gran Max PU 1.3 Gateless	1,298	MT	G	43	1,950	5,125	175R1308PR	88	2,650	4195X1675X1890	3	4X2	FR	-	2	4	CKD	INA	29	30	44	31	25	7	37	27	11	21	4	-	0.2%	0.1%	266
			Gran Max PU 1.5 STD	1,495	MT	G	43	2,100	5,125	175R13-8PR	97	2,650	4149X1665X1850	3	4X2	FR	-	2	4	CKD	INA	2,345	2,294	3,408	2,844	1,474	2,388	2,474	3,395	3,437	3,516	3,300	4,312	23.5%	14.5%	35,187
			Gran Max PU 1.5 3-WAY	1,495	MT	G	43	2,100	5,125	175R13-8PR	97	2,650	4149X1665X1850	3	4X2	FR	-	2	4	CKD	INA	77	50	89	53	43	68	80	45	34	43	71	63	0.5%	0.3%	716
			Gran Max PU 1.5 Gateless Box	1,495	MT	G	43	2,100	5,125	175R13-8PR	97	2,650	4149X1665X1850	3	4X2	FR	-	2	4	CKD	INA	51	51	68	20	10	-	10	-	-	-	-	-	0.1%	0.1%	210
			Gran Max PU 1.5 Gateless	1,495	MT	G	43	2,100	5,125	175R13-8PR	97	2,650	4149X1665X1850	3	4X2	FR	-	2	4	CKD	INA	-	-	-	38	37	34	38	-	-	-	-	-	0.1%	0.1%	147
		HYUNDAI - HIM	H-100 PU	2,600	MT	G	75	-	-	-	-	-	-	3	4X2	-	-	2	4	CBU	Korea	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			H-100 Chs	2,600	MT	G	75	-	-	-	-	-	-	3	4X2	-	-	2	4	CBU	Korea	-	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
		ISUZU	PHR 54 C AB	2,499	MT	D	47	2,540	-	-	-	-	-	-	4X2	-	-	2	4	CKD	INA	90	103	245	135	114	90	58	37	15	6	43	23	0.6%	0.4%	959
			PHR 54 C BB	2,499	MT	D	47	2,540	-	-	-	-	-	-	4X2	-	-	2	4	CKD	INA	1,151	1,101	1,191	1,143	1,020	940	1,056	1,274	1,193	1,033	1,021	869	8.7%	5.4%	12,992
			D-MAX SC	2,499	MT	D	76	2,750	4,100	245/70/R16	109	3,095	5,215 x 1,860 x 1,780	3	4X4	4WD	-	2	4	CBU	Thailand	-	5	19	20	17	-	64	-	-	-	-	10	0.1%	0.1%	135
		KIA	K-2700 BIG-UP PU	2,665	MT	D	70	2,950	4,444	195 R14	58.5/4.150 (kW/rpm)	2,415	4820 x 1790 x 2070	3	4X2	FR	-	2	4	CBU	Korea	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			K-2700 BIG-UP Chs	2,665	MT	D	70	2,950	4,444	195 R14	58.5/4.150 (kW/rpm)	2,415	4820 x 1790 x 2070	3	4X2	FR	-	2	4	CBU	Korea	1	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
		MITSUBISHI MOTORS	L300 D P/U FLD	2,500	MT	D	47	2,450	5,286	7,00-14-8PR	74	2,200	4170 X 1700 X 1845	3	4X2	FR	140	2	4	CKD	INA	3,265	2,086	2,685	1,094	914	3	1	-	-	-	-	-	6.7%	4.1%	10,048
			L300 D P/U FLD	2,268	MT	D	47	2,345	3,909	7,00-14-8PR	99	2,350	4165 X 1695 X 1915	3	4X2	FR	-	2	4	CBU	Philipines	-	-	-	-	-	-	1,133	1,870	782	-	1,213	3,934	6.0%	3.7%	8,932
			L300 D P/U STD	2,500	MT	D	47	2,450	5,286	7,00-14-8PR	74	2,200	4170 X 1700 X 1845	3	4X2	FR	140	2	4	CKD	INA	469	438	328	116	174	4	-	-	-	-	-	-	1.0%	0.6%	1,529
			L300 D CC	2,477	MT	D	47	2,540	5,286	7,00-14-8PR	74	2,200	4195 X 1695 X 1820	3	4X2	FR	-	2	4	CKD	INA	143	107	55	29	23	4	-	-	-	-	-	-	0.2%	0.1%	361
			L300 CC	2,268	MT	D	47	2,345	3,909	7,00-14-8PR	99	2,350	4165 X 1695 X 1915	3	4X2	FR	-	2	4	CBU	Philipines	-	-	-	-	-	-	81	92	143	43	53	159	0.4%	0.2%	571
			Triton 2.5L SC HDX (4X4) MT	2,477	MT	D	75	2,760	4,636	245/75/R16	178	3,000	5080 X 1815 X 1795	5	4X4	4WD	165	4	4	CBU	Thailand	138	169	215	246	101	90	101	95	5	-	180	691	1.4%	0.8%	2,031
			Triton 2.5L SC GLX (4X2) MT	2,477	MT	D	75	2,760	4,090	205R16C 110/80R 8PR	136	3,000	5080 X 1785 X 1780	2	4X2	FR	-	2	4	CBU	Thailand	25	2	49	23	1	6	1	11	9	-	-	-	0.1%	0.1%	127
		SUZUKI	New Carry PU FD	1,493	MT	G	42	2,085	4,875	175/70 R13	79	1,970	3875 X 1570 X 1915	3	4X2	FR	-	2	4	CKD	INA	4,317	3,608	3,728	3,217	2,805	3,500	3,276	3,975	3,945	3,703	4,110	5,197	30.3%	18.7%	45,381
			New Carry PU WD	1,493	MT	G	42	2,085	4,875	175/70 R13	79	1,970	3875 X 1570 X 1915	3	4X2	FR	-	5	4	CKD	INA	990	1,022	796	560	573	624	626	757	694	703	834	1,019	6.1%	3.8%	9,198
			New Carry CH	1,493	MT	G	42	2,085	4,875	175/70 R13	79	1,970	3875 X 1570 X 1915	3	4X2	FR	-	5	4	CKD	INA	65	30	90	12	54	51	58	101	81	53	122	90	0.5%	0.3%	807
		DFSK	DXK1021TYD1 1.3T AC STD (4X2) MT	1,248	MT	D	55	2,655	-	195R14C-8PR	74	2,750	4280 X 1810 X 1890	3	4X2	FR	-	2	4	CKD	INA	8	4	14	1	1	7	8	-	-	-	-	1	0.0%	0.0%	44
			DXK1021TYQ1 1.5 AC STD (4X2) MT	1,498	MT	D	55	2,460	-	185R14C-8PR	102	2,750	4440 X 1810 X 1890	3	4X2	FR	-	2	4	CKD	INA	172	89	262	45	136	197	289	233	81	101	98	251	1.3%	0.8%	1,954
		TATA	intra V20 AC	1,396	MT	D	35	2,320	4	165 R14 - 8 PR	70	2,250	2450 x 1540 x 400	2	4X2	FR	80	2	4	CBU	India	-	-	-	-	-	-	1	-	5	-	-	-	0.0%	0.0%	6
			intra V20 Non AC	1,396	MT	D	35	2,300	4	165 R14 - 8 PR	70	2,250	2450 x 1540 x 400	2	4X2	FR	80	2	4	CBU	India	-	-	-	-	-	-	1	-	23	11	9	-	0.0%	0.0%	44
			Super Ace Dls SC CHA	1,405	MT	D	38	2,170	4	165 R14 - 8 PR	70	2,380	4340 x 1565 x 1858	2	4X2	FR	125	2	4	CBU	India	1	-	1	-	-	-	-	-	-	-	-	-	0.0%	0.0%	2
		TOYOTA	HiLux 2.4 P/U SC E	2,394	MT	D	65	1,490	-	255 / 70 R15C	102 / 3600	2,750	4800X1760X1680	2	4X2	FR	5	2	4	CBU	Thailand	66	154	98	26	58	39	-	5	59	249	107	643	1.0%	0.6%	1,504
			HiLux 2.0 P/U SC	2,000	MT	G	65	1,265	-	205 / 70 R15	136 / 5600	2,750	4800X1760X1680	2	4X2	FR	-	2	4	CBU	Thailand	62	205	145	97	78	106	138	147	125	97	153	250	1.1%	0.7%	1,603
			Hilux 2.4 P/U Single Cab 4x4	2,394	AT	D	70	1,880	-	255 / 70 R15C	144 / 3400	3,085	5260X1835X1850	4	4X4	4WD	-	4	4	CBU	Thailand	86	202	105	85	71	100	189	58	73	319	101	1,011	1.6%	1.0%	2,400
		WULING	Formo Max 1.5 MT	1,200	MT	G	42	-	5	195/60 R15	107	2,720	4530X1691X1730	-	4X2	FR	-	5	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	240	0.2%	0.1%	240
										TOTAL												14,411	12,819	14,474	11,002	8,293	9,187	10,981	12,629	11,864	10,934	12,969	20,163	100%	62%	149,726
										CUMULATIVE												14,411	27,230	41,704	52,706	60,999	70,186	81,167	93,796	105,660	116,594	129,563	149,726			
TRUCK	GVW 5 - 10 Ton (G/D)	FAW	Mixer Truck (DB130MT)	4,214	MT	D	80	10,000	-	-	-	-	-	-	4X2	-	-	2	4	CBU	China	-	-	-	1	-	-	-	-	1	4	1	-	0.0%	0.0%	7
			Chassis (DD130CG)	4,214	MT	D	80	7,800	5	R16-750	130	3,860	6860 x 2500 x 2600	2	4X4	4WD	90	2	4	CBU	China	-	-	1	-	-	2	2	4	-	2	-	-	0.0%	0.0%	11
		HINO	Dutro 110 SD STD	4,009	MT	D	100	5,200	4,625	7.50-15-12 PR	110	2,530	4745 x 1717 x 2120	2	4X2	FR	126	2	4	CKD	INA	40	35	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	75
			Dutro 130 HD STD	4,009	MT	D	100	7,500	5,375	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	124	2	4	CKD	INA	11	7	12	1	-	-	-	-	-	-	-	-	0.0%	0.0%	31
			Dutro 130 HD STD 6.4	4,009	MT	D	100	8,250	6,833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	428	408	57	2	1	3	-	-	4	-	-	-	1.4%	0.4%	903
			New 110 SDR	4,009	MT	D	100	8,250	6,833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	8	14	-	-	-	1	2	-	-	-	-	-	0.0%	0.0%	25
			New 110 SDL	4,009	MT	D	100	8,250	6,833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	64	84	43	2	-	3	-	-	-	-	-	-	0.3%	0.1%	196
			New 110 LD	4,009	MT	D	100	8,250	6,833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	30	20	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	50
			New 110 LDL	4,009	MT	D	100	8,250	6,833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	6	2	16	-	-	2	2	6	4	2	-	-	0.1%	0.0%	40
			New 130 MD	4,009	MT	D	100	8,250	6,833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	14	-	1	-	2	1	3	13	-	-	-	-	0.1%	0.0%	34
			New 130 MDL	4,009	MT	D	100	8,250	6,833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	45	41	90	2	-	-	-	-	-	-	-	-	0.3%	0.1%	178
			New 130 HD Cargo	4,009	MT	D	100	8,250	6,833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	2	-	-	-	-	-	1	5	-	5	1	-	0.0%	0.0%	14
			New 130 HDL Cargo	4,009	MT	D	100	8,250	6,833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	103	65	16	-	1	2	1	-	-	-	-	-	0.3%	0.1%	188
			115SD STD	4,009	MT	D	100	8,250	6,833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	-	-	139	38	85	161	105	191	169	201	121	174	2.2%	0.6%	1,384
			115LD STD	4,009	MT	D	100	8,250	6,833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	-	-	14	38	31	50	79	71	79	41	72	57	0.8%	0.2%	532
			115HD STD	4,009	MT	D	100	8,250	6,833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	-	-	3	6	17	24	15	25	35	17	23	11	0.3%	0.1%	176
			136MD STD	4,009	MT	D	100	8,250	6,833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	-	-	51	51	73	19	82	93	55	91	156	116	1.2%	0.3%	787
			136HD	4,009	MT	D	100	8,250	6,833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	-	-	112	57	104	261	182	128	184	226	215	183	2.6%	0.7%	1,652
			136HDL	4,009	MT	D	100	8,250	6,833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	-	-	88	20	59	86	119	115	180	100	102	127	1.6%	0.4%	996
			136HDX	4,009	MT	D	100	8,250	6,833	7.50-16-14 PR	130	3,380	6026 x 1945 x 2165	2	4X2	FR	97	2	6	CKD	INA	-	-	482	274	415	482	430	418	749	721	743	973	8.9%	2.3%	5,687
		ISUZU	NQR71 EC	4,570	MT	D	100	8,000	6,142	7.50-15-14PR	125	4,175	7,445 x 2,100 x 1,630	-	4X2	FR	110	2	6	CKD	INA	6	-	-	17	15	23	89	41	77	92	37	19	0.7%	0.2%	416
			NMR71T SD	4,570	MT	D	100	8,250	5,375	7.50-15-14PR	125	3,360	6000 x1,920x2,280	3	4X2	FR	107	2	6	CKD	INA	65	88	79	52	6	4	-	-	-	-	-	-	0.5%	0.1%	294
			NMR71T HD	4,570	MT	D	100	8,250	5,857	7.50-15-14PR	125	3,360	6,000x1,990x2,280	3	4X2	FR	102	2	6	CKD	INA	648	535	706	437	337	91	6	-	-	-	-	-	4.3%	1.1%	2,760
			NPS 75	4,570	MT	D	100	8,250	5,857	7.50-15-14PR	125	3,360	6,000x1,990x2,280	3	4X2	FR	102	2	6	CBU	Thailand	6	10	1	4	7	36	22	6	12	64	17	13	0.3%	0.1%	198
			NLR55 T	2,771	MT	D	75	5,100	5	7.50-15-10PR	100	2,490	4,700 x 1,835 x 2,200	3	4X2	FR	-	2	4	CKD	INA	184	256	252	202	108	133	131	215	313	320	224	167	3.9%	1.0%	2,505
			NLR55 B	2,771	MT	D	75	5,100	5	225/75/R16	100	2,490	4,870 x 1,835 x 2,170	16	4X2	FR	-	2	4	CKD	INA	55	127	127	19	25	47	95	54	62	109	77	54	1.3%	0.4%	851
			NLR71 BL	4,570	MT	D	100	5,100	4	225/75/R16	125	3,360	6,170 x 1,835 x 2,200	3	4X2	FR	-	2	4	CKD	INA	-	8	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	8
			NMR71T SDL	4,570	MT	D	100	8,250	5,857	7.50-15-14PR	125	3,360	6,000x1,990x2,280	3	4X2	FR	102	2	6	CKD	INA	316	229	413	523	595	912	1,184	1,384	1,249	1,120	1,144	1,052	15.9%	4.2%	10,121
		MITSUBISHI FUSO	FE 71 - 4 W	3,908	MT	D	70	5,150	4,875	7.50-15-12 PR	110	2,500	4735 X 1750 X 2055	3	4X2	FR	116	2	4	CKD	INA	263	352	279	589	17	-	-	-	-	-	-	-	2.4%	0.6%	1,500
			FE 71 N	3,908	MT	D	70	5,150	4,875	7.50-15-12 PR	110	2,500	4735 X 1750 X 2055	3	4X2	FR	116	2	4	CKD	INA	-	-	-	-	5	251	291	113	154	155	96	96	1.8%	0.5%	1,161
			FE 71 L N	3,908	MT	D	100	5,200	-	7.50-15-14 PR	110	3,350	6425 X 1750 X 2110	3	4X2	FR	-	2	4	CKD	INA	-	-	-	-	4	68	308	216	177	173	163	216	2.1%	0.5%	1,325
			FE 73 N	3,908	MT	D	100	7,000	5,714	7,00-16-14PR	110	3,350	5960 X 1870 X 2130	3	4X2	FR	100	2	6	CKD	INA	-	-	-	-	30	27	11	70	102	48	7	15	0.5%	0.1%	310
			FE 73 HD - 6 W	3,908	MT	D	100	7,000	6,166	7,00-16-14PR	110	3,350	5960 X 1870 X 2130	3	4X2	FR	94	2	6	CKD	INA	10	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	10
			FE 74 HDV - 6 W	3,908	MT	D	100	7,500	6,333	7,50-16-14PR	125	3,350	5960 X 1970 X 2145	3	4X2	FR	113	2	6	CKD	INA	571	561	384	1,558	158	8	-	-	-	-	-	-	5.1%	1.3%	3,240
			FE 74 HD N	3,908	MT	D	100	8,250	6,166	7,50-16-14PR	136	3,350	5960 X 1970 X 2145	3	4X2	FR	113	2	6	CKD	INA	-	-	-	11	300	658	1,006	895	719	480	719	612	8.5%	2.2%	5,400
			FE 74 HDS N	3,908	MT	D	100	8,250	5,517	7,50-16-14PR	136	3,350	5960 X 1970 X 2145	3	4X2	FR	-	2	6	CKD	INA	-	-	-	-	4	113	69	29	53	41	137	205	1.0%	0.3%	651
			FE 74 S - 6 W	3,908	MT	D	100	7,500	5,571	7,50-16-14PR	125	3,350	5960 X 1970 X 2145	3	4X2	FR	120	2	6	CKD	INA	221	234	264	410	11	-	-	-	-	-	-	-	1.8%	0.5%	1,140
			FE 74 N	3,908	MT	D	100	7,500	5,571	7,50-16-14PR	125	3,350	5960 X 1970 X 2145	3	4X2	FR	120	2	6	CKD	INA	-	-	-	-	8	125	285	108	120	134	141	62	1.5%	0.4%	983
			FE 74 L N	3,908	MT	D	100	7,500	5,571	7,50-16-14PR	125	3,350	5960 X 1970 X 2145	3	4X2	FR	120	2	6	CKD	INA	-	-	-	-	65	109	162	114	130	140	264	191	1.8%	0.5%	1,175
			FE 75 SUPER HD - 6 W	3,908	MT	D	100	8,250	6,333	7,50-16-14PR	136	3,350	5960 X 1970 X 2145	3	4X2	FR	113	2	6	CKD	INA	706	716	393	1,657	8	-	-	-	-	-	-	-	5.5%	1.4%	3,480
			FE 75 SUPER HDX N	3,908	MT	D	100	8,250	6,333	7,50-16-14PR	136	3,350	5960 X 1970 X 2145	3	4X2	FR	113	2	6	CKD	INA	-	-	-	11	525	1,109	824	1,716	966	1,089	1,080	1,559	13.9%	3.7%	8,879
			FE 84 - 6 W	3,908	MT	D	100	8,000	5,714	7,50-16-14PR	136	3,850	6770 X 2035 X 2210	3	4X2	FR	113	2	6	CKD	INA	146	62	174	448	-	10	-	-	-	-	-	-	1.3%	0.3%	840
			FE 84 G N	3,908	MT	D	100	8,500	5,428	7,50-16-14PR	136	3,850	7145 X 2035 X 2210	3	4X2	FR	113	2	6	CKD	INA	-	-	-	-	3	111	222	144	48	144	168	263	1.7%	0.5%	1,103
			FE 84 GS N	3,908	MT	D	100	8,500	5,571	7,50-16-14PR	150	3,850	7145 X 2035 X 2255	3	4X2	FR	113	2	6	CKD	INA	-	-	-	-	-	13	36	120	24	48	72	24	0.5%	0.1%	337
			FE 84 SHDX N	3,908	MT	D	100	8,500	6,666	7,50-16-14PR	150	3,350	6040 X 2035 X 2255	3	4X2	FR	113	2	6	CKD	INA	-	-	-	-	2	112	197	130	374	150	183	122	2.0%	0.5%	1,270
			FRR90	7,790	MT	D	200	10,000	7,167	10.00-20-16PR	240	4,250	7,685 x 2,450 x 2,860	3	4X2	FR	95	2	6	CKD	INA	19	15	10	13	8	7	2	3	4	5	10	5	0.2%	0.0%	101
		TATA MOTORS	LPT 913	5,675	MT	D	120	9,000	3	8.25 R 16-16 PR	130	3,400	6210 x 2140 x 2341	2	4X2	FR	90	2	6	CBU	India	12	-	2	-	-	2	4	22	-	-	-	-	0.1%	0.0%	42
		TOYOTA	Dyna ST 115	4,009	MT	D	100	5,200	4,625	7.50-15-12PR	110 / 2800	2,530	4745X1717X2120	2	4X2	FR	5	2	4	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	5	0.0%	0.0%	5
			Dyna HT 130 Hi Gear	4,009	MT	D	100	8,250	6,428	7.50-16-14PR	130 / 2700	3,380	6026X1945X2165	2	4X2	FR	-	2	6	CKD	INA	-	5	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	5
			Dyna HT 130 PS STD Gear	4,009	MT	D	100	8,250	6,428	7.50-16-14PR	130 / 2700	3,380	6026X1945X2165	2	4X2	FR	-	2	6	CKD	INA	5	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	5
			Dyna HT 130 PS Hi Gear	4,009	MT	D	100	8,250	6,428	7.50-16-14PR	130 / 2700	3,380	6026X1945X2165	2	4X2	FR	-	2	6	CKD	INA	-	-	-	5	7	38	30	95	25	10	25	15	0.4%	0.1%	250
		UD TRUCKS	RKE15042R	3,760	MT	D	100	8,500	4,800	7.50-16-14PR	150	3,350	6,258 x 2,206 x 2,540	3	4X2	FR	90	2	6	CBU	India	52	56	51	21	86	38	23	3	-	-	-	-	0.5%	0.1%	330
										TOTAL												4,036	3,930	4,260	6,469	3,122	5,142	6,020	6,547	6,069	5,732	5,998	6,336	100%	26%	63,661
										CUMULATIVE												4,036	7,966	12,226	18,695	21,817	26,959	32,979	39,526	45,595	51,327	57,325	63,661			
	GVW 10 - 24 Ton (G/D)	HINO	FC 190 J	5,123	MT	D	200	10,400	5,142	8.25-16-14 PR	190	5,320	8980 x 2175 x 2485	2	4X2	FR	112	2	6	CKD	INA	-	1	4	-	-	-	-	-	-	-	-	-	0.1%	0.0%	5
			FG 235 JJ	7,684	MT	D	200	15,100	5,857	10.00-20-16 PR	235	4,280	7520 x 2425 x 2625	2	4X2	FR	94	2	6	CKD	INA	25	25	47	-	-	-	-	-	-	-	-	-	1.3%	0.0%	97
			FG 235 JK	7,684	MT	D	200	15,100	5,857	10.00-20-16 PR	235	4,600	8010 x 2425 x 2625	2	4X2	FR	94	2	6	CKD	INA	3	3	12	-	-	-	-	-	-	-	-	-	0.2%	0.0%	18
			FG 245 JK	7,684	MT	D	200	15,100	6,428	10.00-20-16 PR	245	4,630	8150 x 2490 x 2755	2	4X2	FR	109	2	6	CKD	INA	6	5	14	-	-	-	-	-	-	-	-	-	0.3%	0.0%	25
			FG 235 JL	7,684	MT	D	200	15,100	5,857	10.00-20-16 PR	235	4,850	8555 x 2425 x 2625	2	4X2	FR	94	2	6	CKD	INA	11	18	19	-	-	-	-	-	-	-	-	-	0.7%	0.0%	48
			FG 235 JP	7,684	MT	D	200	15,100	5,857	10.00-20-16 PR	235	5,530	9615 x 2425 x 2625	2	4X2	FR	94	2	6	CKD	INA	54	66	55	-	-	-	-	-	-	-	-	-	2.4%	0.1%	175
			FG 235 JS	7,684	MT	D	200	15,100	5,857	10.00-20-16 PR	235	6,220	10500 x 2455 x 2630	2	4X2	FR	94	2	6	CKD	INA	40	41	43	-	-	-	-	-	-	-	-	-	1.7%	0.1%	124
			FG 235 JU	7,684	MT	D	200	15,100	6,428	10.00-20-16 PR	235	7,030	11950 x 2490 x 2750	2	4X2	FR	109	2	6	CKD	INA	6	-	6	-	-	-	-	-	-	-	-	-	0.2%	0.0%	12
			FG 240 JP	-	-	-	-	14,200	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	-	-	12	-	1	1	-	-	-	0.2%	0.0%	14
			FG 260 JK	-	-	-	-	16,000	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	9	14	18	25	20	12	21	10	19	2.0%	0.1%	148
			FG 260 JL	-	-	-	-	16,000	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	12	8	33	24	31	29	32	20	15	2.8%	0.1%	204
			FG 260 JP	-	-	-	-	16,000	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	48	58	68	64	63	108	51	45	59	7.7%	0.2%	564
			FG 260 JS	-	-	-	-	16,000	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	35	30	73	42	41	43	36	108	77	6.6%	0.2%	485
			FG 260 JU	-	-	-	-	16,000	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	-	-	-	5	1	6	18	12	18	0.8%	0.0%	60
			FG 260 JJ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	21	31	52	46	41	36	27	45	36	4.6%	0.1%	335
			FG 260 JM (BV)	-	-	-	-	16,000	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	-	-	1	2	7	-	-	-	-	0.1%	0.0%	10
		FAW	Chassis (HD310CG)	9,700	MT	D	400	12,020	4	R20-11.00	310	1900 + 5050 + 135	11950 x 2499 x 3075	2	8X4	FR	-	2	8	CBU	China	-	-	1	-	1	-	-	-	-	-	-	-	0.0%	0.0%	2
		ISUZU	FVR34P	7,790	MT	D	100	14,000	7,167	10.00-20-16PR	240	5,050	8,895 x 2,450 x 2,860	3	4X2	FR	95	2	6	CKD	INA	6	8	3	2	-	4	-	-	5	6	15	-	0.7%	0.0%	49
			FVR34L	7,790	MT	D	200	16,000	7,167	10.00-20-16PR	240	4,250	7,685 x 2,450 x 2,860	3	4X2	FR	95	2	6	CKD	INA	-	-	1	6	-	-	-	-	-	-	-	-	0.1%	0.0%	7
			FVR34S	7,790	MT	D	200	16,000	7,167	10.00-20-16PR	240	6,050	10,495 x 2,450 x 2,860	3	4X2	FR	95	2	6	CKD	INA	37	11	5	37	22	30	39	35	74	78	82	49	6.8%	0.2%	499
			FTR90L	5,193	MT	D	100	14,000	65	9.00-20-14PR	210	4,250	7,345 x 2,400 x 2,720	3	4X2	FR	107	2	6	CKD	INA	53	21	27	34	39	31	21	10	23	19	14	22	4.3%	0.1%	314
			FVR 34 P TH	5,193	MT	D	100	14,000	65	9.00-20-14PR	210	4,250	7,345 x 2,400 x 2,720	3	4X2	FR	107	2	6	CKD	INA	6	18	6	-	-	-	-	-	-	-	-	-	0.4%	0.0%	30
			FVM34 Q	7,790	MT	D	100	16,000	7,167	10.00-20-16PR	240	4850+650	8,810 x 2,450 x 2,860	3	6X2	FR	98	2	6	CKD	INA	46	63	35	42	41	44	59	57	84	76	92	93	9.9%	0.3%	732
			GVR34H	7,790	MT	D	200	16,000	5,125	10.00-20-16PR	285	3,450	5948 x 2470 x 2860	3	4X2	FR	95	2	6	CKD	INA	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
		MITSUBISHI FUSO	FN 61 FL (6X2)	7,545	MT	D	200	21,000	6,666	10,00-20-16PR	220	7,190	11.135 X 2.410 X 2.725	3	6X2	FR	96	2	10	CKD	INA	25	6	25	8	4	9	12	15	6	-	-	-	1.5%	0.0%	110
			FM 517 HS (4X2)	7,545	MT	D	200	14,030	6,666	10,00-20-16PR	220	4,280	7.535 X 2.410 X 2.710	3	4X2	FR	96	2	6	CKD	INA	29	19	7	3	7	7	-	-	-	-	-	-	1.0%	0.0%	72
			FM 517 HL (4X2)	7,545	MT	D	200	14,030	6,166	10,00-20-16PR	220	5,550	9.405 X 2.410 X 2.710	3	4X2	FR	96	2	6	CKD	INA	58	5	-	-	-	-	-	-	-	-	-	-	0.9%	0.0%	63
			FM 65 FM HI GEAR (4X2)	7,545	MT	D	200	14,030	6,166	10,00-20-16PR	220	4,280	9.405 X 2.410 X 2.710	3	4X2	FR	96	2	6	CKD	INA	-	-	-	-	-	3	-	-	-	-	-	-	0.0%	0.0%	3
			FM 65 FM HI GEAR (4X2)	7,545	MT	D	200	16,000	7,166	11.00-20-16PR	240	5,080	-	3	4X2	FR	102	2	6	CKD	INA	-	-	-	-	-	-	5	26	6	-	-	-	0.5%	0.0%	37
			FM 65 FS HI GEAR (4X2)	7,545	MT	D	200	14,030	6,166	10,00-20-16PR	220	4,280	9.405 X 2.410 X 2.710	3	4X2	FR	96	2	6	CKD	INA	29	12	2	41	27	18	4	-	-	-	-	-	1.8%	0.1%	133
			FM 65 FS HI GEAR (4X2)	7,545	MT	D	200	16,000	7,166	11.00-20-16PR	240	4,280	9.405 X 2.410 X 2.710	3	4X2	FR	96	2	6	CKD	INA	-	-	-	-	-	19	21	28	59	15	33	12	2.5%	0.1%	187
			FM 65 FSL (4X2)	7,545	MT	D	200	14,030	6,166	10,00-20-16PR	220	5,550	9.405 X 2.410 X 2.710	3	4X2	FR	96	2	6	CKD	INA	-	-	1	3	9	8	3	-	-	-	-	-	0.3%	0.0%	24
			FM 65 FSL (4X2)	7,545	MT	D	200	16,000	7,166	11.00-20-16PR	240	6,080	10.545 X 2.455 X 2.695	3	4X2	FR	110	2	6	CKD	INA	-	-	-	-	-	-	8	4	-	13	-	12	0.5%	0.0%	37
			FM 65 FSL HI GEAR (4X2)	7,545	MT	D	200	14,030	6,166	10,00-20-16PR	220	5,550	9.405 X 2.410 X 2.710	3	4X2	FR	96	2	6	CKD	INA	10	2	-	-	-	-	-	-	-	-	-	-	0.2%	0.0%	12
			FM 65 FSL HI GEAR (4X2)	7,545	MT	D	200	16,000	7,166	11.00-20-16PR	240	5,550	9.405 X 2.410 X 2.710	3	4X2	FR	96	2	6	CKD	INA	-	-	-	-	-	2	16	22	11	19	9	15	1.3%	0.0%	94
			FM 65 FL HI GEAR (4X2)	7,545	MT	D	200	14,030	6,166	10,00-20-16PR	220	5,550	9.405 X 2.410 X 2.710	3	4X2	FR	96	2	6	CKD	INA	-	-	-	-	-	3	-	-	-	-	-	-	0.0%	0.0%	3
			FM 65 FL HI GEAR (4X2)	7,545	MT	D	200	16,000	7,166	11.00-20-16PR	240	5,550	9.380 X 2.455 X 2.695	3	4X2	FR	110	2	6	CKD	INA	-	-	-	-	-	-	11	1	12	13	-	-	0.5%	0.0%	37
			FN 517 ML2 (6X2)	7,545	MT	D	200	21,000	6,666	10,00-20-16PR	220	7,190	11.135 X 2.410 X 2.725	3	6X2	FR	96	2	10	CKD	INA	10	5	-	-	3	7	-	-	-	-	-	-	0.3%	0.0%	25
			FN 61 FS (6X2)	7,545	MT	D	200	21,000	6,666	10,00-20-16PR	220	5,550	11.135 X 2.410 X 2.725	3	6X2	FR	96	2	10	CKD	INA	3	-	3	-	1	-	4	4	6	-	-	-	0.3%	0.0%	21
			FN 61 FL HD (6X2)	7,545	MT	D	200	21,000	6,666	10,00-20-16PR	220	7,190	11.135 X 2.410 X 2.725	3	6X2	FR	96	2	10	CKD	INA	1	10	19	6	14	12	26	66	-	-	-	-	2.1%	0.1%	154
			FN 61 FL HD (6X2)	7,545	MT	D	200	-	-	-	-	-	-	3	6X2	FR	96	2	10	CKD	INA	-	-	-	-	-	-	2	7	36	27	47	25	2.0%	0.1%	144
			FN 62 F (6X4)	7,545	MT	D	200	21,000	6,666	10,00-20-16PR	220	5,550	8.260 X 2.460 X 2.750	3	6X4	FR	96	2	10	CKD	INA	4	20	-	-	-	-	-	-	-	-	-	-	0.3%	0.0%	24
			FN 62 FL HD (6X4)	7,545	MT	D	200	21,000	6,666	10,00-20-16PR	220	7,190	8.515 X 2.460 X 2.750	3	6X4	FR	96	2	10	CKD	INA	27	57	14	20	8	20	10	-	-	-	-	-	2.1%	0.1%	156
			FN 62 FL HD (6X4)	7,545	MT	D	200	-	-	-	-	-	-	3	6X4	FR	96	2	10	CKD	INA	-	-	-	-	-	12	-	12	36	72	24	25	2.5%	0.1%	181
			FN 62 F HD (6X4)	7,545	MT	D	200	21,000	6,666	10,00-20-16PR	220	5,550	8.260 X 2.460 X 2.750	3	6X4	FR	96	2	10	CKD	INA	74	17	13	-	-	-	-	-	-	-	-	-	1.4%	0.0%	104
			FN 62 F HD (6X4)	7,545	MT	D	200	21,000	6,666	10,00-20-16PR	220	5,550	8.260 X 2.460 X 2.750	3	6X4	FR	96	2	10	CKD	INA	-	-	-	-	15	248	140	138	270	156	298	218	20.1%	0.6%	1,483
			FN 62 F TH (6X4)	7,545	MT	D	200	21,000	6,666	10,00-20-16PR	220	5,550	8.260 X 2.460 X 2.750	3	6X4	FR	96	2	10	CKD	INA	1	8	1	-	-	2	9	-	-	-	-	-	0.3%	0.0%	21
			FN 62 F TH (6X4)	7,545	MT	D	200	-	-	-	-	-	-	3	6X4	FR	96	2	10	CKD	INA	-	-	-	-	-	-	-	5	5	-	-	-	0.1%	0.0%	10
		MERCEDES BENZ CV	Axor 1623 C	6,373	MT	D	260	16,000	6.700 - 0.730	10.00 - 20, Tube-type	231	3,600	6230 x 2490 x 2955	2	4X2	FR	90	2	4	CBU	India	2	-	25	-	-	-	-	-	-	-	-	-	0.4%	0.0%	27
			Axor 1623 C (4x2) MT [E4]	6,373	MT	D	260	16,000	6.700 - 0.730	10.00 - 20, Tube-type	231	3,600	6230 x 2490 x 2955	2	4X2	FR	90	2	4	CBU	India	-	-	-	-	-	-	-	1	-	3	1	-	0.1%	0.0%	5
			Axor 1623 R / 51	6,373	MT	D	255	16,000	6.700 - 0.730	10.00 - 20, Tube-type	231	5,100	9130 x 2490 x 2910	2	4X2	FR	90	2	4	CBU	India	-	-	-	-	-	-	5	-	-	-	-	-	0.1%	0.0%	5
			Axor 1623 R / 51 [E4]	6,373	MT	D	240	16,000	6.700 - 0.730	10.00 - 20, Tube-type	238	5,100	9130 x 2490 x 2910	2	4X2	FR	90	2	4	CBU	India	-	-	-	-	-	-	-	-	-	1	-	1	0.0%	0.0%	2
			Axor 1623 R / 60	6,373	MT	D	255	16,000	6.700 - 0.730	10.00 - 20, Tube-type	231	6,000	10475 x 2490 x 2910	2	4X2	FR	90	2	4	CBU	India	-	7	14	-	-	-	-	-	-	-	-	-	0.3%	0.0%	21
			Axor 1623 R / 60 [E4]	6,373	MT	D	240	16,000	6.700 - 0.730	10.00 - 20, Tube-type	238	6,000	10475 x 2490 x 2910	2	4X2	FR	90	2	4	CBU	India	-	-	-	-	-	-	-	-	1	-	9	5	0.2%	0.0%	15
			Axor 4028 T	6,373	MT	D	380 + 200	16,000	14.573 - 1.000	11.00 R 20, Tube-type	280	3,600	6100 x 2500 x 2905	2	4X2	FR	90	2	4	CKD	INA	1	-	3	3	4	4	-	4	33	5	7	4	0.9%	0.0%	68
			Axor 4028 T [E4]	6,373	MT	D	265 + 185	16,000	14.573 - 1.000	11.00 R 20, Tube-type	285	3,600	6100 x 2500 x 2905	2	4X2	FR	90	2	4	CKD	INA	-	-	-	-	-	-	-	-	4	-	-	20	0.3%	0.0%	24
			Axor 4023 T [E4]	6,373	MT	D	265	16,000	14.573 - 1.000	11.00 R 20, Tube-type	238	3,600	6100 x 2500 x 2905	2	4X2	FR	90	2	4	CKD	INA	-	-	-	-	-	3	-	-	-	-	-	-	0.0%	0.0%	3
		TATA MOTORS	LPT 1412	5,675	MT	D	160	13,850	5	8.25R20 - 16PR	125	4,200	6096 x 2175 x 1835	2	4X2	FR	96	2	6	CBU	India	-	-	-	-	-	1	-	1	-	-	4	-	0.1%	0.0%	6
		UD TRUCKS	CKE25042R	7,698	MT	D	315	21,000	5,570	11,00-20-16PR	250	5,200	8,975 x 2,500 x 3,220	3	4X2	FR	90	2	6	CBU	Thailand	-	20	12	-	-	-	13	13	29	5	2	-	1.3%	0.0%	94
										TOTAL												567	468	417	330	336	744	616	654	935	693	877	725	100%	3%	7,362
										CUMULATIVE												567	1,035	1,452	1,782	2,118	2,862	3,478	4,132	5,067	5,760	6,637	7,362			
	GVW > 24 Ton (G/D)	FAW	Tractor Head (DB300TH)	7,700	MT	D	350	41,005	-	-	-	-	-	-	4X2	-	-	2	4	CBU	China	-	-	-	-	4	-	-	-	-	-	-	-	0.0%	0.0%	4
			Tractor Head (FD336TH)	9,726	MT	D	400	60,000	-	-	-	-	-	-	6X4	-	-	2	6	CBU	China	-	5	1	-	-	1	-	-	-	6	1	-	0.1%	0.0%	14
			Tractor Head (FD350TH)	8,600	MT	D	400	49,000	4	R20-11.00	350	3150 + 1350	6793 x 2500 x 3450	2	6X4	FR	93	2	10	CBU	China	-	-	-	-	-	6	1	-	-	1	-	1	0.0%	0.0%	9
			Tractor Head (FD420TH)	11,040	MT	D	500	80,000	-	-	-	-	-	-	6X4	-	-	2	6	CBU	China	-	-	-	-	-	-	3	4	8	-	-	2	0.1%	0.0%	17
			TRACTOR HEAD (FD550TH)	12,540	MT	D	600	150,000	6	R20-12.00	550	3300 + 1350	6875 x 2500 x 3995	2	6X4	FR	95	2	10	CBU	China	-	-	-	-	-	-	-	2	2	-	1	1	0.0%	0.0%	6
			Chassis (FD336CG)	9,726	MT	D	400	32,000	-	-	-	-	-	-	6X4	-	-	2	6	CBU	China	-	-	1	-	-	-	-	-	-	-	1	-	0.0%	0.0%	2
			Chassis (HD360CG)	9,726	MT	D	400	38,000	-	-	-	-	-	-	8X4	-	-	2	8	CBU	China	-	-	3	-	-	-	-	2	-	-	-	-	0.0%	0.0%	5
			Chassis (HD380CG)	9,726	MT	D	400	31,000	6	R20-12.00	380	1860 + 4660 + 135	11823 x 2550 x 2990	2	8X4	FR	76	2	12	CBU	China	-	2	-	2	-	-	-	1	1	-	-	-	0.0%	0.0%	6
			Chassis (FD280CG)	7,700	MT	D	300	26,000	-	-	-	-	-	-	6X4	-	-	2	6	CBU	China	-	5	4	-	-	2	2	-	1	-	4	1	0.1%	0.0%	19
			Damp Truck (FD336DT)	9,726	MT	D	400	32,000	-	-	-	-	-	-	6X4	-	-	2	6	CBU	China	8	1	3	2	-	-	-	-	-	-	1	-	0.1%	0.0%	15
			Damp Truck (FD340DT)	9,726	MT	D	400	25,000	6	R20-12.00	340	4150 + 1350	7843 x 2550 x 2550	2	6X4	FR	76	2	10	CBU	China	9	13	2	-	-	1	5	-	-	-	-	-	0.1%	0.0%	30
			Damp Truck (HD360DT)	9,726	MT	D	400	38,000	-	-	-	-	-	-	8X4	-	-	2	8	CBU	China	-	-	-	-	-	1	-	1	-	-	-	-	0.0%	0.0%	2
			Damp Truck (HD380DT)	9,726	MT	D	400	31,000	6	R24-12.00	380	1860 + 3910 + 145	9563 x 2550 x 2550	2	8X4	FR	80	2	12	CBU	China	3	13	-	-	3	-	-	-	-	-	-	-	0.1%	0.0%	19
			Damp Truck (FD 280DT)	7,700	MT	D	300	26,000	-	-	-	-	-	-	6X4	-	-	2	6	CBU	China	-	1	3	-	-	-	-	-	5	1	-	-	0.0%	0.0%	10
			Damp Truck (FD 290DT)	7,700	MT	D	300	26,500	5	R20-11.00	290	4200 + 1325	8945 x 2495 x 3240	2	6X4	FR	90	2	10	CBU	China	-	-	-	-	-	-	-	-	-	-	-	5	0.0%	0.0%	5
			Mixer Truck (FD280MT)	7,700	MT	D	300	26,000	-	-	-	-	-	-	6X4	-	-	2	6	CBU	China	4	-	-	-	-	1	-	-	1	-	-	2	0.0%	0.0%	8
		HINO	SG 260 TH	7,684	MT	D	200	34,000	5,428	10.00-R20-16 PR	260	3,280	5545 x 2490 x 2730	2	4X2	FR	100	2	6	CKD	INA	35	34	32	-	-	-	-	-	-	-	-	-	0.5%	0.0%	101
			SG 285 TH	7,684	MT	D	200	38,000	5,285	10.00-R20-16 PR	285	3,280	5545 x 2490 x 2730	2	4X2	FR	106	2	6	CKD	INA	10	6	19	1	-	-	-	-	-	-	-	-	0.2%	0.0%	36
			FL 235 JN	7,684	MT	D	200	26,000	5,857	10.00-20-16 PR	235	4130+1300	8480 x 2460 x 2695	2	6X2	FR	94	2	10	CKD	INA	5	7	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	12
			FL 245 JN	7,684	MT	D	200	26,000	6,833	11.00-20-16 PR	245	4030+1350	8950 x 2490 x 2785	2	6X2	FR	106	2	10	CKD	INA	26	18	36	-	-	-	-	-	-	-	-	-	0.4%	0.0%	80
			FL 235 JW	7,684	MT	D	200	26,000	5,857	10.00-20-16 PR	235	5760+1300	11275 x 2460 x 2695	2	6X2	FR	94	2	10	CKD	INA	85	100	161	-	-	-	-	-	-	-	-	-	1.6%	0.1%	346
			FL 260 JT	7,684	MT	D	200	26,000	5,857	10.00-20-16 PR	260	4980+1300	9730 x 2450 x 2695	2	6X2	FR	94	2	10	CKD	INA	30	24	6	-	-	-	-	-	-	-	-	-	0.3%	0.0%	60
			FLX 260 JW	7,684	MT	D	200	32,000	5,857	11.00-20-16 PR	260	1850+3880+1350	11950 x 2490 x 2780	2	8X2	FR	95	2	10	CKD	INA	1	5	17	-	-	-	-	-	-	-	-	-	0.1%	0.0%	23
			FL 260 JW	7,684	MT	D	200	26,000	5,857	10.00-20-16 PR	260	5760+1300	11275 x 2460 x 2695	2	6X2	FR	94	2	10	CKD	INA	37	33	40	-	-	-	-	-	-	-	-	-	0.5%	0.0%	110
			FL 245 JW	7,684	MT	D	200	26,000	5,857	10.00-20-16 PR	235	5760+1300	11275 x 2460 x 2695	2	6X2	FR	94	2	10	CKD	INA	4	1	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	5
			FM 260 JW	7,684	MT	D	200	26,000	5,857	10.00-20-16 PR	260	5760+1300	11275 x 2450 x 2700	2	6X4	FR	86	2	10	CKD	INA	57	52	60	-	-	-	-	-	-	-	-	-	0.8%	0.1%	169
			FM 260 JD	7,684	MT	D	200	26,000	6,428	10.00-20-16 PR	260	4130+1300	8480 x 2450 x 2700	2	6X4	FR	86	2	10	CKD	INA	612	320	109	-	-	-	-	-	-	-	-	-	4.8%	0.4%	1,041
			FM 285 JD	7,684	MT	D	200	26,000	6,142	10.00-20-16 PR	285	4130+1300	8480 x 2460 x 2700	2	6X4	FR	90	2	10	CKD	INA	55	175	325	-	-	-	-	-	-	-	-	-	2.6%	0.2%	555
			FM 260 JM	7,684	MT	D	200	26,000	6,428	10.00-20-16 PR	260	3380+1300	7330 x 2450 x 2700	2	6X4	FR	86	2	10	CKD	INA	8	6	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	14
			FM 350 PL	10,520	MT	D	200	26,000	6,428	11.00-20-18 PR	350	3480+1350	7645 x 2490 x 2920	2	6X4	FR	98	2	10	CKD	INA	6	1	1	-	-	-	-	-	-	-	-	-	0.0%	0.0%	8
			FM 350 PD	10,520	MT	D	200	26,000	5,857	11.00-20-18 PR	350	3930+1350	8745 x 2490 x 2920	2	6X4	FR	107	2	10	CKD	INA	7	11	-	-	-	-	-	-	-	-	-	-	0.1%	0.0%	18
			FM 265 TH	7,684	MT	D	200	35,000	5,857	11.00-R20-16 PR	265	3280+1350	6745 x 2495 x 2755	2	6X4	FR	97	2	10	CKD	INA	-	-	-	1	-	-	-	-	-	-	-	3	0.0%	0.0%	4
			FM 285 TH	7,684	MT	D	200	38,000	5,857	11.00-R20-16 PR	285	3280+1350	6745 x 2495 x 2755	2	6X4	FR	97	2	10	CKD	INA	9	22	44	5	38	1	2	-	-	-	-	1	0.6%	0.1%	122
			FL 285 TH ABS	-	-	-	-	38,000	-	-	-	-	-	-	-	-	-	-	-	-	INA	-	-	-	-	-	-	-	-	-	1	-	-	0.0%	0.0%	1
			FG 235 TH	7,684	MT	D	200	30,000	5,857	10.00-20-16 PR	235	3,450	5665 x 2475 x 2625	2	4X2	FR	94	2	6	CKD	INA	51	42	48	-	-	-	-	-	-	-	-	-	0.7%	0.1%	141
			ZY - HR	12,913	MT	D	330	50,000	5.41	12.00 R24	410	1850+3750+1500	9290 x 2545 x 3205	2	8X4	FR	99	2	12	CBU	Japan	27	33	20	33	16	17	8	32	22	28	8	26	1.2%	0.1%	270
			ZS4141	12,913	MT	D	330	41,000	7.21	12.00 R24	410	4145+1500	8245 x 2545 x 3205	2	6X4	FR	75	2	10	CBU	Japan	-	-	10	-	-	3	9	25	20	17	-	36	0.6%	0.0%	120
			SV1E	12,913	MT	D	330	41,000	7.21	12.00 R24	410	4145+1500	8245 x 2545 x 3205	2	6X4	FR	75	2	10	CBU	Japan	-	-	-	-	6	14	5	-	-	-	-	-	0.1%	0.0%	25
			FMX 280 TH	-	MT	D	-	38,000	-	-	-	-	-	-	6X2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	0.0%	0.0%	5
			FM 350 TH	10,520	MT	D	200	44,000	5,428	10.00-20-16 PR	350	3380+1300	6615 x 2495 x 2825	2	6X4	FR	112	2	10	CKD	INA	8	14	37	4	6	3	-	-	-	1	-	-	0.3%	0.0%	73
			FL 260 JN	-	-	-	-	26,000	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	29	26	31	63	60	42	56	39	29	1.7%	0.2%	375
			FL 260 JW (BV)	-	-	-	-	26,000	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	107	86	101	209	162	111	86	58	186	5.1%	0.5%	1,106
			FL 280 JT	-	-	-	-	26,000	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	15	7	19	23	14	12	24	71	27	1.0%	0.1%	212
			FL 280 JW	-	-	-	-	26,000	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	27	31	70	69	48	58	129	12	66	2.4%	0.2%	510
			FLX 280 JW	7,684	-	-	-	26,000	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	-	-	-	-	11	7	6	7	-	0.1%	0.0%	31
			FM 260 JD (BV)	-	-	-	-	26,000	-	-	-	-	-	-	-	-	-	-	-	CKD	-	-	-	-	-	-	-	6	5	-	-	-	-	0.1%	0.0%	11
			FM 280 JD	-	-	-	-	26,000	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	468	491	834	813	845	632	635	865	570	28.5%	2.5%	6,153
			FM 280 JM	-	-	-	-	26,000	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	5	17	32	12	6	29	19	22	14	0.7%	0.1%	156
			FM 280 JW	-	-	-	-	26,000	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	36	42	66	84	132	120	107	158	114	4.0%	0.4%	859
			FM 340 PL	-	-	-	-	26,000	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	-	4	12	14	6	18	22	26	7	0.5%	0.0%	109
			FM 340 PD	-	-	-	-	26,000	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	6	6	24	12	12	42	26	31	45	0.9%	0.1%	204
			FG 260 TH	-	-	-	-	34,000	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	39	39	65	61	48	96	84	114	72	2.9%	0.3%	618
			SG 280 TH	-	-	-	-	38,000	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	52	44	90	72	73	65	59	37	69	2.6%	0.2%	561
			FM 280 TH	-	-	-	-	38,000	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	22	6	20	7	23	49	14	11	23	0.8%	0.1%	175
			FM 340 TH	-	-	-	-	45,000	-	-	-	-	-	-	-	-	-	-	-	CKD	INA	-	-	-	2	9	24	29	35	16	28	19	21	0.8%	0.1%	183
		ISUZU	FVZ34 P	7,790	MT	D	200	26,000	6,143	10.00-20-16PR	285	4650+650	8,365 x 2,450 x 2,860	3	6X4	FR	83	2	10	CKD	INA	101	129	137	42	27	17	7	6	-	1	12	4	2.2%	0.2%	483
			FVZ34 T LWB	7,790	MT	D	200	26,000	6,143	10.00-20-16PR	285	6470+650	11,555 x 2,450 x 2,860	3	6X4	FR	83	2	10	CKD	INA	9	20	9	23	11	71	126	169	204	160	104	136	4.8%	0.4%	1,042
			GVR 34 J HR ABS	7,790	MT	D	370	38,000	5,125	10.00-20-16PR	285	3,560	5860 x 2485 x 2920	3	4X2	FR	99	2	6	CKD	INA	26	22	53	29	42	32	2	86	76	79	98	58	2.8%	0.2%	603
			GVZ 34 K HP ABS	7,790	MT	D	200	38,000	6,143	11.00-20-16PR	285	3265+1367	6600 x 2495 x 2925	3	6X4	FR	84	2	10	CKD	INA	3	5	13	10	13	5	-	8	8	2	13	32	0.5%	0.0%	112
			GXZ 60 K ABS	7,790	MT	D	200	46,000	5,571	11.00-20-16PR	345	3265+1370	6600 x 2495 x 2925	3	6X4	FR	107	2	10	CKD	INA	-	1	1	3	-	9	4	-	1	-	-	3	0.1%	0.0%	22
		MERCEDES BENZ CV	Actros 2553 A	15,928	MT	D	300	25,000	11.722 - 0.687	325/95 R 24	530	4,430	8290 x 2483 x 3494	2	4X4	FA	85	2	4	CBU	Germany	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	-
			Actros 2636 LSDNA	12,816	AT	D	390 + 390	26,000	14.930 - 1.000	295/80 R 22.5	360	3,300	6950 x 2500 x 3936	2	6X2	FR	85	2	6	CBU	Germany	-	-	-	-	-	1	-	-	-	-	-	-	0.0%	0.0%	1
			Actros 4042S	12,816	AT	D	510	40,000	11.7 - 0.69	13 R 22.5	421	3,900	7525 X 2500 X 3729	2	6X4	FR	90	2	6	CBU	Germany	-	-	1	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			Actros 4054 S	15,928	MT	D	550	40,000	11.722 - 0.687	325/95 R 24	537	3,180	6810 x 2487 x 3230	2	6X4	FR	85	2	6	CBU	Germany	-	-	1	-	4	1	2	-	4	-	-	5	0.1%	0.0%	17
			Arocs 2545 A	12,816	AT	D	390	25,000	11.722 - 0.687	325/95 R 24	449	4,500	8150 x 2500 x 3746	2	4X4	FA	85	2	4	CBU	Germany	-	-	-	-	2	-	-	-	-	-	1	-	0.0%	0.0%	3
			Arocs 4040 K	12,816	AT	D	390	40,000	11.722 - 0.687	325/95 R 24	394	4,150	8250 x 2500 x 3847	2	6X4	FR	85	2	6	CBU	Germany	22	52	44	33	-	13	-	-	-	-	-	-	0.8%	0.1%	164
			Arocs 4045 AK	12,816	AT	D	390	40,000	11.722 - 0.687	325/95 R 24	449	4,450	8250 x 2500 x 3952	2	6X6	FA	85	2	6	CBU	Germany	5	-	3	8	5	27	-	-	-	-	-	-	0.2%	0.0%	48
			Arocs 4845 K	12,816	AT	D	390	48,000	11.722 - 0.687	325/95 R 24	449	5,700	9960 x 2500 x 3905	2	8X4	FR	85	2	8	CBU	Germany	12	9	39	65	9	24	-	-	-	10	-	2	0.8%	0.1%	170
			Axor 2523 R / 45	6,373	MT	D	380	25,000	6.700 - 0.730	10.00 R 20, Tube-type	231	4,500	9867 x 2490 x 2935	2	6X2	FR	90	2	6	CBU	India	2	3	4	13	1	2	10	-	-	1	-	-	0.2%	0.0%	36
			Axor 2523 R / 4500 (Bogie)	6,373	MT	D	380	25,000	6.700 - 0.730	10.00 R 20, Tube-type	231	4,500	9867 x 2490 x 2935	2	6X2	FR	90	2	6	CBU	India	-	5	1	-	-	-	-	1	-	-	-	-	0.0%	0.0%	7
			Axor 2523 R / 4500 [E4]	6,373	MT	D	380	25,000	6.700 - 0.730	10.00 R 20, Tube-type	231	4,500	9867 x 2490 x 2935	2	6X2	FR	90	2	6	CBU	India	-	-	-	-	-	-	-	-	1	1	-	-	0.0%	0.0%	2
			Axor 2523 R / 5700 (Bogie)	6,373	MT	D	380	25,000	6.700 - 0.730	10.00 R 20, Tube-type	231	5,700	12000 x 2490 x 2935	2	6X2	FR	90	2	6	CBU	India	-	-	6	11	-	-	-	-	-	-	-	-	0.1%	0.0%	17
			Axor 2523 R / 5700 [E4]	6,373	MT	D	355	26,500	6.700 - 0.730	11.00 - 20, Tube-type	238	5,700	12000 x 2490 x 3100	2	6X2	FR	90	2	6	CBU	India	-	-	-	-	-	-	-	2	60	-	-	-	0.3%	0.0%	62
			Axor 2528 R / 5700 (6X2) M/T [E4]	6,373	MT	D	380	25,000	14.573 - 1.000	10.00 R 20, Tube-type	380	5,700	12000 x 2490 x 2955	2	6X2	FR	90	2	6	CKD	India	-	-	-	-	-	-	-	-	-	-	1	-	0.0%	0.0%	1
			Axor 2528 R / 5700 (6X4) M/T [E4]	6,373	MT	D	380	25,000	14.573 - 1.000	10.00 R 20, Tube-type	380	5,700	12000 x 2490 x 2955	2	6X2	FR	90	2	6	CKD	India	-	-	-	-	-	-	-	1	-	-	-	1	0.0%	0.0%	2
			Axor 2528 R / 5700 (Bogie)	6,373	MT	D	380	25,000	14.573 - 1.000	10.00 R 20, Tube-type	380	5,700	12000 x 2490 x 2935	2	6X2	FR	90	2	6	CBU	India	-	9	10	13	6	1	-	-	-	-	3	-	0.2%	0.0%	42
			Axor 2528 C	6,373	MT	D	255	26,500	14.573 - 1.000	11.00 - 20, Tube-type	280	4,200	7840 x 2490 x 2955	2	6X4	FR	90	2	6	CKD	INA	2	10	91	26	10	31	-	16	-	6	2	17	1.0%	0.1%	211
			Axor 2528 CH	6,373	MT	D	255	26,500	14.573 - 1.000	11.00 - 20, Tube-type	280	4,200	7840 x 2490 x 2990	2	6X4	FR	60	2	6	CBU	India	37	74	96	86	40	92	38	5	62	57	58	144	3.7%	0.3%	789
			Axor 2528 CH [E4]	6,373	MT	D	255	26,500	14.573 - 1.000	11.00 - 20, Tube-type	280	4,200	7840 x 2490 x 2955	2	6X4	FR	90	2	6	CKD	India	-	-	-	-	-	-	-	-	-	11	-	22	0.2%	0.0%	33
			Axor 2528 RMC	6,373	MT	D	255	26,500	14.573 - 1.000	11.00 - 20, Tube-type	280	3,600	7460 x 2490 x 2955	2	6X4	FR	90	2	6	CKD	INA	-	-	1	4	1	9	-	20	2	15	-	1	0.2%	0.0%	53
			Axor 3340 S	11,970	AT	D	455	27,500	11.639 - 0.775	315/80 R 22.5, Tubeless	401	3,300	6900 x 2490 x 3362	2	6X4	FR	90	2	6	CBU	INA	-	-	-	-	-	-	-	-	1	-	-	1	0.0%	0.0%	2
			Axor 3336 K	11,970	AT	D	330	33,500 technical	11.639 - 0.775	315/80 R 22.5, Tubeless	354	4,080	7755 x 2490 x 3232	2	6X4	FR	80	2	6	CBU	INA	-	20	14	13	13	-	-	-	-	-	-	-	0.3%	0.0%	60
			Axor 4843 K	11,970	AT	D	330	48,000 technical	11.639 - 0.775	12.00 R 24, Tube-type	428	5,380	9425 x 2490 x 3490	2	8X4	FR	80	2	8	CBU	INA	-	20	-	-	-	-	-	-	39	-	-	1	0.3%	0.0%	60
			Axor 4928 T	6,373	MT	D	380 + 200	26,500	14.573 - 1.000	11.00 R 20, Tube-type	280	3,300	6940 x 2490 x 3145	2	6X4	FR	90	2	6	CKD	INA	-	-	4	3	2	15	7	21	20	3	2	7	0.4%	0.0%	84
			Axor 2528 RMC [E4]	6,373	MT	D	265	26,500	14.573 - 1.000	11.00 - 20, Tube-type	285	3,600	7460 x 2490 x 2955	2	6X4	FR	90	2	6	CKD	INA	-	-	-	-	-	-	2	-	-	-	20	-	0.1%	0.0%	22
			Axor 2528 CX [E4]	6,373	MT	D	265	26,500	14.573 - 1.000	11.00 - 20, Tube-type	285	4,200	7840 x 2490 x 2990	2	6X4	FR	90	2	6	CKD	INA	-	-	-	-	-	7	13	52	65	60	93	162	2.1%	0.2%	452
			Axor 4928 T [E4]	6,373	MT	D	265 + 185	25,000	14.573 - 1.000	11.00 R 20, Tube-type	285	3,300	6935 x 2500 x 3145	2	6X4	FR	90	2	6	CKD	INA	-	-	-	-	-	-	1	2	-	-	3	4	0.0%	0.0%	10
		MITSUBISHI FUSO	FN 61 FS (6X2)	7,545	MT	D	200	26,000	7,166	11.00-20-16PR	240	5,460	-	3	6X2	FR	102	2	10	CKD	INA	-	-	-	-	-	-	9	12	15	-	-	-	0.2%	0.0%	36
			FN 61 FL (6X2)	7,545	MT	D	200	26,000	6,666	11.00-20-16PR	240	7,190	11.925 X 2.495 X 2.720	3	6X2	FR	115	2	10	CKD	INA	-	-	-	-	-	-	2	3	8	12	-	-	0.1%	0.0%	25
			FN 527 ML (6X4)	7,545	MT	D	200	24,800	7,500	10,00-20-16PR	220	5,450	8.515 X 2.460 X 2.750	3	6X4	FR	76	2	10	CKD	INA	178	108	90	1	12	7	-	-	-	-	-	-	1.8%	0.2%	396
			FN 527 MS (6X4)	7,545	MT	D	200	24,800	7,500	10,00-20-16PR	220	5,320	8.260 X 2.460 X 2.750	3	6X4	FR	103	2	10	CKD	INA	-	50	11	3	11	21	-	-	-	-	-	-	0.4%	0.0%	96
		TATA MOTORS	Prima 4023.S NON-AC	6,700	MT	D	400	34,000	6	10.00 R 20 - 16 PR	227	3,460	6015 x 2500 x 3287	2	4X2	FR	100	2	6	CBU	India	1	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			Prima 4028.S NON-AC	6,700	MT	D	400	34,000	6	10.00 R 20 - 16 PR	267	3,450	6035 x 2500 x 3287	2	4X2	FR	100	2	6	CBU	India	-	-	3	-	-	-	-	-	-	-	-	-	0.0%	0.0%	3
			Prima 4928.S NON-AC	6,700	MT	D	400	34,000	7	10.00 R 20 - 16 PR	267	3,895	6857 x 2500 x 3430	2	6X4	FR	100	2	10	CBU	India	1	-	-	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			Prima LX 2528K	6,700	MT	D	260	25,000	6	10 x 20 - 16 PR NT	266	4,570	7905 x 2500 x 3130	2	6X4	FR	100	2	10	CBU	India	-	5	12	42	-	-	-	1	-	-	-	-	0.3%	0.0%	60
			Prima 3338.K	8,898	MT	D	260	33,000	7	12R 24	380	5,250	8488 x 2590 x 3232	2	8X4	FR	66	2	14	CBU	India	10	-	10	-	-	-	20	-	-	-	-	-	0.2%	0.0%	40
		UD TRUCKS	GKE28042T	7,698	MT	D	315	37,000	5,570	11,00-20-16PR	280	3,500	5,940 x 2,500 x 3,228	3	4X2	FR	90	2	8	CKD	INA	25	17	15	8	2	-	-	20	29	54	65	30	1.2%	0.1%	265
			CDE25062R	7,898	MT	D	315	26,000	5,570	11,00-20-16PR	250	6,970	11,175 x 2,500 x 3,172	3	6X2	FR	90	2	10	CBU	INA	29	15	21	-	8	7	-	23	17	42	9	20	0.9%	0.1%	191
			CDE28062R	7,898	MT	D	315	26,000	5,570	11,00-20-16PR	280	6,970	11,175 x 2,500 x 3,172	3	6X2	FR	90	2	10	CBU	INA	10	-	5	-	-	1	-	-	1	-	7	-	0.1%	0.0%	24
			CWE28064R	7,698	MT	D	315	26,000	6,170	11,00-20-16PR	280	5,670	7,375 x 2,500 x 3,348	3	6X4	FR	90	2	10	CKD	INA	63	36	68	42	27	16	-	57	111	84	85	89	3.1%	0.3%	678
			CWE37064R	10,837	MT	D	405	34,000	5,140	11,00-20-16PR	370	5,070	7,375 x 2,500 x 3,224	3	6X4	FR	90	2	10	CKD	INA	20	60	74	1	6	1	-	16	4	10	12	12	1.0%	0.1%	216
			GWE28064T	7,898	MT	D	315	37,000	6,166	11,00-20-16PR	280	4,770	7,055 x 2,500 x 3,224	3	6X4	FR	90	2	10	CKD	INA	9	5	-	-	2	-	-	13	20	8	12	-	0.3%	0.0%	69
			GWE35064T	7,698	MT	D	315	44,000	6,170	11,00-20-16PR	330	4,770	7,055 x 2,500 x 3,224	3	6X4	FR	90	2	10	CKD	INA	-	-	-	5	3	5	-	10	10	5	14	4	0.3%	0.0%	56
			GWE37064T	10,837	MT	D	405	49,000	5,140	11,00-20-16PR	370	4,770	7,055 x 2,500 x 3,167	3	6X4	FR	90	2	10	CKD	INA	15	8	2	-	-	-	-	-	-	-	-	-	0.1%	0.0%	25
			GWE41064T	10,837	MT	D	-	55,000	-	-	-	-	-	-	6X4	FR	90	2	10	CKD	INA	-	-	-	-	5	-	-	6	-	4	6	-	0.1%	0.0%	21
			CGE37084R	10,837	MT	D	405	41,000	6,370	11,00-20-16PR	370	6,970	11,324 x 2,500 x 3,252	3	8X4	FR	90	2	12	CBU	Thailand	2	2	-	12	-	1	-	-	-	5	2	-	0.1%	0.0%	24
										TOTAL												1,679	1,629	1,821	1,352	1,143	1,854	1,752	2,096	2,115	1,981	2,113	2,076	100%	9%	21,611
										CUMULATIVE												1,679	3,308	5,129	6,481	7,624	9,478	11,230	13,326	15,441	17,422	19,535	21,611		100%	
			PICK UP/TRUCK SALES TOTAL																			20,693	18,846	20,972	19,153	12,894	16,927	19,369	21,926	20,983	19,340	21,957	29,300			242,360
			PICK UP/TRUCK SALES CUMULATIVE																			20,693	39,539	60,511	79,664	92,558	109,485	128,854	150,780	171,763	191,103	213,060	242,360			23.1%

6. DOUBLE CABIN SALES `JAN-DEC 2022

CATEGORY		BRAND	MODEL/TYPE	CC	TRANS	FUEL	TANK CAPT	GVW (Kg)	GEAR RATIO	WHEEL & TYRE SIZE	PS / HP	WHEEL BASE	DIMENSION	SEATER	DRIVE SYS.		SPEED	DOOR	WHEEL	CBU / CKD	ORIGIN COUNTRY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	D. Cabin Share	TOTAL 2022
DOUBLE CABIN 4X2 / 4X4	For All CC	ISUZU	D-MAX DC	2,499	MT	D	76	2,750	4,100	245/70/R16	109	3,095	5,190 x 1,860 x 1,785	5	4X4	4WD	-	4	4	CBU	Thailand	-	15	8	41	280	42	246	63	-	62	58	204	5.2%	1,019
			D-MAX Rodeo MT	2,499	MT	D	76	2,750	4,300	245/70/R16	109	3,095	5,190 x 1,860 x 1,785	5	4X4	4WD	-	4	4	CBU	Thailand	-	-	45	-	-	25	28	-	-	-	-	21	0.6%	119
		MITSUBISHI MOTORS	Triton 2.5L DC EXCEED (4X4) MT	2,477	MT	D	75	2,760	4,636	245/75/R16	178	3,000	5255 X 1815 X 1795	5	4X4	4WD	165	4	4	CBU	Thailand	65	30	136	96	-	3	-	84	27	147	108	1	3.6%	697
			Triton SU 2.5L HP-E D CAB Ultimate (4X4) A/T	2,442	AT	D	75	2,870	4,272	265/60 R18	181	3,000	5305 X 1815 X 1795	5	4X4	4WD	-	4	4	CBU	Thailand	65	41	71	40	42	1	1	80	42	-	-	6	2.0%	389
			Triton 2.5L DC GLS (4X4) MT	2,477	MT	D	75	2,760	4,636	245/75/R16	178	3,000	5205 X 1815 X 1795	5	4X4	4WD	165	4	4	CBU	Thailand	127	9	459	504	118	2	182	217	500	-	31	49	11.3%	2,198
			Triton 2.5L DC HDX (4X4) MT	2,477	MT	D	75	2,760	4,636	245/75/R16	178	3,000	5205 X 1815 X 1795	5	4X4	4WD	165	4	4	CBU	Thailand	405	531	699	366	98	3	660	100	-	-	199	990	20.8%	4,051
		TOYOTA	HiLux 2.4 P/U DC E	2,394	MT	D	70	1,880	-	255 / 70 R15C	144 / 3400	3,085	5260X1835X1850	4	4X4	4WD	-	4	4	CBU	Thailand	-	-	-	-	-	-	-	-	-	-	-	-	0.0%	-
			HiLux 2.4 P/U DC G	2,394	MT	D	70	1,880	-	255 / 70 R15C	144 / 3400	3,085	5260X1835X1850	4	4X4	4WD	-	4	4	CBU	Thailand	274	922	841	1,317	476	285	326	191	990	1,246	817	1,617	47.7%	9,302
			HiLux 2.4 P/U DC V	2,394	AT	D	70	1,880	-	255 / 70 R15C	144 / 3400	3,085	5260X1835X1850	4	4X4	4WD	-	4	4	CBU	Thailand	28	110	69	447	44	95	68	25	150	307	102	301	8.9%	1,746
										TOTAL												964	1,658	2,328	2,811	1,058	456	1,511	760	1,709	1,762	1,315	3,189	100%	19,521
										CUMULATIVE												964	2,622	4,950	7,761	8,819	9,275	10,786	11,546	13,255	15,017	16,332	19,521		
			DOUBLE CABIN SALES TOTAL																			964	1,658	2,328	2,811	1,058	456	1,511	760	1,709	1,762	1,315	3,189		19,521
			DOUBLE CABIN SALES CUMULATIVE																			964	2,622	4,950	7,761	8,819	9,275	10,786	11,546	13,255	15,017	16,332	19,521		1.9%

7. AFFORDABLE ENERGY SAVING CARS 4X2 `JAN-DEC 2022

CATEGORY		BRAND	MODEL/TYPE	CC	TRANS	FUEL	TANK CAPT	GVW (Kg)	GEAR RATIO	WHEEL & TYRE SIZE	PS / HP	WHEEL BASE	DIMENSION P x L xT	SEATER	DRIVE SYS.		SPEED	DOOR	WHEEL	CBU / CKD	ORIGIN COUNTRY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	Segment Share	Share	TOTAL 2022
AFFORDABLE ENERGY SAVING CARS 4X2	CC ≤ 1.200 [G]	DAIHATSU	New Ayla 1.0 D (MC 2020)	1,197	MT	G	33	785	4,485	175/65R14	65	2,450	3600X1600X1520	5	4X2	FF	-	5	4	CKD	INA	-	3	1	4	-	-	1	-	2	1	1	-	0.0%	0.0%	13
			New Ayla 1.0 D+ (MC 2020)	1,197	AT	G	33	785	4,485	175/65R14	65	2,450	3600X1600X1520	5	4X2	FF	-	5	4	CKD	INA	287	332	210	361	36	574	434	189	400	244	534	514	2.2%	2.2%	4,115
			New Ayla 1.0 X MT (MC 2020)	1,197	MT	G	33	785	4,485	175/65R14	65	2,450	3600X1600X1520	5	4X2	FF	-	5	4	CKD	INA	335	339	313	360	181	697	442	521	500	587	517	851	3.0%	3.0%	5,643
			New Ayla 1.0 X AT (MC 2020)	1,197	AT	G	33	785	4,485	175/65R14	65	2,450	3600X1600X1520	5	4X2	FF	-	5	4	CKD	INA	199	189	137	167	191	239	259	166	245	293	235	417	1.5%	1.5%	2,737
			New Ayla 1.2 X MT (MC 2020)	1,197	MT	G	33	785	4,485	175/65R14	65	2,450	3600X1600X1520	5	4X2	FF	-	5	4	CKD	INA	86	57	108	74	87	117	179	116	94	63	165	119	0.7%	0.7%	1,265
			New Ayla 1.2 X AT (MC 2020)	1,197	AT	G	33	785	4,485	175/65R14	65	2,450	3600X1600X1520	5	4X2	FF	-	5	4	CKD	INA	76	56	96	44	159	43	132	94	137	203	146	284	0.8%	0.8%	1,470
			New Ayla 1.2 R MT (MC 2020)	1,197	MT	G	33	785	4,485	175/65R14	65	2,450	3600X1600X1520	5	4X2	FF	-	5	4	CKD	INA	376	354	301	184	320	415	593	350	392	510	489	673	2.7%	2.7%	4,957
			New Ayla 1.2 R AT (MC 2020)	1,197	AT	G	33	785	4,485	175/65R14	65	2,450	3600X1600X1520	5	4X2	FF	-	5	4	CKD	INA	296	140	115	89	119	431	214	440	286	321	342	507	1.8%	1.8%	3,300
			New Sigra 1.0 D MT	998	MT	G	36	1,480	5,545	155/80 R13	67	2,525	4070X1655X1600	7	4X2	FF	-	5	4	CKD	INA	977	426	448	806	285	938	-	-	-	-	-	-	2.1%	2.1%	3,880
			New Sigra 1.0 M MT	998	MT	G	36	1,480	5,545	175/65 R14	67	2,525	4070X1655X1600	7	4X2	FF	-	5	4	CKD	INA	1,017	369	503	810	284	944	-	-	-	-	-	-	2.1%	2.1%	3,927
			New Sigra 1.2 X MT	1,197	MT	G	36	1,500	5,077	175/65 R14	88	2,525	4070X1655X1600	7	4X2	FF	-	5	4	CKD	INA	322	260	491	134	181	561	-	-	-	-	-	-	1.0%	1.0%	1,949
			New Sigra 1.2 X AT	1,197	AT	G	36	1,500	4,839	175/65 R14	88	2,525	4070X1655X1600	7	4X2	FF	-	5	4	CKD	INA	87	67	35	81	98	156	-	-	-	-	-	-	0.3%	0.3%	524
			New Sigra 1.2 R MT	1,197	MT	G	36	1,500	5,077	175/65 R14	88	2,525	4070X1655X1600	7	4X2	FF	-	5	4	CKD	INA	2,405	1,212	1,120	1,164	893	2,282	-	-	-	-	-	-	4.9%	4.9%	9,076
			New Sigra 1.2 R AT	1,197	AT	G	36	1,570	4,839	175/65 R14	88	2,525	4070X1655X1600	7	4X2	FF	-	5	4	CKD	INA	322	139	134	621	149	469	-	-	-	-	-	-	1.0%	1.0%	1,834
			New Sigra 1.0 D MT 2022	998	MT	G	36	1,480	5,545	155/80 R13	67	2,525	4070X1655X1600	7	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	691	796	581	515	1,263	1,420	2.8%	2.8%	5,266
			New Sigra 1.0 M MT 2022	998	MT	G	36	1,480	5,545	155/80 R13	67	2,525	4070X1655X1600	7	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	720	827	507	512	1,206	1,372	2.8%	2.8%	5,144
			New Sigra 1.2 X MT 2022	1,197	MT	G	36	1,500	5,077	175/65 R14	88	2,525	4070X1655X1600	7	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	319	535	107	186	575	405	1.1%	1.1%	2,127
			New Sigra 1.2 X AT 2022	1,197	AT	G	36	1,500	5,077	175/65 R14	88	2,525	4070X1655X1600	7	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	98	93	274	97	204	157	0.5%	0.5%	923
			New Sigra 1.2 R MT 2022	1,197	MT	G	36	1,500	5,077	175/65 R14	88	2,525	4070X1655X1600	7	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	2,175	1,630	2,539	2,171	2,692	2,698	7.4%	7.4%	13,905
			New Sigra 1.2 R AT 2022	1,197	AT	G	36	1,500	5,077	175/65 R14	88	2,525	4070X1655X1600	7	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	312	493	237	257	890	683	1.5%	1.5%	2,872
		HONDA	Brio SATYA S	1,198	MT	G	35	960	-	-	88	2,345	3610 x 1680 x 1485	5	4X2	FF	-	5	4	CKD	INA	120	291	303	175	300	233	18	288	131	117	124	360	1.3%	1.3%	2,460
			Brio SATYA E	1,198	MT	G	35	960	-	-	88	2,345	3610 x 1680 x 1485	5	4X2	FF	-	5	4	CKD	INA	776	1,583	1,234	1,151	1,105	1,358	1,066	822	1,516	966	2,525	1,500	8.4%	8.4%	15,602
			Brio SATYA E	1,198	AT	G	35	960	-	-	88	2,345	3610 x 1680 x 1485	5	4X2	FF	-	5	4	CKD	INA	2,493	2,240	986	2,397	1,790	2,111	1,706	2,287	3,179	3,386	3,513	2,654	15.4%	15.4%	28,742
		TOYOTA	New Agya 1.0 G	1,197	MT	G	33	-	4,485	175/65R14	65.3 / 6000	2,450	3600X1620X1520	5	4X2	FF	-	5	4	CKD	INA	-	-	1	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			New Agya 1.2 G	1,197	MT	G	33	-	4,485	175/65R14	65.3 / 6000	2,450	3600X1620X1520	5	4X2	FF	-	5	4	CKD	INA	-	-	1	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			New Agya 1.2 G TRD AT	1,197	AT	G	33	-	4,485	175/65R14	65.3 / 6000	2,450	3600X1620X1520	5	4X2	FF	-	5	4	CKD	INA	-	-	-	-	-	-	1	1	-	-	-	-	0.0%	0.0%	2
			New Agya 1.2 G MI 2020	1,197	MT	G	33	-	4,485	175/65R14	65.3 / 6000	2,450	3600X1620X1520	5	4X2	FF	-	5	4	CKD	INA	39	36	64	14	33	39	29	12	14	39	12	7	0.2%	0.2%	338
			New Agya 1.2 G A/T MI 2020	1,197	AT	G	33	-	4,485	175/65R14	65.3 / 6000	2,450	3600X1620X1520	5	4X2	FF	-	5	4	CKD	INA	25	40	-	2	14	4	12	9	10	15	9	10	0.1%	0.1%	150
			New Agya 1.2 G TRD A/T MI 2020	1,197	AT	G	33	-	4,485	175/65R14	65.3 / 6000	2,450	3600X1620X1520	5	4X2	FF	-	5	4	CKD	INA	-	-	1	-	-	-	-	-	-	-	-	-	0.0%	0.0%	1
			New Agya 1.2 GR Sport 2021	1,197	MT	G	33	-	4,485	175/65R14	65.3 / 6000	2,450	3600X1620X1520	5	4X2	FF	-	5	4	CKD	INA	497	1,235	801	424	596	1,089	1,159	1,161	603	1,254	498	640	5.3%	5.3%	9,957
			New Agya 1.2 GR Sport A/T 2021	1,197	AT	G	33	-	4,485	175/65R14	65.3 / 6000	2,450	3600X1620X1520	5	4X2	FF	-	5	4	CKD	INA	450	1,030	781	382	593	1,012	1,214	1,177	1,351	1,412	870	614	5.8%	5.8%	10,886
			Calya 1.2 E Std 2022	1,200	MT	G	-	-	-	175/65R14	-	2,525	-	7	4X2	FR	5	4	4	CKD	INA	-	-	-	-	-	-	44	1,139	115	49	117	103	0.8%	0.8%	1,567
			Calya 1.2 E 2022	1,200	MT	G	-	-	-	175/65R14	-	2,525	-	7	4X2	FR	5	4	4	CKD	INA	-	-	-	-	-	-	34	613	209	165	91	136	0.7%	0.7%	1,248
			Calya 1.2 G 2022	1,200	MT	G	-	-	-	175/65R14	-	2,525	-	7	4X2	FR	4	4	4	CKD	INA	-	-	-	-	-	-	2,958	1,409	3,280	3,505	2,119	2,602	8.5%	8.5%	15,873
			Calya 1.2 G A/T 2022	1,200	AT	G	-	-	-	175/65R14	-	2,525	-	7	4X2	FR	4	4	4	CKD	INA	-	-	-	-	-	-	1,464	1,627	1,497	940	989	1,028	4.0%	4.0%	7,545
			Calya 1.2 E STD	1,200	MT	G	-	-	-	175/65R14	-	2,525	-	7	4X2	FR	5	4	4	CKD	INA	21	35	48	64	232	90	1	-	-	-	-	-	0.3%	0.3%	491
			Calya 1.2 E	1,200	MT	G	-	-	-	175/65R14	-	2,525	-	7	4X2	FR	5	4	4	CKD	INA	93	70	28	127	245	148	2	-	-	-	-	-	0.4%	0.4%	713
			Calya 1.2 G	1,200	MT	G	-	-	-	175/65R14	-	2,525	-	7	4X2	FR	5	4	4	CKD	INA	624	1,839	2,635	2,504	1,023	2,899	239	67	263	254	43	-	6.6%	6.6%	12,390
			Calya 1.2 G A/T	1,200	AT	G	-	-	-	175/65R14	-	2,525	-	7	4X2	FR	4	4	4	CKD	INA	194	578	810	537	723	898	15	-	-	-	-	-	2.0%	2.0%	3,755
										TOTAL												12,117	12,920	11,705	12,676	9,637	17,747	16,531	16,862	18,469	18,062	20,169	19,754	100%	100%	186,649
										CUMULATIVE												12,117	25,037	36,742	49,418	59,055	76,802	93,333	110,195	128,664	146,726	166,895	186,649			
	CC ≤ 1.500 [D]	-	-	-	-	-	-	-							-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	#DIV/0!	0.0%	-
			-	-	-	-	-	-							-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	#DIV/0!	0.0%	-
		TOTAL																				-	-	-	-	-	-	-	-	-	-	-	-	#DIV/0!	0%	-
		CUMULATIVE																				-	-	-	-	-	-	-	-	-	-	-	-			
			AFFORDABLE ENERGY SAVING CARS 4X2 SALES TOTAL																			12,117	12,920	11,705	12,676	9,637	17,747	16,531	16,862	18,469	18,062	20,169	19,754		100%	186,649
			AFFORDABLE ENERGY SAVING CARS 4X2SALES CUMULATIVE																			12,117	25,037	36,742	49,418	59,055	76,802	93,333	110,195	128,664	146,726	166,895	186,649			18%

PASSENGER CAR SALES (SEDAN, 4X2, 4X4, KBM HEMAT ENERGI & TERJANGKAU)

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
PASSENGER CAR SALES TOTAL	62,323	60,387	75,048	60,635	35,620	61,288	65,146	73,984	77,064	71,762	67,731	72,575	783,563
PASSENGER CAR SALES CUMULATIVE	62,323	122,710	197,758	258,393	294,013	355,301	420,447	494,431	571,495	643,257	710,988	783,563	74.8%

COMMERCIAL VEHICLE SALES (PU, TRUCK, BUS, DC)

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
COMMERCIAL VEHICLE SALES TOTAL	21,826	20,608	23,487	22,096	14,090	17,622	21,099	22,972	22,922	21,432	23,544	32,779	264,477
COMMERCIAL VEHICLE SALES CUMULATIVE	21,826	42,434	65,921	88,017	102,107	119,729	140,828	163,800	186,722	208,154	231,698	264,477	25.2%

DOMESTIC SALES TOTAL

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
DOMESTIC SALES TOTAL	84,149	80,995	98,535	82,731	49,710	78,910	86,245	96,956	99,986	93,194	91,275	105,354	1,048,040
DOMESTIC SALES CUMULATIVE	84,149	165,144	263,679	346,410	396,120	475,030	561,275	658,231	758,217	851,411	942,686	1,048,040	100%

©GAIKINDO-22