


4. Cursor.AI

설치

<https://www.cursor.com/>에서 Windows (x64) (System) 를 클릭



The screenshot shows the Cursor AI download page. The browser address bar displays `cursor.com/ko/download`. The page header includes the Cursor logo, navigation links (제품, 기업, 요금제, 리소스), and user options (로그인, 영업팀에 문의하기, 다운로드). The main content area features three columns: a left column with a 'Download for Windows' button, a middle column with a terminal snippet for PowerShell/Linux/WSL showing the command `irm 'https://cursor.com/install?win32=t'`, and a right column with a 'Start Cursor in Web' button. Below this, a text block states: 'The Cursor desktop app is available for macOS, Windows, and Linux.' A section for version 3.1 (Latest) follows, containing three columns of download links for macOS, Windows, and Linux. The Windows column is highlighted, showing links for 'Windows (x64) (System)', 'Windows (x64) (User)', 'Windows (ARM64) (System)', and 'Windows (ARM64) (User)'.

→ cursor.com/ko/download

CURSОР

제품 기업 요금제 리소스

로그인 영업팀에 문의하기 다운로드

the editor for when you need them.

Download for Windows ↓

to your preferred IDEs.

PowerShell Linux / WSL

`irm 'https://cursor.com/install?win32=t'`

Start Cursor in Web →

phone, or tools like Slack, GitHub, and Linear.

The Cursor desktop app is available for macOS, Windows, and Linux.

3.1 Latest

macOS

Mac (ARM64) ↓

Mac (x64) ↓

Mac Universal ↓

Windows

Windows (x64) (System) ↓

Windows (x64) (User) ↓

Windows (ARM64) (System) ↓

Windows (ARM64) (User) ↓

Linux

Linux .deb (ARM64) ↓

Linux .deb (x64) ↓

Linux RPM (ARM64) ↓

Linux RPM (x64) ↓



Linux AppImage (ARM64) ↓

Linux AppImage (x64) ↓

4. Cursor.AI

설치



Download 파일을 이용해 설치 시작 ...



4. Cursor.AI



설치

C:\Program Files\cursor





설치

바탕 화면에 바로가기 만들기 체크



4. Cursor.AI



설치 설치 끝



4. Cursor.AI

사용해 보기


구글 계정으로 계속하기



4. Cursor.AI


사용해 보기

구글 계정으로 계속하기



4. Cursor.AI

사용해 보기 비밀번호 입력



The screenshot shows a web browser window with a Google account login page. The page title is "로그인 - Google 계정" (Login - Google Account). The URL in the address bar is "https://accounts.google.com/v3/signin/challenge/pwd?TL=ALgCv6xDSA3gd6eFe3g-bPlx-yi5cf1Nw8V4WPwE4oDSI45EP-cpQonGzW-YxdA8&access_type=offline&app_domain=https%3A%2F%2Fauthenticate.c...".

The main content area displays the user's name "김대경" (Kim Dae-gyeong) and email "onlookertozip@gmail.com". Below this, there is a password input field labeled "비밀번호 입력" (Enter password). A checkbox labeled "비밀번호 표시" (Show password) is located below the input field.

A message states: "앱을 사용하기 전에 cursor.sh의 개인정보처리방침 및 서비스 약관을 검토하세요." (Before using the app, please review the privacy policy and service terms of cursor.sh).

At the bottom right, there are two buttons: "다른 방법 시도" (Try another way) and "다음" (Next).


At the bottom left, there is a language selector showing "한국어" (Korean).

At the bottom right, there are links for "도움말" (Help), "개인정보처리방침" (Privacy Policy), and "약관" (Terms of Service).

4. Cursor.AI

사용해 보기


cursor.sh 서비스로 로그인



4. Cursor.AI

사용해 보기


Yes, Log In



4. Cursor.AI

사용해 보기


All set! Feel free to return to Cursor. 확인 후 웹 브라우저를 닫는다.



4. Cursor.AI

사용해 보기


Skip and continue



4. Cursor.AI


사용해 보기

Customize Theme에서 Explore other theme



4. Cursor.AI

사용해 보기 Continue






4. Cursor.AI

사용해 보기


Continue





사용해 보기

Continue






4. Cursor.AI

사용해 보기


Language for AI : Auto, Open from Terminal : Install
Continue



4. Cursor.AI

사용해 보기

Open project





4. Cursor.AI

사용해 보기

Open project



Cursor
[Sign in](#)



Open project




Clone repo



Connect via SSH



사용해 보기



4. Cursor.AI

사용해 보기

The screenshot displays the Cursor.AI application interface. At the top, there is a search bar and a window control bar. A context menu is open, showing options for 'Agent', 'Editor', 'Open Agents Window', and 'Settings'. A blue arrow points from the 'Settings' option in the context menu to the 'Settings' button in the main interface. Below the context menu, the 'General' settings page is visible. It includes a 'Sign In' button, a 'Preferences' section with links to 'Editor Settings', 'Keyboard Shortcuts', and 'Import Settings from VS Code', and a 'Layout' section with a toggle for 'Status Bar' and a dropdown for 'Review Control Location'.

Search settings Ctrl+F

- General
- Agents
- Tab
- Models
- Cloud Agents
- Plugins
- Rules, Skills, Subagents
- Tools & MCPs
- Hooks
- Indexing & Docs
- Network
- Beta
- Marketplace
- Docs

Cursor Sign in

Open project Clone repo

General

Sign In
Sign in to get started with Cursor's AI features [Sign In](#)

Preferences

Editor Settings
Configure font, formatting, minimap and more [Open](#)

Keyboard Shortcuts
Configure keyboard shortcuts [Open](#)

Import Settings from VS Code
Import settings, extensions, and keybindings from VS Code [Import](#)

Reset "Don't Ask Again" Dialogs
See warnings and tips that you've hidden [Show](#)

Layout

Status Bar
Show status bar at the bottom of the window ☒

Review Control Location
Show inline diff review controls in top level breadcrumbs or floating [Breadcrumbs](#)

회사 코드, 외부로 전송되는 건 아닐까?

● Privacy Mode 설정 방법

- Cursor IDE 상단 메뉴에서 Settings(환경설정)으로 이동.
- 좌측 메뉴에서 Privacy 항목 > Configure here. 클릭 후 진행

The screenshot shows the Cursor IDE Settings window. On the left is a sidebar with a search bar and a list of settings categories: General, Agents, Tab, Models, Cloud Agents, Tools & MCP, Rules, Skills, Subagents, Hooks, Indexing & Docs, Network, Beta, and Docs. The 'General' category is selected. The main panel on the right contains several settings sections. At the top is 'Import Settings from VS Code' with an 'Import' button. Below that is 'Reset "Don't Ask Again" Dialogs' with a 'Show' button. The 'Notifications' section has three toggle switches: 'System Notifications' (on), 'System Tray Icon' (on), and 'Completion Sound' (off). The 'Privacy' section is highlighted with a red box. It contains a 'Privacy Mode' toggle (on), a description of the mode, and a 'Log Out' button. A red box also highlights the 'Configure here' link in the 'Data Sharing' section.

Import Settings from VS Code
Import settings, extensions, and keybindings from VS Code [Import](#)

Reset "Don't Ask Again" Dialogs
See warnings and tips that you've hidden [Show](#)

Notifications

System Notifications
Show system notifications when Agent completes or needs attention ☒

System Tray Icon
Show Cursor in system tray ☒

Completion Sound
Play a sound when Agent finishes responding ☐

Privacy


☒ Privacy Mode
Your code data will not be trained on or used to improve the product. Code may be stored to provide features such as Background Agent.

Data Sharing is controlled by the team admin. [Configure here.](#) [Log Out](#)

4. Cursor.AI

회사 코드, 외부로 전송되는 건 아닐까?

- Privacy Mode 설정 방법



The screenshot shows the Cursor AI login interface. At the top left is the 'CURSOR' logo. The main heading is 'Welcome to Cursor' with the tagline 'The new way to build software'. Below this are three buttons for social login: 'Google로 계속하기', 'GitHub로 계속하기', and 'Apple로 계속하기'. Under these is a section for email login, starting with the label '이메일', followed by a text input field labeled '이메일 주소' and a '계속' button. At the bottom, there is a link that says '계정이 없으신가요? 회원가입'.

4. Cursor.AI

회사 코드, 외부로 전송되는 건 아닐까?

● Privacy Mode 설정 방법

The screenshot displays the Cursor.AI Team Settings interface. On the left, a sidebar lists various settings: Overview, My Settings, Cloud Agents, Bugbot, Plugins, Integrations & MCP, Rules & Commands, Shared Transcripts, Team Settings (highlighted), Analytics, Members, Usage, Spending, and Billing & Invoices. At the bottom of the sidebar is a button to 'Invite Teammates'. The main content area is titled 'Team Settings' and includes sections for 'Details' (Team Name, Team ID), 'Privacy', 'Student Verification', and 'Dashboard Analytics'. A modal window titled 'Privacy Settings' is open in the center. It contains the following information:

- Privacy Settings** (with a close button 'x')
- Choose how Cursor stores and uses data. You can modify this setting at any time. [Learn more](#)
- Privacy Mode** (Active) with a checkmark icon. Description: No training. Code may be stored for Cloud Agent, Team Rules, and other features.
- Share Data**: Code data is shared to help improve Cursor for everyone.
- More Options** (expandable section):
 - Privacy Mode (Legacy)**: No training or storage. Disables Cloud Agent and other features that require code storage.
- Done** button at the bottom right.

In the background, the 'Privacy' section of the Team Settings is visible, showing 'Privacy Mode' as 'Active' with a description: 'Your code data will be stored and used to improve Cursor for everyone. This setting is enforced for all team members.'



4. Cursor.AI

주요 커맨드 (단축키)

1. Tab

- 에디터에서 약 1초간 가만히 있으면 Cursor Copilot++이 AI로 코드를 자동완성 해줍니다.

2. Ctrl + K

- Ctrl + K를 사용하면 AI로 바로바로 코드를 편집하고 작성할 수 있습니다.

3. Ctrl + L

- Ctrl + L를 사용하면 에디터 화면 오른쪽에 LLM과 Chat을 할 수 있는 탭이 열립니다.



4. Cursor.AI

심볼 @

- Cursor에는 Chat이나 미니 프롬프트에 챗을 사용할 때 심볼로 검색 기능을 바꿀 수 있다. "@" 기호를 입력시 여러 검색 기능을 볼 수 있으며 원하는 검색 방식을 선택할 수 있다.
- @Codebase
 - @Codebase 를 입력시 전체 코드베이스를 스캔하여 답변을 하며, 프로젝트 전체적으로 훑어보고 싶으시거나 파일 전체를 대상으로 질문하고 싶을 때 사용을 추천.
- @Docs
 - @Docs 를 입력시 인기 있는 라이브러리를 참조하거나 @Docs → Add new doc 를 사용하여 원하시는 문서의 웹사이트 링크를 입력하여 참조 가능. 참조한 문서는 계속 사용 가능.
- @Web
 - @Web 를 입력시 AI가 인터넷에서 최신 정보를 검색하여 요약한 내용을 바탕으로 답변을 한다.

Project Rules

<https://docs.cursor.com/context/rules>



Q Search...Ctrl K

Sign in

DocumentationGuidesTools

Website

Forum

Support

Get Started

Welcome to Cursor

Installation

FAQ

Editor

Tab >

Agent >

Inline Edit (⌘K) >

Background Agents

Advanced >

Context

Codebase Indexing

Rules

Rules apply to both Chat and Inline Edit (Cmd/Ctrl + K)

Project rules

Project rules live in `.cursor/rules`. Each rule is stored as a file and version-controlled. They can be scoped using path patterns, invoked manually, or included based on relevance.

Use project rules to:

- Encode domain-specific knowledge about your codebase
- Automate project-specific workflows or templates
- Standardize style or architecture decisions

Rule type

Each rule file is written in **MDC** (`.mdc`), a lightweight format that supports metadata and content in a single file. Rules supports the following types:

Rule Type	Description
Always	Always included in the model context
Auto Attached	Included when files matching a glob pattern are referenced

On this page

How rules work

Project rules

Rule type

Example MD

Nested rules

Creating a rule

Generating rule

Team rules

Best practices

Examples

From Cursor cc

User rules

Memories

.cursorrules (Legacy)

FAQ

4. Cursor.AI

Cursor.AI 사용해 보기 Python 검색 후 설치

The image shows a sequence of two screenshots from the Visual Studio Code interface, illustrating the process of finding and installing the Python extension. A large red arrow points from the first screenshot to the second, indicating the progression.

Top Screenshot (Initial Search Results):

- Left Panel (Marketplace):** Displays search results for "Python". The top result is "Python" by Anyosphere, described as "Static type checking for Python". Below it is "Python" by ms-python, described as "Python language support with extension access...".
- Right Panel (Extension Details):** Shows the details for the "Python" extension by ms-python. It includes the Python logo, the name "Python", the identifier "ms-python", a download count of 170,000,000, and a star rating of 5 (616 reviews). The description states: "Python language support with extension access points for IntelliSense (Pylance)". The "Install" button is highlighted.

Bottom Screenshot (Detailed Extension Page):

- Left Panel (Marketplace):** Similar to the top screenshot, but the "Python" extension by ms-python is now selected and highlighted.
- Right Panel (Extension Details):** Shows the detailed view of the "Python" extension by ms-python. It includes the Python logo, the name "Python", the identifier "ms-python", a download count of 170,000,000, and a star rating of 5 (616 reviews). The description states: "Python language support with extension access points for IntelliSense (Pylance)". The "Install" button is highlighted. Below the description, there are tabs for "DETAILS", "FEATURES", "CHANGELOG", and "EXTENSION PACK". The "DETAILS" tab is selected, showing the title "Python extension for Visual Studio Code" and a description: "A Visual Studio Code extension with rich support for the Python language (for all actively supported Python versions), providing access points for extensions to seamlessly integrate and offer support for IntelliSense (Pylance), debugging (Python Debugger), formatting, linting, code navigation, refactoring, variable explorer, test explorer, and more...".

4. Cursor.AI

Live Server

내 컴퓨터를 실제 서버처럼 작동 시켜줌

Live Server

ritwickdey | 510K | 5 stars (3)

Launch a development local Server with live reload feature for static & dynamic pages

Install ☒ Auto Update

MARKETPLACE

Community Server Connectors 6K
Connects vscode with open source com...
redhat Install

Runtime Server Protocol UI 6K
Provides a unified UI to interact with run...
redhat Install

Live Server (Five Server) 200K ★ 5
A better Live Server with instant updates...
yandeu Install

F5 20
Automatically reloads the browser when...
PCODE-pl Install

Live Preview 330K ★ 5
Hosts a local server in your workspace fo...
ms-vscode Install

Cloud Studio Live Server 2K
Browser preview extension
cloudstudio Install

Live Server 510K ★ 5
Launch a development local Server with ...
ritwickdey Install

Live Server

ritwickdey | 510,000 | ★★★★★ (3)

Launch a development local Server with live reload feature for static & dynamic pages

Install ☒ Auto Update

DETAILS FEATURES CHANGELOG

[Wanna try LIVE SERVER++ (BETA) ? It'll enable live changes without saving file.
<https://github.com/ritwickdey/vscode-live-server-plus-plus>]

Live Server

Live Server loves ❤️ your multi-root workspace

Live Server for server side pages like PHP. [Check Here](#)

[For 'command not found error' #78]

vscode marketplace v5.7.9 vs marketplace rate limited by upstream service rating 4.4/5 (506)

404 badge not found appveyor branch passing license MIT

Launch a local development server with live reload feature for static & dynamic pages.

Marketplace

Identifier	ritwickdey.liveserver
Version	5.7.9
Published	2020-03-20, 04:42:37
Last Released	2022-08-31, 14:35:46

Categories

Other

Resources

[Marketplace](#)
[Repository](#)