



Analysis and Review Web Application Site Help

Version 9.0.2.0, September 2020

Table of Contents

September 2020	2
April 2020	3
September_2019	4
Getting started	4
Log out	4
Menu bar	4
Keyboard shortcuts	5
Standard grid functionality	6
Show or hide columns in a grid	6
Sort data in a grid	7
Filters	7
Define, apply, and remove filters	8
Reorder columns in a grid	9
Page through multipage grids	9
Modify page size (number of rows displayed)	9
Refresh data in a grid	10
Printing pages in the Web UI	10
Dashboard	11
Widgets	11
Add a widget	11
Edit a widget	16
Sort a widget	16
Refresh a widget	21
Remove a widget	21
Open dimension ID	21
Recent dimension IDs	22
Get Next Alert	22
Open in new browser tab	22
Open Dimension ID List	22
Search	23
Search for dimension IDs	23
Search fields available by default for each dimension	24
Search field data types and available operators	27
Default search fields and operators displayed for each dimension	28
Review	30
Side toolbar	30
Selection toolbar	30
Banner	30
Demographic data	32
Action history	32
Transaction data	33

Copy transaction data	33
Export transaction data	33
Alert Info	34
Enhanced Profiling	34
Standard Profiles	34
Deposit history tab	36
Mark profiles	36
Linked Accounts tab	36
Actions	37
Mark	37
Block	39
Forwards	41
Reminders	42
Response Required	43
Notes	44
Documentation	45
Manual notification	49
Communication	50
Override	52
Watch	53
Travel notifications	54
Take an action on one or more dimension IDs using the selection toolbar	57
Closing alerts and reviews	57
Point of Compromise (POC)	58
Review pending POC alerts	58
Block an alerted dimension ID	59
Block Cards at Risk	60
Pending alerts	60
Open a pending alert	61
Open a dimension ID	61
Delete one or more pending alerts	62
Copy pending alert data	62
Export pending alert data	63
Forwards & Reminders	63
Reminders	63
Forwards sent by me	64
Forwards sent to me	64
My team	64
Edit a reminder	65
Edit a forward	65
User Activity History Report	66
Generate a User Activity History Report	67

Notices

ACI Worldwide

Offices in principal cities throughout the world.

<http://www.aciworldwide.com>

Americas +1 402 390 7600

Asia Pacific +65 6334 4843

Europe, Middle East, Africa +44 (0) 1923 816393

© Copyright ACI Worldwide, Inc. 2020

All information contained in this documentation, as well as the software described in it, is confidential and proprietary to ACI Worldwide, Inc., or one of its subsidiaries, is subject to a license agreement, and may be used or copied only in accordance with the terms of such license. Except as permitted by such license, no part of this documentation may be reproduced, stored in a retrieval system, or transmitted in any form or by electronic, mechanical, recording, or any other means, without the prior written permission of ACI Worldwide, Inc., or one of its subsidiaries.

ACI, ACI Worldwide, the ACI logo, ACI Universal Payments, UP, the UP logo and all ACI product/solution names are trademarks or registered trademarks of ACI Worldwide, Inc., or one of its subsidiaries, in the United States, other countries or both. Other parties' trademarks referenced are the property of their respective owners.

September 2020

The following are the topics and changes made for PRM 9.0.2.0.

[Printing pages in the Web UI](#) Adds information about using the browser's print function to print pages in the Web UI.

[Add the Transaction Statistics widget](#)

Updates the name of the widget from Transaction Volume Overview to Transaction Volume Statistics.

Adds a step for selecting one or more KPIs from the AG KPI name field.

April 2020

- Replaced the words "subject" and "subject ID" with "dimension ID", and "subject type" with "dimension".
- Replaced "suspend" with "override", "suspended" with "overridden", and rewrote sentences and topics containing "suspension".

Standard Profiles

Added Deposit History to the list of subtabs that can be displayed from the Standard Profiles tab for Merchants.

User Activity History Report

Added a topic describing the User Activity History report.

Generate a User Activity History Report

Added a topic with instructions on how to generate this report.

Deposit history tab

Added a topic describing the data available on the Deposit History tab.

Add the Analyst Performance widget

Updated field descriptions and selection values.

Add the Queue Status widget

Updated field descriptions and selection values.

Add the Near Real-Time Rule Performance widget

Updated field descriptions and selection values.

Add the Real-Time Rule Performance widget

Updated field descriptions and selection values.

September_2019

Changes have been made throughout this publication to reflect the enhancements that were made to existing functionality. Listed below are the major changes made to this publication for Release 9.0.0.0.

Topics have been added to describe the following new functionality in the Analysis and Review Web Application:

- Keyboard shortcuts
- Filters
- Real-Time Rule Performance widget
- Near Real-Time Rule Performance widget
- Linked Accounts tab
- New actions:
 - Manual Notification
 - Communication (letters and email)
 - Suspend
 - Watch
 - Travel Notification
 - Notes (replaced Memo)
- Point of Compromise (POC)

Getting started

This publication describes the functionality available in the Analysis and Review Web Application.

The functionality available to you may vary from what is described in the publication, depending on your institution's configuration, and the role to which you have been assigned.

Log out

To log out of the Analysis and Review Web Application, click **Logout** in the upper-right corner of the window. When you log out of the Analysis and Review Web Application, the Log In window appears. You can log in again or close your browser.

Menu bar

After you log in to the Analysis and Review Web Application successfully, your dashboard is displayed (see "[Dashboard](#)" for more information). Above the dashboard is the menu bar, which, depending on your permissions, may consist of the following menu options:

- DASHBOARD
- SEARCH

- REVIEW
- PENDING ALERTS
- REPORTS
- FORWARDS & REMINDERS
- ADMINISTRATE

NOTE For information on the ADMINISTRATE functionality, see the *Configuration and Extension Guide*.

Keyboard shortcuts


Keyboard shortcuts enable you to navigate within the Analysis and Review Web Application, take actions, and perform certain operations within tables and grids, using only your keyboard.

To view a list of the keyboard shortcuts, press the "K" key on your keyboard or click the button shown below. You will find the button in the lower right corner of each page.



When you press "K" or click the button, the Keyboard Shortcuts pop-up window opens.

To find out what a key or key combination enables you to do, move your cursor over the help symbol for that key or key combination.



To close the Keyboard Shortcuts pop-up window, click the "X" in the upper right corner of the window.

NOTE The procedures described in this document identify the icons and buttons that can be used to perform the various functions from the Analysis and Review Web Application. As an alternative, you can perform many of those functions using the keyboard shortcuts.

Standard grid functionality

This topic describes the functionality available in grids in the Analysis and Review Web Application.


Show or hide columns in a grid

Follow these instructions if you want to hide columns that are displayed in a grid, or if you want to display columns that were previously hidden.

1. Click the **Show/Hide Columns** icon ().

A window opens listing the names of all the columns that can be displayed in the grid. Each column name is preceded by a checkbox.

- If the checkbox is selected, the column is displayed.
- If the checkbox has been cleared (that is, the check mark has been removed), the column is not displayed.
- The type ahead function in the field at the top of the window allows you to quickly find a column name.
- The checkbox next to the field at the top of the list allows you toggle between selecting all and clearing all check boxes.



2. Your next step depends on whether you want to show all columns, hide only selected columns, or show only selected columns.
 - If you want all of the columns that are available for the grid to be displayed, select the checkbox that is next to the field at the top of the list.
 - If you want to hide only a few of the columns that are available for the grid, select the checkbox that is next to the field at the top of the list and then clear the checkboxes next to the names of the columns you want to hide.
 - If you want to show only a few of the columns that are available for the grid, clear the checkbox that is next to the field at the top of the list and then select the checkboxes next to the columns you want to show.

3. Ten seconds after you have made your selection, your grid configuration for this window is saved so that the next time you open this window it will display the same selections you picked in step 2.

Sort data in a grid

You can change the order of the rows in a grid by sorting the data in one of the columns in either ascending or descending alphanumeric order.

When you sort the data in a column, it applies only to the current page.

You can sort the data in a column using the arrows to the right of the column name. Click the up arrow to sort the column in ascending alphanumeric order, or click the down arrow to sort the column in descending alphanumeric order.

Filters

You can filter the list of transactions in the grid on the All Transactions, Alerted Transactions, and Marked Transactions tabs of the Review page. Transactions can be filtered by one or multiple columns. When one or more filters are applied to a grid, they are saved and applied to all pages of the grid.

Define a filter by selecting the name of a visible column in the grid, selecting an operator, and then either selecting or entering a value. For example, on the All Transactions tab of the Review page, you can define a filter using the Retailer ID column, the operator "is equal to," and the value SAKS003. When you apply that filter, only transactions with a Retailer ID of SAKS003 will display in the grid.

Select the column for a filter from a drop-down field that contains a list of all the visible columns in the grid. By default, the field is set to the name of the first visible column in the grid, but you can select the name of a different column from the list.

After you select a column for the filter, select the operator from a drop-down field that contains a list of the standard operators that can be used with the selected column. The operators that are available depend on the data type of the selected column.

The following table lists the operators that are available for each data type:

Data Type	Operator
Boolean	• is equal to • is not equal to
Date	• is equal to • is not equal to • is less than • is greater than • between

Data Type	Operator
Numeric	• is equal to • is not equal to • is less than • is greater than • in • between
String	• is equal to • is not equal to • in • ends like • starts like • contains

After you select the column and operator, select a value from a drop-down list or manually enter a value. If the values for the selected column are masked, you are required to manually enter the value.

You can filter a sorted list of transactions. The sort criteria remains in place after a filter is applied, and it remains in place after a filter is removed.

Define, apply, and remove filters

You can define one or more filters and apply them to the list of transactions in a grid. You can also remove filtering from a grid and apply filters to the grids on the All Transactions, Alerted Transactions, and Marked Transactions tabs of the Review page.

1. Click the **Filter** icon ().

The filter panel opens containing three fields: Column, Operator, and Value. The Column field is automatically filled with the name of the first visible column in the grid.

2. On the filter panel, do the following:
 - a. If you do not want to define a filter using the first visible column in the grid, select the name of a different column from the list. The list includes the names of all the visible columns in the grid. Do not select the name of a column that is empty.
 - b. Select an operator from the list. The operators that are available depend on the data type of the selected column. See the table in [Filters](#) for a list of the operators for each data type.
3. Select a value from the list, or manually enter a value. The values displayed in the selection field are from the current page, not from the entire transactions table. Click the button at the end of the Value field to change the field from a drop-down list to a manual entry field, or from a manual entry field to a selection field.

NOTE

If you want to use a value that is masked in the grid, you must enter it manually. If you selected the between operator, you must select or enter two values to define the range.

4. If you want to define another filter, click **+ Add Filter**. You can define as many filters as you want.

If you decide that you do not want to apply the filter or filters you have defined, you can click **Remove**. The filter panel will look as it did when you first opened it. There will be only one row of fields, and the Column field will be automatically set to the name of the first column in the grid.

5. When you are finished defining the filter or filters, click **APPLY** to apply them to the list of transactions in the grid. The filter or filters are saved and automatically applied to all pages of the grid. An orange dot appears above the Filter icon to indicate that the filter or filters have been applied.

6. If after applying the filter or filters, you decide that you no longer want them applied to the grid, click **Remove**. The filter panel will look as it did when you first opened it. There will only be one row of fields, and the Column field will be automatically set to the name of the first column in the grid. The transactions in the grid will no longer be filtered, and the orange dot on the Filter icon will disappear.

Reorder columns in a grid


You can change the order in which the columns in a grid are displayed.

1. Find a column you want to move.
2. Click in the column heading and hold the mouse button down.
3. Drag the column to its new location in the grid.
4. Release the mouse button.
The column is displayed in the new location in the grid.
5. Repeat steps 1 - 4 for each column you want to move.

Ten seconds after you have finished moving columns, your grid configuration for this window is saved so that the next time you open this window it will display the columns in the same order.

Page through multipage grids

When a grid contains more than 50 rows, it must be displayed on more than one page. Use the arrows above the grid to move from one page to another. Click the left pointing arrow to move to the previous page, or click the right pointing arrow to move to the next page.



Modify page size (number of rows displayed)

To modify the number of rows that are displayed on each page of a grid, click the down arrow in the **Page Size** field to select a different number from the list. You can display 5, 10, 25, or 50 rows.



When you change the number of rows displayed on one page of the grid, it is changed for all pages of the grid. For example, if there are 18 rows of data and you change the page size from 10 to 5, then pages 1 through 3 will display 5 rows of data each and page 4 will display the last 3 rows of data.

Refresh data in a grid


You can refresh data in a grid by clicking the **Refresh** icon ().

For example, if you are viewing a dimension ID on the Review page, you can click the **Refresh** icon to refresh the All Transactions grid to ensure that you are seeing the latest transactions for that dimension ID.

Printing pages in the Web UI

Use your browser's print function to print pages from the Web UI, for example, the Review page or Pending Alerts page. Adjust the default settings to obtain the desired result. For example, you could change the layout from "Portrait" to "Landscape" and reduce the size of the image with a "Custom" scale option. You may also want to reduce the size of the margins.

The following image shows selections that allow the entire Review page to be printed. The Layout field is set to "Landscape." The Scale fields are set to "Custom" and "86" (86% of the original size).



The screenshot displays the ACI PRM Analysis & Review interface. The main content area shows the 'Review' page for card P3400, displaying demographic data and a table of transactions. The 'Print' dialog is open on the right, showing settings for printing the page.

Print Dialog Settings:

- Destination: Save as PDF
- Pages: All
- Layout: Landscape
- More settings: Paper size (Letter), Pages per sheet (1), Margins (Default), Scale (Custom, 86%)
- Options: ☒ Headers and footers, ☒ Background graphics

Transactions Table:

Transaction Date and Time	Mark Type	Amount 1
2020-09-16 00:51:57	1	132.69

If you are planning to print the Review page and do not need to print the Demographic Data and Activity History panels, you could collapse the top portion of the page before selecting your browser's print function. Doing so, would allow you to get more transactions on each printed page.

Dashboard

After you log in successfully to the Analysis and Review Web Application, your dashboard is displayed. You can return to your dashboard from any page in the Analysis and Review Web Application by clicking DASHBOARD in the main menu.

From your dashboard, you can:

- Click the + Add widget link to define and add a new widget to your dashboard. (You must have the Manage Dashboard permission.)
- View, refresh, edit, or remove previously added widgets. The previously added widgets are displayed automatically when the dashboard opens.
- Click the OpenDimension ID link to open the OPEN DIMENSION ID pop-up window.
- Click the RecentDimension IDs link to open the RECENT DIMENSION IDs pop-up window.
- Click the Get Next Alert button to open your next alert in the Review page.

Widgets

If you have the necessary permissions, you can customize your dashboard by adding one or more of the pre-defined widgets. Widgets are configured within the Analysis and Review Web Application. Once configured and generated, the reports that are displayed on the dashboard where they can be edited, sorted, refreshed, and removed.

Add a widget

When you click the **+ Add** widget link on the dashboard, the ADD WIDGET pop-up window opens. Use the pop-up window to select the type of widget you want to add to your dashboard.

1. From the drop-down list in the **Report Type** field, select the type of widget you want to add to your dashboard. The widgets are grouped under the category headings.
2. After you select the type of widget, the ADD WIDGET pop-up window expands, enabling you to set parameters for the widget and add it to your dashboard.

Add the Analyst Performance widget

The Analyst Performance report lists the following:

- Analysts

NOTE

If the analyst has multi-team reporting assigned, all analysts from the teams are listed.

- Their status (Active or Inactive)

NOTE

The status is based on whether the analyst took action on a dimension ID within the configured amount of minutes.

- Date and time of their last action

NOTE The last action is considered per analyst and not per portfolio.

- Queues to which they are assigned
- Portfolios to which the queues are assigned
- Count of the alerts they have worked from each queue in the selected time interval for the widget

NOTE Alerts entering multiple queues are counted. Alerts on which forwards or reminders are performed are considered worked.

Follow these steps to set the parameters for the Analyst Performance widget and to add it to your dashboard.

1. In the **Inactive Time Limit (minutes)** field, type the number of minutes after which you want analysts to be reported as inactive.

NOTE You can also use the up and down arrows to increase or decrease the number of minutes.

2. From the drop-down list in the **Portfolio** field, select the portfolio whose transactions you want to be included in the report.

NOTE You can select multiple portfolios to be displayed in the widget. Only the portfolios of the analyst's team are listed for selection. However, if the analyst has multi-team reporting assigned, the portfolios of all the analyst's teams are listed for selection.

3. From the drop-down list in the **Report Interval** field, select the time interval to be included in the report.
4. The default refresh rate for the widget is 60 seconds. If you want a different refresh rate, type it in the **Refresh Rate** field.

NOTE Use the up and down arrows to increase or decrease the seconds.

5. The system automatically updates the **Widget Label** field (the name that will appear at the top of the widget). It appends the name of the portfolio and the report interval you selected to the report name; for example, Analyst Performance/PortfolioMerchant1/Past Hour. If you want a different label, type it in the **Widget Label** field.
6. If you need to add color coding to the columns, click **+ADD RULE**.
 - a. Select the Color from the dropdown.
 - b. Select the Column to which to apply the color.
 - c. Select the Operator from the dropdown.
 - d. Enter the Value that will trigger the column to be highlighted.

NOTE Click **+ ADD RULE** to add another color-coding rule.

7. Click **GENERATE** to create the widget and add it to your dashboard.

Add the Queue Status widget

The Queue Status report lists the following data:

- Queue name
- Queue type
- Selected portfolio to which the queue is assigned, and for which the depth is calculated.
- Total number of analysts assigned to each queue.

NOTE

Only the analysts of a team are listed; however, if an analyst has multi-team reporting assigned, all analysts on all teams are listed.

- Number of active analysts assigned to each queue

NOTE

The time interval of in activity after which the user is considered inactive is configurable.

- Number of alerts in each queue (depth)
- Transaction amounts for the alerts in each queue
- How long ago the oldest alert was added to each queue

Follow these steps to set the parameters for the Queue Status widget and to add it to your dashboard.

1. In the **Inactive Time Limit (minutes)** field, type the number of minutes after which you want analysts to be reported as inactive.

NOTE

You can use the arrows to increase or decrease the number of minutes.

2. From the drop-down list in the **Portfolio** field, select the portfolio you want to be included in the report.

NOTE

You can select multiple portfolios. Only the portfolios for the analyst's team are listed. If the analyst has multi-team reporting assigned, the portfolios of all the analyst's teams are listed.

3. From the drop-down list in the **Queue Type** field, select the queue types you want to be included in the report.
4. The default refresh rate for the widget is 300 seconds (5 minutes). If you want a different refresh rate, type it in the **Refresh Rate** field.

NOTE

You can use the arrows to increase or decrease the number of seconds.

5. The system automatically updates the **Widget Label** field (the name that will appear at the top of the widget). It appends the name of the portfolio you selected to the report name; for example, Queue Status/PortfolioMerchant1. If you want a different label, type it in the **Widget Label** field.

6. If you need to add color coding to the columns, click **+ADDRULE**.

a. Select the Color from the drop-down list. b. Select the Column to which to apply the color. c. Select the Operator from the drop-down list. d. Enter the Value that will trigger the column to be highlighted.

+

NOTE Click + **ADD RULE** to add another color-coding rule.

1. Click **GENERATE** to create the widget and add it to your dashboard.

Add the Transaction Statistics widget

The Transaction Statistics report lists the number of transactions processed. It also lists the transaction per second (TPS) rate for each hour of each day in the selected report interval and selected KPI and Analytic Gateway process combination.

Follow these steps to set the parameters for the Transaction Statistics widget and to add it to your dashboard.

1. From the drop-down list in the **Analytic Gateway** field, select one or more analytic gateway processes whose activity you want to be included in the report.
2. The default refresh rate for the widget is 300 seconds(5 minutes). If you want a different refresh rate, type it in the **Refresh Rate** field.
3. From the drop-down list in the AG KPI name field, select one or more KPIs.
4. From the drop-down list in the **Report Interval** field, select the time interval to be included in the report.
5. The system automatically updates the **Widget Label** field (the name that will appear at the top of the widget). It appends the name of the selected KPI or KPIs, the selected analytic gateway process or processes, and the report interval you selected to the report name; for example, TransactionStatistics/Txn Start to End /AGNRT01/Past Hour. If you want a different label, type it in the **Widget Label** field.
6. If you need to add color coding to the columns, click **+ADD RULE**.
 - a. Select the Color from the dropdown.
 - b. Select the Column to which to apply the color.
 - c. Select the Operator from the dropdown.
 - d. Enter the Value that will trigger the column to be highlighted.

NOTE Click + **ADD RULE** to add another color-coding rule.

7. Click **GENERATE** to create the widget and add it to your dashboard.

Add the Near Real-Time Rule Performance widget

The Near Real-Time Rule Performance report provides the following for the near real-time rules in the selected portfolio:

- Rule name

NOTE Deployed and undeployed rules are displayed.

- Portfolio to which the rule is assigned and calculations are done
- Status (deployed or undeployed)

- Number of alerts in the specified time interval
 - Percentage per mille (meaning parts per 1000 - ‰) of the alerted transactions for the portfolio
1. From the drop-down list in the **Portfolio** field, select the portfolio whose rules you want to be included in the report.

NOTE

You can select multiple portfolios. However, only the portfolios for the analyst's team are displayed. If the analyst has multi-team reporting assigned, all portfolios for each team are displayed.

2. From the drop-down list in the **Report Interval** field, select the time interval to be included in the report.

The time interval refers to the transaction processing date.

3. The default refresh rate for the widget is 300 seconds (5 minutes). If you want a different refresh rate, type it in the **Refresh Rate** field.
4. The system automatically updates the **Widget Label** field (the name that will appear at the top of the widget). It appends the name of the portfolio and the report interval you selected to the report name; for example, Near Real-Time Rule Performance/PortCard1/Past 2 Days. If you want a different label, type it in the **Widget Label** field.
5. If you need to add color coding to the columns, click **+ADD RULE**.
 - a. Select the Color from the dropdown.
 - b. Select the Column to which to apply the color.
 - c. Select the Operator from the dropdown.
 - d. Enter the Value that will trigger the column to be highlighted.

NOTE

Click **+ ADD RULE** to add another color-coding rule.

6. Click **GENERATE** to create the widget, or click **CANCEL** to close the **ADD WIDGET** pop-up window without creating the widget.

Add the Real-Time Rule Performance widget

The Real-Time Rule Performance report provides the following for the real-time rules in the selected portfolio:

- Rule name

NOTE

Deployed and undeployed rules are displayed.

- Portfolio to which the rule is assigned and calculations are done
- Status (deployed or undeployed)
- Number of alerts in the specified time interval
- Percentage of alerted transactions for the portfolio
- Percentage of declined transactions for the portfolio
- Percentage of referrals

- Sum of the amount for accepted transactions
- Sum of the amount for declined transactions
- Sum of the amount for referred transactions status information and performance data for the real-time rules in the selected portfolio.

NOTE

See the *PRM Extension Guide* for information on how to extend the widget to include newly-defined RT dispositions.

1. From the drop-down list in the **Portfolio** field, select the portfolio whose rules you want to be included in the report.

NOTE

You can select multiple portfolios. However, only the portfolios for the analyst's team are displayed. If the analyst has multi-team reporting assigned, all portfolios for each team are displayed.

1. From the drop-down list in the **Report Interval** field, select the time interval to be included in the report.
2. The default refresh rate for the widget is 300 seconds (5 minutes). If you want a different refresh rate, type it in the **Refresh Rate** field.
3. The system automatically updates the **Widget Label** field (the name that will appear at the top of the widget). It appends the name of the portfolio and the report interval you selected to the report name; for example, Real-Time Rule Performance/PortCard1/Past 2 Days. If you want a different label, type it in the **Widget Label** field.
4. If you need to add color coding to the columns, click **+ADD RULE**.

NOTE

Click **+ ADD RULE** to add another color-coding rule.

5. Click **GENERATE** to create the widget, or click **CANCEL** to close the **ADD WIDGET** pop-up window without creating the widget.

Edit a widget

Use these steps to edit a widget.

1. Click the **Edit** icon () in the upper-right corner of the widget.

An EDIT WIDGET pop-up window corresponding to the type of report you chose to edit opens.

2. Modify the values in the fields, as desired.

Depending on which fields you modify, the system may change the value in the **Report Label** field to reflect your modifications. You can override the system-provided label by typing a different label in that field.

3. When you finish with your modifications, click **GENERATE** to replace the existing widget, or click **CANCEL** to close the EDIT WIDGET pop-up window without replacing the existing widget.

Sort a widget

You can sort columns on a widget the same way you sort columns on other grids, that is, by clicking the up or down arrow to the right of the column heading. However, there is another way to sort data in a widget. When you click the sort icon () in the upper right corner of the widget, the CONFIGURE SORT BEHAVIOR pop-up

window is displayed.

CONFIGURE SORT BEHAVIOUR

✕

Sorting hint: hold the shift key to sort multiple columns

Auto group rows

Automatically group together rows with equal values

Sort Globally

Sort the grid globally, ignoring possible groups

Sort within Group

Sort columns within a specific group

SAVE

CANCEL

Use the CONFIGURE SORT BEHAVIOR pop-up window to sort data in such a way that rows containing the same values are grouped together, and the values that are the same are listed only for the first row in the group. You can also use the pop-up window to sort one or more columns within a sorted group. Select your settings and click **SAVE**. Here is an example:

1. A user adds the following widget:

ANALYST PERFORMANCE / PORTEMPLOYEE1 / PAST HOUR

↕


✎

↺

🗑

User	User Status	Last Action Time	Queue	Alerts Worked
Auto user name	Inactive			
Ava Ava	Inactive	07/31/2019 07:49:48		
Benjamin Benjamin	Inactive	09/21/2019 06:45:00	Forwards Queue	
Benjamin Benjamin	Inactive	09/21/2019 06:45:00	TimeOut Queue	
Benjamin Benjamin	Inactive	09/21/2019 06:45:00	Watch Queue	
Benjamin Benjamin	Inactive	09/21/2019 06:45:00	Catch-All Queue	
Benjamin Benjamin	Inactive	09/21/2019 06:45:00	Orphans Queue	
Benjamin Benjamin	Inactive	09/21/2019 06:45:00	C11CategoryTranAmt300	
Benjamin Benjamin	Inactive	09/21/2019 06:45:00	ruleEmployee1	
Benjamin Benjamin	Inactive	09/21/2019 06:45:00	ruleEmployee2	
Beniamin Benjamin	Inactive	09/21/2019 06:45:00	C11FmnlRRRule	

2. The user clicks the sort icon in the upper right corner of the widget. The CONFIGURE SORT BEHAVIOR pop-up window opens.
3. The user selects the **Auto group rows** option.



The screenshot shows a modal window titled "CONFIGURE SORT BEHAVIOUR" with a close button (X) in the top right corner. Below the title bar, there is a sorting hint: "Sorting hint: hold the shift key to sort multiple columns". The main content area contains two options: "Auto group rows" and "Sort Globally". The "Auto group rows" option is selected, indicated by a blue toggle switch and a blue radio button. Below it, the text "Automatically group together rows with equal values" is displayed. The "Sort Globally" option is unselected, indicated by an orange radio button. Below it, the text "Sort the grid globally, ignoring possible groups" is displayed. There are also two unselected radio buttons for "Sort within Group" and "Sort columns within a specific group". At the bottom of the window, there are two buttons: "SAVE" (dark blue) and "CANCEL" (light blue).

4. The user clicks **Save**.

The CONFIGURE SORT BEHAVIOR pop-up window closes, and the widget is sorted as shown below. Notice that all the rows that listed the user name Benjamin Benjamin, a status of inactive, and a last action time of 09/21/2019 06:45:00 have been grouped together, and only the first row in the group lists the name, status, and last action time.

ANALYST PERFORMANCE / PORTEMPLOYEE1 / PAST HOUR					   	
User	User Status	Last Action Time	Queue	Alerts Worked		
Auto user name	Inactive					
Ava Ava	Inactive	07/31/2019 07:49:48				
Benjamin Benjamin	Inactive	09/21/2019 06:45:00	Forwards Queue			
			TimeOut Queue			
			Watch Queue			
			Catch-All Queue			
			Orphans Queue			
			C11CategoryTranAmt300			
			ruleEmployee1			
			ruleEmployee2			
			C11FmpIRRRule			

- The user clicks the up arrow to the right of the Queue column heading and then clicks the sort icon in the upper right corner of the widget.
- When the CONFIGURE SORT BEHAVIOR pop-up window opens, the user selects the **Sort within group** option.

CONFIGURE SORT BEHAVIOUR

✕

Sorting hint: hold the shift key to sort multiple columns

Auto group rows

Automatically group together rows with equal values

Sort Globally

Sort the grid globally, ignoring possible groups

Sort within Group

Sort columns within a specific group

SAVE

CANCEL

7. The user clicks **Save**.

The CONFIGURE SORT BEHAVIOR pop-up window closes, and the widget is sorted as shown below. Notice that within the group mentioned in step 4, the queue names have been sorted in alphabetical order.

ANALYST PERFORMANCE / PORTEMPLOYEE1 / PAST HOUR					↑↓	✎	↺	🗑
User	User Status	Last Action Time	Queue	Alerts Worked				
Auto user name	Inactive							
Ava Ava	Inactive	07/31/2019 07:49:48						
Benjamin Benjamin	Inactive	09/21/2019 06:45:00	C11CategoryTranAmt300					
			C11EmplRRRule					
			Catch-All Queue					
			Forwards Queue					
			Orphans Queue					
			TimeOut Queue					
			Watch Queue					
			autoactEmpl					
			ruleEmployee1					

Refresh a widget

To refresh the data displayed in a widget, click the **Refresh** icon (↺) in the upper-right corner of the widget.

Remove a widget

To remove a widget from your dashboard, click the **Remove** icon (🗑) in the upper-right corner of the widget.

Open dimension ID

When you click the **OpenDimension ID** link on the dashboard, the OPEN DIMENSION ID pop-up window opens. Use the pop-up window to identify a dimension ID and open it in the Review page.

1. From the drop-down list in the Dimension field, select the dimension of the dimension ID you want to find.

The list contains the dimensions that are associated with the portfolios assigned to your team. By default, the Dimension field is set to the last dimension you selected.

2. In the **Dimension ID** field, type the dimension ID you want to find.

NOTE

If you do not know the dimension ID, click **SEARCH** in the menu bar to display the Search page.

3. Click either **OPEN** or **OPEN READ-ONLY**.

- Click **OPEN** to open the dimension ID in the Review page and to place a lock on the record. When the record is locked, you can take actions against the dimension ID, and other users can open it in read-only mode.
- Click **OPEN READ-ONLY** to open the dimension ID in the Review page without placing a lock on the record. Click **OPEN READ-ONLY** if you want to view information about the dimension ID and its associated transactions. The only action you can take is to add a note to the dimension ID.

Recent dimension IDs

When you click the RecentDimension IDs link on the dashboard, the RECENT DIMENSION IDs pop-up window opens. The pop-up window contains a grid that lists by dimension ID recently viewed dimension IDs. Click a hyperlinked dimensionID to open the dimension ID in the Review page.

A dimension ID you recently viewed will not be included in the grid if the portfolio to which it belongs is no longer assigned to your team, or if it is of a dimension for which the license has expired.

Get Next Alert

To retrieve the next available highest priority alert from the queue or queues assigned to you, click the **Get Next**

Alert button (). The button is available on the DASHBOARD and on the Review page. When you retrieve an alert, it is opened on the Review page.

If no alerts belonging to your team's portfolios are found within your assigned queues, the system presents a message indicating that there are no alerts pending for review.

If you have an alert open and click **Get Next Alert**, the system may require you to take an action on the open alert and/or confirm that you are done processing the open alert, before it opens another alert.

When multiple alerts are opened, the Get Next Alert button is disabled. It remains disabled until there is only one alert open.

Open in new browser tab

To open a Web UI menu entry in a new browser tab, use the right-click menu or the middle mouse button.

NOTE | This functionality is available only PRM standalone mode only.

When the Web UI is opened in multiple browser tabs, each tab displays only the pages that you open from the respective tab.

- If you open multiple dimension IDs from the Review page in different browser tabs, each browser tab holds only the dimension IDs opened in the respective tab.
- No synchronization of opened reviews/menus is done between the opened browser tabs.
- If a dimension ID or alert is already opened in a different browser tab, and you try to open the same dimension ID in the current tab, you receive a message stating this. The dimension ID will open in read-only mode.
- If an alert is already opened in another tab, and you try to get the next alert from the current tab, you receive a message stating this, and are instructed to first close the alert.

Close All will close the dimension IDs/alerts from the current tab.

Open Dimension ID List

Use the OPEN DIMENSION ID LIST window view a list of the dimension IDs that you have open in the current login session. The list includes dimension IDs you have open in the current browser tab and other browser tabs. It does not include dimension IDs you might have open in the SWING user interface. Any dimension ID that was opened

during the current logon session and was not closed is included in the list, even if the browser tab on which it was opened has been closed.

You can select one of the listed dimension IDs and perform one of the available actions for that dimension ID. For example, you can click the two facing arrows to move the dimension ID to the current browser tab, or click **X** to close the dimension ID. Note that you cannot take actions from this window on dimension IDs that are open in the current browser tab. You must use the Review page to perform actions on dimension IDs open in the current browser tab.

If you accidentally close the browser tab, you can use this window to recover (bring to the current browser tab) or close the dimension IDs that were open in that browser tab.

Search

The search function enables you to select a dimension and specify search criteria for the dimension ID or dimension IDs you want to review. Dimension IDs matching your selected dimension and specified search criteria are displayed in a grid that contains hyperlinked dimension IDs and related data. You can click one of the hyperlinked dimension IDs in the grid to open the dimension ID in the Review page.

NOTE

If you are searching for a single dimension ID and you know the dimension and dimension ID for it, you can use the OpenDimension ID link on the DASHBOARD to quickly locate and open the dimension ID.

Search for dimension IDs

Follow these steps to search for dimension IDs.

1. Click **SEARCH** in the menu bar to open the Search page.
2. On the Search page, select the tab that corresponds to the dimension of the dimension ID or dimension IDs you want to search for. The Dimension field indicates the tab you selected, and the configured search fields and operators for the selected dimension are displayed below the field. See [Default search fields and operators displayed for each dimension](#) for a list of the default search fields and operators displayed for each dimension.
3. Determine the search fields you are going to use for your search. For each of those search fields, follow these steps:
 - a. In the second column, select an operator from the list. The data type of the search field determines the operators in the list. See [Search field data types and available operators for the operators](#) that are available for each data type.
 - b. In the third column, enter a value. If the data type of the search field is date or numeric and you select the "between" operator, you must enter a range of values. In this case, a second value field is displayed to enable you to enter a range of values.
4. If you want to add an additional search field, follow these steps:
 - a. Click the + Add Search Field link.
 - b. When the new row is added to the search criteria fields, click the down arrow in the new search field and select a search field that is not already being used in the search. For example, you cannot use two First Name search fields and search for "John" in one and "Johnny" in the other. See [Search fields available by default for each dimension](#) for a list of the demographic fields that can be used to search for dimension IDs, broken out by dimension. Note that your administrator may configure different demographic search fields to be available.

- c. In the second column, select an operator from the list.
- d. In the third column, enter a value. If the data type of the search field is date or numeric and you select the "between" operator, you must enter a range of values. In this case, a second value field is displayed to enable you to enter a range of values.

NOTE Search fields left blank do not affect the search results.

1. If you want to remove a search field, click the **Delete** icon to the right of the row. The row is removed from the page.
2. Click **SEARCH**.

TIP Narrow your search criteria to reduce the time it takes to obtain the search results.

What to do next:

The section containing the search fields collapses, and the dimension ID or dimension IDs matching the specified search criteria are displayed in a grid on the Search page.

If the dimension ID you were searching for is listed in the grid, you can click its hyperlinked dimension ID to open it in the Review page.

If the dimension ID you were searching for is not listed in the grid, you can click the down arrow to the left of the Search Type field to expand the section containing the search fields. Then modify your search criteria and search again.

If you want to clear all the values you entered in the third column of the search fields, reset the first and second columns of the search fields to their default values, and remove any additional search fields you may have added, click the RESET TO DEFAULT button.

Search fields available by default for each dimension

After you select a dimension tab on the Search page, you can specify search criteria. Search criteria consists of search fields, which are demographic fields for the selected dimension, operators you select, and values you enter. For example, if you select the Card tab, you might select PAN as one of the search fields, select "starts with" as the operator, and then enter the first four digits of the PAN as the value to match.

Listed below are the search fields that are available by default for each dimension. Note that when you select a dimension tab on the Search page, you may see only a subset of these search fields. If you want to search using the fields not included in that subset, you will have to add them to your search criteria. Your administrator may configure different demographic fields to be available for search.

Account

Listed below are the search fields that are available by default for the dimension Account.

- Account Number
- First Name
- Last Name

- Customer ID
- City
- State/Province
- Postal Code
- Country
- DOB
- Email
- Home Phone
- Mobile Phone

Card

Listed below are the search fields that are available by default for the dimension Card.

- PAN
- First Name
- Last Name
- City
- State/Province
- Postal Code
- Country
- Email
- DOB
- Home Phone
- Mobile Phone

Customer

Listed below are the search fields that are available by default for the dimension Customer.

- Customer ID
- First Name
- Last Name
- City
- State/Province
- Postal Code
- Country
- Email
- DOB

- Government ID
- Home Phone
- Mobile Phone

Employee

Listed below are the search fields that are available by default for the dimension Employee.

- Employee ID
- First Name
- Last Name
- Hire Date
- Work Phone
- Job Title
- Department
- Location
- Manager ID
- Manager Phone
- Email

Merchant

Listed below are the search fields that are available by default for the dimension Merchant.

- Retailer ID
- Business Name
- DBA/Trading As Name
- City
- State/Province
- Postal Code
- Country
- Contact Name
- Phone
- Alternate Phone
- Email

Terminal

Listed below are the search fields that are available by default for the dimension Terminal.

- Terminal ID

- Terminal Owner ID
- Terminal Name
- Terminal Owner
- City
- State/Province
- Postal Code
- Country

User Account ID

Listed below are the search fields that are available by default for the dimension User Account ID.

- User Account ID
- First Name
- Last Name
- Home Phone
- Email
- City
- State/Province
- Country
- Postal Code
- Mobile Phone

Search field data types and available operators

The data type of the search field determines which operators to use. The following table lists the possible data types for search fields and shows the operators that are available for each data type.

Data type	Available operators
String	is equal to
	is not equal to
	in
	ends with
	starts with
	contains

Data type	Available operators
Numeric	is equal to
	is not equal to
	is less than
	is greater than
	in
	between
Date	is equal to
	is not equal to
	is less than
	is greater than
	between
Boolean	is equal to
	is not equal to

NOTE

The "between" operator enables you to enter a range of values. When you select the "between" operator, an additional field is displayed at the end of the row. Enter the first value for the range in the first field, and the last value for the range in the second field.

Default search fields and operators displayed for each dimension

If your institution is configured to use the default search fields, a subset of the default search fields and corresponding default operators will be displayed when you select a dimension tab or when you click RESET TO DEFAULT. The following table shows the subset of the default search fields displayed for each dimension, and the default operator for each of those search fields.

Dimension	Default search field	Default operator
Account	Account Number	starts with
	First Name	starts with
	Last Name	starts with
	Country	is equal to
	Email	is equal to
	Home Phone	is equal to
	Mobile Phone	is equal to

Dimension	Default search field	Default operator
Card	PAN	starts with
	First Name	starts with
	Last Name	starts with
	Country	is equal to
	Email	is equal to
	Home Phone	is equal to
	Mobile Phone	is equal to
Customer	Customer ID	starts with
	First Name	starts with
	Last Name	starts with
	Country	is equal to
	Email	is equal to
	Home Phone	is equal to
	Mobile Phone	is equal to
Employee	Employee ID	starts with
	First Name	starts with
	Last Name	starts with
	Work Phone	is equal to
Merchant	Retailer ID	starts with
	Business Name	starts with
	DBA/Trading As Name	starts with
Terminal	Terminal ID	starts with
	Terminal Name	starts with
	City	is equal to
	State/Province	is equal to
	Postal Code	is equal to
User Account ID	User Account ID	starts with
	First Name	starts with
	Last Name	starts with
	Home Phone	is equal to
	Mobile Phone	is equal to

Review

When you select REVIEW from the menu bar, the Review page is displayed. The Review page enables you to analyze alerts and take actions on dimension IDs and associated transactions. The Review page is split into several sections.

You can open multiple alerts and reviews. Each open alert and review is displayed in a tab below the main menu. The tabs are labeled with the dimension ID and dimension, for example, 320 81 - Account. Alerts have an orange dot to the left of the dimension ID. If the dimension ID is a PAN, it will be masked and there will be an icon of an eye with a slash through it, to the right of it. If you have permission to view the PAN in the clear, you can hover your cursor over the eye with the icon to view the full PAN in a tooltip.

To close an alert or review tab, click the small "x" on a tab's label. To close all tabs, click the large "X" on the right side of the page.

Each alert or review has a banner that shows critical information for quick decision-making. The first item on the banner indicates whether this is an alert or a review. The rest of the information in the banner is specific to the dimension and whether you are looking at an alert or a review. Hover your mouse over the banner to see a tooltip for each piece of information.

There are two panels in the top portion of the Review page. Those panels are labeled Demographic Data and Action History. From the information banner at the top of the Review page, you can toggle between expanding and collapsing this section of the page. When you change the expand/collapse state of this section and then log off, the system saves the configuration for your next session.

There is a set of tabs in the lower portion of the Review page. The All Transactions, Alerted Transactions, Marked Transactions, Contextual Marked Transactions, Enhanced Profiling, Standard Profiles, and Linked Accounts tabs are displayed in this area for dimensions. The All Transactions, Enhanced Profiling, and Mark Profiles tabs are displayed in this area for non-actionable dimensions (views).

Side toolbar

Along the left side of the Review page is the side toolbar. It contains icons that enable you to take actions on the opened dimension ID and associated transactions, get the next alert, close the dimension ID, and open another dimension ID.

Selection toolbar

At the bottom of the Review page is the selection toolbar. It is a pop-up toolbar that appears when you select one or more transactions from the grid. You can use this toolbar to copy data to the clipboard, export the data for selected transactions, or to take actions on the dimension IDs in the selected transactions that are of a different dimension than the opened dimension ID.

Some icons in the selection toolbar are always enabled; others are not enabled until you select a dimension from the drop-down list in the field to the left of the icons. That list does not include the dimension of the opened dimension ID.

Banner

The Review page has a banner containing critical information about the alert or review. It is there to assist you in making quick decisions. An administrator can configure the fields that are displayed in the banner for each

dimension. However, ACI provides default banners for each dimension. The following table lists the types of information in each of those banners. Hover your mouse over the fields in the banner to see a tooltip that identifies the type of information displayed.

Dimension	Types of information in the banner
Card	Review type
	DimensionID action status and state
	PAN
	Card Plastic Type
	Product Category
	Transaction Date and Time
	Amount
Account	Review type
	DimensionID action status and state
	Account Number
	Payee
	Transaction Date and Time
	Amount
Customer	Review type
	DimensionID action status and state
	Customer ID
	First Name
	Last Name
	Account Open Date
	Transaction Date and Time
	Amount
Merchant	Review type
	DimensionID action status and state
	Retailer ID
	MCC
	Transaction Date and Time
	Amount

Dimension	Types of information in the banner
Terminal	Review type
	DimensionID action status and state
	Terminal ID
	Name and location
	Transaction Date and Time
	Amount
UAID	Review type
	DimensionID action status and state
	User Account ID
	User Type
	Online Last Login
	Transaction Date and Time
	Amount
Employee	Review type
	DimensionID action status and state
	Employee ID

Demographic data

The Demographic Data panel on the Review page shows demographic information specific to the selected alert or review. The panel is divided into sections that are shown in the oval to the right of the panel title. Click on a section name to display its data.

The dimension determines the number of sections and the types of data presented. For example, the location of a terminal is included in the demographic data for the dimension Terminal, and the cardholder's first and last name are included for the dimension Card.

There is no demographic data for the non-actionable dimensions (Payee Account, IP Address, and Device ID).

Users with the permission "Copy data unmasked" can copy any demographic field value to the clipboard by simply clicking on the field.

Action history

The Action History panel on the Review page enables you to view the action history of the dimension ID being reviewed. This includes actions taken against the dimension ID by any user, as well as actions taken automatically against the dimension ID by the system.

The Action History panel contains a grid that provides the following information about each of the listed actions:

- Date and time the action was taken
- Transaction date and time if the action was taken against a specific transaction. Otherwise, this column contains "N/A".
- Full name of the user who took the action
- Action name
- Action details
- Date and time of the most recent transaction viewed by the user before the user took the action.

Transaction data

Transaction data is displayed in the lower portion of the Review page on the following tabs:

- The All Transactions tab displays in a grid all the transactions associated with the alert or review, including marked and alerted transactions. By default, alerted transactions are highlighted in yellow.
- The Marked Transactions tab displays in a grid all the transactions associated with the alert or review that have been marked as suspicious or fraudulent.
- The Alerted Transactions tab displays in a grid all the alerted transactions associated with the alert or review.

The columns can be sorted in ascending or descending order, and you can change the number of rows that display on each page of the grids. You can choose which columns to show or hide, and change the order in which the columns are displayed.

Using the Export All icon, which is above the transaction grid, you can export the transaction data from all pages of the All Transactions, Marked Transactions, or Alerted Transactions tab.

When you right-click a transaction in the grid, a pop-up menu appears. From the menu, you can choose to Mark the transaction for the opened dimension ID, Copy the transaction data to the clipboard, display the Alert Info pop-up window, or Export the transaction data.

When you select one or more transactions in the grid by selecting the corresponding checkbox or checkboxes, the selection toolbar is displayed at the bottom of the page. The Copy and Export icons are enabled. If you select a dimension from the drop-down list in the selection toolbar, the other icons become enabled. You can then Block, Mark, Forward, set a Reminder for, Override, or Watch the dimension IDs in the selected transactions that are of the selected dimension.

Copy transaction data

When you right-click a transaction in the grid and select Copy from the pop-up menu, or when you select one or more transactions and click the Copy icon in the selection toolbar, the data from the transaction or transactions is copied to the clipboard. You can then paste that data into an application such as Microsoft Word or Excel. If a column in the grid is empty and you paste it into Excel, the column in Excel will contain a hyphen (-).

Export transaction data

As previously mentioned, there are two ways to export transaction data. You can click the Export All icon to export the transaction data from all pages of the All Transactions, Marked Transactions, or Alerted Transactions tab. You can also select one or more transactions from the grid and click the Export Selection icon in the selection toolbar to export the data for only the selected transaction or transactions.

When you click either the Export All or Export Selection icon, a pop-up window prompts you to indicate whether you want to export the data to an .xls or .csv file. Depending on your permissions, you may have the option of exporting masked data as unmasked. If you choose to export the data to an .xls file (that is, into Excel), any column in the grid that is empty will contain a hyphen (-) in the corresponding column in the Excel file.

Alert Info

The Alert Info pop-up window lists all the rules triggered by a transaction and all the queues populated by the alerts. For each rule, the Alert Info pop-up window lists the name of the rule, a description of the rule, the rule score, the auto action if one is assigned to the rule, and the dimension for the rule. For each queue, the Alert Info pop-up window lists the name of the queue, a description of the queue, and the dimension for the queue.

To open the Alert Info pop-up window, double-click an alerted transaction on the Review page.

To close the Alert Info pop-up window, click outside the window.

Enhanced Profiling

The Enhanced Profiling tab can be found in the transaction data section of the Review page. It displays the calculated data for the enhanced profiles in which either the primary profile field or the optional profile field is defined as the key field for the action level (dimension) being reviewed.

The grid on the Enhanced Profiling tab includes:

- The name of the enhanced profile.
- The Primary profile field and value.
- The Optional field and value, if there is one.
- The enhanced profile calculations, which include the transaction Count and Sum, the Minimum and Maximum transaction amounts, and the Standard Deviation.
- The dates on which the transactions with the Minimum and Maximum amounts occurred, and the date on which the Cycle ended.
- The Profile Type, which indicates whether the enhanced profile is a Positive or Negative enhanced profile.

Standard Profiles

The Standard Profiles tab shows daily transaction counts and totals for the subject in the selected alert or review, as well as averages for daily transaction counts and totals for the time periods defined for the subject type. The Standard Profiles tab presents that information on multiple subtabs that are shown in an oval that is visible when the Standard Profiles tab is selected. The number of subtabs and their names vary depending on the subject type of the alert or review. Click a subtab to display the associated information.

The following list details each subject type and subtabs that can be displayed on the Standard Profiles tab.

- Account:
 - Daily
 - 3 Day
 - 31 Day

- Card:
 - Daily
 - 3 Day
 - 31 Day
 - Peer Daily
 - Peer 3 Day
 - Peer 31 Day
- Customer:
 - Daily
 - 3 Day
 - 31 Day
 - Peer Daily
 - Peer 3 Day
 - Peer 31 Day
- Employee:
 - Daily
 - 7 Day
 - 30 Day
 - 90 Day
 - Peer Daily
 - Peer 7 Day
 - Peer 30 Day
 - Peer 90 Day
- Merchant Deposit History:
 - Daily
 - 7 Day
 - 30 Day
 - 90 Day
 - Peer Daily
 - Peer 7 Day
 - Peer 30 Day
 - Peer 90 Day
- Terminal:
 - Daily
 - 3 Day

- 7 Day
- Peer Daily
- Peer 3 Day
- Peer 7 Day
- UAID:
 - Daily
 - 3 Day
 - 31 Day

Deposit history tab

The Deposit History subtab can be displayed from the Standard Profiles tab on the Review page for Merchant dimension IDs. The grid on the Deposit History subtab has the following columns:

- Date: Date and time of the corresponding deposits and transactions.
- Deposits: Count of the deposits made by the merchant on the corresponding date.
- Transactions: Count of the transactions, excluding deposits, refunds, retrieval requests or chargebacks, or other non-fin transactions or failed authorizations.

NOTE | The actual information to be included in the count can be customized.

- Sum of Deposits: Sum of the deposit amounts for the corresponding date.
- Sum of Transactions: Sum of the merchant transaction amounts.

NOTE | This does not include deposits. See the Transactions description.

- Average Deposit Amount: Equals the value in the Sum of Deposits column, divided by the value in the Deposits column.
- Average Transaction Amount: Equals the value in the Sum of Transactions column, divided by the value in the Transactions column.

Mark profiles

The Mark Profiles tab enables you to see mark profiles for the non-actionable dimensions(views): Device ID, IP Address, and Payee. The mark information includes the total number of transactions and the total sum of transactions marked that day, plus the average number of transactions, the average sum of transactions, the total number of transactions, and the total sum of transactions marked over 3-day and 7-day periods. The Mark Profiles tab presents the information on multiple subtabs that are shown in an oval that is visible when the Mark Profiles tab is selected. Click on a subtab to display the associated information.

Linked Accounts tab

The Linked Accounts tab contains a grid that lists the dimension ID or dimension IDs linked to the opened dimension ID. For example, the grid might contain a list of the cards linked to an account, or a list of customers linked to another customer. An account holder might have a Mastercard and a Visa card, both linked to the same account.

The customer IDs of family members might be linked to the customer IDs of two unrelated individuals who reside at the same address.

The linked dimension IDs are hyperlinked, which enables you to open them in the Review page. The dimension is listed beside the dimension ID of each linked dimension ID. The grid also indicates for each linked dimension ID whether it is blocked, watched, overridden, marked, and/or POC blocked.

Actions

The following topics describe the actions you can take from the Review page using the icons in the side toolbar.

Mark

Marking transactions is a way to identify and track suspicious or fraudulent activity. It also helps institutions to evaluate analyst performance and the effectiveness of its rules.

You can mark one or more transactions for a dimension ID, edit mark details, or remove a mark from one or more transactions.

Mark one or more transactions for a dimension ID

Before you begin:

You must have an alert or review opened in the Review page. If it is a review, it cannot be opened in read-only mode.

Follow these steps to mark one or more transactions for a dimension ID.

1. From the Review page with the opened alert or review, select the checkbox for each transaction in the bottom grid you want to mark as suspicious or fraudulent.

When you select one or more transactions, the **Mark** icon in the side toolbar becomes enabled, and a pop-up toolbar appears at the bottom of the Review page.

NOTE

Use the pop-up toolbar at the bottom of the Review page to mark one or more transactions for one or more dimension IDs of a different dimension than the one in the alert or review. See [Take an action on one or more dimension IDs using the selection toolbar](#) for instructions.

2. Click the **Mark** icon in the side toolbar.
The MARK pop-up window opens.
3. On the MARK pop-up window, follow these steps:
 - a. Select a mark type from the list in the **Mark Type** field. Mark types are used to identify the reason the transaction or transactions are being marked (for example, instrument forgery or stolen card). The list contains the mark types that have been defined for the dimension of the dimension ID of the alert or review.
 - b. Select an identified by value from the list in the Identified By field.
The identified by values are used to indicate the party that identified the transaction or transactions as suspicious or fraudulent (for example, fraud department or customer service). The list contains the Identified By values that have been defined for the dimension of the dimension ID of the alert or review.
 - c. Optionally, type an investigation ID in the **Investigation ID** field.

- d. The system calculates the Funds At Risk automatically and displays it in the Funds At Risk field. You can change the amount by typing a different amount in that field, overwriting the calculated amount. If, after you type a different amount in the Funds At Risk field, you decide you want to use the amount calculated by the system, click the **Reset Funds At Risk** link.
- e. Optionally, type any notes you want to keep, in the **Notes** field.
- f. Click **MARK** to save the information you entered. When you click MARK, the MARK pop-up window closes, and the selected transaction or transactions have been marked for the dimension ID of the alert or review.

Edit a mark

Before you begin:

You must have an alert or review opened in the Review page. If it is a review, it cannot be opened in read-only mode.

Follow these steps to edit the mark information.

1. From the Review page with the opened alert or review, select the checkbox for each marked transaction for which you want to edit the mark information.

When you select one or more transactions, the Mark icon in the side toolbar becomes enabled, and a pop-up toolbar appears at the bottom of the Review page.

NOTE

If you want to edit the mark for one or more transactions for one or more dimension IDs of a different dimension than the one in the alert or review, you must use the pop-up toolbar at the bottom of the Review page. Refer to "[Take an action on one or more dimension IDs using the selection toolbar](#)" for instructions.

2. Click the **Mark** icon in the side toolbar.
The MARK pop-up window opens.
3. On the MARK pop-up window, follow these steps:
 - a. Select a mark type from the list in the **Mark Type** field. Mark types are used to identify the reason the transaction or transactions are being marked (for example, instrument forgery or stolen card). The list contains the mark types that have been defined for the dimension of the dimension ID of the alert or review.
 - b. Select an identified by value from the list in the **Identified By** field. The identified by values are used to indicate the party that identified the transaction or transactions as suspicious or fraudulent (for example, fraud department or customer service). The list contains the Identified By values that have been defined for the dimension of the dimension ID of the alert or review.
 - c. Optionally, type an investigation ID in the **Investigation ID** field.
 - d. The system calculates the Funds At Risk automatically and displays it in the **Funds At Risk** field. You can change the amount by typing a different amount in that field, overwriting the calculated amount. If, after you type a different amount in the **Funds At Risk** field, you decide you want to use the amount calculated by the system, click the **Reset Funds At Risk** link.
 - e. Optionally, type any notes you want to keep, in the **Notes** field.
 - f. Make your changes to the mark information. You change the values in any of the fields on the pop-up window.

- g. When you are finished editing the mark information, click the **MARK** button to save your changes. When you click the **MARK** button, the MARK pop-up window closes, and the marked information for the selected transaction or transactions has been changed for the dimension ID of the alert or review.

Remove a mark

Before you begin:

You must have an alert or review opened in the Review page. If it is a review, it cannot be opened in read-only mode.

Follow these steps to unmark one or more transactions.

1. From the Review page with the opened alert or review, select the checkbox for each marked transaction you want to unmark.

When you select one or more transactions, the **Mark** icon in the side toolbar becomes enabled, and a pop-up toolbar appears at the bottom of the Review page.

NOTE

If you want to remove the mark from one or more transactions for one or more dimension IDs of a different dimension than the one in the alert or review, you must use the pop-up toolbar at the bottom of the Review page. Refer to [Take an action on one or more dimension IDs using the selection toolbar](#) for instructions.

2. Click the **Mark** icon in the side toolbar.
The MARK pop-up window opens.
3. On the MARK pop-up window, follow these steps:
 - a. Optionally, type any notes you want to keep, in the **Notes** field.
 - b. Click **UNMARK**. When you click the **UNMARK** button, the MARK pop-up window closes, and the selected transaction or transactions are unmarked for the dimension ID of the alert or review.

Block

You can place a block on a dimension ID to indicate that fraudulent or suspicious behavior has been confirmed. Within PRM, the block acts as a status only and is used for reporting statistics. However, if the PRM external message manager is configured to extract block codes and communicate them to an external system, then the block information can be sent to an external system that can prevent the dimension ID from performing any further transactions.

Block a dimension ID

Before you begin:

You must have an alert or review opened in the Review page. If it is a review, it cannot be opened in read-only mode. The dimension ID is not currently blocked.

Follow these steps to place a block on a dimension ID.

1. From the Review page with the opened alert or review, click the **BLOCK** icon in the side toolbar. The BLOCK pop-up window opens. On the right side of the window is the Block Details section. The Block Details section

contains the following fields:

- **State** - This field contains the word *Unblocked*.
- **Last Blocked on** - If the dimension ID had previously been blocked, the field contains the date and time the dimension ID was last blocked. If the dimension ID has never been blocked, the field is blank.
- **Last Blocked Code** - If the dimension ID had previously been blocked, the field contains the block code that was applied to the dimension ID the last time it was blocked. If the dimension ID has never been blocked, the field is blank.
- **Status** - This field is included in the Block Details section only if the PRM external message manager is configured to extract block codes and communicate them to an external system. The field identifies the status of the external message for the previous block action.

2. On the BLOCK pop-up window, follow these steps:

- a. Select a block code from the list in the **Block Code** field. Block codes are used to identify why you are placing a block on the dimension ID (for example, 60 - Lost Card). The list contains the block codes that have been defined for the dimension of the opened dimension ID.
- b. Optionally, type any notes you want to keep, in the **Notes** field.
- c. Click **BLOCK**. The Block pop-up window closes, and the dimension ID is blocked.

Edit a block

Before you begin:

You must have a review opened in the Review page. The review cannot be opened in read-only mode. The dimension ID must be blocked.

Follow these steps to edit a block that has been placed on the dimension ID.

1. From the Review page with the opened review, click the **Block** icon in the side toolbar.

The EDIT BLOCK pop-up window opens.

On the right side of the window is the Block Details section. The Block Details section contains the following fields:

- **State** - This field contains the word Blocked.
- **Last Blocked on** - This field contains the date and time the dimension ID was last blocked.
- **Last Blocked Code** - This field contains the block code that was applied to the dimension ID the last time it was blocked.
- **Status** - This field is included in the Block Details section only if the PRM external message manager is configured to extract block codes and communicate them to an external system. The field identifies the status of the external message.

2. On the EDIT BLOCK pop-up window, follow these steps:

- a. Make your edits. You can change the block code, the notes, or both.
- b. When you finish making your edits, click EDIT BLOCK. The EDIT BLOCK pop-up window closes, and the block information has been edited.

Remove a block

Before you begin:

You must have a review opened in the Review page. The review cannot be opened in read-only mode. The dimension ID must be blocked.

Follow these steps to remove a block.

1. From the Review page with the opened review, click the **Block** icon in the side toolbar. The EDIT BLOCK pop-up window opens. On the right side of the window is the Block Details section. The Block Details section contains the following fields:
 - State - This field contains the word "Blocked."
 - Last Blocked on - This field contains the date and time the dimension ID was last blocked.
 - Last Blocked Code - This field contains the block code that was applied to the dimension ID the last time it was blocked.
 - Status - This field is included in the Block Details section only if the PRM external message manager is configured to extract block codes and communicate them to an external system. The field identifies the status of the external message.
2. On the EDIT BLOCK pop-up window, click **REMOVE BLOCK**. The EDIT BLOCK pop-up window closes, and the block is removed from the dimension ID.

Forwards

A forward is an alert or review that has been forwarded (sent) from one user to another user or to a forwards queue. For example, a user may forward an alert or review that requires additional analysis to a more experienced user on their team.

Forward an alert or review

You must have an alert or review opened in the Review page. If it is a review, it cannot be opened in read-only mode.

Follow these steps to forward an alert to another user or queue, or to forward a review to another user.

1. From the Review page with the opened alert or review, click the **Forward** icon in the side toolbar. The FORWARD pop-up window opens.
2. On the FORWARD pop-up window, follow these steps:
 - a. By default, the User option button is selected. If you have an alert open and you want to forward it to a queue (instead of to a person), select the **Queue** option button. When the **User** option button is selected, the list in the "Forward to" field contains the full name of each of the users on your team. When the Queue option button is selected, the **Forward to** field contains the names of the queues that are assigned to you.
 - b. By default, the **Immediately** option button is selected. If you want to schedule the forward action to occur at a later time, select the **Forward at** option button. A date picker and time entry fields are displayed. Specify the date and time at which you want the forward action to occur.
 - c. Optionally, enter note text in the **Notes** field.
 - d. Click **FORWARD**. When you forward an alert, all existing active alerts for the dimension ID will be removed

from your queues.

NOTE See the [Manager](#) topic for information on viewing, opening, and deleting forwards.

Reminders

While viewing an alert or review, you may determine that you want to look at the associated dimension ID again in the future. If so, you can set a reminder to view the dimension ID again at a date and time you specify. You can include notes in the reminder to indicate the reason for the reminder or to provide other relevant information.

Once the specified date and time have occurred, if you ask for the next alert, a review will open for the dimension ID to which the reminder was added.

Add a reminder

You can add a reminder to the dimension ID in an open alert or to the dimension ID in an open review that was not opened in read-only mode.

Follow these steps to add a reminder.

1. From the Review page with the opened alert or review, click the **Remind** icon in the side toolbar. The ADD REMINDER pop-up window opens. By default, the **Remind at** fields are set to the current date and time plus one hour.
2. On the ADD REMINDER pop-up window, follow these steps:
 - a. (Optional) Add notes to the reminder. For example, you may want to indicate the reason for the reminder. To add notes, either type them in the **Notes** field, or click the **Auto Text** link and select the predefined text you want to use.
 - b. (Optional) Modify the date, time, or both in the **Remind at** fields. You can use the default date and time or provide a different date and/or time. If you want to change the date, type a different date in the field, or use the calendar to select a different date. If you want to change the time, type a different time in the field, or click the down arrow to select a different time from the list.
 - c. Click **SET REMINDER**. The ADD REMINDER pop-up window closes, the alert or review closes, and the reminder has been added to the dimension ID.

Edit a reminder

Before you begin:

When you open a dimension ID with a reminder that was set for you, you can edit it.

Follow these steps to edit a reminder.

1. On the Review page, click the **Remind** icon in the side toolbar.

The EDIT REMINDER pop-up window opens.

2. On the EDIT REMINDER pop-up window, follow these steps:
 - a. Modify the text in the Notes field, the values in the Remind field, or both.

- b. Click **UPDATE**. The **EDIT REMINDER** pop-up window closes, the review closes, and your changes to the reminder are saved.

NOTE

You can also edit a reminder from the Reminders tab on the Manager page. See [Manager](#) for more information.

Remove a reminder

Before you begin:

When you open a dimension ID with a reminder that was set for you, you can remove (delete) it.

Follow these steps to remove (delete) a reminder.

1. On the Review page, click the **Remind** icon in the side toolbar.
The **EDIT REMINDER** pop-up window opens.
2. On the **EDIT REMINDER** pop-up window, click **REMOVE**.
The **EDIT REMINDER** pop-up window closes, and your reminder has been removed (deleted).

NOTE

You can also remove (delete) a reminder from the Reminders tab on the Manager page. See [Manager](#) for more information.

Response Required

The **RESPONSE REQUIRED** pop-up window allows you to specify an outcome for an alert that was triggered by a Response Required rule. You can also specify outcomes on a review that contains one or more transactions that were alerted by a Response Required rule. You cannot close a Response Required alert until you take one of the following actions:

- Forward the alert to a user or queue
- Set a reminder on the alert
- Apply an outcome to each transaction via the pop-up window

Apply outcomes

Follow these steps to apply response required outcomes.

1. From the Review page, click the **Response Required** icon. The **RESPONSE REQUIRED** pop-up window opens.
2. Select an outcome for some or all listed transactions.

You can select the same outcome or different outcomes for each transaction.

When you select a transaction, a new field and a button labeled "DONE" appear at the bottom of the pop-up window. If you want to apply the same outcome to more than one transaction, you can select those transactions and then select the outcome from the list in the field at the bottom of the pop-up window. When you select the outcome from the field at the bottom of the pop-up window, that outcome is displayed in the fields in the Outcome column beside the selected transactions.

The list in the fields in the Outcome column and the list in the field at the bottom of the pop-up window contain the outcome values that have been configured for the dimension. ACI provides two default outcome values: Release Payment and Stop Payment. Your administrator can configure additional outcome values.

3. (Optional) Provide additional information in the **Notes** field.
4. When you are finished applying outcomes, click **DONE**. The field at the bottom of the pop-up window and the DONE button disappear.
5. Click **SUBMIT**.
 - If you select outcomes for all listed transactions, the RESPONSE REQUIRED pop-up window closes when you click **SUBMIT**.
 - If you select outcomes for some, but not all, of the listed transactions, when you click **SUBMIT**, the RESPONSE REQUIRED pop-up window remains open, and the transactions for which you selected outcomes will be removed from the window. You can select outcomes for the remaining transactions by repeating steps 2 through 4, or depending on your institution's configuration, you may be able to close the RESPONSE REQUIRED pop-up window by clicking **Close**.

NOTE

Since the RESPONSE REQUIRED pop-up window closes automatically when outcomes have been applied to all listed transactions, the Close button is used to close the pop-up window manually (that is, close the pop-up window without applying outcomes to all the listed transactions). If you opened the RESPONSE REQUIRED pop-up window from a review, you can close it manually at any time. After the pop-up window closes, if desired, you can close the review without taking any action against the dimension ID, or without applying an outcome to the transactions listed in the RESPONSE REQUIRED pop-up window that do not have one applied. If you opened the RESPONSE REQUIRED pop-up window from an alert, you can close it manually at any time. After it closes, depending on your institution's configuration, you may be required to apply an outcome to all the transactions listed in the RESPONSE REQUIRED pop-up window that do not have one applied. Alternatively, you can take an action against the dimension ID (set a reminder or forward the alert to another user) before you can close the alert.

Notes

You can add notes to an opened dimension ID. You can create a note that is permanent, or you can create a notification note with an expiration date and time.

When a notification note has been added for a dimension ID and the expiration date and time has not been exceeded, the system will display the note text when a user opens the dimension ID in the Review page.

Add a permanent note

1. Click the **Notes** icon in the toolbar on the left side of the Review page.
The NOTES window opens.
Unexpired notification notes added to the dimension ID are listed in a grid at the top of the window.
2. Enter your note text in the **Notes** field, or click the **Auto Text** link and select the predefined text to insert in the **Notes** field.

You can include both text you type and predefined auto text.

3. Click **ADD NOTE** to save your note.
The window closes.

Add a notification note

1. Click the **Notes** icon in the toolbar on the left side of the Review page.
The NOTES window opens.
Unexpired notification notes added to the dimension ID are listed in a grid at the top of the window.
2. Enter your note text in the **Notes** field, or click the **Auto Text** link and select the predefined text to insert in the **Notes** field.

You can include both text you type and predefined auto text.

3. Select the **Make this a Notification Note** checkbox.
The **Expires at** fields are displayed.
4. Specify the date and time at which you want the notification note to expire.

You can type the expiration date in the field or use the calendar to select it. You can type the expiration time in the field or click the down arrow to select it.

5. Click **ADD NOTE** to save your notification note. The window closes.

Remove a notification note

1. Click the **Notes** icon in the toolbar on the left side of the Review page.
The NOTES window opens. Unexpired notification notes added to the dimension ID are listed in a grid at the top of the window.
2. Select the checkboxes for the notification notes to remove them.
3. Click **REMOVE NOTE**.

Documentation

The Documentation function enables you to associate relevant files and URLs with a dimension ID.

The Documentation icon () is located in the toolbar on the left side of the Review page. When you click the Documentation icon, the DOCUMENTATION pop-up window opens. Any files or URLs that were previously added to the opened dimension ID are displayed in a grid on the pop-up window. From the DOCUMENTATION pop-up window, you can:

- Add files and URLs
- Open or download a file
- Open a URL
- Remove files and URLs
- Edit the description for a file or URL
- Edit a URL

The following table describes the information provided in the grid on the DOCUMENTATION pop-up window.

Column name	Description
Name	The URL or the name of the file.
Description	A textual description of the file or URL.
Added By	The full name of the user who added the file or URL.
Type	For files, this column identifies the file type; for example: PDF. For URLs, the column always contains the acronym URL.
Size	The size of the file in kilobytes. The column is empty for URLs.
Date and Time Added	The date and time the file or URL was added.
Last Modified Date and Time	The date and time the file or URL was last modified.
Last Modified By	The full name of the user who last modified the file or URL.

Add documentation

An administrator can configure the types of files that users are allowed to upload. By default, the following file types are allowed:

- pdf
- doc
- docx
- xls
- xlsx
- csv
- txt
- rtf
- html
- zip
- mp3
- wma
- mpg
- flv
- avi
- jpg
- jpeg
- png
- gif

An administrator can also configure the maximum file size per upload. The default upload limit is 5 MB.

Follow these steps to add documentation for a dimension ID.

1. Click the **Documentation** icon on the Review page to open the DOCUMENTATION window.

If documentation has already been added for the dimension ID, the files and/or URLs are displayed in a grid. Otherwise, you will see text stating that there is no documentation for this dimension ID.

2. Click **ADD DOCUMENTATION**. The ADD DOCUMENTATION window opens.
3. On the ADD DOCUMENTATION window, perform the following steps:

- a. Select **File** or **URL**.

- i. If you selected File, click **BROWSE** to locate and select the file to add.
- ii. If you selected URL, the **URL** entry field is displayed. Type the URL to add.

NOTE

An error message is shown if you attempt to add a duplicate file or URL.

- b. Optionally, type a description of the file or URL in the **Description** field.
- c. Click **SAVE**. The ADD DOCUMENTATION window closes. The DOCUMENTATION refreshes and displays the newly added file or URL.

Useful information regarding upload security

Starting with PRM 9.2.5, file signature check was implemented for uploading documents. This improves security and prevents a user from uploading a potential harmful file that's not in the default list (like an executable file such as .exe, .msi, or .elf) by changing its extension to one from the list. A user with proper permission can upload by default the following file extensions:

- pdf
- doc
- docx
- xls
- xlsx
- csv
- txt
- rtf
- html
- zip
- mp3
- wma
- mpg
- flv
- avi
- jpg

- jpeg
- png
- gif
- xml

Out of this list, file signature check was implemented for all extensions except: csv, txt, html. Documents in these formats do not have file signatures since they are text based and cannot be checked like other extensions.

As a security measure, ACI recommends customers to remove .txt, .csv and .html extensions from the list in case they do not need to upload files with this potential vulnerable extensions.

If a customer keeps the extensions, the security risk cannot be mitigated, and they acknowledge and accept this risk.

If new extensions are added to the list (like .pptx, .odt or any other custom extensions), our code will allow the upload only if the file signature doesn't match a potential executable file from this list: .exe, .com, .dll, .mui, .sys, .scr, .cpl, .ocx, .ax, .iec, .ime, .rs, .tsp, .fon, .efi, .elf, .msi. Any attempt to upload a document that will fail the file signature check will be logged in an event and in ACT table.

Open a file or URL

You can open or download a file listed in the grid on the DOCUMENTATION window, or you can go to an external site identified by a URL listed in the grid on the DOCUMENTATION window.

1. Click the **Documentation** icon on the Review page to open the DOCUMENTATION window. The previously added files and URLs are listed in a grid on the window.
2. Find the row containing the file or URL you want to open.
3. Click the link for the file or click the URL.
 - If you click the link for a file and you have the application required to open the selected file, the file will open.
 - If you click a URL and your institution allows you to access the external site, you will be prompted to confirm that you want to navigate away from the current page. If you click **OK**, the external site opens in your browser.

Edit documentation

You can edit the description for a file or URL listed in the grid on the DOCUMENTATION window. You can also edit a URL.

1. Click the **Documentation** icon on the Review page to open the DOCUMENTATION window. The previously added files and URLs are listed in a grid.
2. Find the row containing the file or URL you want to edit.
3. Select the checkbox for the file or URL, then click the **Edit** icon.
The EDIT DOCUMENTATION window opens. It contains the name of the file or the URL, and the entry field for the description.
4. If you selected a file, type the new description in the **Description** entry field, overwriting any previous description. If you selected a URL, you can edit the URL, the description, or both.
5. Click **SAVE**. The EDIT DOCUMENTATION window closes. The DOCUMENTATION window is automatically

refreshed to display the edits.

Remove one or multiple files and URLs

You can remove one or multiple files and URLs from the DOCUMENTATION window.

NOTE

While files removed from the DOCUMENTATION window are no longer listed in the grid, they are not deleted from the server.

Follow these steps to remove documentation from the grid on the DOCUMENTATION window.

1. Click the **Documentation** icon on the Review page to open the DOCUMENTATION window. The files and URLs are listed in a grid on the window.
2. Find the row for each file and/or URL you want to remove from the grid on the window.
3. Select the check box for each file and/or URL you want to remove.
4. Click **Remove**.

The DOCUMENTATION window is automatically refreshed to display any remaining items.

NOTE

After a file is deleted, you can upload a new file with the same name as the previously deleted file.

Manual notification

The manual notification function enables you to send transaction or alert data to an external system, such as a customer contact system, while you are reviewing an account or alert.

Your tenant can be configured in such a way that the system will automatically select the transactions that are to be sent to the external system, or it can be configured to allow users to determine which transactions are sent to the external system. By default, it will be configured to automatically select the transactions.

If your tenant is configured to automatically select the transactions, the following will occur when you click the Manual Notification icon on the Review screen:

- The system will automatically select the transactions to be sent, regardless of whether you did or did not select any transactions on the Review page. Your tenant's configuration will determine whether only alerted transactions or any transactions (that is, alerted and not alerted transactions) will be automatically selected to be sent. By default, the system will select only alerted transactions to be sent.
- The MANUAL NOTIFICATION pop-up window will open, and it will contain the following message: "n transactions were selected," where n is the value to which the SystemConfig table parameter NoOfLastTxnsNotify is set.

NOTE

In cases where the system automatically selects the transactions to be sent, you will not see the selection reflected in the grid. The selection is performed by a service behind the user interface.

If your tenant is not configured to automatically select the transactions, then what happens depends on whether you select no transactions, too many transactions, or an allowable number of transactions.

- When you click the Manual Notification icon on the Review screen without selecting any transactions, then:

- The system will automatically select the transactions to be sent. Your tenant's configuration will determine whether only alerted transactions or any transactions (that is, alerted and not alerted transactions) will be automatically selected to be sent. By default, the system will select only alerted transactions to be sent.
- The MANUAL NOTIFICATION pop-up window will open, and it will contain the following message: "No transactions were selected. Last n transactions will be used," where n is the value to which the SystemConfig table parameter NoOfLastTxnsNotify is set.
- When you click the Manual Notification icon on the Review screen after selecting a number of transactions that is greater than the value to which the SystemConfig table parameter NoOfLastTxnsNotify is set, the system will present an error message. Click **OK** to close the error message, and then select a number of transactions that is less than or equal to the number allowed.
- When you click the Manual Notification icon on the Review screen after selecting a number of transactions that is less than or equal to the value to which the SystemConfig table parameter NoOfLastTxnsNotify is set, the MANUAL NOTIFICATION pop-up window opens, and the transactions you selected are used.

Send transactions to an external system

Complete these steps to use the manual notification function to send transactions to an external system.

1. On the Review page, select the transaction or transactions you want sent to an external system by selecting the corresponding checkboxes.

NOTE

If your tenant is configured to automatically select the transactions to be sent, your selection will be ignored.

2. Click the **Manual Notification** icon in side toolbar.
The MANUAL NOTIFICATION pop-up window opens.
3. (Optional) Use the **Notes** field to enter information about the actions you are taking.

You can type the information in the field. You can click the **Auto Text** link to select predefined text to include in the field, or you can include both text that you type and predefined auto text that you select.

4. Click **NOTIFY** to add the actions to the External Message Data table. PRM sends one message per transaction. If more than one transaction is being sent, PRM appends the following notation to the text in the Action Details column on the Action History tab of the Review page:

- Transaction 1/n
- Transaction 2/n
- Transaction 3/n, and so on

where *n* is the total number of transactions to be sent to the external system.

Communication

You can create a letter or email for the person or entity associated with an open dimension ID. You can select the template to use, compose the text of the letter or email, add notes about the communication, and include details about transactions in the letter or email. See the [Create a letter](#) and the [Create an email](#) topics for further details.

Create a letter

Follow these steps to create a letter.

1. Click the **Communication** icon in the side toolbar.
The COMMUNICATION window opens.
By default, Letter is selected.
2. Click the down arrow in the **Template** field and select a template from the list. The window expands and includes the fields for a letter.
3. You can edit the letter text, which is automatically populated with the text from the template.
4. (Optional) Enter notes about the communication in the **Notes** field.
5. If you want to include details about one or more transactions, click **Add Transactions**. The ADD TRANSACTIONS window opens.
6. From the ADD TRANSACTIONS window, select the associated checkboxes to select the transactions.
7. Click **ASSIGN FIELDS** to select the fields from the selected transactions that will be included in the letter. The ASSIGN FIELDS (FIVE MAXIMUM) window opens.
8. From the ASSIGN FIELDS (FIVE MAXIMUM) window, use the first arrow key to move the fields from the Unassigned box to the Assigned box.
9. You can select a maximum of five fields.
10. Use the second set of arrow keys to modify the order in which you want the fields listed.
11. Click **OK** to close the ASSIGN FIELDS (FIVE MAXIMUM) window.
12. On the ADD TRANSACTIONS window, click **ADD TRANSACTIONS** to close it. On the COMMUNICATION window, an orange dot on the **Add Transactions** icon indicates that one or more transactions have been added to the letter.
13. On the COMMUNICATION window, click **PREVIEW**. The LETTER PREVIEW window opens.
14. From the LETTER PREVIEW window, use the toolbar in the upper right corner to perform the following functions:
 - Edit the letter.
If you click the **Edit** icon, the COMMUNICATION window opens again, enabling you to modify the letter text.
 - Copy the letter.
 - Export the letter to PDF.
 - Print the letter.

Create an email

Follow these steps to create an email.

1. Click the **Communication** icon in the side toolbar.
The COMMUNICATION window opens.
By default, Letter is selected.
2. Select **Email**.
3. Click the down arrow in the **Template** field and select a template from the list. The window expands and includes the fields for an email.

4. You can edit the email text, which is automatically populated with the text from the template.
5. (Optional) Enter notes in the **Notes** field.
6. If you want to include details about one or more transactions, click **Add Transactions**. The ADD TRANSACTIONS window opens.
7. From the ADD TRANSACTIONS window, select the associated checkboxes to select the transactions.
8. Click **ASSIGN FIELDS** to select the fields from the selected transactions that will be included in the email. The ASSIGN FIELDS (FIVE MAXIMUM) window opens.
9. From the ASSIGN FIELDS (FIVE MAXIMUM) window, use the first arrow key to move the fields to include from the Unassigned box to the Assigned box.

You can select a maximum of five fields.

10. Use the second set of arrow keys to modify the order in which you want the fields listed.
11. Click **OK** to close the ASSIGN FIELDS (FIVE MAXIMUM) window.
12. On the ADD TRANSACTIONS window, click **ADD TRANSACTIONS** to close it. On the COMMUNICATION window, an orange dot on the Add Transactions icon indicates that one or more transactions have been added to the email.
13. On the COMMUNICATION window, click **PREVIEW**. The EMAIL PREVIEW window opens.
14. From the EMAIL PREVIEW window, you can use the toolbar in the upper right corner to perform the following functions:
 - Edit the email.
If you click the **Edit** icon, the COMMUNICATION window opens again to modify the email.
 - Copy the email.
 - Export the email to PDF.
 - Print the email.

Alternatively, click **SEND EMAIL** to send the email to the recipient.

Override

When you override a dimension ID, subsequent alerts that the dimension ID generates are not sent to analysts.

If an incoming transaction meets rule criteria, an alert will be created. However, the alert will not be placed into any categories or queues for distribution to fraud analysts. This reduces unnecessary alerts on dimension ID behavior that has been confirmed as not fraudulent or suspicious.

Consider the following about override:

- If a dimension ID is overridden and the system generates a correct, but unseen, alert for the dimension ID, the system gets credit for that alert when it generates performance statistics.
- If a watch has been placed, an override does not prevent analysts from seeing alerts generated by that dimension ID. The alert moves to the Watch Queue.
- If an analyst forwards an alert to another analyst, an override does not prevent the second analyst from seeing the alert.

Override a dimension ID

Use the following steps to set an override:

1. On the Review page, click the **Override** icon in the side toolbar. The Override pop-up window opens.



2. In the start date and time fields, select a date and time to begin the override. You can use the calendar widget to select the date, or type the date in the field. Select the time from the drop-down menu.

NOTE

When you first open this window, the start date and time default to the current date and time. You must change the start date and time to ensure that incoming transactions are overridden. If you do not make this change, the start date and time of the override action will be automatically set to the date and time when the override action is applied.

3. In the end date and time fields, set a date and time to end the override. The date and time must be after the start date.
4. In the **Notes** field, you can type a reason for the override or click the **Auto Text** link to select from predefined notes.
5. Click **OVERRIDE** to apply the override. The banner indicates that the dimension ID is overridden.


NOTE

The override is automatically applied to all rules. You do not need to script the screening into the rules SQL.

Remove an override

Use the following steps to remove an override from a dimension ID:

1. On the Review page, click **Edit Override**.



2. Click **REMOVE OVERRIDE** to deactivate the override. The banner is updated and no longer indicates that the dimension ID is overridden.

Watch

If transaction activity seems suspicious, but not irregular enough to warrant a block, place a watch on the dimension ID.


When the dimensionID has a watch in place, all future transactions that enter the system for that dimension ID will be tagged as alerts and placed into the system-generated Watch Queue. The Watch Queue is assigned to analysts

and prioritized like any other queue.

Add a watch

Use the following steps to add a watch:

1. On the Review page, click the **Watch** icon in the side toolbar.



2. In the **Start Date** and **Time** fields, select a date and time to begin the watch. You can use the calendar widget to select the date, or type the date in the field. Select the time from the drop-down list.

NOTE

When you first open this window, the Start Date and Time default to the current date and time. You must change the start date and time to ensure that incoming transactions are watched. If you do not make this change, the Start Date and Time of the watch action are automatically set to the date and time when the watch action is applied.

3. In the **End Date** and **Time** fields, set a date and time to end the watch. The date and time must be after the start date.
4. In the **Notes** field, type a reason for the watch or click the **Auto Text** link to select from predefined notes.
5. Click **WATCH** to apply the watch. The banner indicates that the dimension ID is watched.


NOTE

You do not have to script the screening into the rules SQL. Each incoming transaction for the watched dimension ID will have at least one alert placed in the Watch Queue, whether it triggers rules or not.

Remove a watch

Use the following steps to remove a watch:

1. On the Review page, click **Edit Watch** in the side toolbar.



2. Click **REMOVE WATCH** to deactivate the watch.
The banner is updated and no longer indicates that the dimension ID is watched.


Travel notifications

Travel notifications help you determine whether a dimension ID's transaction activity is suspicious or not. A travel notification indicates that for a specified date and time interval a dimension ID may have transactions originating in a

location that is different from the one in which they reside or typically transact. It may also indicate the maximum amount the dimension ID expects to spend per transaction, how the customer wants to be contacted, and the reason for the dimension ID's travel.

You can view, add, edit, and remove travel notifications for a dimension ID. The functionality is available for all dimension ID types.

When there is an active travel notification for a dimension ID, the system will display a message containing information about the dimensionID's travel when you open the dimensionID in the Review page.



Click **OK** to close the travel notification message.

[Add a travel notification](#)

Follow these steps to add a travel notification for a dimension ID.

1. On the Review page, click the **Travel Notification** in the side toolbar.

The TRAVEL NOTIFICATIONS window opens.

2. On the TRAVEL NOTIFICATIONS window, click **ADD TRAVEL NOTIFICATION**.

The ADD TRAVEL NOTIFICATION window opens.

3. Perform the following steps from the ADD TRAVEL NOTIFICATION window:

- a. In the **Start date** fields, specify the start date for the dimension ID's travels. You can type the start date in the field or use the calendar to select the date.
- b. In the **End date** fields, specify the end date for the dimension ID's travels. You can type the end date in the field or use the calendar to select the date.
- c. (Optional) In the **LOCATIONS** panel, indicate the locations where the person associated with the dimension ID will be traveling. In the **Country** field, click the down arrow to select from a list of the configured country codes and country names. In the Region field, click the down arrow to select from a list of the region codes and region names that have been configured for the selected country. In the Other column, enter information to further identify where the dimension ID is going (for example, the name of a city). If you want to add locations, click the **plus sign (+)** to display another row.
- d. (Optional) In the **Expected Maximum Spend per Transaction** field, enter the maximum amount that the

person associated with the dimension ID expects to spend while traveling.

- e. (Optional) From the list in the **Notification Method** field, select a method for contacting the dimension ID. The default options are Branch, Email, Online, Other, and Phone.
- f. (Optional) From the list in the **Notification Type** field, select the reason for the travel. The default options are Business, Gambling, Leisure, and Other.
- g. (Optional) Add notes to the travel notification. You can type your notes in the **Notes** field, or click the **Auto Text** link and select predefined text to insert in the **Notes** field.
- h. Click **ADD NOTIFICATION**. The ADD TRAVEL NOTIFICATION window closes, and the new travel notification is listed on the TRAVEL NOTIFICATIONS window.

Edit a travel notification

Follow these steps to edit a travel notification.

1. On the Review page, click the **Travel Notification** icon in the side toolbar.

The TRAVEL NOTIFICATIONS window opens. It contains a grid listing the active travel notifications for the dimension ID.

2. Select the corresponding checkbox to select a travel notification.

When you select a checkbox, a toolbar opens at the bottom of the window.

3. Click the **Update** icon.

The EDIT TRAVEL NOTIFICATION window opens.

4. Make the necessary modifications to the travel notification.
5. Click **UPDATE**.

The EDIT TRAVEL NOTIFICATION window closes. The TRAVEL NOTIFICATIONS window is automatically refreshed to show the updates.

NOTE

The EDIT TRAVEL NOTIFICATION window also includes a REMOVE NOTIFICATION button. To remove a travel notification, use this button, or select the travel notification from the grid on the TRAVEL NOTIFICATIONS window and click the **Remove notification** icon in the toolbar at the bottom of the window.

Remove a travel notification

Follow these steps to remove one or more travel notifications for a dimension ID.

1. Click the **Travel Notification** icon in the toolbar on the left side of the Review page.
The TRAVEL NOTIFICATIONS window opens. It contains a grid listing the active travel notifications for the dimension ID.
2. Select corresponding check boxes for the travel notifications to remove.
When you select a checkbox, a toolbar displays at the bottom of the window.
3. Click the **Remove notification** icon.

The selected travel notifications are removed from the grid on the TRAVEL NOTIFICATIONS window.

NOTE

The EDIT TRAVEL NOTIFICATION window includes a REMOVE NOTIFICATION button. To remove a travel notification, use that button, or follow the steps listed above.

Take an action on one or more dimension IDs using the selection toolbar

You must have an alert or review opened in the Review page. If it is a review, it cannot be opened in read-only mode.

From the Review page, you can take an action on one or more dimension IDs that are of a different dimension than the dimension ID in the opened alert or review. For example, while viewing an alert on a terminal, you might decide to block one or more cards in the associated transactions.

Follow these steps to take an action using the selection toolbar.

1. Select the transaction or transactions that contain the dimension ID or dimension IDs on which you want to take an action.

If you want to take an action on multiple dimension IDs, they must be of the same dimension and that dimension cannot be the same as the dimension of the dimension ID in the opened alert or review. The selection toolbar at the bottom of the Review page is displayed. Only the Copy and Export Selection icons are enabled.

2. Click the down arrow in the field in the selection toolbar to select the dimension of the dimension ID or dimension IDs on which you are taking an action. The remaining icons (Block, Mark, Forward, Reminder, Override, and Watch) in the selection toolbar are enabled.
3. Click the icon that corresponds to the action you want to take. When you click one of the icons, the corresponding pop-up window opens enabling you to complete the desired action.

Closing alerts and reviews

There are several ways to close alerts and reviews.

- CloseDimensionID icon in the side toolbar.

This icon closes only the open alert or review that is currently selected. If you click the CloseDimension ID icon when an alert is displayed, you may be required to perform an action and/or confirm that you are finished processing the alert before it will close.

- "X" on the alert or review tab If you click the "X" on the tab of an open review, it will close. If you click the "X" on the tab of an open alert, you may be required to perform an action and/or confirm that you are finished processing the alert before it is closed.
- "X" at the end of the row of tabs Use this button to close all open alerts and reviews. If you have one or more open reviews when you click the "X" in the upper right corner of the page, all the open reviews will close. If you have one or more open alerts when you click the "X" in the upper right corner of the page, you may be required to perform an action and/or confirm that you are finished processing the alert or alerts before they will close.

Point of Compromise (POC)

Point of Compromise is the place where a card was stolen, for example by skimming.

PRM reviews cards with recent fraud activity, then analyzes the terminals and merchants where the cards were used prior to the fraud. If the same terminal or merchant was used by other cards with recent fraud attacks, then that terminal or merchant is likely a Point of Compromise (POC).

For example, a customer has three transactions marked as fraudulent in a 24-hour period. PRM examines all merchants and terminals where the cardholder transacted in the 24-hours prior to the fraud's initial occurrence. PRM also reviews other cards used at those locations in a defined period. If more than three cards had fraud that occurred within 24-hours of transacting at that merchant or terminal, it should be marked as a POC.

When the common point of purchase is identified, alerts are generated and sent to a queue for review. You can load all potentially compromised items such as PANs, UANs, Retailer ID, and Terminal ID into a Reference Data table for use in rules processing.

If you determine that a terminal or merchant is the POC, you can block the terminal or merchant from handling future transactions. You will also find cards that were used at the POC location and block them as they are now considered to be at risk.

Review pending POC alerts

Review alerts in the Compromise Queue.

1. Click **PENDING ALERTS**.
2. From the **Portfolios** list, select the card portfolio whose alerts you want to review.
3. From the **Queues** list, select **Compromise Queue**.
A list of alerts is shown.
4. Right-click an alert and click **Open Alert**.

Click **Yes** to confirm that you want to process the alert. The page that is shown depends on the type of alert. For example, if the POC happened at a terminal, the Terminal POC page opens.

The top of the page clearly identifies that there is a Suspected Point of Compromise. The Demographic Data section provides information such as the Terminal ID, Owner ID, Name and Location, Service Date, Address information, and more.

At the bottom of the page, click **Marked Cards** to see cards that have triggered the POC alert, and click **Cards at Risk** to see cards that you might want to review and take action on.

5. If you want to block the compromised terminal or merchant, click **Create POC Block**.

72712 99 - Account × POC_TERM59tEjF - Terminal ×

Create POC Block

POC_TERM59tEjF

Suspected Point of Compromise

Start Date: 2019-08-05 • End Date: 2019-10-04
Affected Nb of PANs: 8 • Nb of POC Alerts: 3 • Funds at Risk: 176.0

POC Alert, Retrieved from Compromise Queue POC_TERM59tEjF

Demographic Data ?

Terminal Data

Terminal Information

Terminal ID	Type	Status	Owner ID	Acquisition
POC_TERM59tEjF		68363295	CVtnpwnr	ccrjEa

Update Date and Time
2019-09-03 20:01:37

Email
Levi.Terence30@aciworldwide.com

Marked Cards **Cards at Risk**

6. In the Create POC Block window, type a description about the terminal or merchant you want to block.
7. Click **POC BLOCK**.

Block an alerted dimension ID

You can block a compromised terminal or merchant from the Review page.

1. On the Review page, click the **Block** icon



on the left toolbar.

2. In the **Notes** field, type a reason for the block or click the **Auto Text** link to select from predefined notes.
3. Click **BLOCK**.
The Current Dimension ID State shows that the dimension ID is blocked and includes the reason code in parentheses.
4. When you close the dimension ID, confirm that you are done processing the alert and that you understand that the Dimension ID will no longer be alerted.

Block Cards at Risk

If you have reviewed cards that the system identified as a Card at Risk, you might have to block the cards from further use.

1. From the **Cards at Risk** tab on the Review page, select one or more cards.
2. At the bottom of the page, describe why you are blocking the cards.
3. Click the **Block** icon to the right of the notes.
4. If you want to add the cards to a reference list, create or select a Reference ID and click the **Load to reference data table** icon to the right of the list.

Pending alerts

The Pending Alerts page enables you to view the pending alerts that are in the portfolios assigned to your team. From the Pending Alerts page, you can also open alerts or open the dimension ID of an alert. You can export alert data or copy it to the clipboard, and you can delete alerts.

To open the Pending Alerts page, click PENDING ALERTS in the menu bar. When the page opens, you will see only the Portfolios field and the "Close all queues" link. Click the down arrow in the Portfolios field to see the list of portfolios assigned to your team. The name of each portfolio is followed by two numbers within parentheses: (*nnn* / *nnn*). The first number is the total number of alerted transactions in the portfolio's queues. The second number is the total number of alerted dimension IDs in the portfolio's queues.

When you select a portfolio from the list in the Portfolios field, the Queues field is displayed. Click the down arrow in the Queues field to see a list of the queues associated with the selected portfolio. The name of each queue is followed by a number in parentheses: (*nnn*). This number is the number of alerted transactions in the queue.

When you select a queue from the list, a tab for that queue is displayed. The tab contains a grid listing the pending alerts in the selected queue. If the queue is configured as a Consume and Archive queue, there is an orange line just below the label on the tab.

Any queues that you have open on the Pending Alerts page when you log off are saved for your next session. Those queues will be open on the Pending Alerts page the next time you log in.

When you select one or more alerts in the grid, a pop-up toolbar is displayed at the bottom of the page. The following table depicts and describes each of the icons in the toolbar.

Icon	Description
	Use the Copy icon to copy selected row(s) of alert data to the clipboard.
	Use the Open Alert icon to open a selected alert in the Review page.
	Use the Open Dimension ID icon to open the dimension ID of a selected alert in the Review page.
	Use the Open Read-Only icon to open the dimension ID of a selected alert in read-only mode in the Review page.
	Use the Delete Alert(s) icon to delete one or more selected alerts from the current or all queues.
	Use the Export Selection icon to export selected row(s) of alert data to an .xls or .csv file.

Each time you select a queue from the Queues field, a new tab is displayed in the Pending Alerts page. Each tab contains a grid listing the pending alerts in the selected queue. To close all tabs, click the "Close all queues" link.

Open a pending alert

Follow these steps to open a pending alert.

1. Select **PENDING ALERTS** from the menu bar.
The Pending Alerts page appears.
2. Click the down arrow in the **Portfolios** field to display the list of portfolios assigned to your team, then select the portfolio you want to use. The Queues field is displayed.
3. Click the down arrow in the **Queues** field to display the list of queues associated with the selected portfolio, then select the queue you want to use. A tab for the selected queue is displayed. The tab contains a list of the pending alerts in the selected queue.
4. Find the row containing the pending alert you want to open, then select the checkbox to the left of that row. A pop-up toolbar is displayed at the bottom of the page.
5. Click the **Open Alert** icon in the pop-up toolbar.
The selected alert opens in the Review page. The Review Type in the banner will be Alert. The banner also identifies the queue from which the alert was retrieved.

Open a dimension ID

Follow these steps to open the dimension ID of a pending alert.

1. Select **PENDING ALERTS** from the top menu bar.
The Pending Alerts page appears.

2. Click the down arrow in the **Portfolios** field to display the list of portfolios assigned to your team, then select the portfolio you want to use. The Queues field is displayed.
3. Click the down arrow in the **Queues** field to display the list of queues associated with the selected portfolio, then select the queue you want to use. A tab for the selected queue is displayed. The tab contains a list of the pending alerts in the selected queue.
4. Find the row containing the pending alert for the dimension ID that you want to open, then select the checkbox to the left of that row. A pop-up toolbar is displayed at the bottom of the page.
5. If you want to be able to take actions against the dimension ID in the alert, click the **Open Dimension ID** icon in the pop-up toolbar. If you want to open the dimension ID in read-only mode, click the **Open Read-Only** icon in the pop-up toolbar. The selected alert opens in the Review page. If you use the **Open Dimension ID** icon to open the dimension ID, the Review Type in the banner will be Review. If you use the **Open Read-Only** icon to open the dimension ID, the Review Type in the banner will be Readonly, Review.

Delete one or more pending alerts

Follow these steps to delete one or more pending alerts from the Pending Alerts page.

1. Select **PENDING ALERTS** from the top menu bar. The Pending Alerts page is displayed.
2. Click the down arrow in the **Portfolios** field to display the list of portfolios assigned to your team, then select the portfolio you want to use. The **Queues** field is displayed.
3. Click the down arrow in the **Queues** field to display the list of queues associated with the selected portfolio, then select the queue from which you want to delete one or more alerts. A tab for the selected queue is displayed. The tab contains a list of the pending alerts in the selected queue.
4. Find the row(s) containing the pending alert(s) you want to delete, then select the checkbox(es) to the left of the row(s).
A pop-up toolbar is displayed at the bottom of the page.
5. Click the **Delete Alert(s)** icon in the pop-up toolbar.
You are prompted to indicate whether you want to delete the alert(s) from the current queue or from all queues. After you indicate whether you want the alert(s) deleted from the current queue or from all queues, the system removes the selected alert(s) from the current queue or all queues and from the grid.

Copy pending alert data

Follow these steps to copy alert data from the Pending Alerts page to the clipboard.

1. Select **PENDING ALERTS** from the top menu bar. The Pending Alerts page is displayed.
2. Click the down arrow in the **Portfolios** field to display the list of portfolios assigned to your team, then select the portfolio you want to use. The **Queues** field is displayed.
3. Click the down arrow in the **Queues** field to display the list of queues associated with the selected portfolio, then select the queue you want to use. A tab for the selected queue is displayed. The tab contains a list of the pending alerts in the selected queue.
4. Find the row(s) containing the pending alert data you want to copy, then select the checkbox(es) to the left of the row(s). A pop-up toolbar is displayed at the bottom of the page.
5. Click the **Copy** icon in the pop-up toolbar. The displayed data for the selected alert or alerts is copied to the clipboard. You can paste the data into an application such as Microsoft Word or Excel. If a column on the grid is empty and you paste it into Excel, the column in Excel will contain a hyphen (-).

Export pending alert data

Follow these steps to export alert data to an .xls or .csv file.

1. Select **PENDING ALERTS** from the top menu bar. The Pending Alerts page is displayed.
2. Click the down arrow in the **Portfolios** field to display the list of portfolios assigned to your team, then select the portfolio you want to use. The Queues field is displayed.
3. Click the down arrow in the **Queues** field to display the list of queues associated with the selected portfolio, then select the queue you want to use. A tab for the selected queue is displayed. The tab contains a list of the pending alerts in the selected queue.
4. Find the row(s) containing the pending alert data you want to export, then select the checkbox(es) to the left of the row(s). A pop-up toolbar is displayed at the bottom of the page.
5. Click the **Export Selection** icon in the pop-up toolbar. You are prompted to indicate whether you want to export the data to an .xls or .csv file. Depending on your permissions, you may have the option of exporting any masked data as unmasked. If you choose to export the data to an .xls file (that is, into Excel), any column in the grid that is empty will contain a hyphen (-) in the corresponding column in the Excel file.

Forwards & Reminders

When you select **FORWARDS & REMINDERS** in the menu bar, the **Forwards & Reminders** page opens. The **Forwards & Reminders** page contains the following tabs:

- Reminders
- Forwards sent by me
- Forwards sent to me
- My team

By default, the Reminders tab is selected when the **Forwards & Reminders** page opens.

Reminders

The Reminders tab enables you to view the reminders that you have not retrieved.

The tab contains a grid that lists the following information for each reminder:

- Type (Reminder)
- Dimension ID
- Dimension
- Reminder Date and Time
- Notes

Select one or more reminders by clicking the corresponding checkbox or checkboxes in the grid. When you select one or more reminders, a pop-up toolbar appears at the bottom of the page. If you select only one reminder, your action choices are Open for Review, Open & Process, Edit, and Remove. If you select more than one reminder, your action choice is Remove.

Forwards sent by me

The "Forwards sent by me" enables you to see forwards that have not been retrieved by the users to whom you forwarded them.

The tab contains a grid that lists the following information for each forward:

- Type (Forward)
- Dimension ID
- Dimension
- Forward Date and Time
- Forwarded By (your full name)
- Forwarded To (the full name of the user to whom you forwarded it)
- Notes

Select one or more forwards by clicking the corresponding checkbox or checkboxes in the grid. When you select one or more forwards, a pop-up toolbar appears at the bottom of the page. If you select only one forward, your action choices are Open for Review, Edit, and Remove. If you select more than one forward, your action choice is Remove.

Forwards sent to me

The "Forwards sent to me" tab enables you to see the forwards sent to you that you have not retrieved.

The tab contains a grid that lists the following information for each forward:

- Type (Forward)
- Dimension ID
- Dimension
- Forward Date and Time
- Forwarded By (the full name of the user who forwarded it to you)
- Forwarded To (your full name)
- Notes

Select one or more forwards by clicking the corresponding checkbox or checkboxes in the grid. When you select one or more forwards, a pop-up toolbar appears at the bottom of the page. If you select only one forward, your action choices are Open for Review, Open & Process, Edit, and Remove. If you select more than one forward, your action choice is Review.

My team

The "My team" tab enables team administrators, supervisors, and users with custom roles to which the My Team permission is assigned to see the pending reminders and forwards assigned to their team. This tab, however, does not include the current user's pending forwards and reminders.

The "My team" tab contains a grid that lists the following information for each pending forward and reminder:

- Type (Forward or Reminder)
- Dimension ID
- Dimension
- Forward Date and Time or Reminder Date and Time
- Forwarded By (the full name of the user who forwarded it)
- Forwarded To (the full name of the user to whom it was forwarded)
- Notes

The Forwarded By and Forwarded To columns are empty for reminders.

Select one or more forwards and/or reminders by clicking the corresponding checkbox or checkboxes in the grid. When you select one or more forwards and/or reminders, a pop-up toolbar appears at the bottom of the page. If you select only one forward or reminder, your action choices are Open for Review, Edit, and Remove. If you select more than one forward and/or reminder, your action choice is Remove.

Edit a reminder

Before you begin:

When you select a reminder from the Reminders tab and click the **Edit** icon, the EDIT REMINDER pop-up window opens.

From the EDIT REMINDER pop-up window, perform these steps to edit the selected reminder.

1. (Optional) Change the descriptive text in the **Description** field.
2. (Optional) Change the date and time in the **Remind at** fields.

You can type in the date box, or you can click on the calendar icon next to the date to select the date from the pop-up calendar. You can also type in the time boxes, or use the up and down arrows to scroll through the times. Clicking on the box to the right of the time fields allows you to toggle between AM and PM.

3. Click **EDIT REMINDER** to save the reminder and close the pop-up window.

Edit a forward

When you select a forward from the **Forwards sent by me** tab, the **Forwards sent to me** tab, or the **My Team** tab, and click the **Edit** icon in the **pop-up** menu bar at the bottom of the page, the EDIT FORWARD pop-up window opens.

From the EDIT FORWARD pop-up window, perform these steps to edit the selected forward.

1. Select a user from the drop-down list in the Forward to field.

If editing a forward sent by you, this step is optional. This field is empty if editing a forward sent to you, and you must select a user from the drop-down list.

2. Edit the text in the **Memo** field (optional).

3. Edit the date and time for the forward.

If you are editing a forward sent to you, you must either select the **Immediately** option button or change the **Forward at** fields to a future date and/or time. If you are editing a forward sent by you, and the **Forward at** fields contain a future date and/or time, this step is optional. To change when the forward is sent, select either the **Immediately** or the **Forward at** option button to indicate when the forward should happen. If you select **Forward at**, selection boxes appear to pick the date and time when you want the forward to be done. You can type in the date box, or you can click on the calendar icon next to the date to select the date from the pop-up calendar. You can also type in the time boxes, or use the up and down arrows to scroll through the times. Click on the box to the right of the time fields to toggle between AM and PM.

4. Click **EDIT FORWARD** to save the forward and close the pop-up window.

User Activity History Report

Use the User Activity History report to see a snapshot of user activity for a given period. You can generate a User Activity History Report by clicking **REPORTS** on the main menu. By default, the data displayed in the report is filtered on the following values:

- Date Range: Today
- Actions: All
- Statuses: All
- Dimensions: All
- User Name:
 - For supervisor users: All from user's team
 - For analyst users: The analyst's activity data

Action Name	Dimension ID	Dimension	Action Date and Time	User Name	Action Details
Closed Review	Acct 802 465	Account	2020-01-14 07:10:00	C11Guest1	
Closed Review	779Winlred27.INC	Merchant	2020-01-14 07:10:00	C11Guest1	
Opened Review	779Winlred27.INC	Merchant	2020-01-14 06:32:20	C11Guest1	
Opened Review	Acct 802 465	Account	2020-01-14 06:31:52	C11Guest1	
Alerted	779Winlred27.INC	Merchant	2020-01-14 06:31:31	C11Guest4	- ruleMerchant1
Closed Review	Acct 802 465	Account	2020-01-14 03:25:00	C11Guest4	
Closed Review	8TERMD383 76	Terminal	2020-01-14 03:25:00	C11Guest4	
Closed Review	779Winlred27.INC	Merchant	2020-01-14 03:25:00	C11Guest4	
Opened Review	8TERMD383 76	Terminal	2020-01-14 02:53:47	C11Guest4	
Opened Review	779Winlred27.INC	Merchant	2020-01-14 02:53:09	C11Guest4	
Opened Review	Acct 802 465	Account	2020-01-14 02:52:48	C11Guest4	

You can filter the report according to Users, Actions, Statuses, and Dimensions. Based on the filtering options you select the data for the following fields are populated in the report:

Field name	Description
Action Name	The name of the action

Field name	Description
Dimension ID	The unique ID for the dimension
Dimension	The Dimension name
Action Date and Time	The date and time of the activity.
User Name	The user name related to the activity
Action Details	Details of the action

The **Dimension ID** field is populated with a clickable link to view more information on the **REVIEW** page for the respective Dimension ID. The information displayed is limited to that which is accessible to the current user's profile. For example, only your team's portfolios could be visible to you. Analyst users are able to access their own activity history data and Supervisor users can access the activity history data of all their team members.

For detailed instructions on generating this report see [Generate a User Activity History Report](#).

Generate a User Activity History Report

The data displayed depends on the user profile. Team Administrator users can access all data for their team while Analyst users are limited to their own activity history only.

Complete the following steps to generate and filter a User Activity History Report:

1. Click **REPORTS User Activity History Report** from the main menu.

The report is populated with the default filters for the current user based on their role (Analyst or Team Administrator).

2. The Filter Report option is expanded by default but if not, click the arrow to expand the Filter Report panel, displaying the filtering options.

User Activity Report

Filter Report

Help

1 - 11 Page Size 50

Action Name	Dimension ID	Dimension	Action Date and Time	User Name	Action Details
Closed Review	Acct 802 465	Account	2020-01-14 07:10:00	C11Guest1	
Closed Review	779Winfred27.INC	Merchant	2020-01-14 07:10:00	C11Guest1	
Opened Review	779Winfred27.INC	Merchant	2020-01-14 06:32:20	C11Guest1	
Opened Review	Acct 802 465	Account	2020-01-14 06:31:52	C11Guest1	
Alerted	779Winfred27.INC	Merchant	2020-01-14 06:31:31	C11Guest4	- ruleMerchant1
Closed Review	Acct 802 465	Account	2020-01-14 03:25:00	C11Guest4	
Closed Review	8TEFMD383 76	Terminal	2020-01-14 03:25:00	C11Guest4	
Closed Review	779Winfred27.INC	Merchant	2020-01-14 03:25:00	C11Guest4	
Opened Review	8TEFMD383 76	Terminal	2020-01-14 02:53:47	C11Guest4	
Opened Review	779Winfred27.INC	Merchant	2020-01-14 02:53:09	C11Guest4	
Opened Review	Acct 802 465	Account	2020-01-14 02:52:48	C11Guest4	

User Activity Report

Filter Report

Help

Users

Filter Users

- ☒ C11Guest1
- ☒ Uninvited guests

Actions

Filter Actions

- ☒ Alert
- ☒ Alert Delete
- ☒ Alert Email
- ☒ Alert Review Timeout
- ☒ Block
- ☒ Call
- ☒ Close Account
- ☒ Close Alert
- ☒ Close Complaint Alert

Statuses

Filter Statuses

- ☒ All Statuses
 - ☒ Completed
 - ☒ Requested
 - ☒ Failed
 - ☒ Submitted

Dimensions

Filter Dimensions

- ☒ Terminal
- ☒ Employee
- ☒ User Account ID
- ☒ Account
- ☒ All Cross Dimensions
 - ☒ Device ID
 - ☒ IP Address
 - ☒ Payee Account

From 2020-01-14 To 2020-01-15

3. You can filter the report according to the following filters:

ACI

[Dashboard](#)
[Search](#)
[Review](#)
[Pending Alerts](#)
[Manager](#)
[Reports](#)
[Administrate](#)

[Q](#)
[C11Analyst3](#)
[Help](#)
[Log Out](#)

User Activity History Report

Filter Report

Actions

Filter Actions

All Actions

Action Level Memo

Alert

Alert Delete

Alert Email

Alert Review Timeout

Block

Call

Close Account

Filter Statuses

All Statuses

Completed

Requested

Paid

Submitted

Filter Dimensions

All Dimensions

Card

Merchant

Customer

Terminal

Employee

User Account ID

Account

All Cross Dimensions

From

2019-11-02

To

2020-01-30

Today

Past week

Past 2 weeks

Past 3 weeks

Past 4 weeks

Past 30 days

Past 60 days

Past 90 days

APPLY


RESET TO DEFAULT

Status	Definition
Completed	Status for actions taken by a user or the system (auto user) and represents a successful action.
Requested	Available only if External Message Manager (EMM) was enabled in the system, for more details see the <i>Notifications API Guide</i> .
Failed	Available only if EMM was enabled in the system, for more details see the <i>Notifications API Guide</i> .
Submitted	Available only if EMM was enabled in the system, for more details see the <i>Notifications API Guide</i> .

For more information on the filtering functionality, see "Filters."

4. To filter the report, deselect the items you would like to remove. In the Users filter, Team Administrators can filter across team members, Analysts will only see their own username in this field.
5. You can control the data displayed according to the date. For this parameter you have the following filtering options:
 - TODAY
 - PAST WEEK
 - PAST 2 WEEKS
 - PAST 3 WEEKS
 - PAST 4 WEEKS
 - PAST 30 DAYS
 - PAST 60 DAYS
 - PAST 90 DAYS

You can also select a custom date range from the calendar icons.



From 2020-01-30 To 2020-01-30

Today Past week Past 2 weeks Past 3 weeks Past 4 weeks

Past 30 days Past 60 days Past 90 days

6. Click **APPLY** to apply the filters.
7. If you would like to apply a complete different set of filters, click **RESET TO DEFAULT** to clear the filters to the default setting.
8. You can click the **EXPORT ALL** icon  to export the report to .csv or .xls file formats.
9. The grid controls work similarly to all other grids. For more information see "Standard grid functionality."