




Tie My Knot


Purple Parrots - Crystal, Nate, Chad, & Lindsey

Segment 0 — App Walkthrough


(Landing page)



(Create registry)




(Add item to registry)




Tie My Knot is a software startup looking to become a leading platform for weddings. They are hoping to launch an online platform for couples to upload their registries, and for guests to reserve items to buy as gifts.

MVP: The application will allow couples to post registry gift requests and view the purchase status of registry gifts. It will also allow all guests to view and reserve gifts they intend to purchase.

(View individual registry list)



(Registry lists links)




Segment 1 — Responsive Design


ex. (landing.js)

```
import { makeStyles } from "@material-ui/core/styles";
import Typography from "@material-ui/core/Typography";
import Button from "@material-ui/core/Button";
import Grid from "@material-ui/core/Grid";
import Box from "@material-ui/core/Box";
```

```
11 const useStyles = makeStyles((theme) => ({
12   root: {
13     minWidth: '100%',
14     minHeight: '100vh',
15     display: "flex",
16     flexDirection: "column",
17     justifyContent: "center",
18   },
19   logo: {
20     maxWidth: "25%",
21     height: "auto",
22     '&:hover': {
23       transform: "scaleX(-1)"
24     },
25   },
26 }));
```



(landscape view)



iPhoneX

We sized elements with percentages, vh, and utilized the MaterialUI framework.

Segment 2 — React

a.

Here we have hooks to store the value of the current state of the list of registries (registryData), and the means to update the value of the current state's variable (setRegistryData).

b.

We're using the callback function fetchRegList() within useEffect() to fetch the current registry data.

c.

This is where we're calling setRegistryData.

d.

The current state being passed to a component as a property.

```
24 export const App = () => {  
25   //Theme  
26   const classes = useStyles();  
27  
28   a.  
29   //useState  
30   const [registryData, setRegistryData] = useState([]);  
31  
32   b.  
33   //useEffect takes a callback function, where we put our fetch!  
34   useEffect(() => {  
35     fetchRegList();  
36   }, []); //pass an empty array to run just once!  
37  
38   function handleShowReg() {  
39     //Switch the show of Registry  
40     setShowReg(!showReg);  
41   }  
42  
43   async function fetchRegList() {  
44     try {  
45       const response = await fetch('http://localhost:3000/registry');  
46       const responseJSON = await response.json()  
47       console.log("WHAT IS OUR RES? ", responseJSON);  
48       c. setRegistryData(responseJSON.registry)  
49     } catch(err) {  
50       console.log("OH NO AN ERROR! ", err)  
51     }  
52   }  
53  
54   <Route exact path="/registry">  
55     d. <RegistryList registryData={registryData}/>  
56   </Route>
```

Segment 3 — Testing

We experienced issues with DOM traversal - figuring out how to access the properties within items (ex. `treeEl.props.children.props.registryData`) was a challenge. We also had to utilize `<MemoryRouter>` because the component was rendered within a link.

`<MemoryRouter>`


DOM Traversal

```
1  import React from 'react';
2  import renderer from 'react-test-renderer';
3  import { RegistryList } from './registryList';
4  import { MemoryRouter } from 'react-router-dom';
5  describe("Registry list component", () => {
6
7    //Behavior Test: Does our Component handle data passed
    //in as props?
8
9    test("Contains items passed down as props", () => {
10      const registryData = [{id: 1, "groomName": "John",
11        "brideName": "Jane"}, {"id": 2, "groomName": "John",
12        "brideName": "Jane"}];
13
14      const component = renderer.create
15      (<MemoryRouter><RegistryList registryData=
16        {registryData}/></MemoryRouter>);
17      const treeEl = component.toTree()
18
19      console.log("treeEl.props", treeEl.props.children.
20        props);
21      expect(treeEl.props.children.props.registryData.
22        length).toBe(2)
23    })
24  })
```


PASS public/react/pages/registryList.test.js
Registry list component
✓ Contains items passed down as props (207 ms)

Segment 3 — A11y


Create Registry Page




Landing Page




Registry Page




Add Item Page




Registry List



Before



After



Segment 4 — Agile

Successful practices: **Getting approval from team before merging a branch, live collaboration, pair programming, asking for help.**

Learning moments: **Failure to communicate before pushing/pushing to main, jumping ahead of the assigned task(s) for that day**

What would we do differently? **Creating a team constitution before working the project, sometimes asking for help sooner, stopping more often to make sure all team members understood the material, more pair programming from the beginning, better stand up designation/organization**