

CAFs

for tau1 = tau2 = 30


condition

congruent_congruent
congruent_incongruent

○ ○ ○
○ ○ ○

incongruent_congruent
incongruent_incongruent

○ ○ ○
○ ○ ○



CAFs


for $\tau_1 = \tau_2 = 80$

condition

congruent_congruent
congruent_incongruent





incongruent_congruent
incongruent_incongruent



```
for tau1 = tau2 = 130
```

congruent_congruent
congruent_incongruent



CAFs

for $\tau_1 = \tau_2 = 180$

condition

congruent_congruent
congruent_incongruent


○ ○ ○
○ ○ ○

incongruent_congruent
incongruent_incongruent

○ ○ ○
○ ○ ○

1.0 1.5 2.0 2.5 3.0 3.5 4.0

1.0 1.5 2.0 2.5 3.0 3.5 4.0



RT bin

CAFs

for $\tau_1 = \tau_2 = 230$

condition

congruent_congruent
congruent_incongruent


○ ○ ○
○ ○ ○

incongruent_congruent
incongruent_incongruent

○ ○ ○
○ ○ ○

1.0 1.5 2.0 2.5 3.0 3.5 4.0

1.0 1.5 2.0 2.5 3.0 3.5 4.0



RT bin