# CVEs más relevantes de la semana

Del 19/07/2025 al 26/07/2025

Porque el primer paso para defender es conocer las amenazas.



# CVE-2015-10138

Descripción: The Work The Flow File Upload plugin for WordPress is vulnerable to arbitrary file uploads due to missing file type validation in the jQuery-File-Upload-9.5.0 server and test files in versions up to, and including, 2.5.2. This makes it possible for unauthenticated attackers to upload arbitrary files on the affected sites server which may make remote code execution possible.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-434

Tecnología: No especificado



Descripción: A vulnerability has been found in Campcodes Online Movie Theater Seat Reservation System 1.0 and classified as critical. This vulnerability affects unknown code of the file /admin/manage\_seat.php. The manipulation of the argument ID leads to sql injection. The attack can be initiated remotely. The exploit has been disclosed to the public and may be used.

CVSS: 7.3 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L

Tipo: CWE-74

Tecnología: No especificado



Descripción: A vulnerability has been found in TOTOLINK T6 4.1.5cu.748\_B20211015 and classified as critical. Affected by this vulnerability is the function setTelnetCfg of the file /cgi-bin/cstecgi.cgi of the component Telnet Service. The manipulation of the argument telnet\_enabled with the input 1 leads to missing authentication. The attack can be launched remotely. The exploit has been disclosed to the pu...

CVSS: 7.3 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L

Tipo: CWE-287

Tecnología: No especificado



Descripción: The SFT developed by Digiwin has a SQL Injection vulnerability, allowing unauthenticated remote attackers to inject arbitrary SQL commands to read, modify, and delete database contents.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-89

Tecnología: No especificado



Descripción: Certain modem models developed by Askey has a Stack-based Buffer Overflow vulnerability, allowing unauthenticated remote attackers to control the program's execution flow and potentially execute arbitrary code.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-121

Tecnología: No especificado



Descripción: A vulnerability classified as critical was found in Campcodes Sales and Inventory System 1.0. This vulnerability affects unknown code of the file /pages/settings\_update.php of the component Setting Handler. The manipulation of the argument ID leads to sql injection. The attack can be initiated remotely. The exploit has been disclosed to the public and may be used.

CVSS: 7.3 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L

Tipo: CWE-74

Tecnología: No especificado



#### CVE-2012-10020

Descripción: The FoxyPress plugin for WordPress is vulnerable to arbitrary file uploads due to missing file type validation in the uploadify.php file in versions up to, and including, 0.4.2.1. This makes it possible for unauthenticated attackers to upload arbitrary files on the affected sites server which may make remote code execution possible.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-434

Tecnología: No especificado



# CVE-2015-10137

Descripción: The Website Contact Form With File Upload plugin for WordPress is vulnerable to arbitrary file uploads due to missing file type validation in the 'upload\_file()' function in versions up to, and including, 1.3.4. This makes it possible for unauthenticated attackers to upload arbitrary files on the affected sites server which may make remote code execution possible.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-434

Tecnología: No especificado



Descripción: The bSecure plugin for WordPress is vulnerable to Privilege Escalation due to missing authorization within its order\_info REST endpoint in versions 1.3.7 through 1.7.9. The plugin registers the /webhook/v2/order\_info/ route with a permission\_callback that always returns true, effectively bypassing all authentication. This makes it possible for unauthenticated attackers who know any user's email...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-862

Tecnología: No especificado



Descripción: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') vulnerability in Rolantis Information Technologies Agentis allows SQL Injection. This issue affects Agentis: before 4.32.

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-89

Tecnología: No especificado



Descripción: An unauthenticated remote attacker may use a stack based buffer overflow in the u-link Management API to gain full access on the affected devices.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-121

Tecnología: No especificado



Descripción: The Ebook Store plugin for WordPress is vulnerable to arbitrary file uploads due to missing file type validation in the ebook\_store\_save\_form function in all versions up to, and including, 5.8012. This makes it possible for unauthenticated attackers to upload arbitrary files on the affected site's server which may make remote code execution possible.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-434

Tecnología: No especificado



Descripción: The WPBookit plugin for WordPress is vulnerable to arbitrary file uploads due to missing file type validation in the image\_upload\_handle() function hooked via the 'add\_new\_customer' route in all versions up to, and including, 1.0.6. The plugin's image-upload handler calls move\_uploaded\_file() on client-supplied files without restricting allowed extensions or MIME types, nor sanitizing the filen...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-434

Tecnología: No especificado



Descripción: The ONLYOFFICE Docs plugin for WordPress is vulnerable to Privilege Escalation due to missing authorization within its oo.callback REST endpoint in versions 1.1.0 to 2.2.0. The plugin's permission callback only verifies that the supplied, encrypted attachment ID maps to an existing attachment post, but does not verify the requester's identity or capabilities. This makes it possible for unauthen...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-862

Tecnología: No especificado



Descripción: The Webinar Solution: Create live/evergreen/automated/instant webinars, stream & Zoom Meetings | WebinarIgnition plugin for WordPress is vulnerable to unauthenticated login token generation due to a missing capability check on the 'webinarignition\_sign\_in\_support\_staff' and 'webinarignition\_register\_support' functions in all versions up to, and including, 4.03.31. This makes it possible for una...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-862

Tecnología: No especificado



Descripción: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') vulnerability in Bayraktar Solar Energies ScadaWatt Otopilot allows SQL Injection. This issue affects ScadaWatt Otopilot: before 27.05.2025.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-89

Tecnología: No especificado



Descripción: Unrestricted Upload of File with Dangerous Type, Improper Neutralization of Special Elements used in an OS Command ('OS Command Injection') vulnerability in SMG Software Information Portal allows Code Injection, Upload a Web Shell to a Web Server, Code Inclusion. This issue affects Information Portal: before 13.06.2025.

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-78

Tecnología: No especificado



Descripción: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') vulnerability in Moderec Tourtella allows SQL Injection. This issue affects Tourtella: before 26.05.2025.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-89

Tecnología: No especificado



Descripción: A cross-site scripting (xss) vulnerability exists in the userLogin cancelUri parameter functionality of WWBN AVideo 14.4 and dev master commit 8a8954ff. A specially crafted HTTP request can lead to arbitrary Javascript execution. An attacker can get a user to visit a webpage to trigger this vulnerability.

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:H

Tipo: CWE-79

Tecnología: No especificado



Descripción: A cross-site scripting (xss) vulnerability exists in the managerPlaylists PlaylistOwnerUsersId parameter functionality of WWBN AVideo 14.4 and dev master commit 8a8954ff. A specially crafted HTTP request can lead to arbitrary Javascript execution. An attacker can get a user to visit a webpage to trigger this vulnerability.

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:H

Tipo: CWE-79

Tecnología: No especificado



Descripción: A cross-site scripting (xss) vulnerability exists in the videoNotFound 404ErrorMsg parameter functionality of WWBN AVideo 14.4 and dev master commit 8a8954ff. A specially crafted HTTP request can lead to arbitrary Javascript execution. An attacker can get a user to visit a webpage to trigger this vulnerability.

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:H

Tipo: CWE-79

Tecnología: No especificado



Descripción: A cross-site scripting (xss) vulnerability exists in the videosList page parameter functionality of WWBN AVideo 14.4 and dev master commit 8a8954ff. A specially crafted HTTP request can lead to arbitrary Javascript execution. An attacker can get a user to visit a webpage to trigger this vulnerability.

CVSS: 9.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:R/S:C/C:H/I:H/A:H

Tipo: CWE-79

Tecnología: No especificado



## CVE-2015-10143

Descripción: The Platform theme for WordPress is vulnerable to unauthorized modification of data that can lead to privilege escalation due to a missing capability check on the \*\_ajax\_save\_options() function in all versions up to 1.4.4 (exclusive). This makes it possible for unauthenticated attackers to update arbitrary options on the WordPress site. This can be leveraged to update the default role for regis...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-862

Tecnología: No especificado



## CVE-2019-25224

Descripción: The WP Database Backup plugin for WordPress is vulnerable to OS Command Injection in versions before 5.2 via the mysqldump function. This vulnerability allows unauthenticated attackers to execute arbitrary commands on the host operating system.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-78

Tecnología: No especificado



Descripción: The Melapress Login Security plugin for WordPress is vulnerable to Authentication Bypass due to missing authorization within the get\_valid\_user\_based\_on\_token() function in versions 2.1.0 to 2.1.1. This makes it possible for unauthenticated attackers who know an arbitrary user meta value to bypass authentication checks and log in as that user.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-288

Tecnología: No especificado



# Resumen del Reporte

CVEs analizados: 25

Promedio CVSS: 9.46

Fuente: nvd.nist.gov

Nos vemos la próxima semana. Hack the Cat [

