

CVEs más relevantes de la semana

Del 08/08/2026 al 15/08/2026

Porque el primer paso para defender es conocer las amenazas.



CVE-2026-71957

Descripción: D-Link DWR-M961 devices with hardware version C1 and software version 1.1.2_C1_202602110044 contain a buffer overflow vulnerability in the app.cgi interface. A remote attacker can write an overly long string to the netAcc.addlist[].name field and execute arbitrary commands by crafting a specific payload, or cause the device to crash.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-120

Tecnología: No especificado

Publicado el: 2026-08-08



CVE-2026-71986

Descripción: MSI Radix AXE6600 router firmware version v781521 contains a command injection vulnerability in the dmz function that allows remote attackers to execute arbitrary commands on the affected device. Attackers can exploit this vulnerability through the dmz function to execute malicious commands and obtain root privileges on the underlying system.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-78

Tecnología: No especificado

Publicado el: 2026-08-09



CVE-2026-71991

Descripción: MSI Radix AXE6600 router firmware version v781521 contains a command injection vulnerability in the TelnetSSH function used for Telnet configuration that allows remote attackers to execute arbitrary commands on the affected device. Attackers can exploit this vulnerability through the Telnet configuration interface to inject malicious commands and obtain root privileges on the underlying system.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-78

Tecnología: No especificado

Publicado el: 2026-08-09



CVE-2026-65768

Descripción: Improper limitation of a pathname to a restricted directory ('path traversal') in Microsoft Teams for Android allows an unauthorized attacker to execute code over a network.

CVSS: 8.8 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H

Tipo: CWE-22

Tecnología: No especificado

Publicado el: 2026-08-11



CVE-2026-73032

Descripción: PapersGPT for Zotero 0.6.1 contains a remote code execution vulnerability that allows attackers to execute arbitrary JavaScript by returning malicious code from an LLM endpoint that is passed unsanitized to `window.eval()` in `views.ts`. Attackers can exploit this through prompt injection in PDFs, MITM interception of API requests, or a malicious custom LLM endpoint to execute arbitrary code in Zot...

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:H

Tipo: CWE-94

Tecnología: No especificado

Publicado el: 2026-08-11



CVE-2026-16860

Descripción: IBM i 7.6, 7.5, 7.4, and 7.3 could allow a remote authenticated attacker to execute arbitrary code due to an uncontrolled search path element.

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:L

Tipo: CWE-427

Tecnología: No especificado

Publicado el: 2026-08-12



CVE-2026-17276

Descripción: IBM i 7.6, 7.5, 7.4, and 7.3 could allow a remote authenticated attacker to escalate privileges due to improper authorization in the handling of high-authority threads.

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:N

Tipo: CWE-269

Tecnología: No especificado

Publicado el: 2026-08-12



CVE-2026-73268

Descripción: A flaw was found in the cluster-curator-controller component of multicluster engine (MCE). A tenant with create or update permissions on ClusterCurator resources can inject an arbitrary Job specification. This is possible because the CreateJob() function does not validate user-controlled input when unmarshaling the spec.install.overrideJob raw extension. Successful exploitation allows the injec...

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-94

Tecnología: No especificado

Publicado el: 2026-08-12



CVE-2026-73533

Descripción: Ninja Tables Pro 5.2.11 contains an embedded malicious code vulnerability introduced via a tampered plugin build served through a decommissioned update server. The tampered build introduced a rogue PHP file (app/Library/updater/NinjaTableDataSync.php) that established a backdoor REST API endpoint, dropped persistent PHP files in mu-plugins and uploads directories, installed a passwordless admin...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-506

Tecnología: No especificado

Publicado el: 2026-08-13



CVE-2026-17482

Descripción: IBM Documentation Offline 1.0.0 through 1.4.1 could allow a remote attacker to execute arbitrary code due to improper control of file paths.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-73

Tecnología: No especificado

Publicado el: 2026-08-13



CVE-2026-72841

Descripción: luci-app-openvpn fails to properly validate the instance_name2 parameter during file upload, allowing authenticated users to perform path traversal and write arbitrary files outside the intended directory. Attackers can upload malicious payloads to gain persistent root code execution by placing SSH keys in system directories accessible on reboot.

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-73

Tecnología: No especificado

Publicado el: 2026-08-13



CVE-2026-72826

Descripción: The getgrav/grav-plugin-api plugin before 1.0.13 fails to validate that the scopes of a newly created API key are a subset of the caller's scopes in createApiKey. The self-target path of requireApiKeyPermission() requires only the baseline api.access scope, and the new key's scopes are read directly from the request body with no subset check. An attacker holding a minimal-scope API key on a sup...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-266

Tecnología: No especificado

Publicado el: 2026-08-14



CVE-2026-73678

Descripción: MindsDB Minds Platform version 26.1.0 and earlier contains an unauthenticated remote code execution vulnerability that allows unauthenticated attackers to execute arbitrary OS commands by submitting crafted prompts to the unprotected POST `/api/v1/responses/` endpoint, which reaches the Anton agent's scratchpad tool that calls `exec()` on attacker-influenced Python source without sandboxing. Attack...

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-94

Tecnología: No especificado

Publicado el: 2026-08-14



CVE-2026-17181

Descripción: IBM Db2 Mirror for i 7.4, 7.5, and 7.6 could allow a remote attacker to write files to arbitrary locations due to path traversal.

CVSS: 9.3 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:N/I:H/A:L

Tipo: CWE-22

Tecnología: No especificado

Publicado el: 2026-08-14



CVE-2026-17182

Descripción: IBM Db2 Mirror for i 7.4, 7.5, and 7.6 could allow a remote attacker to bypass authentication and obtain or alter sensitive information due to improper validation of request URI path segments.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-287

Tecnología: No especificado

Publicado el: 2026-08-14



CVE-2026-17184

Descripción: IBM Db2 Mirror for i 7.4, 7.5, and 7.6 could allow a remote attacker to execute arbitrary code due to external control of file name or path.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-73

Tecnología: No especificado

Publicado el: 2026-08-14



CVE-2026-17186

Descripción: IBM Db2 Mirror for i 7.4, 7.5, and 7.6 could allow a remote attacker to execute arbitrary CL commands due to improper neutralization of special elements in a command.

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:L/I:L/A:H

Tipo: CWE-78

Tecnología: No especificado

Publicado el: 2026-08-14



CVE-2026-14484

Descripción: The RapiSafe – Secure Multi File Upload for Contact Form 7 plugin for WordPress is vulnerable to arbitrary file deletion due to insufficient file path validation in the handleAjaxRemoveUpload function in all versions up to, and including, 1.0.4. This makes it possible for unauthenticated attackers to delete arbitrary files on the server, which can easily lead to remote code execution when the r...

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:H

Tipo: CWE-22

Tecnología: No especificado

Publicado el: 2026-08-15



CVE-2026-15303

Descripción: The 6Storage Rentals plugin for WordPress is vulnerable to authentication bypass in versions up to, and including, 2.27.0. This is due to the `six_storage_create_wp_user()` AJAX handler being registered on `wp_ajax_nopriv_six_storage_create_wp_user` without any nonce, capability, credential, or ownership verification, while calling `wp_set_current_user()` and `wp_set_auth_cookie()` for any WordPress US...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-287

Tecnología: No especificado

Publicado el: 2026-08-15



CVE-2026-15341

Descripción: The User Session Synchronizer plugin for WordPress is vulnerable to Authentication Bypass leading to Account Takeover in all versions up to, and including, 1.4.0. The `'synchronize_session()'` function, hooked on `'init'` and therefore executed on every request, performs no nonce, capability, or shared-secret validation against the attacker-supplied `'ussync-key'`, `'ussync-token'`, and `'ussync-ref'` pa...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-287

Tecnología: No especificado

Publicado el: 2026-08-15



CVE-2026-15826

Descripción: The User Profile Builder plugin for WordPress is vulnerable to Authentication Bypass via Type Confusion in versions up to, and including, 3.16.4. This is due to the `wppb_log_in_user()` function calling `absint()` on the return value of `wp_insert_user()` before performing an `is_wp_error()` check — when a registration is submitted with a 61–70 character username, WordPress core rejects it with a `WP_Er...`

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-704

Tecnología: No especificado

Publicado el: 2026-08-15



CVE-2026-16142

Descripción: The TrueBooker plugin for WordPress is vulnerable to Account Takeover in all versions up to, and including, 1.2.6. This is due to the `add_front_user_update()` AJAX handler being registered for unauthenticated users and accepting an arbitrary `truebooker_wp_user_id` value, which is passed directly to `wp_update_user()` without verifying authentication or ownership. This makes it possible for unauthen...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-639

Tecnología: No especificado

Publicado el: 2026-08-15



Resumen del Reporte

CVEs analizados: 22

Promedio CVSS: 9.71

Fuente: nvd.nist.gov

Nos vemos la próxima semana. Hack the Cat ☹

