# CVEs más relevantes de la semana

Del 03/11/2026 al 10/11/2026

Porque el primer paso para defender es conocer las amenazas.



# CVE-2026-100358

Descripción: SuiteCRM is an open-source, enterprise-ready Customer Relationship Management (CRM) software application. Prior to 7.15.2 and 8.10.2, the Studio Dropdown Editor passes $dropdown_name through html_entity_decode() and writes the result verbatim into a PHP language file under custom/ that is included on later page loads. An administrator can inject persistent PHP that executes as the web-server ac...

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-94

Tecnología: No especificado

Publicado el: 2026-11-05

# CVE-2026-112902

Descripción: Pillow is a Python imaging library. In versions through 12.3.0, the libtiff TIFF encoder can pass arguments to TIFFSetField() that do not match libtiff's definition of the corresponding tag. When an application saves attacker-controlled image metadata through this encoder, crafted tag values can cause invalid memory reads, copying process memory into the encoded output or crashing the process...

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:H

Tipo: CWE-686

Tecnología: No especificado

Publicado el: 2026-11-05

# CVE-2026-119757

Descripción: BTCPay Server before 2.4.2, including 2.4.2 release candidates, contains an information disclosure vulnerability that allows unauthenticated remote attackers to retrieve .macaroon credential files for an LND (Lightning Network Daemon) node. Attackers can use the exposed macaroon to gain full control of the LND node, including moving funds, resulting in theft of funds from affected deployments.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-522

Tecnología: No especificado

Publicado el: 2026-11-05

# CVE-2026-109469

Descripción: Authorization bypass through user-controlled key in Entra Device Registration allows an unauthorized attacker to elevate privileges over a network.

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-639

Tecnología: No especificado

Publicado el: 2026-11-06

# CVE-2026-16720

Descripción: IBM API Connect 10.0.8.0 through 10.0.8.12 and 12.1.0.0 through 12.1.1.2 could allow a remote attacker to obtain valid access tokens for other users due to improper authentication. Authentication against a connected directory service is not sufficiently enforced, which could allow another user's identity to be assumed.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-287

Tecnología: No especificado

Publicado el: 2026-11-07

# CVE-2026-16884

Descripción: IBM API Connect 12.1.0.0 through 12.1.1.2 could allow a remote attacker to obtain sensitive information due to an XML external entity (XXE) injection.

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:L/A:L

Tipo: CWE-611

Tecnología: No especificado

Publicado el: 2026-11-07

# CVE-2026-16918

Descripción: IBM API Connect 10.0.8.0 through 10.0.8.12 and 12.1.0.0 through 12.1.1.2 could allow a remote attacker to access internal network resources due to server-side request forgery.

CVSS: 9.3 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:L/A:N

Tipo: CWE-918

Tecnología: No especificado

Publicado el: 2026-11-07

# CVE-2026-17131

Descripción: IBM API Connect 12.1.0.0 through 12.1.1.2 could allow a remote attacker to obtain sensitive information due to server-side request forgery. Restrictions on outbound requests can be bypassed, so the server could be made to contact unintended destinations and return the response.

CVSS: 9.3 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:L/A:N

Tipo: CWE-918

Tecnología: No especificado

Publicado el: 2026-11-07

# CVE-2026-17146

Descripción: IBM API Connect 10.0.8.0 through 10.0.8.12 and 12.1.0.0 through 12.1.1.2 could allow a remote authenticated attacker to execute arbitrary JavaScript and obtain sensitive information due to improper input validation.

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-79

Tecnología: No especificado

Publicado el: 2026-11-07

# CVE-2026-17280

Descripción: IBM API Connect 10.0.8.0 through 10.0.8.12 and 12.1.0.0 through 12.1.1.2 could allow a remote attacker to perform unauthenticated brute-force attacks to obtain valid credentials due to improper restriction of excessive authentication attempts.

CVSS: 8.9 (HIGH)

Vector: CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:C/C:H/I:H/A:L

Tipo: CWE-307

Tecnología: No especificado

Publicado el: 2026-11-07

# CVE-2026-17291

Descripción: IBM API Connect 10.0.8.0 through 10.0.8.12 and 12.1.0.0 through 12.1.1.2 could allow a remote authenticated attacker to perform account takeover due to an open redirect vulnerability. The redirect address used during OAuth 2.0 sign-in is not sufficiently validated, which could allow authentication results to be sent to an attacker-controlled location.

CVSS: 8.7 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:R/S:C/C:H/I:H/A:N

Tipo: CWE-601

Tecnología: No especificado

Publicado el: 2026-11-07

# CVE-2026-17296

Descripción: IBM API Connect 10.0.8.0 through 10.0.8.12 and 12.1.0.0 through 12.1.1.2 could allow a remote authenticated attacker to obtain sensitive information due to server-side request forgery.

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:N

Tipo: CWE-918

Tecnología: No especificado

Publicado el: 2026-11-07

# CVE-2026-17301

Descripción: IBM API Connect 10.0.8.0 through 10.0.8.12 and 12.1.0.0 through 12.1.1.2 could allow an unauthenticated attacker to bypass authentication due to improper verification of a cryptographic signature.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-347

Tecnología: No especificado

Publicado el: 2026-11-07

# CVE-2026-17329

Descripción: IBM API Connect 12.1.0.0 through 12.1.1.2 could allow a remote attacker to obtain sensitive information due to improper validation of endpoint URLs.

CVSS: 9.3 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:L/A:N

Tipo: CWE-918

Tecnología: No especificado

Publicado el: 2026-11-07

# CVE-2026-17344

Descripción: IBM API Connect 12.1.0.0 through 12.1.1.2 could allow a remote attacker to obtain sensitive information due to server-side request forgery. A service that can be reached without authentication could be made to send requests to unintended destinations.

CVSS: 9.3 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:L/A:N

Tipo: CWE-918

Tecnología: No especificado

Publicado el: 2026-11-07

# CVE-2026-17353

Descripción: IBM API Connect 12.1.0.0 through 12.1.1.2 could allow a remote authenticated attacker to obtain sensitive information and bypass security restrictions due to server-side request forgery.

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:N

Tipo: CWE-918

Tecnología: No especificado

Publicado el: 2026-11-07

# CVE-2026-17360

Descripción: IBM API Connect 12.1.0.0 through 12.1.1.2 could allow a remote attacker to gain full administrative control due to the use of hard-coded credentials.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-798

Tecnología: No especificado

Publicado el: 2026-11-07

# CVE-2026-17396

Descripción: IBM API Connect 10.0.8.0 through 10.0.8.12 and 12.1.0.0 through 12.1.1.2 could allow a remote authenticated attacker to obtain sensitive information due to SQL injection.

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:N

Tipo: CWE-89

Tecnología: No especificado

Publicado el: 2026-11-07

# CVE-2026-17410

Descripción: IBM API Connect 10.0.8.0 through 10.0.8.12 and 12.1.0.0 through 12.1.1.2 could allow a remote authenticated attacker to access and modify other tenants' portal data due to improper neutralization of argument delimiters.

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-88

Tecnología: No especificado

Publicado el: 2026-11-07

# CVE-2026-18838

Descripción: IBM API Connect 12.1.0.0 through 12.1.1.2 could allow a remote attacker to obtain sensitive information and modify API configurations due to improper authentication. Identity information supplied in requests is not sufficiently verified, which could allow a caller to impersonate another user.

CVSS: 9.4 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:L

Tipo: CWE-290

Tecnología: No especificado

Publicado el: 2026-11-07

# CVE-2026-123958

Descripción: A vulnerability was identified in TOTOLINK CA300-PoE 6.2c.884. The affected element is the function setLanConfig of the file /cgi-bin/cstecgi.cgi. Such manipulation of the argument lanDns/lanSecDns/langType leads to buffer overflow. It is possible to launch the attack remotely. The exploit is publicly available and might be used.

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-119

Tecnología: No especificado

Publicado el: 2026-11-07

# CVE-2026-124057

Descripción: A security flaw has been discovered in TOTOLINK CA300-PoE 6.2c.884. This impacts the function setWiFiMultipleConfig of the file /cgi-bin/cstecgi.cgi. Performing a manipulation of the argument Key1Str1 results in buffer overflow. The attack can be initiated remotely. The exploit has been released to the public and may be used for attacks.

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-119

Tecnología: No especificado

Publicado el: 2026-11-07

# CVE-2026-124058

Descripción: A weakness has been identified in TOTOLINK CA300-PoE 6.2c.884. Affected is the function setWiFiRepeaterConfig of the file /cgi-bin/cstecgi.cgi. Executing a manipulation of the argument ApCliKeyStr can lead to buffer overflow. The attack can be launched remotely. The exploit has been made available to the public and could be used for attacks.

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-119

Tecnología: No especificado

Publicado el: 2026-11-07

# CVE-2026-123549

Descripción: OpenAM before 16.1.4 fails to enforce the Valid Creation Attributes list during self-registration, allowing anonymous attackers to set restricted attributes including group membership. Attackers can register through the legacy self-service REST endpoint or User Self-Service flow to join administrative groups and gain full administrative control of OpenAM.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-269

Tecnología: No especificado

Publicado el: 2026-11-08

# CVE-2026-123551

Descripción: OpenAM from 14.0.0 before 16.1.4 contains an information disclosure vulnerability that allows unauthenticated attackers to read live session tokens from the notification WebSocket. Attackers can bypass the agent-only check through an unvalidated internal forward on legacy Liberty ID-FF endpoints, collecting iPlanetDirectoryPro tokens to hijack user and administrator sessions.

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-201

Tecnología: No especificado

Publicado el: 2026-11-08

# CVE-2026-124427

Descripción: Craft CMS from 5.0.0 before 5.11.2 contains an authorization bypass vulnerability that allows anonymous GraphQL clients to read out-of-scope section entries via prev/next fields. Attackers can chain next hops from one visible in-scope entry to enumerate entries and read titles, slugs, and custom-field content from withheld sections.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-862

Tecnología: No especificado

Publicado el: 2026-11-08

# CVE-2026-124445

Descripción: OpenEMR from 7.0.1 before 8.4.0 contains a flaw in src/Common/Auth/OneTimeAuth.php that ignores the enforce_onetime_use and max_access_count flags, never revokes consumed service_auth tokens, and checks login_pin without rate limiting or strict comparison. Attackers holding a captured token can replay it or brute-force the PIN to open patient-portal sessions exposing PHI.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-307

Tecnología: No especificado

Publicado el: 2026-11-08

# CVE-2026-124450

Descripción: OpenEMR before 8.3.0 contains a broken access control and path traversal vulnerability in the fax/sms module disposeDocument action via an unvalidated file_path parameter. Authenticated low-privilege users can read sqlconf.php to recover database credentials and write arbitrary files as the web user, enabling remote code execution.

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:L

Tipo: CWE-73

Tecnología: No especificado

Publicado el: 2026-11-08

# CVE-2026-107331

Descripción: IBM DataStage on Cloud Pak for Data 5.4.0.0 could allow a remote authenticated attacker to obtain sensitive information due to an absolute-path traversal vulnerability.

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-36

Tecnología: No especificado

Publicado el: 2026-11-08

# CVE-2026-124560

Descripción: A vulnerability was found in D-Link DIR-878 1.20B05. This affects the function GetCAPTCHAsetting of the file bin/prog.cgi of the component HNAP Handler. Performing a manipulation of the argument uid results in heap-based buffer overflow. The attack can be initiated remotely. The exploit has been made public and could be used. This vulnerability only affects products that are no longer supported...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-119

Tecnología: No especificado

Publicado el: 2026-11-09

# CVE-2026-124577

Descripción: A weakness has been identified in Intelbras SG 2404 PoE L2+ 1.00.70/1.00.72. The affected element is an unknown function of the file /EXCU_SHELL of the component Web Management Interface. Executing a manipulation can lead to improper authentication. The attack can be launched remotely. The exploit has been made available to the public and could be used for attacks. Upgrading to version 1.00.74 ...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-287

Tecnología: No especificado

Publicado el: 2026-11-09

# CVE-2026-124580

Descripción: A vulnerability was found in Chengdu Feiyuxing Technology VW2100 and VEC10GP 1.0 B-MB3W202-210825-r11775. This impacts the function handle_wechat_cn_wifi of the file var/html/webserver of the component Weixin Auth Endpoint. The manipulation of the argument extend results in os command injection. The attack can be executed remotely. The exploit has been made public and could be used. The vendor ...

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-77

Tecnología: No especificado

Publicado el: 2026-11-09



# CVE-2026-124585

Descripción: A vulnerability was found in Chengdu Feiyuxing Technology VW2100 and VEC10GP 1.0 B-MB3W202-210825-r11775. This issue affects the function add_expmac of the file var/html/webserver of the component Web Administration Interface. The manipulation of the argument mac results in os command injection. The attack may be performed from remote. The exploit has been made public and could be used. The ven...

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-77

Tecnología: No especificado

Publicado el: 2026-11-09

# CVE-2026-124079

Descripción: rConfig Core 8.0.0 before 8.2.19 and rConfig Pro before 8.4.1 contain a deserialization of untrusted data vulnerability that allows unauthenticated network attackers to execute arbitrary code by pushing a crafted serialized job onto the Redis-backed Laravel Horizon queue, which runs without authentication in affected deployments. Laravel's CallQueuedHandler unserializes the job without class re...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-502

Tecnología: No especificado

Publicado el: 2026-11-09

# CVE-2026-125370

Descripción: Kubero 3.0.0 through 3.1.1 contains an authentication bypass vulnerability that allows unauthenticated remote attackers to forge administrative JWTs by using a hardcoded fallback signing secret when JWT_SECRET is unset. Attackers can sign tokens with arbitrary role, userGroups and permissions claims, which JwtStrategy.validate() trusts without a database lookup, to take control of pipelines, ap...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-321

Tecnología: No especificado

Publicado el: 2026-11-10

# CVE-2026-125383

Descripción: INDOTALENT WHMS (Asp.Net-Core-Inventory-Order-Management-System) before 10.20261109 contains an authentication bypass vulnerability caused by a hard-coded JWT signing key, issuer and audience in appsettings.json. Unauthenticated remote attackers can forge tokens for any user ID and role that the Tokens/DI.cs validator trusts, gaining administrator access to the entire API.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-321

Tecnología: No especificado

Publicado el: 2026-11-10

# CVE-2026-125086

Descripción: A vulnerability has been found in D-Link M60 1.12.B01. Impacted is the function system of the file /etc/emDaemon/mosquitto.conf of the component emDaemon MQTT Broker. Such manipulation leads to hard-coded credentials. The attack can be executed remotely. The exploit has been disclosed to the public and may be used.

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-259

Tecnología: No especificado

Publicado el: 2026-11-10

# CVE-2026-76964

Descripción: SAP NetWeaver Application Server ABAP does not sufficiently validate certain network input processed by an internal component. An unauthenticated attacker could send specially crafted network traffic to trigger a memory corruption condition in the affected functionality. Successful exploitation could allow the attacker to execute arbitrary code and fully compromise the system, resulting in a hi...

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-1287

Tecnología: No especificado

Publicado el: 2026-11-10

# CVE-2026-76965

Descripción: SAP NetWeaver Application Server ABAP and ABAP Platform does not perform necessary authorization checks for certain internal functionality. An attacker with low privileges could invoke affected functionality to execute arbitrary operating system commands on the underlying host. Successful exploitation could impact resources beyond the vulnerable component, resulting in a high impact on confiden...

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-749

Tecnología: No especificado

Publicado el: 2026-11-10

# CVE-2026-89103

Descripción: SAP Gateway activates the default Access Control List with high privileges allowing categorization of external attacker as internal application server. As a result an unauthenticated attacker with network access to the SAP Gateway could exploit this weakness to potentially perform unauthorized actions within the application environment, resulting in a high impact on the confidentiality, integri...

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-863

Tecnología: No especificado

Publicado el: 2026-11-10

# CVE-2026-89119

Descripción: SAP Web Dispatcher and SAP NetWeaver Application Server ABAP (Internet Communication Manager) do not perform sufficient request validation in certain administrative functionality. In the context of Application Server ABAP and SAP Web Dispatcher, an unauthenticated attacker could trick a logged-on administrator into visiting a malicious link. Visiting the link could cause unintended actions in t...

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:H

Tipo: CWE-352

Tecnología: No especificado

Publicado el: 2026-11-10

# CVE-2026-60043

Descripción: An unauthenticated remote attacker can perform a XSS attack on a logged in backend user allowing for execution of multiple critical system actions. This could allow an attacker to shutdown the server or restore an uploaded backup. This can result in a loss of integrity and availability.

CVSS: 9.3 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:N/I:H/A:H

Tipo: CWE-79

Tecnología: No especificado

Publicado el: 2026-11-10

# CVE-2026-114160

Descripción: No cwe for this issue in Azure Managed Grafana allows an unauthorized attacker to elevate privileges over a network.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-918

Tecnología: No especificado

Publicado el: 2026-11-10

# CVE-2026-120002

Descripción: Incorrect authorization in Microsoft Office SharePoint allows an authorized attacker to elevate privileges over a network.

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-863

Tecnología: No especificado

Publicado el: 2026-11-10

# CVE-2026-120779

Descripción: Improper control of generation of code ('code injection') in Visual Studio Code allows an unauthorized attacker to execute code over a network.

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:H

Tipo: CWE-94

Tecnología: No especificado

Publicado el: 2026-11-10

# CVE-2026-66801

Descripción: Heap-based buffer overflow in Xbox allows an unauthorized attacker to execute code over a network.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-122

Tecnología: No especificado

Publicado el: 2026-11-10

# CVE-2026-80095

Descripción: Improper neutralization of input during web page generation ('cross-site scripting') in Microsoft Office SharePoint allows an authorized attacker to elevate privileges over a network.

CVSS: 9.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:R/S:C/C:H/I:H/A:H

Tipo: CWE-79

Tecnología: No especificado

Publicado el: 2026-11-10

# CVE-2026-88243

Descripción: Out-of-bounds read in Windows DHCP Server allows an unauthorized attacker to execute code over a network.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-125

Tecnología: No especificado

Publicado el: 2026-11-10

# CVE-2026-95962

Descripción: Use after free in Windows Virtual Filtering Platform (VFP) allows an unauthorized attacker to execute code over a network.

CVSS: 9.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-416

Tecnología: No especificado

Publicado el: 2026-11-10

# Resumen del Reporte

CVEs analizados: 49

Promedio CVSS: 9.63

Fuente: nvd.nist.gov

Nos vemos la próxima semana. Hack the Cat 

