

CVEs más relevantes de la semana

Del 11/08/2026 al 18/08/2026

Porque el primer paso para defender es conocer las amenazas.



CVE-2026-57104

Descripción: Improper neutralization of input during web page generation ('cross-site scripting') in Azure Storage Explorer allows an unauthorized attacker to elevate privileges over a network.

CVSS: 8.8 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H

Tipo: CWE-79

Tecnología: No especificado

Publicado el: 2026-08-11



CVE-2026-65768

Descripción: Improper limitation of a pathname to a restricted directory ('path traversal') in Microsoft Teams for Android allows an unauthorized attacker to execute code over a network.

CVSS: 8.8 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H

Tipo: CWE-22

Tecnología: No especificado

Publicado el: 2026-08-11



CVE-2026-73032

Descripción: PapersGPT for Zotero 0.6.1 contains a remote code execution vulnerability that allows attackers to execute arbitrary JavaScript by returning malicious code from an LLM endpoint that is passed unsanitized to `window.eval()` in `views.ts`. Attackers can exploit this through prompt injection in PDFs, MITM interception of API requests, or a malicious custom LLM endpoint to execute arbitrary code in Zot...

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:H

Tipo: CWE-94

Tecnología: No especificado

Publicado el: 2026-08-11



CVE-2026-18847

Descripción: IBM i 7.6, 7.5, 7.4, and 7.3 could allow a remote unauthenticated attacker to harvest credentials due to spoofing of Navigator for i.

CVSS: 8.8 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H

Tipo: CWE-346

Tecnología: No especificado

Publicado el: 2026-08-12



CVE-2026-16860

Descripción: IBM i 7.6, 7.5, 7.4, and 7.3 could allow a remote authenticated attacker to execute arbitrary code due to an uncontrolled search path element.

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:L

Tipo: CWE-427

Tecnología: No especificado

Publicado el: 2026-08-12



CVE-2026-17276

Descripción: IBM i 7.6, 7.5, 7.4, and 7.3 could allow a remote authenticated attacker to escalate privileges due to improper authorization in the handling of high-authority threads.

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:N

Tipo: CWE-269

Tecnología: No especificado

Publicado el: 2026-08-12



CVE-2026-17111

Descripción: IBM i 7.6, 7.5, 7.4, and 7.3 s vulnerable to SQL injection. A remote attacker could send specially crafted SQL statements, which could allow the attacker to view, add, modify, or delete information in the back-end database.

CVSS: 7.6 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:L/A:L

Tipo: CWE-89

Tecnología: No especificado

Publicado el: 2026-08-12



CVE-2026-73268

Descripción: A flaw was found in the cluster-curator-controller component of multicluster engine (MCE). A tenant with create or update permissions on ClusterCurator resources can inject an arbitrary Job specification. This is possible because the CreateJob() function does not validate user-controlled input when unmarshaling the spec.install.overrideJob raw extension. Successful exploitation allows the injec...

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-94

Tecnología: No especificado

Publicado el: 2026-08-12



CVE-2026-10543

Descripción: IBM Db2 11.5.0 through 11.5.9, and 12.1.0 through 12.1.5 is vulnerable to privilege escalation with a specially crafted query.

CVSS: 8.2 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:H/A:N

Tipo: CWE-285

Tecnología: No especificado

Publicado el: 2026-08-12



CVE-2026-13433

Descripción: IBM i Access Client Solutions 1.1.2.0 through 1.1.9.13 (ACS) is vulnerable to downloading unverified product code when configured to update from an IBM i. A bad actor could use this vulnerability to run compromised code on the ACS user's workstation.

CVSS: 8.3 (HIGH)

Vector: CVSS:3.1/AV:A/AC:H/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-494

Tecnología: No especificado

Publicado el: 2026-08-12



CVE-2026-17616

Descripción: IBM Security Verify Access 10.0 through 10.0.9.2 and IBM Verify Identity Access 11.0 through 11.0.3 and IBM Verify Identity Access Container 11.0 through 11.0.3 Reverse Proxy in certain configurations may provide weaker than expected cryptographic validation of user supplied data.

CVSS: 6.8 (MEDIUM)

Vector: CVSS:3.1/AV:N/AC:H/PR:L/UI:N/S:U/C:H/I:H/A:N

Tipo: CWE-310

Tecnología: No especificado

Publicado el: 2026-08-12



CVE-2026-10534

Descripción: IBM Db2 11.5.0 through 11.5.9, and 12.1.0 through 12.1.5 is vulnerable to buffer overflow in the IXF IMPORT parser.

CVSS: 8.4 (HIGH)

Vector: CVSS:3.1/AV:L/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-121

Tecnología: No especificado

Publicado el: 2026-08-12



CVE-2026-17197

Descripción: IBM i 7.6, 7.5, 7.4, and 7.3 could allow a remote attacker to bypass security restrictions due to improper validation of client-asserted identity.

CVSS: 8.1 (HIGH)

Vector: CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-287

Tecnología: No especificado

Publicado el: 2026-08-13



CVE-2026-16815

Descripción: IBM i 7.6, 7.5, 7.4, and 7.3 could allow a remote attacker to cause a denial of service and potentially obtain sensitive information due to a stack-based buffer overflow.

CVSS: 8.6 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:H

Tipo: CWE-787

Tecnología: No especificado

Publicado el: 2026-08-13



CVE-2026-16867

Descripción: IBM i 7.6, 7.5, 7.4, and 7.3 could allow a remote attacker to access server resources with the privileges of an authenticated user due to improper authentication during NTLM session negotiation.

CVSS: 8.1 (HIGH)

Vector: CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-287

Tecnología: No especificado

Publicado el: 2026-08-13



CVE-2026-16961

Descripción: IBM i 7.6, 7.5, and 7.4 s vulnerable to SQL injection. A remote attacker could send specially crafted SQL statements, which could allow the attacker to view, add, modify, or delete information in the back-end database.

CVSS: 7.6 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:L/A:L

Tipo: CWE-89

Tecnología: No especificado

Publicado el: 2026-08-13



CVE-2026-17206

Descripción: IBM i 7.6, 7.5, 7.4, and 7.3 could allow a remote attacker to execute arbitrary code due to a buffer overflow.

CVSS: 8.1 (HIGH)

Vector: CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-787

Tecnología: No especificado

Publicado el: 2026-08-13



CVE-2026-17481

Descripción: IBM Documentation Offline 1.0.0 through 1.4.1 could allow a remote attacker to execute arbitrary code due to improper output neutralization for logs.

CVSS: 8.8 (HIGH)

Vector: CVSS:3.1/AV:A/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-117

Tecnología: No especificado

Publicado el: 2026-08-13



CVE-2026-19924

Descripción: A security vulnerability has been detected in Tenda AC10 16.03.10.09_multi_TDE01. This vulnerability affects the function R7WebSecurityHandler of the component httpd. The manipulation leads to improper authentication. The attack may be initiated remotely. The exploit has been disclosed publicly and may be used.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-287

Tecnología: No especificado

Publicado el: 2026-08-16



CVE-2026-16098

Descripción: The ProSolution WP Client plugin for WordPress is vulnerable to Arbitrary File Upload in all versions up to, and including, 2.0.10 via the proSol_handleFileUpload function. This is due to missing validation of the attacker-controlled Content-Disposition header filename, which overrides the allow-listed multipart filename before the file is saved, and a post-save extension check that fails to de...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-434

Tecnología: No especificado

Publicado el: 2026-08-16



CVE-2026-18432

Descripción: The Frontend Admin by DynamiApps plugin for WordPress is vulnerable to Privilege Escalation in all versions up to, and including, 3.29.9. The vulnerability exists because ``ActionUser::conditions_logic()`` gates the ``current_user_can('edit_user', $user_id)`` authorization check behind an ``is_numeric()`` test, causing the check to be skipped entirely when ``$user_id`` is a non-numeric string — a condi...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-269

Tecnología: No especificado

Publicado el: 2026-08-16



CVE-2026-71472

Descripción: A flaw was found in acm-search-v2-rhel9. This vulnerability allows an authenticated attacker, such as a hub administrator or a Search Custom Resource (CR) editor, to inject malicious shell commands or SQL statements. This occurs because the WORK_MEM string provided in the Search CR is not properly validated before being used in a bash script and an SQL query. Successful exploitation could lead ...

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-78

Tecnología: No especificado

Publicado el: 2026-08-17



CVE-2026-75626

Descripción: SpiderFoot fails to HTML-escape correlation titles built from external scan data sources including server banners and metadata. Attackers can inject malicious HTML elements with event handlers into correlation results that execute scripts in the operator's browser when the correlations view is opened, potentially stealing API keys.

CVSS: 9.3 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:N

Tipo: CWE-79

Tecnología: No especificado

Publicado el: 2026-08-18



CVE-2026-75627

Descripción: Bastillion fails to properly validate request URI paths in its controller dispatcher, allowing unauthenticated attackers to bypass authentication filters by prefixing requests with arbitrary path segments. Attackers can access administrative controllers to read user listings, create manager accounts, and register managed systems, gaining control over SSH access to the managed fleet.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-288

Tecnología: No especificado

Publicado el: 2026-08-18



CVE-2026-75837

Descripción: Grav before 2.0.14 fails to guard the access field in the core group blueprint with the required security@: admin.super restriction. A delegated admin.users operator can save a group with access[admin][super]=true to escalate to super-admin, gaining scheduler and Twig evaluation capabilities.

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-269

Tecnología: No especificado

Publicado el: 2026-08-18



CVE-2026-75784

Descripción: A vulnerability was detected in TRENDnet TEW-WLC100 1v2.07b01. Affected by this issue is the function FUN_0040da4c of the file /usr/nginx/sbin/nginx of the component HTTP Header Handler. The manipulation of the argument Server results in stack-based buffer overflow. The attack may be launched remotely. The exploit is now public and may be used.

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-119

Tecnología: No especificado

Publicado el: 2026-08-18



CVE-2026-12564

Descripción: A flaw was found in the AAP Controller's HashiCorp Vault credential plugin. The `kubernetes_auth()` function in `awx_plugins/credentials/hashivault.py` reads the controller pod's Kubernetes service account token and sends it to an attacker-controlled URL when a HashiCorp Vault Secret Lookup credential with `kubernetes_role` authentication is tested. An authenticated attacker with credential-creation ...

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:N

Tipo: CWE-918

Tecnología: No especificado

Publicado el: 2026-08-18



CVE-2026-75913

Descripción: CodeWhale (codewhale / codewhale-tui) versions $\geq 0.8.41$ and $< 0.8.64$ contain an argument injection vulnerability in the `git_show` tool. The model-supplied `rev` parameter is passed unvalidated into the `git show` argv without an `--end-of-options` sentinel, so a value beginning with `--output=` is interpreted as a git flag. Because the tool is registered as auto-approved and advertised as read-only, an...

CVSS: 9.3 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:N/I:H/A:H

Tipo: CWE-73

Tecnología: No especificado

Publicado el: 2026-08-18



Resumen del Reporte

CVEs analizados: 28

Promedio CVSS: 8.91

Fuente: nvd.nist.gov

Nos vemos la próxima semana. Hack the Cat ☹

