

CVEs más relevantes de la semana

Del 06/06/2026 al 13/06/2026

Porque el primer paso para defender es conocer las amenazas.



CVE-2023-54352

Descripción: WordPress Seotheme contains a remote code execution vulnerability that allows unauthenticated attackers to execute arbitrary PHP code by uploading malicious files to the theme directory. Attackers can access the uploaded PHP shell at /wp-content/themes/seotheme/mar.php to execute system commands and upload additional files for persistent access.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-306

Tecnología: No especificado

Publicado el: 2026-06-08



CVE-2024-58348

Descripción: WordPress Background Image Cropper version 1.2 contains a remote code execution vulnerability that allows unauthenticated attackers to upload arbitrary files by accessing the ups.php endpoint. Attackers can upload PHP files through the file upload form in the plugin directory to execute arbitrary code on the server.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-434

Tecnología: No especificado

Publicado el: 2026-06-08



CVE-2024-58349

Descripción: WordPress Theme Travelscape 1.0.3 contains an arbitrary file upload vulnerability that allows unauthenticated attackers to upload malicious files by exploiting insufficient validation in the theme's upload functionality. Attackers can upload arbitrary files to the theme directory and execute them to achieve remote code execution on the affected WordPress installation.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-434

Tecnología: No especificado

Publicado el: 2026-06-08



CVE-2026-11499

Descripción: A vulnerability was determined in Tenda HG7HG9 and HG10 300001138_en_xpon. This affects the function formDOMAINBLK of the file /boaform/formDOMAINBLK. Executing a manipulation of the argument blkDomain can lead to stack-based buffer overflow. The attack may be performed from remote.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-119

Tecnología: No especificado

Publicado el: 2026-06-08



CVE-2026-42861

Descripción: Flowise is a drag & drop user interface to build a customized large language model flow. Prior to version 3.1.2, a mass assignment vulnerability exists in the variable update endpoint of FlowiseAI. The endpoint allows authenticated users to modify server-controlled properties such as workspaceId, createdAt, and updatedAt when updating a variable resource. Due to missing server-side validati...

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:N

Tipo: CWE-284

Tecnología: No especificado

Publicado el: 2026-06-08



CVE-2026-46440

Descripción: Flowise is a drag & drop user interface to build a customized large language model flow. Prior to version 3.1.2, the checkBasicAuth endpoint validates credentials in plaintext without rate limiting and with direct comparison. This issue has been patched in version 3.1.2.

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:N

Tipo: CWE-522

Tecnología: No especificado

Publicado el: 2026-06-08



CVE-2026-46441

Descripción: Flowise is a drag & drop user interface to build a customized large language model flow. Prior to version 3.1.2, a mass assignment vulnerability exists in the assistant update endpoint of FlowiseAI. The endpoint allows authenticated users to modify server-controlled properties such as workspaceId, createdAt, and updatedAt when updating an assistant resource. Due to missing server-side valid...

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:N

Tipo: CWE-284

Tecnología: No especificado

Publicado el: 2026-06-08



CVE-2026-46442

Descripción: Flowise is a drag & drop user interface to build a customized large language model flow. Prior to version 3.1.2, POST /api/v1/node-custom-function lacks route-level authorization, allowing any authenticated user or API key to submit arbitrary JavaScript to the Custom JS Function node. When E2B_APIKEY is not configured — the common deployment case — Flowise executes this code inside a NodeVM san...

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-94

Tecnología: No especificado

Publicado el: 2026-06-08



CVE-2026-25555

Descripción: OpenBullet2 through version 0.3.2 contains an authentication bypass vulnerability in the API key authentication middleware that allows unauthenticated attackers to gain admin access by supplying an empty X-API-Key header value. Attackers can exploit the middleware's comparison of the supplied header against an empty AdminApiKey default string to access the admin console and all API endpoints wi...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-305

Tecnología: No especificado

Publicado el: 2026-06-08



CVE-2026-39910

Descripción: STACKIT IaaS API contains a missing authorization check vulnerability that allows authenticated, low-privileged attackers to escalate privileges to full organization compromise by attaching arbitrary service accounts to virtual machines they control. Attackers can exploit the unvalidated PUT servers service-accounts endpoint to attach high-privileged service accounts and query the Instance Meta...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-862

Tecnología: No especificado

Publicado el: 2026-06-08



CVE-2026-41448

Descripción: AdGuard Home, when started with the --glinet flag, contains an authentication bypass vulnerability that allows unauthenticated attackers to gain full admin access by supplying a path traversal sequence in the Admin-Token cookie, exploiting unsanitized string concatenation in the token file path construction within the authglinet middleware. Attackers can craft a request with a traversal payload...

CVSS: 9.4 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:L

Tipo: CWE-22

Tecnología: No especificado

Publicado el: 2026-06-08



CVE-2026-40128

Descripción: SAP NetWeaver Application Server Java (Web Container) allows an unauthenticated attacker to craft a malicious HTTP logon request that manipulates file inclusion parameters, enabling path traversal and processing of the included file. Processing the included file could allow the attacker to view or modify sensitive information or render any part of the local system unavailable.

CVSS: 9.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-35

Tecnología: No especificado

Publicado el: 2026-06-09



CVE-2026-44748

Descripción: SAP NetWeaver Application Server ABAP and ABAP Platform allows an authenticated attacker with normal privileges to obtain a valid signed message and send modified signed XML documents to the verifier. This may result in acceptance of tampered identity information leading to unauthorized access to sensitive user data and potential disruption of normal system usage. This causes a high impact on c...

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-347

Tecnología: No especificado

Publicado el: 2026-06-09



CVE-2026-44083

Descripción: An authorization bypass through user-controlled key vulnerability has been reported to affect QuMagie. The remote attackers can then exploit the vulnerability to gain unintended privileges.

We have already fixed the vulnerability in the following version:
QuMagie 2.9.1 and later

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-639

Tecnología: No especificado

Publicado el: 2026-06-09



CVE-2026-9698

Descripción: DBI versions before 1.648 for Perl saved errors in a limited-sized buffer.

Error messages that were returned when RaiseError, PrintError or HandleError were set were written to a 200-byte buffer without a length limit.

Attackers that can influence the error text in an application can trigger a buffer overflow.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-787

Tecnología: No especificado

Publicado el: 2026-06-09



CVE-2026-46749

Descripción: A vulnerability has been identified in SINEC INS (All versions < V1.0 SP2 Update 6). The affected application uses a password hashing implementation with a static, hardcoded salt shared across all users and installations, and is configured with an insufficient number of iterations. This could allow an attacker to efficiently recover user passwords using brute-force or precomputed attacks, poten...

CVSS: 7.5 (HIGH)

Vector: CVSS:3.1/AV:L/AC:H/PR:H/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-760

Tecnología: No especificado

Publicado el: 2026-06-09



CVE-2017-20251

Descripción: WordPress Insert PHP plugin versions before 3.3.1 contain a PHP code injection vulnerability that allows unauthenticated attackers to execute arbitrary PHP code by injecting malicious shortcodes through the WordPress REST API. Attackers can send POST requests to the wp-json/wp/v2/posts endpoint with crafted content containing insert_php shortcodes to include and execute remote PHP files on the ...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-94

Tecnología: No especificado

Publicado el: 2026-06-09



CVE-2026-7486

Descripción: Improper neutralization of special elements used in an SQL command ('SQL injection') vulnerability in Netcad Software Inc. E-[]mar allows SQL Injection.

This issue affects E-[]mar: from 2.10.1.0 before 3.0.2.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-89

Tecnología: No especificado

Publicado el: 2026-06-09



CVE-2026-8025

Descripción: Improper neutralization of special elements used in an SQL command ('SQL injection') vulnerability in MOSK Information Technologies Ltd. CBS Platform allows SQL Injection.

This issue affects CBS Platform: through 09062026. NOTE: The vendor was contacted and it was learned that the product is not supported.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-89

Tecnología: No especificado

Publicado el: 2026-06-09



CVE-2026-26142

Descripción: Deserialization of untrusted data in Nuance PowerScribe allows an unauthorized attacker to execute code over a network.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-502

Tecnología: No especificado

Publicado el: 2026-06-09



CVE-2026-42904

Descripción: Heap-based buffer overflow in Windows TCP/IP allows an unauthorized attacker to elevate privileges over an adjacent network.

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:A/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-122

Tecnología: No especificado

Publicado el: 2026-06-09



CVE-2026-44815

Descripción: Stack-based buffer overflow in Windows DHCP Client allows an unauthorized attacker to execute code over a network.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-121

Tecnología: No especificado

Publicado el: 2026-06-09



CVE-2026-45657

Descripción: Use after free in Windows Kernel allows an unauthorized attacker to execute code over a network.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-122

Tecnología: No especificado

Publicado el: 2026-06-09



CVE-2026-47281

Descripción: Improper input validation in Visual Studio Code allows an unauthorized attacker to elevate privileges over a network.

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:H

Tipo: CWE-306

Tecnología: No especificado

Publicado el: 2026-06-09



CVE-2026-47291

Descripción: Integer overflow or wraparound in Windows HTTP.sys allows an unauthorized attacker to execute code over a network.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-122

Tecnología: No especificado

Publicado el: 2026-06-09



CVE-2026-47643

Descripción: External control of file name or path in Azure Stack Edge allows an unauthorized attacker to execute code over a network.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-73

Tecnología: No especificado

Publicado el: 2026-06-09



CVE-2026-47928

Descripción: ColdFusion versions 2023.19, 2025.8 and earlier are affected by an Improper Input Validation vulnerability that could result in arbitrary code execution in the context of the current user. Exploitation of this issue does not require user interaction. Scope is changed.

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:A/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-20

Tecnología: No especificado

Publicado el: 2026-06-09



CVE-2026-48303

Descripción: Adobe Campaign Classic (ACC) versions 7.4.3 build 9394 and earlier are affected by an Incorrect Authorization vulnerability that could result in arbitrary code execution in the context of the current user. Exploitation of this issue does not require user interaction. Scope is changed.

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-863

Tecnología: No especificado

Publicado el: 2026-06-09



CVE-2025-66276

Descripción: QuTS hero is not affected.

We have already fixed the vulnerability in the following version:
QTS 5.2.7.3256 build 20250913 and later

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: NVD-CWE-noinfo

Tecnología: No especificado

Publicado el: 2026-06-10



CVE-2026-26240

Descripción: A buffer overflow vulnerability has been reported to affect File Station 5. The remote attackers can then exploit the vulnerability to modify memory or crash processes.

We have already fixed the vulnerability in the following version:
File Station 5 5.5.6.5243 and later

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:H

Tipo: CWE-121

Tecnología: No especificado

Publicado el: 2026-06-10



CVE-2026-26241

Descripción: A buffer overflow vulnerability has been reported to affect File Station 5. The remote attackers can then exploit the vulnerability to modify memory or crash processes.

We have already fixed the vulnerability in the following version:
File Station 5 5.5.6.5243 and later

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:H

Tipo: CWE-121

Tecnología: No especificado

Publicado el: 2026-06-10



CVE-2025-6254

Descripción: The Doctreat Core plugin for WordPress is vulnerable to Privilege Escalation in all versions up to, and including, 1.6.8. This is due to the `doctreat_process_registration()` function not properly restricting the roles that a user can register with. This makes it possible for unauthenticated attackers to register as an administrator user.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-269

Tecnología: No especificado

Publicado el: 2026-06-10



CVE-2026-53469

Descripción: A flaw was found in migration-planner. An authenticated user can exploit this vulnerability by sending a DELETE request to the /api/v1/sources route, which lacks proper authorization and filtering. This allows for the destruction of all customer data, including sources, agents, and assessments, leading to a critical loss of availability and integrity across the entire SaaS platform.

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:H

Tipo: CWE-306

Tecnología: No especificado

Publicado el: 2026-06-10



CVE-2026-53470

Descripción: A flaw was found in migration-planner. An authenticated attacker could exploit an improper access control vulnerability in the `/api/v1/sources/{id}/image-url` endpoint. This flaw allows the attacker to bypass an ownership check and obtain presigned S3 URLs for Open Virtual Appliance (OVA) images belonging to other users. Consequently, the attacker can download OVA images containing sensitive i...

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:N

Tipo: CWE-639

Tecnología: No especificado

Publicado el: 2026-06-10



CVE-2026-53474

Descripción: A flaw was found in migration-planner. A remote authenticated attacker could exploit this vulnerability by uploading a specially crafted RVTools .xlsx file. Due to improper input sanitization, malicious SQL embedded within a spreadsheet cell is executed when cluster names are processed. This SQL Injection allows for arbitrary file reading on the system, potentially exposing sensitive informatio...

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:N

Tipo: CWE-89

Tecnología: No especificado

Publicado el: 2026-06-10



CVE-2026-53475

Descripción: A flaw was found in assisted-migration-agent. The application hardcodes insecure Transport Layer Security (TLS) connections when communicating with vCenter. This vulnerability allows a Man-in-the-Middle (MITM) attacker to intercept and harvest vCenter administrator credentials. This can lead to unauthorized access to vCenter.

CVSS: 9.3 (CRITICAL)

Vector: CVSS:3.1/AV:A/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:N

Tipo: CWE-295

Tecnología: No especificado

Publicado el: 2026-06-10



CVE-2026-53476

Descripción: A flaw was found in assisted-migration-agent. An unauthenticated attacker, located on the same local area network (LAN), can exploit a path traversal vulnerability. By crafting a specially designed gzipped tarball, the attacker can bypass security checks and write arbitrary files to the system. This could ultimately lead to the execution of unauthorized code on the appliance.

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:A/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-59

Tecnología: No especificado

Publicado el: 2026-06-10



CVE-2026-20253

Descripción: In Splunk Enterprise versions below 10.2.4 and 10.0.7, and Splunk Cloud Platform versions below 10.4.2604.3 and 10.2.2510.14, an unauthenticated user could create or truncate arbitrary files through a PostgreSQL sidecar service endpoint.

The vulnerability exists because the PostgreSQL sidecar service endpoint lacks authentication controls, allowing any network-reachable user to invoke fi...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-306

Tecnología: No especificado

Publicado el: 2026-06-10



CVE-2026-41699

Descripción: Spring for GraphQL applications are vulnerable to Unsafe Deserialization when processing paginated GraphQL queries. An attacker can craft a malicious GraphQL request that can lead to Remote Code Execution when the application exposes a paginated (Connection) field and the classpath contains specific classes that can be leveraged during deserialization.

Affected versions: Spring for GraphQL 2.0...

CVSS: 8.1 (HIGH)

Vector: CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-502

Tecnología: No especificado

Publicado el: 2026-06-11



CVE-2026-11561

Descripción: Improper neutralization of special elements used in an expression language statement ('expression language injection') vulnerability in Soagen Informatics Technologies Software and Consulting Inc. Apinizer allows Code Injection.

This issue affects Apinizer: from 2026.04.0 before 2026.04.6.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-917

Tecnología: No especificado

Publicado el: 2026-06-11



CVE-2026-7852

Descripción: Unrestricted upload of file with dangerous type vulnerability in Limatek System Inc. LimRAD NAC allows Remote Code Inclusion.

This issue affects LimRAD NAC: before 5.5.7.3.9.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-434

Tecnología: No especificado

Publicado el: 2026-06-11



CVE-2026-11839

Descripción: Unrestricted upload of file with dangerous type vulnerability in Ba[arsoft Information Technologies Inc. Rotaban allows Upload a Web Shell to a Web Server.

This issue affects Rotaban: from V2026.06.002 before V2026.06.003.

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-434

Tecnología: No especificado

Publicado el: 2026-06-11



CVE-2026-11849

Descripción: The iRM-IEI Remote Management developed by IEI Integration Corp has a Hardcoded Credentials vulnerability, allowing unauthenticated remote attackers to exploit hard-coded credentials to gain administrative privileges on the database.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-798

Tecnología: No especificado

Publicado el: 2026-06-12



CVE-2026-53787

Descripción: Amasty Order Attributes for Magento 2 before version 4.0.0 contains an unauthenticated arbitrary file upload vulnerability that allows unauthenticated attackers to write arbitrary files to the store's media directory by submitting files of any type or name to the upload endpoint without authentication, session validation, or cart context. Attackers can upload PHP files to achieve remote code ex...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-434

Tecnología: No especificado

Publicado el: 2026-06-12



CVE-2026-6853

Descripción: Improper restriction of excessive authentication attempts vulnerability in Bañbelen Group Food Cafe Businesses Industry and Trade Ltd. Co. Pause+ Mobile App allows Authentication Bypass.

This issue affects Pause+ Mobile App: from v1.0.6 before v1.5.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-307

Tecnología: No especificado

Publicado el: 2026-06-12



CVE-2026-48558

Descripción: SimpleHelp versions 5.5.15 and prior and 6.0 pre-release versions contain an authentication bypass vulnerability in the OIDC authentication flow. When OIDC authentication is configured, identity tokens submitted during login are accepted without verifying their cryptographic signature. In a vulnerable configuration, a remote, unauthenticated attacker can submit a forged token containing arbitra...

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-347

Tecnología: No especificado

Publicado el: 2026-06-12



CVE-2026-53838

Descripción: OpenClaw before 2026.5.27 contains a state mutation vulnerability in node pairing reconnection that allows paired nodes to confuse approval scope decisions. Attackers can exploit reconnection logic to restore or present broader node authority than intended, potentially bypassing approval restrictions.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-367

Tecnología: No especificado

Publicado el: 2026-06-12



Resumen del Reporte

CVEs analizados: 47

Promedio CVSS: 9.60

Fuente: nvd.nist.gov

Nos vemos la próxima semana. Hack the Cat ☹

