

CVEs más relevantes de la semana

Del 15/09/2026 al 22/09/2026

Porque el primer paso para defender es conocer las amenazas.



CVE-2026-81642

Descripción: In NLnet Labs Unbound up to and including 1.26.0, a vulnerability was found in the DNSSEC validator that enables denial of service and possible remote code execution as a result of digesting DNSKEYs. A DNSKEY with an owner compression pointer to its own RDATA can overflow the digest buffer. Remote code execution is possible through attacker controlled data. An adversary can exploit the vulnerab...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-122

Tecnología: No especificado

Publicado el: 2026-09-16



CVE-2025-43936

Descripción: Dell ObjectScale, versions prior to ObjectScale 4.4.0.0, contains an Improper Authentication vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to Unauthorized access.

CVSS: 8.1 (HIGH)

Vector: CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-287

Tecnología: No especificado

Publicado el: 2026-09-16



CVE-2026-70416

Descripción: Dell ObjectScale, versions prior to 4.4.0.0, contains a Deserialization of Untrusted Data vulnerability. An unauthenticated attacker with remote access could potentially exploit this vulnerability, leading to Remote execution.

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-502

Tecnología: No especificado

Publicado el: 2026-09-16



CVE-2026-85385

Descripción: Concrete CMS below 9.5.4 did not validate the user timezone value (uTimezone) on write and rendered it without output encoding on the Dashboard user management page, where Date::getTimezoneDisplayName() returns any non-IANA value unchanged. A stored cross-site scripting payload saved in this field executed in an administrator's browser when they viewed the affected user in the Dashboard, runnin...

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:H

Tipo: CWE-79

Tecnología: No especificado

Publicado el: 2026-09-16



CVE-2026-91097

Descripción: HP has identified and remediated multiple externally reported vulnerabilities within HPLIP. The findings affect several software components that could potentially enable remote code execution, privilege escalation, denial of service, information disclosure, or unauthorized file modification under certain conditions.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-787

Tecnología: No especificado

Publicado el: 2026-09-16



CVE-2026-91098

Descripción: HP has identified and remediated multiple externally reported vulnerabilities within HPLIP. The findings affect several software components that could potentially enable remote code execution, privilege escalation, denial of service, information disclosure, or unauthorized file modification under certain conditions.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-122

Tecnología: No especificado

Publicado el: 2026-09-16



CVE-2026-91099

Descripción: HP has identified and remediated multiple externally reported vulnerabilities within HPLIP. The findings affect several software components that could potentially enable remote code execution, privilege escalation, denial of service, information disclosure, or unauthorized file modification under certain conditions.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-61

Tecnología: No especificado

Publicado el: 2026-09-16



CVE-2026-91100

Descripción: HP has identified and remediated multiple externally reported vulnerabilities within HPLIP. The findings affect several software components that could potentially enable remote code execution, privilege escalation, denial of service, information disclosure, or unauthorized file modification under certain conditions.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-78

Tecnología: No especificado

Publicado el: 2026-09-16



CVE-2026-91101

Descripción: HP has identified and remediated multiple externally reported vulnerabilities within HPLIP. The findings affect several software components that could potentially enable remote code execution, privilege escalation, denial of service, information disclosure, or unauthorized file modification under certain conditions.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-129

Tecnología: No especificado

Publicado el: 2026-09-16



CVE-2026-91102

Descripción: HP has identified and remediated multiple externally reported vulnerabilities within HPLIP. The findings affect several software components that could potentially enable remote code execution, privilege escalation, denial of service, information disclosure, or unauthorized file modification under certain conditions.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-78

Tecnología: No especificado

Publicado el: 2026-09-16



CVE-2026-91103

Descripción: HP has identified and remediated multiple externally reported vulnerabilities within HPLIP. The findings affect several software components that could potentially enable remote code execution, privilege escalation, denial of service, information disclosure, or unauthorized file modification under certain conditions.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-191

Tecnología: No especificado

Publicado el: 2026-09-16



CVE-2026-91104

Descripción: HP has identified and remediated multiple externally reported vulnerabilities within HPLIP. The findings affect several software components that could potentially enable remote code execution, privilege escalation, denial of service, information disclosure, or unauthorized file modification under certain conditions.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-122

Tecnología: No especificado

Publicado el: 2026-09-16



CVE-2026-91105

Descripción: HP has identified and remediated multiple externally reported vulnerabilities within HPLIP. The findings affect several software components that could potentially enable remote code execution, privilege escalation, denial of service, information disclosure, or unauthorized file modification under certain conditions.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-122

Tecnología: No especificado

Publicado el: 2026-09-16



CVE-2026-91106

Descripción: HP has identified and remediated multiple externally reported vulnerabilities within HPLIP. The findings affect several software components that could potentially enable remote code execution, privilege escalation, denial of service, information disclosure, or unauthorized file modification under certain conditions.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-122

Tecnología: No especificado

Publicado el: 2026-09-16



CVE-2026-93739

Descripción: A vulnerability was determined in Totolink A3002MU Hh-B20211125.1046. This impacts the function formWlAc of the file /boafrm/formWlAc. Executing a manipulation of the argument submit-url can lead to buffer overflow. The attack may be performed from remote. The exploit has been publicly disclosed and may be utilized.

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-119

Tecnología: No especificado

Publicado el: 2026-09-18



CVE-2026-94003

Descripción: A vulnerability has been found in Comfast CF-N1-S 2.6.0.1. Impacted is the function `get_css_path_from_uri` of the file `/cgi-bin/mbox-config` of the component Web Management Interface. The manipulation leads to stack-based buffer overflow. The attack can be initiated remotely. The exploit has been disclosed to the public and may be used.

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-119

Tecnología: No especificado

Publicado el: 2026-09-20



CVE-2026-94097

Descripción: A vulnerability was determined in Netcore NBR200V2 1.3.241127.071246. This affects an unknown part of the file /www/cgi-bin/network_tools of the component CGI Diagnostic Endpoint. This manipulation of the argument param/key/val causes command injection. Remote exploitation of the attack is possible. The exploit has been publicly disclosed and may be utilized. The vendor was contacted early abou...

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-74

Tecnología: No especificado

Publicado el: 2026-09-21



CVE-2026-94493

Descripción: A vulnerability was detected in Gigatech PDV5701 1.0.31_240305_112640. This issue affects some unknown processing of the file /index.html of the component WebSocket Service. The manipulation results in missing authentication. The attack can be launched remotely. The exploit is now public and may be used. The vendor was contacted early about this disclosure but did not respond in any way.

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-287

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-94127

Descripción: When a BIG-IP APM access policy and an OAuth profile is configured on a virtual server, specific malicious traffic can lead to Remote Code Execution (RCE).

Impact: This vulnerability allows an unauthenticated attacker to perform remote code execution. The BIG-IP system in Appliance mode is also vulnerable. This is a data plane issue; there is no control plane exposure.

Note: Software vers...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-122

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-80144

Descripción: Lantronix SLC8000 before firmware v9.7.0.2, EMG8500/EMG7500 before firmware v9.7.0.1, and all firmware versions of SLB882/SLCx-03/SLCx-02 contain a command injection vulnerability that allows authenticated attackers to execute arbitrary shell commands as root by exploiting an undocumented mfc eeprom write command that passes unsanitized user input to a system() call. Attackers can authenticate ...

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-78

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-80145

Descripción: Lantronix SLC8000 before firmware v9.7.0.2, EMG8500/EMG7500 before firmware v9.7.0.1, and all firmware versions of SLB882/SLCx-03/SLCx-02 contain a command injection vulnerability that allows authenticated attackers with the services permission to execute arbitrary shell commands as root by exploiting the set cifs password command that passes unsanitized user input to a system() call. Attackers...

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-78

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-80146

Descripción: Lantronix SLC8000 before firmware v9.7.0.2, EMG8500/EMG7500 before firmware v9.7.0.1, and all firmware versions of SLB882/SLCx-03/SLCx-02 contain a stack-based buffer overflow vulnerability that allows authenticated attackers to potentially execute arbitrary code by exploiting an undocumented mfc eeprom read command that copies unbounded user input into a bounded stack buffer before passing it ...

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-121

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-80151

Descripción: Lantronix SLC8000 before firmware v9.7.0.3, EMG8500/EMG7500 before firmware v9.7.0.1, and all firmware versions of SLB882/SLCx-03/SLCx-02 contain a command injection vulnerability that allows authenticated attackers with the services permission to execute arbitrary shell commands as root by exploiting the set nfs download command that passes unsanitized user input to a system() call. Attackers ...

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-78

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-80152

Descripción: Lantronix SLC8000 before firmware v9.7.0.3, EMG8500/EMG7500 before firmware v9.7.0.1, and all firmware versions of SLB882/SLCx-03/SLCx-02 contain a command injection vulnerability that allows authenticated attackers with the services permission to execute arbitrary shell commands as root by exploiting the set script schedule command that passes unsanitized user input to a system() call. Attacker...

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-78

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-80155

Descripción: Lantronix SLC8000 before firmware v9.7.0.5, EMG8500/EMG7500 before firmware v9.7.0.1, and all firmware versions of SLB882/SLCx-03/SLCx-02 contain an authentication bypass vulnerability in the web management portal upload endpoint that allows unauthenticated attackers to read sensitive configuration files and upload files to arbitrary filesystem locations, leading to remote code execution. The w...

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-22

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-80156

Descripción: Lantronix SLC8000 before firmware v9.7.0.5, EMG8500/EMG7500 before firmware v9.7.0.1, and all firmware versions of SLB882/SLCx-03/SLCx-02 contain a path traversal vulnerability in the web management portal upload endpoint that allows authenticated attackers to write arbitrary data to any location on the device's filesystem, leading to remote code execution. The upload filename validation strips...

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-22

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-43641

Descripción: Softaculous Virtualizor before 3.2.9 (Patch 9) and 3.0.0 contains an OS command injection vulnerability in the billing module handler that allows unauthenticated remote attackers to execute arbitrary commands as root by bypassing authentication through specific parameter combinations. Attackers can deserialize a crafted billing_data POST field and inject shell payloads through the uid field, wh...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-78

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-73369

Descripción: Adobe Campaign Classic (ACC) is affected by an Improper Control of Generation of Code ('Code Injection') vulnerability that could result in arbitrary code execution in the context of the current user. An attacker could exploit this vulnerability to execute arbitrary code. Exploitation of this issue does not require user interaction. Scope is changed.

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-94

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-75699

Descripción: Adobe Campaign Classic (ACC) is affected by an Improper Control of Generation of Code ('Code Injection') vulnerability that could result in arbitrary code execution in the context of the current user. An attacker could exploit this vulnerability to execute arbitrary code. Exploitation of this issue does not require user interaction. Scope is changed.

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-94

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-75721

Descripción: Adobe Campaign Classic (ACC) is affected by an Improper Control of Generation of Code ('Code Injection') vulnerability that could result in arbitrary code execution in the context of the current user. An attacker could exploit this vulnerability to execute arbitrary code. Exploitation of this issue does not require user interaction. Scope is changed.

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-94

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-75728

Descripción: Adobe Campaign Classic (ACC) is affected by an Incorrect Authorization vulnerability that could result in arbitrary code execution in the context of the current user. An attacker could exploit this vulnerability to execute arbitrary code. Exploitation of this issue does not require user interaction.

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:N

Tipo: CWE-863

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-82009

Descripción: Adobe Campaign Classic (ACC) is affected by an Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') vulnerability that could result in arbitrary code execution in the context of the current user. An attacker with high privileges could exploit this vulnerability to execute arbitrary SQL commands. Exploitation of this issue does not require user interaction. Scope ...

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-89

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-82011

Descripción: Adobe Campaign Classic (ACC) is affected by an Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') vulnerability that could result in a Security feature bypass. A low-privileged attacker could leverage this vulnerability to bypass security measures and gain unauthorized read and limited write access. Exploitation of this issue does not require user interaction. ...

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:L/A:L

Tipo: CWE-89

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-82013

Descripción: Adobe Campaign Classic (ACC) is affected by a Server-Side Request Forgery (SSRF) vulnerability that could result in privilege escalation. A low-privileged attacker could exploit this vulnerability to gain elevated access to internal resources. Exploitation of this issue does not require user interaction. Scope is changed.

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-918

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-83660

Descripción: Adobe Campaign Classic (ACC) is affected by a Server-Side Request Forgery (SSRF) vulnerability that could result in privilege escalation. Exploitation of this issue does not require user interaction. Scope is changed.

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:L/A:L

Tipo: CWE-918

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-89275

Descripción: Adobe Campaign Classic (ACC) is affected by an Improper Control of Generation of Code ('Code Injection') vulnerability that could result in arbitrary code execution in the context of the current user. An attacker could exploit this vulnerability to execute arbitrary code. Exploitation of this issue does not require user interaction. Scope is changed.

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-94

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-89276

Descripción: Adobe Campaign Classic (ACC) is affected by an Improper Control of Generation of Code ('Code Injection') vulnerability that could result in arbitrary code execution in the context of the current user. A low-privileged attacker could exploit this vulnerability to execute arbitrary code. Exploitation of this issue does not require user interaction. Scope is changed.

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:L

Tipo: CWE-94

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-75682

Descripción: Adobe Connect is affected by an Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') vulnerability that could result in arbitrary code execution in the context of the current user. A low-privileged attacker could exploit this vulnerability to execute arbitrary SQL commands, potentially gaining elevated access or control over the victim's account or session. Explo...

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-89

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-75684

Descripción: Adobe Connect is affected by a stored Cross-Site Scripting (XSS) vulnerability that could be abused by an attacker to inject malicious scripts into vulnerable form fields. Malicious JavaScript may be executed in a victim's browser when they browse to the page containing the vulnerable field, potentially gaining elevated access or control over the victim's account or session. Scope is changed.

CVSS: 9.3 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:N

Tipo: CWE-79

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-75686

Descripción: Adobe Connect is affected by an Improper Input Validation vulnerability that could result in arbitrary code execution in the context of the current user. An attacker could exploit this vulnerability to execute arbitrary code. Exploitation of this issue requires user interaction in that a victim must visit a maliciously crafted URL or interact with a compromised web page. Scope is changed.

CVSS: 9.3 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:N

Tipo: CWE-20

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-75689

Descripción: Adobe Connect is affected by a stored Cross-Site Scripting (XSS) vulnerability that could be abused by an attacker to inject malicious scripts into vulnerable form fields. Malicious JavaScript may be executed in a victim's browser when they browse to the page containing the vulnerable field, potentially gaining elevated access or control over the victim's account or session. Scope is changed.

CVSS: 9.3 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:N

Tipo: CWE-79

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-75697

Descripción: Adobe Connect is affected by a stored Cross-Site Scripting (XSS) vulnerability that could be abused by an attacker to inject malicious scripts into vulnerable form fields. Malicious JavaScript may be executed in a victim's browser when they browse to the page containing the vulnerable field, potentially gaining elevated access or control over the victim's account or session. Scope is changed.

CVSS: 9.3 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:N

Tipo: CWE-79

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-75698

Descripción: Adobe Connect is affected by a reflected Cross-Site Scripting (XSS) vulnerability. An attacker could exploit this vulnerability to inject malicious scripts into a web page, potentially gaining elevated access or control over the victim's account or session. Exploitation of this issue requires user interaction in that a victim must visit a maliciously crafted URL or interact with a compromised w...

CVSS: 9.3 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:N

Tipo: CWE-79

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-75745

Descripción: Adobe Experience Manager Forms JEE is affected by an Incorrect Authorization vulnerability that could result in arbitrary code execution in the context of the current user. An attacker could exploit this vulnerability to execute arbitrary code. Exploitation of this issue does not require user interaction. Scope is changed.

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-863

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-81995

Descripción: Adobe Experience Manager Forms JEE is affected by an Improper Input Validation vulnerability that could result in arbitrary code execution in the context of the current user. An attacker with high privileges could exploit this vulnerability to execute arbitrary code. Exploitation of this issue does not require user interaction. Scope is changed.

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-20

Tecnología: No especificado

Publicado el: 2026-09-22



CVE-2026-82000

Descripción: Adobe Experience Manager Forms JEE is affected by a Server-Side Request Forgery (SSRF) vulnerability that could result in privilege escalation. A low-privileged attacker could exploit this vulnerability to gain elevated access to internal resources. Exploitation of this issue does not require user interaction. Scope is changed.

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:N

Tipo: CWE-918

Tecnología: No especificado

Publicado el: 2026-09-22



Resumen del Reporte

CVEs analizados: 46

Promedio CVSS: 9.64

Fuente: nvd.nist.gov

Nos vemos la próxima semana. Hack the Cat ☹

