

CVEs más relevantes de la semana

Del 27/06/2026 al 04/07/2026

Porque el primer paso para defender es conocer las amenazas.



CVE-2026-56290

Descripción: The Joomla extension Page Builder CK is vulnerable to an unauthenticated arbitrary file upload that allows uploading executable files and leads to full RCE.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-284

Tecnología: No especificado

Publicado el: 2026-06-29



CVE-2026-13751

Descripción: Improper handling of untrusted remote references in Snowflake CLI versions prior to 3.19 allowed server-side request forgery. The SQL statement reader's !source/!load directives could reference remote URLs that were retrieved at runtime without sufficient restriction on the request destination. By supplying crafted SQL content processed through a vulnerable command path, an attacker could cause...

CVSS: 4.1 (MEDIUM)

Vector: CVSS:3.1/AV:L/AC:H/PR:N/UI:R/S:C/C:L/I:L/A:N

Tipo: CWE-829

Tecnología: No especificado

Publicado el: 2026-06-29



CVE-2026-11720

Descripción: A path traversal vulnerability exists in the HTTP tool URL builder of [googleapis/mcp-toolbox](https://github.com/googleapis/mcp-toolbox).

When constructing downstream API requests, the URL builder substitutes user-controlled pathParams into the configured tool path and parses the resulting string as a relative URL. While it checks that the input does not alter the scheme, host, or user info, it relies on `ResolveReference` for the final U...

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:N

Tipo: CWE-22

Tecnología: No especificado

Publicado el: 2026-06-29



CVE-2026-58016

Descripción: A flaw was found in GLib. A state confusion issue exists in `g_dbus_node_info_new_for_xml()` in the `gio/gdbusintrospection.c` file when processing malformed D-Bus introspection XML, specifically with a `<node>` element nested within other elements like `<method>`, `<signal>`, `<property>` or `<arg>`. This issue can cause an unsigned integer overflow and lead to an out-of-bounds read, resulting in a denial o...

CVSS: 7.5 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

Tipo: CWE-191

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-8452

Descripción: Memory overflow vulnerability NetScaler ADC and NetScaler Gateway leading to unpredictable or erroneous behavior and Denial of Service if the appliance is configured as a Gateway (SSL VPN, ICA Proxy, CVPN, RDP Proxy) or AAA virtual server

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-119

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-8655

Descripción: Multiple Memory overflow vulnerabilities in NetScaler ADC and NetScaler Gateway leading to unpredictable or erroneous behavior and Denial of Service if NetScaler ADC is configured as an LB of type Oracle OR NetScaler ADC is configured as a DNS Proxy OR NetScaler ADC is configured as a DNS recursive resolver deployment

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-119

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-14241

Descripción: Memory safety bugs present in Firefox 152.0.3. Some of these bugs showed evidence of memory corruption and we presume that with enough effort some of these could have been exploited to run arbitrary code. This vulnerability was fixed in Firefox 152.0.4.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-787

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-10560

Descripción: IBM Langflow OSS 1.0.0 through 1.9.6 contains a missing authentication vulnerability in /api/v1/build_public_tmp/ endpoints that allows an unauthenticated attacker to read build event data or cancel jobs using a valid job identifier, resulting in information disclosure and denial of service.

CVSS: 8.2 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:N

Tipo: CWE-287

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-11546

Descripción: IBM WebSphere Application Server - Liberty 17.0.0.3 through 26.0.0.7 is affected by a server-side request forgery vulnerability with the adminCenter-1.0 feature enabled.

CVSS: 7.1 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:L/I:N/A:H

Tipo: CWE-918

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-11714

Descripción: IBM WebSphere Application Server - Liberty 17.0.0.3 through 26.0.0.7 is affected by a server-side request forgery vulnerability with the apiDiscovery-1.0 feature enabled.

CVSS: 8.5 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:L/A:N

Tipo: CWE-918

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-13449

Descripción: IBM Business Automation Manager Open Editions 9.0.0 through 9.4.2 is vulnerable to an XML external entity injection (XXE) attack when processing XML data. A remote attacker could exploit this vulnerability to expose sensitive information or consume memory resources.

CVSS: 7.6 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:L/I:L/A:H

Tipo: CWE-611

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-13772

Descripción: IBM WebSphere Extreme Scale 8.6.1.0 through 8.6.1.6's Object Query Language engine resolves attacker-supplied class names via Class.forName() and invokes their constructors with no allow-list at three distinct sinks (SELECT NEW, enum literals, and reflection-based comparators); an authenticated remote attacker who can influence an application-built OQL query string can execute arbitrary constr...

CVSS: 7.5 (HIGH)

Vector: CVSS:3.1/AV:N/AC:H/PR:L/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-470

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-13773

Descripción: IBM WebSphere Extreme Scale 8.6.1.0 through 8.6.1.6

Approximately 50 generated CORBA stub classes in WebSphere eXtreme Scale's ogclient.jar call ORB.string_to_object() on an attacker-controlled IOR string during Java deserialization, turning any unfiltered ObjectInputStream sink in WAS into outbound IIOP SSRF to an attacker-chosen host; when chained with the IBM ORB's getUserException class-ins...

CVSS: 6.0 (MEDIUM)

Vector: CVSS:3.1/AV:N/AC:H/PR:L/UI:N/S:C/C:L/I:L/A:L

Tipo: CWE-918

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-7663

Descripción: IBM Langflow OSS 1.0.0 through 1.9.6 could allow unauthenticated attackers to access protected MCP project resources and execute MCP operations due to improper authorization enforcement in the Streamable MCP transport endpoint.

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:N

Tipo: CWE-285

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-11541

Descripción: IBM WebSphere Application Server 9.0, and 8.5 and IBM WebSphere Application Server - Liberty 17.0.0.3 through 26.0.0.6 are affected by an HTTP request smuggling vulnerability.

CVSS: 7.4 (HIGH)

Vector: CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:N

Tipo: CWE-444

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-13775

Descripción: Use after free in GPU in Google Chrome prior to 150.0.7871.47 allowed a remote attacker who had compromised the renderer process to potentially perform a sandbox escape via a crafted HTML page. (Chromium security severity: Critical)

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-416

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-13776

Descripción: Type Confusion in Dawn in Google Chrome prior to 150.0.7871.47 allowed a remote attacker who had compromised the renderer process to potentially perform a sandbox escape via a crafted HTML page. (Chromium security severity: Critical)

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-843

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-13780

Descripción: Insufficient validation of untrusted input in ANGLE in Google Chrome prior to 150.0.7871.47 allowed a remote attacker who had compromised the renderer process to potentially perform a sandbox escape via a crafted HTML page. (Chromium security severity: Critical)

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:H

Tipo: CWE-20

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-13781

Descripción: Insufficient validation of untrusted input in Skia in Google Chrome prior to 150.0.7871.47 allowed a remote attacker who had compromised the renderer process to potentially perform a sandbox escape via a crafted HTML page. (Chromium security severity: Critical)

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:H

Tipo: CWE-20

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-13782

Descripción: Use after free in Browser in Google Chrome prior to 150.0.7871.47 allowed a remote attacker who had compromised the renderer process to potentially perform a sandbox escape via a crafted HTML page. (Chromium security severity: Critical)

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-416

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-13785

Descripción: Use after free in Bluetooth in Google Chrome on Mac prior to 150.0.7871.47 allowed a remote attacker who convinced a user to engage in specific UI gestures to potentially perform a sandbox escape via a crafted HTML page. (Chromium security severity: Critical)

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:H

Tipo: CWE-416

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-14101

Descripción: Insufficient policy enforcement in Sandbox in Google Chrome on Mac prior to 150.0.7871.47 allowed a remote attacker who had compromised the renderer process to potentially perform a sandbox escape via a crafted HTML page. (Chromium security severity: Low)

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:H

Tipo: CWE-269

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-14104

Descripción: Insufficient validation of untrusted input in WebAppInstalls in Google Chrome prior to 150.0.7871.47 allowed a remote attacker to execute arbitrary code inside a sandbox via a crafted HTML page. (Chromium security severity: Low)

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-20

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-14106

Descripción: Insufficient validation of untrusted input in Text in Google Chrome on Android prior to 150.0.7871.47 allowed a remote attacker who had compromised the renderer process to potentially perform a sandbox escape via a crafted HTML page. (Chromium security severity: Low)

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:H

Tipo: CWE-20

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-14109

Descripción: Insufficient policy enforcement in Mojo in Google Chrome prior to 150.0.7871.47 allowed a remote attacker who had compromised the renderer process to potentially perform a sandbox escape via a crafted HTML page. (Chromium security severity: Low)

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:H

Tipo: CWE-20

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-14120

Descripción: Inappropriate implementation in DevTools in Google Chrome prior to 150.0.7871.47 allowed a remote attacker who had compromised the renderer process to potentially perform a sandbox escape via a crafted HTML page. (Chromium security severity: Low)

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:H

Tipo: CWE-20

Tecnología: No especificado

Publicado el: 2026-06-30



CVE-2026-34100

Descripción: Guardian language-system passes the id GET parameter directly into an unsanitized SQL query in media.php (line 17):

```
SELECT id, filename, extension, type, duration, owner, private  
FROM files where id = '\".$_GET['id'].\"'. An authenticated  
attacker can perform error-based SQL injection to extract database  
contents.
```

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-89

Tecnología: No especificado

Publicado el: 2026-07-01



CVE-2026-34106

Descripción: Guardian language-system passes the id GET parameter directly into a PHP exec() call in subtitles.php (line 19) without sanitization: `exec(\"php jobs/subtitle_rendering.php \". $login_session.\" \".\"$_GET['id'].\" ...\")`. No authentication is required. An unauthenticated remote attacker can append shell metacharacters to the id parameter to execute arbitrary OS commands on the server.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-78

Tecnología: No especificado

Publicado el: 2026-07-01



CVE-2026-58453

Descripción: JAIOTlink C492A-W6 Wi-Fi IP cameras running firmware 4.8.30.57701411 contain a hard-coded credentials vulnerability that allows network-adjacent attackers to gain unauthorized access by using the default admin username with an empty password accepted by the anyka_ipc HTTP service on port 80. Attackers can authenticate with these hardcoded credentials to access camera snapshots, video streams, n...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-1392

Tecnología: No especificado

Publicado el: 2026-07-01



CVE-2026-50195

Descripción: containerd is an open-source container runtime. Versions prior to 2.3.2, 2.2.5 and 2.1.9 contain a vulnerability in the CRI checkpoint import process where it fails to validate the image references specified within a checkpoint image's configuration. An attacker with permissions to create pods can use a crafted checkpoint image to force containerd to pull a malicious image and assign it an arbi...

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-345

Tecnología: No especificado

Publicado el: 2026-07-01



CVE-2026-53492

Descripción: containerd is an open-source container runtime. In Versions prior to 2.3.2, 2.2.5 and 2.1.9, the CRI implementation improperly trusts Container Device Interface (CDI) annotations found within untrusted checkpoint image metadata during container restoration. When restoring a container from a checkpoint, containerd preserves CDI-related annotations from the checkpoint archive rather than relying ...

CVSS: 9.6 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:N

Tipo: CWE-20

Tecnología: No especificado

Publicado el: 2026-07-01



CVE-2026-58457

Descripción: Shenzhen Aitemi M300 Wi-Fi Repeater (hardware model MT02) contains an unauthenticated OS command injection vulnerability that allows network-adjacent attackers to execute arbitrary shell commands by injecting unsanitized input through the smacfilter_conf handler in the commuos web backend. Attackers can append semicolon-delimited payloads to the name, enable, or mac GET parameters, which are pa...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-78

Tecnología: No especificado

Publicado el: 2026-07-01



CVE-2026-58455

Descripción: Dockwatch through 0.6.567 contains an unauthenticated OS command injection vulnerability that allows remote attackers to execute arbitrary shell commands by exploiting a missing `exit()` after an authentication redirect in `loader.php` combined with unsanitized input passed to `shell_exec()` in `ajax/compose.php`. Attackers can seed the required session flag through the incomplete auth check, then inje...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-78

Tecnología: No especificado

Publicado el: 2026-07-02



CVE-2026-58466

Descripción: AutoBangumi before 3.2.8 contains a hard-coded default credentials vulnerability that allows unauthenticated attackers to authenticate as the administrator by using the publicly known default credentials seeded at startup via `add_default_user()` in the database user module when the users table is empty. Attackers can submit the default credentials to the authentication login endpoint to gain ful...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-1392

Tecnología: No especificado

Publicado el: 2026-07-02



CVE-2026-59099

Descripción: Apereo CAS 7.3.0 before 8.0.0-RC6 contains a cryptographic vulnerability that allows remote unauthenticated attackers to recover plaintext conversation state by exploiting AES-GCM initialization vector reuse across the server lifetime. Attackers can collect multiple client-side webflow execution tokens from the unauthenticated login page and perform known-plaintext analysis to decrypt the webfl...

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:N

Tipo: CWE-323

Tecnología: No especificado

Publicado el: 2026-07-02



CVE-2026-41106

Descripción: Url redirection to untrusted site ('open redirect') in M365 Copilot allows an unauthorized attacker to elevate privileges over a network.

CVSS: 9.3 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:N

Tipo: CWE-601

Tecnología: No especificado

Publicado el: 2026-07-02



CVE-2026-45499

Descripción: Server-side request forgery (ssrf) in Azure OpenAI allows an authorized attacker to elevate privileges over a network.

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-918

Tecnología: No especificado

Publicado el: 2026-07-02



CVE-2026-57100

Descripción: Server-side request forgery (ssrf) in Microsoft Entra Provisioning Service (SyncFabric) allows an authorized attacker to elevate privileges over a network.

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-918

Tecnología: No especificado

Publicado el: 2026-07-02



CVE-2026-9725

Descripción: The Printcart Web to Print Product Designer for WooCommerce plugin for WordPress is vulnerable to Arbitrary File Deletion in versions up to, and including, 2.5.2 This is due to insufficient path validation in the store_design_data() function, which constructs a filesystem path from the user-supplied 'nbd_item_key' POST parameter sanitized only with sanitize_text_field() — which does not strip p...

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:H

Tipo: CWE-22

Tecnología: No especificado

Publicado el: 2026-07-03



CVE-2026-14544

Descripción: A flaw was found in HPLIP (HP Linux Imaging and Printing Software). This vulnerability, an incomplete fix for CVE-2026-8631, may allow a remote attacker to escalate privileges or achieve arbitrary code execution. This can occur through an integer overflow in the hpcups processing path when handling specially crafted print data.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-190

Tecnología: No especificado

Publicado el: 2026-07-03



CVE-2026-4321

Descripción: Improper neutralization of special elements used in an SQL command ('SQL injection') vulnerability in Raera - Ankara Web Design and Digital Advertising Agency Destekz allows SQL Injection.

This issue affects Destekz: through 02062026. NOTE: The vendor was contacted and it was learned that the product is not supported.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-89

Tecnología: No especificado

Publicado el: 2026-07-03



CVE-2026-58289

Descripción: Access of resource using incompatible type ('type confusion') in Microsoft Edge (Chromium-based) allows an unauthorized attacker to execute code over a network.

CVSS: 9.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-843

Tecnología: No especificado

Publicado el: 2026-07-03



Resumen del Reporte

CVEs analizados: 42

Promedio CVSS: 9.10

Fuente: nvd.nist.gov

Nos vemos la próxima semana. Hack the Cat ☹

