

CVEs más relevantes de la semana

Del 10/03/2026 al 17/03/2026

Porque el primer paso para defender es conocer las amenazas.



CVE-2026-0953

Descripción: The Tutor LMS Pro plugin for WordPress is vulnerable to authentication bypass in all versions up to, and including, 3.9.5 via the Social Login addon. This is due to the plugin failing to verify that the email provided in the authentication request matches the email from the validated OAuth token. This makes it possible for unauthenticated attackers to log in as any existing user, including admi...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-287

Tecnología: No especificado

Publicado el: 2026-03-10



CVE-2026-27685

Descripción: SAP NetWeaver Enterprise Portal Administration is vulnerable if a privileged user uploads untrusted or malicious content that, upon deserialization, could result in a high impact on the confidentiality, integrity, and availability of the host system.

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-502

Tecnología: No especificado

Publicado el: 2026-03-10



CVE-2026-30869

Descripción: SiYuan is a personal knowledge management system. Prior to 3.5.10, a path traversal vulnerability in the /export endpoint allows an attacker to read arbitrary files from the server filesystem. By exploiting double-encoded traversal sequences, an attacker can access sensitive files such as conf/conf.json, which contains secrets including the API token, cookie signing key, and workspace access au...

CVSS: 9.3 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:N/A:L

Tipo: CWE-22

Tecnología: No especificado

Publicado el: 2026-03-10



CVE-2025-41709

Descripción: [PROBLEMTYPE] in [COMPONENT] in [VENDOR] [PRODUCT] [VERSION] on [PLATFORMS] allows [ATTACKER] to [IMPACT] via [VECTOR]

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-78

Tecnología: No especificado

Publicado el: 2026-03-10



CVE-2026-26105

Descripción: Improper neutralization of input during web page generation ('cross-site scripting') in Microsoft Office SharePoint allows an unauthorized attacker to perform spoofing over a network.

CVSS: 8.1 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:N

Tipo: CWE-79

Tecnología: No especificado

Publicado el: 2026-03-10



CVE-2026-30930

Descripción: Glances is an open-source system cross-platform monitoring tool. Prior to 4.5.1, The TimescaleDB export module constructs SQL queries using string concatenation with unsanitized system monitoring data. The normalize() method wraps string values in single quotes but does not escape embedded single quotes, making SQL injection trivial via attacker-controlled data such as process names, filesystem...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-89

Tecnología: No especificado

Publicado el: 2026-03-10



CVE-2026-30968

Descripción: Coral Server is open collaboration infrastructure that enables communication, coordination, trust and payments for The Internet of Agents. Prior to 1.1.0, the SSE endpoint (/sse/v1/...) in Coral Server did not strongly validate that a connecting agent was a legitimate participant in the session. This could theoretically allow unauthorized message injection or observation. This vulnerability is ...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-862

Tecnología: No especificado

Publicado el: 2026-03-10



CVE-2026-30969

Descripción: Coral Server is open collaboration infrastructure that enables communication, coordination, trust and payments for The Internet of Agents. Prior to 1.1.0, Coral Server did not enforce strong authentication between agents and the server within an active session. This could allow an attacker who obtained or predicted a session identifier to impersonate an agent or join an existing session. This v...

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:N

Tipo: CWE-639

Tecnología: No especificado

Publicado el: 2026-03-10



CVE-2026-30970

Descripción: Coral Server is open collaboration infrastructure that enables communication, coordination, trust and payments for The Internet of Agents. Prior to 1.1.0, Coral Server allowed the creation of agent sessions through the `/api/v1/sessions` endpoint without strong authentication. This endpoint performs resource-intensive initialization operations including container spawning and memory context creat...

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:H

Tipo: CWE-862

Tecnología: No especificado

Publicado el: 2026-03-10



CVE-2026-30965

Descripción: Parse Server is an open source backend that can be deployed to any infrastructure that can run Node.js. Prior to 9.5.2-alpha.8 and 8.6.21, a vulnerability in Parse Server's query handling allows an authenticated or unauthenticated attacker to exfiltrate session tokens of other users by exploiting the redirectClassNameForKey query parameter. Exfiltrated session tokens can be used to take over us...

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:N

Tipo: CWE-863

Tecnología: No especificado

Publicado el: 2026-03-10



CVE-2026-31800

Descripción: Parse Server is an open source backend that can be deployed to any infrastructure that can run Node.js. Prior to 9.5.2-alpha.12 and 8.6.25, the `_GraphQLConfig` and `_Audience` internal classes can be read, modified, and deleted via the generic `/classes/_GraphQLConfig` and `/classes/_Audience` REST API routes without master key authentication. This bypasses the master key enforcement that exists on th...

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:N

Tipo: CWE-862

Tecnología: No especificado

Publicado el: 2026-03-10



CVE-2026-3826

Descripción: IFTOP developed by WellChoose has a Local File Inclusion vulnerability, allowing unauthenticated remote attackers to execute arbitrary code on the server.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-98

Tecnología: No especificado

Publicado el: 2026-03-11



CVE-2026-3944

Descripción: A vulnerability was determined in itsourcecode University Management System 1.0. This vulnerability affects unknown code of the file /att_add.php. This manipulation of the argument Name causes sql injection. The attack may be initiated remotely. The exploit has been publicly disclosed and may be utilized.

CVSS: 7.3 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L

Tipo: CWE-74

Tecnología: No especificado

Publicado el: 2026-03-11



CVE-2026-31840

Descripción: Parse Server is an open source backend that can be deployed to any infrastructure that can run Node.js. Prior to 9.6.0-alpha.2 and 8.6.28, an attacker can use a dot-notation field name in combination with the sort query parameter to inject SQL into the PostgreSQL database through an improper escaping of sub-field values in dot-notation queries. The vulnerability may also affect queries that use...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-89

Tecnología: No especificado

Publicado el: 2026-03-11



CVE-2026-31856

Descripción: Parse Server is an open source backend that can be deployed to any infrastructure that can run Node.js. A SQL injection vulnerability exists in the PostgreSQL storage adapter when processing Increment operations on nested object fields using dot notation (e.g., stats.counter). The amount value is interpolated directly into the SQL query without parameterization or type validation. An attacker w...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-89

Tecnología: No especificado

Publicado el: 2026-03-11



CVE-2026-31871

Descripción: Parse Server is an open source backend that can be deployed to any infrastructure that can run Node.js. Prior to 9.6.0-alpha.5 and 8.6.31, a SQL injection vulnerability exists in the PostgreSQL storage adapter when processing Increment operations on nested object fields using dot notation (e.g., stats.counter). The sub-key name is interpolated directly into SQL string literals without escaping....

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-89

Tecnología: No especificado

Publicado el: 2026-03-11



CVE-2026-31877

Descripción: Frappe is a full-stack web application framework. Prior to 15.84.0 and 14.99.0, a specially crafted request made to a certain endpoint could result in SQL injection, allowing an attacker to extract information they wouldn't otherwise be able to. This vulnerability is fixed in 15.84.0 and 14.99.0.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-89

Tecnología: No especificado

Publicado el: 2026-03-11



CVE-2026-31881

Descripción: Runtipi is a personal homeserver orchestrator. Prior to 4.8.0, an unauthenticated attacker can reset the operator (admin) password when a password-reset request is active, resulting in full account takeover. The endpoint `POST /api/auth/reset-password` is exposed without authentication/authorization checks. During the 15-minute reset window, any remote user can set a new operator password and log...

CVSS: 7.7 (HIGH)

Vector: CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:L

Tipo: CWE-306

Tecnología: No especificado

Publicado el: 2026-03-11



CVE-2026-27703

Descripción: RIOT is an open-source microcontroller operating system, designed to match the requirements of Internet of Things (IoT) devices and other embedded devices. In 2026.01 and earlier, the default handler for the well_known_core resource coap_well_known_core_default_handler writes user-provided option data and other data into a fixed size buffer without validating the buffer is large enough to conta...

CVSS: 7.5 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:N

Tipo: CWE-787

Tecnología: No especificado

Publicado el: 2026-03-11



CVE-2026-31900

Descripción: Black is the uncompromising Python code formatter. Black provides a GitHub action for formatting code. This action supports an option, `use_pyproject: true`, for reading the version of Black to use from the repository `pyproject.toml`. A malicious pull request could edit `pyproject.toml` to use a direct URL reference to a malicious repository. This could lead to arbitrary code execution in the contex...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-20

Tecnología: No especificado

Publicado el: 2026-03-11



CVE-2026-31976

Descripción: xygeni-action is the GitHub Action for Xygeni Scanner. On March 3, 2026, an attacker with access to compromised credentials created a series of pull requests (#46, #47, #48) injecting obfuscated shell code into action.yml. The PRs were blocked by branch protection rules and never merged into the main branch. However, the attacker used the compromised GitHub App credentials to move the mutable v...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-506

Tecnología: No especificado

Publicado el: 2026-03-11



CVE-2026-32118

Descripción: OpenEMR is a free and open source electronic health records and medical practice management application. Prior to 8.0.0.1, stored cross-site scripting (XSS) in the Graphical Pain Map ("clickmap") form allows any authenticated clinician to inject arbitrary JavaScript that executes in the browser of every subsequent user who views the affected encounter form. Because session cookies are not marke...

CVSS: 5.4 (MEDIUM)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:R/S:C/C:L/I:L/A:N

Tipo: CWE-79

Tecnología: No especificado

Publicado el: 2026-03-11



CVE-2026-32133

Descripción: 2FAuth is a web app to manage Two-Factor Authentication (2FA) accounts and generate their security codes. Prior to 6.1.0, a blind SSRF vulnerability exists in 2FAuth that allows authenticated users to make arbitrary HTTP requests from the server to internal networks and cloud metadata endpoints. The image parameter in OTP URL is not properly validated for internal / private IP addresses before ...

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:N

Tipo: CWE-918

Tecnología: No especificado

Publicado el: 2026-03-11



CVE-2025-59388

Descripción: A use of hard-coded password vulnerability has been reported to affect Hyper Data Protector. The remote attackers can then exploit the vulnerability to gain unauthorized access.

We have already fixed the vulnerability in the following version:
Hyper Data Protector 2.3.1.455 and later

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-259

Tecnología: No especificado

Publicado el: 2026-03-12



CVE-2026-3980

Descripción: A vulnerability has been found in itsourcecode Online Doctor Appointment System 1.0. This impacts an unknown function of the file /admin/patient_action.php. Such manipulation of the argument patient_id leads to sql injection. The attack may be launched remotely. The exploit has been disclosed to the public and may be used.

CVSS: 7.3 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L

Tipo: CWE-74

Tecnología: No especificado

Publicado el: 2026-03-12



CVE-2026-3981

Descripción: A vulnerability was found in itsourcecode Online Doctor Appointment System 1.0. Affected is an unknown function of the file /admin/doctor_action.php. Performing a manipulation of the argument ID results in sql injection. Remote exploitation of the attack is possible. The exploit has been made public and could be used.

CVSS: 7.3 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L

Tipo: CWE-74

Tecnología: No especificado

Publicado el: 2026-03-12



CVE-2026-4014

Descripción: A security flaw has been discovered in itsourcecode Cafe Reservation System 1.0. This impacts an unknown function of the file /curvus2/signup.php of the component Registration. Performing a manipulation of the argument Username results in sql injection. Remote exploitation of the attack is possible. The exploit has been released to the public and may be used for attacks.

CVSS: 7.3 (HIGH)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L

Tipo: CWE-74

Tecnología: No especificado

Publicado el: 2026-03-12



CVE-2026-26791

Descripción: GL-iNet GL-AR300M16 v4.3.11 was discovered to contain a command injection vulnerability via the string port parameter in the enable_echo_server function. This vulnerability allows attackers to execute arbitrary commands via a crafted input.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-77

Tecnología: No especificado

Publicado el: 2026-03-12



CVE-2026-26792

Descripción: GL-iNet GL-AR300M16 v4.3.11 was discovered to contain multiple command injection vulnerabilities in the set_upgrade function via the modem_url, target_version, current_version, firmware_upload, hash_type, hash_value, and upgrade_type parameters. These vulnerabilities allow attackers to execute arbitrary commands via a crafted input.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-77

Tecnología: No especificado

Publicado el: 2026-03-12



CVE-2026-26795

Descripción: GL-iNet GL-AR300M16 v4.3.11 was discovered to contain a command injection vulnerability via the module parameter in the M.get_system_log function. This vulnerability allows attackers to execute arbitrary commands via a crafted input.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-77

Tecnología: No especificado

Publicado el: 2026-03-12



CVE-2025-70245

Descripción: Stack buffer overflow vulnerability in D-Link DIR-513 v1.10 via the curTime parameter to goform/formSetWizardSelectMode.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-787

Tecnología: No especificado

Publicado el: 2026-03-12



CVE-2026-32248

Descripción: Parse Server is an open source backend that can be deployed to any infrastructure that can run Node.js. Prior to 9.6.0-alpha.12 and 8.6.38, an unauthenticated attacker can take over any user account that was created with an authentication provider that does not validate the format of the user identifier (e.g. anonymous authentication). By sending a crafted login request, the attacker can cause ...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-943

Tecnología: No especificado

Publicado el: 2026-03-12



CVE-2026-31806

Descripción: FreeRDP is a free implementation of the Remote Desktop Protocol. Prior to 3.24.0, the `gdi_surface_bits()` function processes `SURFACE_BITS_COMMAND` messages sent by the RDP server. When the command is handled using `NSCodec`, the `bmp.width` and `bmp.height` values provided by the server are not properly validated against the actual desktop dimensions. A malicious RDP server can supply crafted `bmp.width`...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-122

Tecnología: No especificado

Publicado el: 2026-03-13



CVE-2026-31883

Descripción: FreeRDP is a free implementation of the Remote Desktop Protocol. Prior to 3.24.0, a `size_t` underflow in the IMA-ADPCM and MS-ADPCM audio decoders leads to heap-buffer-overflow write via the RDPSND audio channel. In `libfreerdp/codec/dsp.c`, the IMA-ADPCM and MS-ADPCM decoders subtract block header sizes from a `size_t` variable without checking for underflow. When `nBlockAlign` (received from the ser...

CVSS: 6.5 (MEDIUM)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N

Tipo: CWE-122

Tecnología: No especificado

Publicado el: 2026-03-13



CVE-2026-31885

Descripción: FreeRDP is a free implementation of the Remote Desktop Protocol. Prior to 3.24.0, there is an out-of-bounds read in MS-ADPCM and IMA-ADPCM decoders due to unchecked predictor and step_index values from input data. This vulnerability is fixed in 3.24.0.

CVSS: 6.5 (MEDIUM)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:N/A:N

Tipo: CWE-125

Tecnología: No especificado

Publicado el: 2026-03-13



CVE-2026-31897

Descripción: FreeRDP is a free implementation of the Remote Desktop Protocol. Prior to 3.24.0, there is an out-of-bounds read in freerdp_bitmap_decompress_planar when SrcSize is 0. The function dereferences *srcp (which points to pSrcData) without first verifying that SrcSize >= 1. When SrcSize is 0 and pSrcData is non-NULL, this reads one byte past the end of the source buffer. This vulnerability is fixed ...

CVSS: 0.0 (NONE)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:N

Tipo: CWE-125

Tecnología: No especificado

Publicado el: 2026-03-13



CVE-2026-3891

Descripción: The Pix for WooCommerce plugin for WordPress is vulnerable to arbitrary file uploads due to missing capability check and missing file type validation in the 'lkn_pix_for_woocommerce_c6_save_settings' function in all versions up to, and including, 1.5.0. This makes it possible for unauthenticated attackers to upload arbitrary files on the affected site's server which may make remote code executi...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-434

Tecnología: No especificado

Publicado el: 2026-03-13



CVE-2016-20024

Descripción: ZKTeco ZKTime.Net 3.0.1.6 contains an insecure file permissions vulnerability that allows unprivileged users to escalate privileges by modifying executable files. Attackers can exploit world-writable permissions on the ZKTimeNet3.0 directory and its contents to replace executable files with malicious binaries for privilege escalation.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-538

Tecnología: No especificado

Publicado el: 2026-03-16



CVE-2016-20026

Descripción: ZKTeco ZKBioSecurity 3.0 contains hardcoded credentials in the bundled Apache Tomcat server that allow unauthenticated attackers to access the manager application. Attackers can authenticate with hardcoded credentials stored in tomcat-users.xml to upload malicious WAR archives containing JSP applications and execute arbitrary code with SYSTEM privileges.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-798

Tecnología: No especificado

Publicado el: 2026-03-16



CVE-2016-20030

Descripción: ZKTeco ZKBioSecurity 3.0 contains a user enumeration vulnerability that allows unauthenticated attackers to discover valid usernames by submitting partial characters via the username parameter. Attackers can send requests to the authLoginAction!login.do script with varying username inputs to enumerate valid user accounts based on application responses.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-551

Tecnología: No especificado

Publicado el: 2026-03-16



CVE-2017-20223

Descripción: Telesquare SKT LTE Router SDT-CS3B1 firmware version 1.2.0 contains an insecure direct object reference vulnerability that allows attackers to bypass authorization and access resources by manipulating user-supplied input parameters. Attackers can directly reference objects in the system to retrieve sensitive information and access functionalities without proper access controls.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-639

Tecnología: No especificado

Publicado el: 2026-03-16



CVE-2017-20224

Descripción: Telesquare SKT LTE Router SDT-CS3B1 version 1.2.0 contains an arbitrary file upload vulnerability that allows unauthenticated attackers to upload malicious content by exploiting enabled WebDAV HTTP methods. Attackers can use PUT, DELETE, MKCOL, MOVE, COPY, and PROPPATCH methods to upload executable code, delete files, or manipulate server content for remote code execution or denial of service.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-434

Tecnología: No especificado

Publicado el: 2026-03-16



CVE-2025-69246

Descripción: Raytha CMS does not have any brute force protection mechanism implemented. It allows an attacker to send multiple automated logon requests without triggering lockout, throttling, or step-up challenges.

This issue was fixed in version 1.4.6.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-307

Tecnología: No especificado

Publicado el: 2026-03-16



CVE-2026-4163

Descripción: A vulnerability was detected in Wavlink WL-WN579A3 220323. This issue affects the function SetName/GuestWifi of the file /cgi-bin/wireless.cgi of the component POST Request Handler. Performing a manipulation results in command injection. It is possible to initiate the attack remotely. The exploit is now public and may be used. Upgrading the affected component is recommended.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-74

Tecnología: No especificado

Publicado el: 2026-03-16



CVE-2026-4164

Descripción: A flaw has been found in Wavlink WL-WN578W2 221110. Impacted is the function Delete_Mac_list/SetName/GuestWifi of the file /cgi-bin/wireless.cgi of the component POST Request Handler. Executing a manipulation can lead to command injection. It is possible to launch the attack remotely. The exploit has been published and may be used. It is recommended to upgrade the affected component.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-74

Tecnología: No especificado

Publicado el: 2026-03-16



CVE-2026-4170

Descripción: A weakness has been identified in Topsec TopACM 3.0. Affected by this vulnerability is an unknown functionality of the file /view/systemConfig/management/nmc_sync.php of the component HTTP Request Handler. Executing a manipulation of the argument template_path can lead to os command injection. The attack can be executed remotely. The exploit has been made available to the public and could be us...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-77

Tecnología: No especificado

Publicado el: 2026-03-16



CVE-2026-4181

Descripción: A security flaw has been discovered in D-Link DIR-816 1.10CNB05. This affects an unknown function of the file /goform/form2RepeaterStep2.cgi of the component goahead. The manipulation of the argument key1/key2/key3/key4/pskValue results in stack-based buffer overflow. The attack may be launched remotely. The exploit has been released to the public and may be used for attacks. This vulnerability...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-119

Tecnología: No especificado

Publicado el: 2026-03-16



CVE-2026-4182

Descripción: A weakness has been identified in D-Link DIR-816 1.10CNB05. This impacts an unknown function of the file /goform/form2Wl5RepeaterStep2.cgi of the component goahead. This manipulation of the argument key1/key2/key3/key4/pskValue causes stack-based buffer overflow. Remote exploitation of the attack is possible. The exploit has been made available to the public and could be used for attacks. This ...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-119

Tecnología: No especificado

Publicado el: 2026-03-16



CVE-2026-4183

Descripción: A security vulnerability has been detected in D-Link DIR-816 1.10CNB05. Affected is an unknown function of the file /goform/form2WlanBasicSetup.cgi of the component goahead. Such manipulation of the argument pskValue leads to stack-based buffer overflow. The attack can be executed remotely. The exploit has been disclosed publicly and may be used. This vulnerability only affects products that ar...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-119

Tecnología: No especificado

Publicado el: 2026-03-16



CVE-2026-4184

Descripción: A vulnerability was detected in D-Link DIR-816 1.10CNB05. Affected by this vulnerability is an unknown functionality of the file /goform/form2Wl5BasicSetup.cgi of the component goahead. Performing a manipulation of the argument pskValue results in stack-based buffer overflow. The attack is possible to be carried out remotely. The exploit is now public and may be used. This vulnerability only af...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-119

Tecnología: No especificado

Publicado el: 2026-03-16



CVE-2026-4252

Descripción: A vulnerability was identified in Tenda AC8 16.03.50.11. Affected by this issue is the function `check_is_ipv6` of the component IPv6 Handler. The manipulation leads to reliance on ip address for authentication. It is possible to initiate the attack remotely. The exploit is publicly available and might be used.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-287

Tecnología: No especificado

Publicado el: 2026-03-16



CVE-2026-4254

Descripción: A weakness has been identified in Tenda AC8 up to 16.03.50.11. This vulnerability affects the function doSystemCmd of the file /goform/SysToolChangePwd of the component HTTP Endpoint. This manipulation of the argument local_2c causes stack-based buffer overflow. The attack can be initiated remotely. The exploit has been made available to the public and could be used for attacks.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-119

Tecnología: No especificado

Publicado el: 2026-03-16



CVE-2026-4312

Descripción: GCB/FCB Audit Software developed by DrangSoft has a Missing Authentication vulnerability, allowing unauthenticated remote attackers to directly access certain APIs to create a new administrative account.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-306

Tecnología: No especificado

Publicado el: 2026-03-17



Resumen del Reporte

CVEs analizados: 53

Promedio CVSS: 9.02

Fuente: nvd.nist.gov

Nos vemos la próxima semana. Hack the Cat ☹

