

CVEs más relevantes de la semana

Del 25/08/2026 al 01/09/2026

Porque el primer paso para defender es conocer las amenazas.



CVE-2026-79787

Descripción: Alluxio's S3 REST proxy fails to verify AWS Signature Version 4 signatures in its default configuration, allowing unauthenticated attackers to spoof user identity. Attackers can extract usernames from unsigned Authorization headers and impersonate any user, including service accounts, to read, write, and delete arbitrary data.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-287

Tecnología: No especificado

Publicado el: 2026-08-25



CVE-2026-65081

Descripción: NVIDIA NemoClaw for Linux contains a vulnerability in its installation process, where an attacker could cause execution of untrusted code. A successful exploit of this vulnerability might lead to code execution, escalation of privileges, data tampering, information disclosure, and denial of service.

CVSS: 8.1 (HIGH)

Vector: CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-494

Tecnología: No especificado

Publicado el: 2026-08-25



CVE-2026-65084

Descripción: NVIDIA NemoClaw for Linux contains a vulnerability in its deployment process, where an attacker could cause improper certificate validation. A successful exploit of this vulnerability might lead to information disclosure, data tampering, code execution, and escalation of privileges.

CVSS: 8.1 (HIGH)

Vector: CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-295

Tecnología: No especificado

Publicado el: 2026-08-25



CVE-2026-65098

Descripción: NVIDIA NemoClaw for Linux contains a vulnerability in its remote-access helper workflow, where an attacker could cause weak authentication. A successful exploit of this vulnerability might lead to code execution, information disclosure, and data tampering.

CVSS: 8.1 (HIGH)

Vector: CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-1390

Tecnología: No especificado

Publicado el: 2026-08-25



CVE-2026-81578

Descripción: An improper access control vulnerability exists in the web management interface of PaperCut MF and PaperCut NG. Under specific conditions, unauthenticated remote requests targeting administrative functions can trigger backend actions prior to the completion of access validation checks. This allows an unauthenticated remote attacker to modify certain system configurations.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-305

Tecnología: No especificado

Publicado el: 2026-08-28



CVE-2026-82078

Descripción: An unsafe dynamic class loading vulnerability exists in the database connection utilities of PaperCut MF and PaperCut NG. The application instantiates database driver classes based on configurable driver names without validating against an allowlist of approved drivers. If an attacker can manipulate system configuration parameters, this enables the execution of arbitrary Java bytecode residing ...

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-470

Tecnología: No especificado

Publicado el: 2026-08-28



CVE-2026-82456

Descripción: argocd-mcp 0.8.0 binds its HTTP transport to every network interface and accepts MCP sessions without requiring caller credentials when ARGOCD_API_TOKEN is configured. Attackers who can reach the listener can invoke the full tool surface using the operator's stored token to create applications, request syncs, and modify Argo CD resources.

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-1327

Tecnología: No especificado

Publicado el: 2026-08-29



CVE-2026-82539

Descripción: A vulnerability was determined in TOTOLINK A720R 4.1.5cu.630_B20250509. This impacts the function setMacFilterRules of the file cstecgi.cgi of the component MAC Filtering. Executing a manipulation of the argument desc can lead to memory corruption. The attack may be launched remotely. The exploit has been publicly disclosed and may be utilized.

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-119

Tecnología: No especificado

Publicado el: 2026-08-30



CVE-2026-82616

Descripción: A vulnerability was found in TOTOLINK NR1800X 9.1.0u.6681_B20230703. Impacted is the function setUploadSetting of the file /cgi-bin/cstecgi.cgi. The manipulation of the argument FileName results in stack-based buffer overflow. The attack can be executed remotely. The exploit has been made public and could be used.

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-119

Tecnología: No especificado

Publicado el: 2026-08-31



CVE-2026-82856

Descripción: @hulum/policies versions before 1.3.2 fail to properly validate set-qualified AWS IAM condition operators in GitHub OIDC trust policies. Attackers can use ForAnyValue:StringLike operators to hide wildcard GitHub Actions OIDC subject conditions from security guardrails.

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-284

Tecnología: No especificado

Publicado el: 2026-08-31



CVE-2026-82688

Descripción: A security vulnerability has been detected in D-Link DNS-340L and DNS-345 1.01B04/1.03B06/1.04.B02/1.05b04. This impacts an unknown function of the file /cgi-bin/virtual_vol.cgi of the component Virtual Volume Handler. The manipulation of the argument f_sharename/f_target/f_name leads to os command injection. Remote exploitation of the attack is possible. The exploit has been disclosed publicly...

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-77

Tecnología: No especificado

Publicado el: 2026-08-31



CVE-2026-82691

Descripción: A vulnerability has been found in D-Link DNS-320L, DNS-327L, DNS-340L and DNS-345 up to 20260717. Affected by this issue is some unknown functionality of the file /cgi-bin/usb_device.cgi of the component CGI Handler. Such manipulation of the argument f_ups_ip leads to os command injection. The attack may be performed from remote. The exploit has been disclosed to the public and may be used.

CVSS: 9.1 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-77

Tecnología: No especificado

Publicado el: 2026-08-31



CVE-2026-82954

Descripción: A vulnerability was detected in Dokploy up to 0.29.7. This issue affects the function writeTraefikConfigInPath of the file packages/server/src/utils/traefik/application.ts of the component Settings. The manipulation of the argument path results in path traversal. The attack can be launched remotely. The exploit is now public and may be used. The vendor was contacted early about this disclosure ...

CVSS: 9.9 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-22

Tecnología: No especificado

Publicado el: 2026-08-31



CVE-2026-82971

Descripción: A vulnerability was determined in QVidium Opera11 3.3.2a26-Ax4x-opera11. This affects an unknown part of the file /cgi-bin/net_tr.cgi of the component CGI Script. This manipulation of the argument ipaddr causes command injection. The attack may be initiated remotely. The exploit has been publicly disclosed and may be utilized. The vendor explains: "QVidium has now closed its doors and no longer..."

CVSS: 10.0 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-74

Tecnología: No especificado

Publicado el: 2026-08-31



CVE-2026-18550

Descripción: The Nokri - Job Board WordPress Theme for WordPress is vulnerable to Privilege Escalation via Account Takeover in all versions up to, and including, 1.6.6. This is due to insufficient reset token validation in the `nokri\_reset\_password()` function, which allows empty attacker-supplied reset tokens to match empty or unset `sb\_password\_forget\_token` user meta values. This makes it possible for un...

CVSS: 9.8 (CRITICAL)

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Tipo: CWE-269

Tecnología: No especificado

Publicado el: 2026-09-01



CVE-2026-84200

Descripción: Kyverno versions v1.9.0 through v1.12.7 contain a policy exception handling flaw. When a policy in enforce mode is combined with two PolicyExceptions, the less restrictive exception takes precedence, allowing an attacker to bypass the policy by crafting a resource name that matches the second exception's name pattern (e.g., '*ingress*'). This can be used to circumvent policies such as one block...

CVSS: 9.0 (CRITICAL)

Vector: CVSS:3.1/AV:A/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

Tipo: CWE-284

Tecnología: No especificado

Publicado el: 2026-09-01



Resumen del Reporte

CVEs analizados: 16

Promedio CVSS: 9.29

Fuente: nvd.nist.gov

Nos vemos la próxima semana. Hack the Cat ☹

