

Nama : Palistya Nesty H


NIM : L200170083

Kelas : B

Modul : 5

TUGAS

1.




2. pastikan service DHCP on. Isikan blok IP address yang akan diberikan ke PC client


The screenshot shows the 'Server0' configuration window, specifically the 'Services' tab. The 'DHCP' service is selected and configured. The 'Interface' is set to 'FastEthernet0' and the 'Service' is turned 'On'. The 'Pool Name' is 'serverPool'. The 'Default Gateway' and 'DNS Server' are both set to '0.0.0.0'. The 'Start IP Address' is '192.168.150.20' and the 'Subnet Mask' is '255.255.255.0'. The 'Maximum Number of Users' is set to '200'. The 'TFTP Server' and 'WLC Address' are both set to '0.0.0.0'. A table at the bottom lists the configured pool.

Pool Name	Default Gateway	DNS Server	Start IP Address	Subnet Mask	Max User	TFTP Server	WLC Address
serverPool	0.0.0.0	0.0.0.0	192.168.150...	255.255.255.0	200	0.0.0.0	0.0.0.0


3. pastikan pilihan radio button pada pilihan DHCP. Dan silakan cek IP pada pc nya




4. Pada PC1



5. Pada PC19



6.



7. Hasil

