

NAMA : HERLANGGA YUSUF SYAILENDRA
NIM : L200180186
MODUL 5

```
Select Administrator: XAMPP for Windows - mysql -u root -p
Administrator@WINDOWS-PC c:\xampp
#mysql -u -p
Enter password:
Welcome to MariaDB monitor. Commands end with ; or \g
Your MariaDB connection id is 3
Server version: 10.1.30-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2017, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> use perbankan
Database changed
MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(1,'Sutopo','Jl. Jendral Sudirman 12');
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(2,'Maryati','Jl. M.T. Haryono');
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(3,'Suparman','Jl. Hasanudin 81');
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(4,'Kartika Padmasari','Jl. Manggis 15');
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(5,'Budi Eko Prayogo','Jl. Kantil 30');
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(6,'Satria Eka Jaya','Jl. Slamet Riyadi 45');
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(7,'Indri Hapsari','Jl. Sutoyo 5');
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(8,'Sari Murti','Jl. Pangadaran 11');
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(9,'Canka Lokananta','Jl. Tidar 86');
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(10,'Budi Murtono','Jl. Merak 22');
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BRUS','Bank Rut Unit Surakarta','Jl. Slamet Riyadi 18');
```

```
Administrator: XAMPP for Windows - mysql -u root -p
MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BRUS','Bank Rut Unit Surakarta','Jl. Slamet Riyadi 18');
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BRUM','Bank Rut Unit Magelang','Jl. P.Tendean 63');
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BRUB','Bank Rut Unit Boyolali','Jl. Ahamd Yani 45');
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BRUK','Bank Rut Unit Klaten','Jl. Suparman 23');
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BRUY','Bank Rut Unit Yogyakarta','Jl. Anggrek 21');
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BURW','Bank Rut Unit Wonogiri','Jl. Untung Suropati');
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(101,'BRUS','1111',500000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(102,'BRUS','2222',350000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(103,'BRUS','3333',750000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(104,'BRUM','4444',900000);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(105,'BRUM','5555',2000000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(106,'BRUS','6666',3000000);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(107,'BRUS','7777',1000000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(108,'BRUB','0000',5000000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(109,'BRUB','9999',0);
Query OK, 1 row affected (0.01 sec)
```

```
Administrator: XAMPP for Windows - mysql -u root -p
MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(108,'BRUB','0000',5000000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(109,'BRUB','9999',0);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(110,'BRUY','1234',550000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(111,'BRUK','4321',150000);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(112,'BRUK','0123',300000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(113,'BRUY','8888',250000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(1,104);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(2,103);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(3,105);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(3,106);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(4,101);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(4,107);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(5,102);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(5,107);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(6,109);
Query OK, 1 row affected (0.01 sec)
```

```
Select Administrator: XAMPP for Windows - mysql -u root -p
MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(6,109);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(7,109);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(8,111);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(9,110);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(10,113);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(8,112);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(10,108);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(1,105,3,'debit','2009-11-10',50000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(2,103,2,'debit','2009-11-10',40000);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(3,101,4,'kredit','2009-11-12',20000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(4,106,3,'debit','2009-11-13',50000);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(5,107,5,'kredit','2009-11-13',30000);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(6,104,1,'kredit','2009-11-15',200000);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(7,110,9,'kredit','2009-11-15',150000);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(8,102,5,'debit','2009-11-16',20000);
```

```
Select Administrator: XAMPP for Windows - mysql -u root -p
MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(8,102,5,'debit','2009-11-16',20000);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(9,105,3,'kredit','2009-11-18',50000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(10,107,4,'debit','2009-11-19',100000);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(11,103,2,'debit','2009-11-19',100000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(12,104,1,'debit','2009-11-19',50000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(13,107,4,'kredit','2009-11-20',200000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(14,105,3,'debit','2009-11-21',40000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(15,104,1,'kredit','2009-11-22',100000);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(16,101,4,'kredit','2009-11-22',20000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(17,103,2,'debit','2009-11-22',50000);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(18,102,5,'debit','2009-11-25',50000);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(19,108,10,'debit','2009-11-26',100000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(20,106,3,'kredit','2009-11-27',50000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(21,103,2,'kredit','2009-11-28',200000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(22,105,3,'kredit','2009-11-28',100000);
Query OK, 1 row affected (0.01 sec)
```

```
Select Administrator: XAMPP for Windows - mysql -u root -p
MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(21,103,2,'kredit','2009-11-28',200000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(22,105,3,'kredit','2009-11-28',100000);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(23,102,5,'debit','2009-11-30',20000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(24,104,1,'debit','2009-12-1',50000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(25,103,2,'debit','2009-12-2',40000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(26,101,4,'debit','2009-12-4',50000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(27,103,2,'kredit','2009-12-5',100000);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(28,102,5,'kredit','2009-12-5',200000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(29,109,7,'debit','2009-12-5',100000);
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) VALUES(30,110,9,'debit','2009-12-6',20000);
Query OK, 1 row affected (0.01 sec)

MariaDB [perbankan]> UPDATE `nasabah` SET `alamat_nasabah` = 'Jl. Slamet Riyadi No.34' WHERE `nasabah`.`nama_nasabah` = 'Indri Hapsari';
Query OK, 1 row affected (0.01 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]> UPDATE `cabang_bank` SET `alamat_cabang` = 'Jl. A. Yani No.23' WHERE `kode_cabang` = 'BURW';
Query OK, 1 row affected (0.01 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]> DELETE FROM `nasabah` WHERE `nasabah`.`id_nasabah` = 7
Query OK, 1 row affected (0.00 sec)

MariaDB [perbankan]> DELETE FROM `cabang_bank` WHERE `nama_cabang` = 'Bank Rut Unit Magelang'
Query OK, 1 row affected (0.00 sec)
```

Administrator: XAMPP for Windows - mysql -u root -p

MariaDB [perbankan]> select * from nasabah;

id_nasabah	nama_nasabah	alamat_nasabah
1	Sutopo	Jl. Jendral Sudirman 12
2	Maryati	Jl. M.T. Haryono
3	Suparman	Jl. Hasanudin 81
4	Kartika Padmasari	Jl. Manggis 15
5	Budi Eko Prayogo	Jl. Kantil 30
6	Satria Eka Jaya	Jl. Slamet Riyadi 45
8	Sari Murti	Jl. Pangadaran 11
9	Canka Lokananta	Jl. Tidar 86
10	Budi Murtono	Jl. Merak 22

9 rows in set (0.00 sec)

MariaDB [perbankan]> select * from nasabah_has_rekening;

id_nasabahFK	no_rekeningFK
1	104
2	103
3	105
3	106
4	101
4	107
5	102
5	107
6	109
7	109
8	111
8	112
9	110
10	108
10	113

15 rows in set (0.00 sec)

MariaDB [perbankan]> select * cabang_bank;

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'cabang_bank' at line 1

MariaDB [perbankan]> select * from cabang_bank;

kode_cabang	nama_cabang	alamat_cabang
-------------	-------------	---------------

Administrator: XAMPP for Windows - mysql -u root -p

line 1
MariaDB [perbankan]> select * from cabang_bank;

kode_cabang	nama_cabang	alamat_cabang
BRUB	Bank Rut Unit Boyolali	Jl. Ahamd Yani 45
BRUK	Bank Rut Unit Klaten	Jl. Suparman 23
BRUS	Bank Rut Unit Surakarta	Jl. Slamet Riyadi 18
BRUY	Bank Rut Unit Yogyakarta	Jl. Anggrek 21
BURW	Bank Rut Unit Wonogiri	Jl. A. Yani No.23

5 rows in set (0.00 sec)

MariaDB [perbankan]> select * from rekening;

no_rekening	kode_cabangFK	pin	saldo
101	BRUS	1111	500000
102	BRUS	2222	350000
103	BRUS	3333	750000
104	BRUM	4444	900000
105	BRUM	5555	2000000
106	BRUS	6666	3000000
107	BRUS	7777	1000000
108	BRUB	0000	5000000
109	BRUB	9999	0
110	BRUY	1234	550000
111	BRUK	4321	150000
112	BRUK	0123	300000
113	BRUY	8888	255000

13 rows in set (0.00 sec)

MariaDB [perbankan]> select * from transaksi;

no_transaksi	id_nasabahFK	no_rekeningFK	jenis_transaksi	tanggal	jumlah
1	3	105	debit	2009-11-10 00:00:00	50000
2	2	103	debit	2009-11-10 00:00:00	40000
3	4	101	kredit	2009-11-12 00:00:00	20000
4	3	106	debit	2009-11-13 00:00:00	50000
5	5	107	kredit	2009-11-13 00:00:00	30000
6	1	104	kredit	2009-11-15 00:00:00	200000
7	9	110	kredit	2009-11-15 00:00:00	150000

MariaDB [perbankan]> select * from transaksi;

no_transaksi	id_nasabahFK	no_rekeningFK	jenis_transaksi	tanggal	jumlah
1	3	105	debit	2009-11-10 00:00:00	50000
2	2	103	debit	2009-11-10 00:00:00	40000
3	4	101	kredit	2009-11-12 00:00:00	20000
4	3	106	debit	2009-11-13 00:00:00	50000
5	5	107	kredit	2009-11-13 00:00:00	30000
6	1	104	kredit	2009-11-15 00:00:00	200000
7	9	110	kredit	2009-11-15 00:00:00	150000
8	5	102	debit	2009-11-16 00:00:00	20000
9	3	105	kredit	2009-11-18 00:00:00	50000
10	4	107	debit	2009-11-19 00:00:00	100000
11	2	103	debit	2009-11-19 00:00:00	100000
12	1	104	debit	2009-11-19 00:00:00	50000
13	4	107	kredit	2009-11-20 00:00:00	200000
14	3	105	debit	2009-11-21 00:00:00	40000
15	1	104	kredit	2009-11-22 00:00:00	100000
16	4	101	kredit	2009-11-22 00:00:00	20000
17	2	103	debit	2009-11-22 00:00:00	50000
18	5	102	debit	2009-11-25 00:00:00	50000
19	10	108	debit	2009-11-26 00:00:00	100000
20	3	106	kredit	2009-11-27 00:00:00	50000
21	2	103	kredit	2009-11-28 00:00:00	200000
22	3	105	kredit	2009-11-28 00:00:00	100000
23	5	102	debit	2009-11-30 00:00:00	20000
24	1	104	debit	2009-12-01 00:00:00	50000
25	2	103	debit	2009-12-02 00:00:00	40000
26	4	101	debit	2009-12-04 00:00:00	50000
27	2	103	kredit	2009-12-05 00:00:00	100000
28	5	102	kredit	2009-12-05 00:00:00	200000
29	7	109	debit	2009-12-05 00:00:00	100000
30	9	110	debit	2009-12-06 00:00:00	20000

30 rows in set (0.00 sec)

MariaDB [perbankan]> _