MODUL 5

Data nasabah

```
MariaDB [(none)]> use perbankan;
Database changed

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah)

-> VALUES(1, 'Sutopo', 'Jl. Jenderal Sudirman 12'),

-> (2, 'Maryati', 'Jl. MT. Haryono 31'),

-> (3, 'Suparman', 'Jl. Hasanudin 81'),

-> (4, 'Kartika Padmasari', 'Jl. Manggis 15'),

-> (5, 'Budi Eko Prayogo', 'Jl. Kantil 30'),

-> (6, 'Satria Eka Jaya', 'Jl. Slamet Riyadi 45'),

-> (7, 'Indri Hapsari', 'Jl. Sutoyo 5'),

-> (8, 'Sari Murti', 'Jl. Pangandaran 11'),

-> (9, 'Canka Lokananta', 'Jl. Tidar 86'),

-> (10, 'Budi Murtono', 'Jl. Merak 22');

Query OK, 10 rows affected (0.087 sec)

Records: 10 Duplicates: 0 Warnings: 0
```

Data cabang bank

```
MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang)
   -> VALUES('BRUS', 'Bank Rut Unit Surakarta', 'Jl. Slamet Riyadi 18'),
   -> ('BRUM', 'Bank Rut Unit Magelang', 'Jl. P.Tendean 63'),
   -> ('BRUB', 'Bank Rut Unit Boyolali', 'Jl. Ahmad Yani 45'),
   -> ('BRUK', 'Bank Rut Unit Klaten', 'Jl. Suparman 23'),
   -> ('BRUY', 'Bank Rut Unit Yogyakarta', 'Jl. Anggrek 21'),
   -> ('BRUW', 'Bank Rut Unit Wonogiri', 'Jl. Untung Suropati 12');
Query OK, 6 rows affected (0.085 sec)
Records: 6 Duplicates: 0 Warnings: 0
```

Data rekening

Data nasabah has rekening

```
MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
-> VALUES(1, 104),
-> (2, 103),
-> (3, 105),
-> (3, 106),
-> (4, 101),
-> (4, 107),
-> (5, 102),
-> (5, 102),
-> (6, 109),
-> (7, 109),
-> (8, 111),
-> (9, 110),
-> (10, 113),
-> (8, 112),
-> (10, 108);

Query OK, 15 rows affected (0.086 sec)

Records: 15 Duplicates: 0 Warnings: 0
```

Data transaksi

```
MariaDB [perbankan]> INSERT INTO transaksi(no transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> VALLUS(NULL, 185, 3, 'debit', DEFAULT, 50000),
-> (NULL, 181, 4, 'kredit', DEFAULT, 20000),
-> (NULL, 181, 4, 'kredit', DEFAULT, 20000),
-> (NULL, 181, 4, 'kredit', DEFAULT, 20000),
-> (NULL, 184, 1, 'kredit', DEFAULT, 20000),
-> (NULL, 184, 1, 'kredit', DEFAULT, 20000),
-> (NULL, 182, 5, 'debit', DEFAULT, 20000),
-> (NULL, 182, 5, 'debit', DEFAULT, 20000),
-> (NULL, 182, 5, 'kredit', DEFAULT, 20000),
-> (NULL, 182, 4, 'kredit', DEFAULT, 100000),
-> (NULL, 182, 4, 'kredit', DEFAULT, 100000),
-> (NULL, 183, 4, 'kredit', DEFAULT, 100000),
-> (NULL, 184, 1, 'kredit', DEFAULT, 40000),
-> (NULL, 184, 1, 'kredit', DEFAULT, 40000),
-> (NULL, 184, 4, 'kredit', DEFAULT, 20000),
-> (NULL, 184, 2, 'kredit', DEFAULT, 20000),
-> (NULL, 184, 3, 'kredit', DEFAULT, 20000),
-> (NULL, 184, 4, 'kredit', DEFAULT, 20000),
-> (NULL, 184, 4, 'debit', DEFAULT, 20000),
-> (NULL, 184, 2, 'kredit', DEFAULT, 20000),
-> (NULL, 184, 2, 'kredit', DEFAULT, 20000),
-> (NULL, 184, 2, 'kredit', DEFAULT, 20000),
-> (NULL, 184, 3, 'kredit', DEFAULT, 20000),
-> (NULL, 184, 4, 'debit', DEFAULT, 20000),
-> (NULL, 184, 6, 'kredit', DEFAULT
```

- Update Kasus

```
MariaDB [perbankan]> UPDATE nasabah
-> SET alamat_nasabah = 'Jl. Slamet Riyadi 34'
-> WHERE nama_nasabah = 'Indri Hapsari';
Query OK, 1 row affected (0.065 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]> UPDATE cabang_bank
-> SET alamat_cabang = 'Jl. A.Yani 23'
-> WHERE kode_cabang = 'BRUW';
Query OK, 1 row affected (0.097 sec)
Rows matched: 1 Changed: 1 Warnings: 0
```

Table rekening (10 record)

```
MariaDB [perbankan]> DELETE FROM nasabah
-> WHERE nama_nasabah = 'Indri Hapsari';
Query OK, 1 row affected (0.069 sec)

MariaDB [perbankan]> DELETE FROM cabang_bank
-> WHERE nama_cabang = 'Bank Rut Unit Magelang';
Query OK, 1 row affected (0.052 sec)
```