

Problem 4: Commercial Banking, Lending, Payments and Compliance

Design report and implementation guide (OOP project, assessed concepts: classes and inheritance)

Prepared by	_____
Roll number	_____
Course and instructor	_____

The whole implementation is one file, `banking_system.py` (Python 3.9+, standard library only). It contains the domain model, a seeded demonstration of 16 scenarios, 73 automated tests and generators for the class and UML diagrams.

```
python banking_system.py          # run the seeded demonstration
python banking_system.py --test    # run the 73 automated tests
python banking_system.py --classes # print the inheritance tree and the counts
python banking_system.py --diagram docs # regenerate every diagram (SVG) from the code
```

Required submission item (brief, Problem 4)	Where
1. Domain research summary, sources and terminology	Section 1
2. Assumptions	Section 2 (A1 to A36)
3. Requirements interpretation	Section 3; 3.1 answers the brief's eight open questions; 3.2 maps every participant, research area and scope item of the brief to the model
4. Class diagram	Section 4: overview, four UML hierarchy diagrams, three association diagrams (docs/*.png); 4.1 six flowcharts of the main workflows; 4.2 four UML state machine diagrams
5. Implementation with at least 30 classes and 30 operations	Section 5; <code>banking_system.py</code> (71 business classes plus 6 supporting, 98 operations, 80 of them state-changing commands)
6. Explanation of every inheritance relationship	Section 6; 6.1 abstract classes and polymorphism; 6.2 inherited state machines
7. At least three tempting inheritances rejected	Section 7 (fourteen given); 7.1 compares the design with a plausible alternative
8. Seeded demonstration	Section 8; <code>docs/demo_output.txt</code>
9. At least five complex scenarios	Section 9 (sixteen given)
10. Limitations and scaling	Section 10
(Optional) user interface	Section 11: desktop GUI in <code>banking_gui.py</code>

1. Domain research summary

Sources consulted

1. FATF, *International Standards on Combating Money Laundering and the Financing of Terrorism* (the FATF Recommendations), especially Recommendation 10 (customer due diligence) and Recommendations 24 and 25 (beneficial ownership of legal persons and arrangements).
2. State Bank of Pakistan, *AML/CFT/CPF Regulations* for banks and DFIs, for local customer due-diligence and beneficial-owner practice.
3. Basel Committee on Banking Supervision, *Sound management of risks related to money laundering and financing of terrorism*.
4. ISO 20022 payment message concepts (payment initiation and status reporting), for the idea that a payment moves through statuses rather than simply "succeeding".
5. Visa and Mastercard public dispute-resolution overviews, for the chargeback and dispute lifecycle.
6. IFRS 9 guidance on modification of financial assets, for how a restructured loan relates to the original agreement.
7. BIAN (Banking Industry Architecture Network) service landscape, for the separation between a product directory and a customer's product agreement.
8. Martin Fowler, *Analysis Patterns* and his "Temporal Patterns" essays, for the Party/role separation and effective-dated records.

Key terminology learned

Term	Meaning, and how it shaped the model
KYC / CDD	Verifying who a customer is before a relationship starts. Modelled as <code>IdentityDocument</code> + <code>VerificationCheck</code> , checked as <i>of a date</i> , so a document that expires during onboarding blocks it.
Beneficial owner (UBO)	A natural person who ultimately owns or controls an organisation (commonly 25% or more). Must also be verified. <code>BeneficialOwnership</code> .
Mandate	The authority an organisation gives a person to operate its accounts, often with limits. Separate from being a director. <code>Mandate</code> with a validity <code>Period</code> .
Dual control (maker-checker)	Payments above a threshold need a second authorised signatory who is not the initiator. <code>PaymentAuthorisation</code> .
Delegated credit authority	Each credit role may approve financing only up to a limit; larger amounts go to a higher authority. <code>Bank.CREDIT_LIMITS</code> , checked in <code>decide_application</code> .
Double entry, trial balance	Every posting has equal and opposite legs, so all balances in the bank sum to zero. Customer accounts balance against the bank's own <code>GeneralLedgerAccounts</code> (vault cash, clearing, income, receivables).
Ledger vs available balance	<code>Ledger balance</code> = sum of posted entries. <code>Available</code> = <code>ledger</code> - <code>holds</code> + <code>overdraft</code> . A held payment reduces the available balance without posting.
Hold	Funds reserved but not yet debited (<code>AccountHold</code>).
Posting	Writing an immutable entry to the ledger (<code>LedgerEntry</code>). Balances are derived, never stored.
Reversal	The bank undoes all or part of one of its own postings by posting equal and opposite entries under a staff approval; the original remains, marked (partially) reversed. <code>Reversal</code> .
Issuer, acquirer, card scheme	In a card payment the customer's bank is the <i>issuer</i> , the merchant's bank is the <i>acquirer</i> , and the scheme (Visa, Mastercard, PayPak) connects them and sets the dispute rules. This bank is the issuer, so it holds no KYC on merchants. Merchant is a counterparty, not a Party.
Merchant refund	The merchant voluntarily sends money back (goods returned, order cancelled). It is a new credit through the scheme; the original purchase stays posted and simply has less left to dispute. <code>MerchantRefund</code> , deliberately <i>not</i> a <code>Reversal</code> .
Chargeback	After upholding a cardholder's dispute, the issuer claims the money back from the merchant through the scheme, quoting a scheme reason code (fraud, not received, not as described, duplicate, incorrect amount...). It is a reversal of the card payment with extra obligations, so <code>Chargeback</code> is a subclass of <code>Reversal</code> .

Term	Meaning, and how it shaped the model
Dispute reason code	Schemes group disputes into reason categories that decide what evidence is needed. Every Dispute records one, and its chargeback carries it.
Standing order	A customer's recurring payment instruction. Authority is given once, when the instruction is created.
Conditions precedent	Requirements that must be met before approved financing can be disbursed. ApprovalCondition.
Amortisation schedule	The installment plan of principal and interest. RepaymentSchedule + Installment.
Arrears / DPD	Installments past due; they trigger collections. CollectionsCase.
Restructuring	Changing a loan's terms (tenor, rate) after default risk appears; overdue interest may be capitalised. A new schedule version, never an edit.
Service request	A routine customer instruction (block a card, request a statement), distinct from a complaint. ServiceRequest.
Product vs arrangement	The bank's product definition (what it sells) is different from a customer's instance of it (what the customer holds).
Sole trader	An individual trading under a business name with no separate legal personality; the person is liable. A Person in the SOLE_TRADER segment with a recorded trading name.
High-value (private banking) customer and EDD	Enhanced due diligence: higher-risk or high-value relationships also need the source of wealth evidenced. The PRIVATE segment requires a verified SOURCE_OF_WEALTH document.
Fixed-term deposit	Money placed for a fixed term at a fixed rate; paid out with interest at maturity, or broken early with interest forfeited and a penalty. FixedTermDeposit.
Card controls	Usage switches set by the cardholder or card operations (online, international, cash, merchant category). CardControl, with a validity period.
Biller / bill payment	An organisation the bank collects payments for (utility, telecom, tax). Biller, BillPayment with the customer's consumer reference.
Promise to pay	A collections outcome: the customer commits to pay an amount by a date; later marked kept or broken. PromiseToPay.
Record retention	Financial records must be kept for years after the relationship or product ends; "deletion" becomes archiving. archive_record, retention_until.

What the research changed in the design

The research was done before the class model was fixed, and several first ideas did not survive it. Each row is a design decision that would have been different without the source named.

First idea (before research)	What the research showed	Design adopted
Customer, Director and Signatory as subclasses of Person	CDD rules (sources 1 to 3) treat customer, controller, beneficial owner and authorised representative as <i>roles</i> of one natural person, each verified and time-bounded	One Person; CustomerRelationship, OfficerRole, BeneficialOwnership, Mandate as dated role objects (A1)
An organisation is verified when its own documents are	Beneficial-ownership rules (source 1, Recs. 24-25) require the people who own or control a legal person to be verified too, usually above 25%	Party.kyc_gaps is a template that includes connected_persons(); owners below 25% are recorded but do not block (A2)
A payment is either done or not done	Payment messaging (source 4) moves an instruction through statuses: accepted, pending, settled, rejected, returned	Declared lifecycles with AWAITING_AUTHORISATION, HELD_FOR_REVIEW, FAILED...; refused payments are kept as records (A7)
A disputed payment gets a refunded flag	Scheme dispute rules (source 5) separate an issuer's reversal, a merchant's voluntary refund and a chargeback with a reason code	Three classes: Reversal, Chargeback(Reversal), MerchantRefund; Dispute.reason (A27)
Restructuring edits the loan's installments	Loan modification guidance (source 6) treats a restructure as a modification of the original agreement whose history must remain	A new RepaymentSchedule version; the old one is SUPERSEDED and paid installments stay PAID (A13)
A product and a customer's account are one class	The BIAN landscape (source 7) separates the product directory from the customer's product agreement	ProductDefinition with versioned terms vs Arrangement that pins its version (A10)

First idea (before research)	What the research showed	Design adopted
Store the current value and overwrite on change	Temporal patterns (source 8): effective dating, audit logs and "as at" queries	Period, StatusHistory, versions and Correction; party_snapshot (party, date)
A card is a kind of account	Card issuing practice: a card is a credential linked to an account; replacements get new numbers and old transactions keep the old card	IssuedCard linked to a DepositAccount, with a replacement chain (rejected inheritance 2)

2. Assumptions

#	Ambiguity	Assumption adopted
A1	Is a person who is both a customer and a signatory one record or two?	One Person record. "Customer", "director", "signatory", "owner" and "employee" are relationships to that person.
A2	Beneficial ownership threshold	25% or more. Owners below it are recorded but do not block onboarding.
A3	When is KYC valid?	A party is verified on a date if it has a passing check against a document valid on that date. KYC is re-checked at onboarding and at account opening.
A4	Charities	Need at least two trustees; trustees play the role directors play for companies.
A5	Sole traders	A sole trader is legally the individual, so they are a Person in the SOLE_TRADER segment with a recorded trading name, not an Organization.
A6	Large-transfer review	Digital transfers of PKR 1,000,000 or more are held for review and raise a fraud alert. Real banks use risk scores; a fixed threshold is a simplification.
A7	Failed and declined payments	Stored as records with status FAILED / DECLINED and a reason. Never discarded.
A8	Standing orders after a signatory leaves	The instruction belongs to the company, so it continues after the creator's mandate is revoked. Authority is checked when it is created.
A9	Restrictions and bank-originated debits	Fees and loan postings made by the bank are not blocked by customer debit restrictions; customer-initiated debits are.
A10	Product changes	Existing arrangements keep the terms version pinned at opening until the bank explicitly migrates them, which sends a Notice.
A11	Discontinued products	"Closed to new sales" blocks new openings only. Existing arrangements are unaffected.
A12	Lost vs stolen cards	A lost card may be reactivated if it has not been replaced. A stolen or replaced card never can; a found card is recorded and destroyed. Only a blocked card can be "found".
A13	Restructuring	Overdue interest is capitalised into the new principal. The old schedule becomes SUPERSEDED; paid installments stay PAID. Settled agreements cannot be restructured.
A14	Repayment allocation	Oldest installment first, interest before principal. A repayment larger than the total outstanding is refused (kept as FAILED) and changes nothing.
A15	Deletion	Nothing with business history is deleted. "Delete" means a status change (closed, inactive, cancelled, superseded), a closed validity period, or archiving (A31, A32).
A16	Branch closure	Customers, open accounts, staff and the branch's vault cash move to the receiving branch. opened_at_branch never changes; the servicing branch has a history. A closed branch cannot hire staff.
A17	Single currency	All amounts are PKR, held as Decimal rounded to paisa.
A18	Dual control	Set per mandate. Above the threshold a payment waits in AWAITING_AUTHORISATION until a different person with a valid payments mandate approves it; funds are checked again then. Only the initiator or another signatory may cancel it.
A19	Savings interest	Credited at month-end on the lowest balance in the month, at the product's annual rate / 12. Current accounts earn no interest.
A20	Sign convention	Credit positive, debit negative. Customer deposits show positive balances; bank assets (vault cash, loans receivable) negative.
A21	Staff exit	An employee cannot leave while still relationship manager for active customers. Records they created keep naming them.
A22	Customer exit	A relationship can end only when the customer holds no open products. The party record and all history remain.
A23	Card reports	Reporting a card lost, stolen or damaged opens a ServiceRequest, which closes automatically when the replacement is issued.
A24	Delegated credit authority	A credit officer may approve up to PKR 5,000,000 and a credit manager up to PKR 25,000,000. The decision keeps the role held at the time.
A25	Card replacement after a card product is withdrawn	An existing cardholder can still get a replacement (their card is part of an existing arrangement); new cardholders cannot be issued the product.
A26	Standing-order day	Days 1 to 28 only, so the day exists in every month.
A27	Disputes	One open dispute per payment at a time; the disputed amount cannot exceed what is still standing, and the refund cannot exceed the disputed amount. Only customer payments can be disputed.

#	Ambiguity	Assumption adopted
A28	Account closure	Needs a zero balance, no funds on hold, no payment in progress and no live financing settling into the account. Closing cancels the account's cards and standing orders.
A29	High-value customers	The PRIVATE segment requires enhanced due diligence: a verified source-of-wealth document in addition to identity. Organisations cannot use individual segments.
A30	Term deposits	Funded once, from an account with the same holders; no withdrawals or top-ups before maturity. At maturity simple interest for the term and the principal go to the payout account and the deposit closes. Breaking early forfeits interest and charges the penalty rate in the pinned terms (1% in the demo).
A31	Record retention	Records are retained at least 10 years after closure, settlement or the end of the relationship. A request to delete a financial record is always refused and logged, with the earliest destruction date.
A32	Archive vs delete	Finished records can be archived: they leave the working lists but remain in every registry, report and history. The only real delete is a saved payee that no payment or standing order ever used.
A33	Card controls	The cardholder or card operations may switch controls on and off; each control keeps its period. Controls apply to the card they were set on, not to its replacement.
A34	Bill payments	Same authority, restriction and dual-control rules as transfers; they settle to a biller-settlement ledger. Large-transfer review does not apply to registered billers.
A35	Collections	Collections cases are worked only by collections officers. A promise to pay is marked KEPT if the agreement has no overdue installment after the promised date, otherwise BROKEN, and a notice is sent.
A36	Audit access	Only auditors and branch managers may run the approvals and authority audit, and each run is itself logged.

3. Requirements interpretation

Main records. Parties (people including sole traders and high-value customers, companies, charities) with their documents, checks, officer roles, ownerships and mandates; the customer relationship; branches, employees and role assignments; product definitions with versioned terms; customer arrangements (current, savings, fixed-term deposit, financing); immutable ledger entries, holds and restrictions; beneficiaries with versions; standing orders; transactions of several kinds; the bank's own general-ledger accounts; issued cards and their controls; billers; financing applications, conditions, schedules and installments; cases (service requests, disputes, complaints, fraud alerts, investigations, collections with promises to pay) with notes and evidence; statements, notices and an audit log.

Main workflows. Onboarding with KYC (enhanced for high-value customers) and relationship-manager assignment; account opening; cash deposits and withdrawals; own-account transfers; term-deposit placement, maturity and early break; beneficiary management and transfers with dual control; bill payments; standing orders; card issuance, controls, use, blocking and replacement; financing from application through delegated approval, conditions, disbursement, repayment, arrears, restructuring and settlement; collections contacts and promises; fraud and compliance review; disputes and complaints; audit review; product and branch lifecycle; archiving and retention.

Lifecycle changes the model must survive. Documents expire; staff and customers leave; people gain and lose authority; staff change role and branch; products stop being sold and change terms; beneficiaries change bank details; cards are replaced; loans are restructured; customer details are corrected; branches close.

Exceptional cases. Every refusal is a named rule (a `BankingError` subclass). Money movements that are refused are kept as `FAILED` or `DECLINED` transactions with the reason, because the attempt is itself a record the bank must keep.

Design principle used throughout. Any question of the form "what was true on date X?" must be answerable. Four techniques achieve this: validity periods (`Period`) for relationships, status histories (`StatusHistory`) for lifecycles, versions for things whose content changes (terms, beneficiaries, schedules) and counter-records for money (reversals instead of edits). `Bank.party_snapshot(party, date)` uses all four to rebuild what the bank knew about a customer on any past date.

3.1 Answers to the questions the specification does not answer

Question in the brief	Decision, and where it lives in the code
What is the relationship between a bank product definition and a customer's actual instance of that product?	Two different classes. <code>ProductDefinition</code> is what the bank sells, with versioned <code>ProductTermsVersions</code> and a sale status. An <code>Arrangement</code> (current, savings, term deposit, financing) is one customer's instance; it pins the terms version in force when it was opened and keeps its own terms history (A10).
Is a person who is both a customer and an organisational signatory one thing or two records?	One <code>Person</code> record. Being a customer is a <code>CustomerRelationship</code> ; being a signatory is a <code>Mandate</code> ; being a director an <code>OfficerRole</code> ; being staff an <code>Employee</code> . Each is a separate object with its own validity period (A1; scenario 1, <code>capacities_of</code>).
How should authority that existed only during a time period be represented?	As an object with a <code>Period</code> [start, end). Revoking closes the period instead of deleting the mandate, and every payment stores the mandate it used, so <code>authority_on(org, person, date)</code> answers for any date (scenario 7).
Should a reversed transaction cease to exist or be counteracted by additional records?	Counteracted. A <code>Reversal</code> is a new transaction with its own date, amount, reason and approval that posts equal and opposite entries; the original stays, marked <code>REVERSED</code> or <code>PARTIALLY_REVERSED</code> (scenario 4).
What does deletion mean in a financial system where history matters?	Nothing with history is deleted. Ending something is a status change or a closed period; finished records can be archived (hidden from working lists, kept everywhere else) and must be retained at least 10 years; a deletion request is refused and logged. Only a payee that was never used can be deleted (A15, A31, A32; scenario 16).

Question in the brief	Decision, and where it lives in the code
Which similarities among savings facilities, transaction facilities, cards, financing, and investments justify inheritance and which do not?	Savings, current and term deposits all hold customer money with a ledger and balances, so they share <code>DepositAccount</code> , and each changes one behaviour (overdraft, withdrawal limit, fixed term). Financing shares only "a customer holds it under terms", so it is a sibling under <code>Arrangement</code> . A card holds no money, so it is not an arrangement subclass but a credential linked to an account. Investment-like placement is modelled as the fixed-term deposit; market-linked investments would be a further <code>Arrangement</code> subclass with position records (section 10).
How should an employee's current role differ from the role under which an old approval was made?	Roles are <code>RoleAssignment</code> periods on the <code>Employee</code> . An <code>Approval</code> copies the role and branch held at the moment of decision, so a promotion never rewrites old decisions (scenario 6: Zainab's decisions still read "Credit officer").
When a product changes terms, do old customers automatically inherit new terms?	No. Existing arrangements keep their pinned version until the bank migrates them explicitly, which sends a notice; the terms history shows which version applied on any date (A10; scenario 10).

3.2 Coverage of the brief

Participants named in the brief.

Participant	How the model represents them
Individual and organisational customers	<code>Person</code> , <code>Company</code> , <code>Charity</code> + <code>CustomerRelationship</code> ; segments <code>RETAIL</code> , <code>SOLE_TRADER</code> , <code>PRIVATE</code> , <code>SME</code> , <code>CORPORATE</code> , <code>NON_PROFIT</code>
Authorised signatories and beneficial owners	<code>Mandate</code> (with limits and dual control), <code>BeneficialOwnership</code> (25% threshold)
Branch and customer-service staff	<code>TELLER</code> , <code>RELATIONSHIP_MANAGER</code> , <code>BRANCH_MANAGER</code> roles; <code>ServiceRequest</code> , <code>Complaint</code>
Cash and operations personnel	<code>TELLER</code> (cash via <code>CashTransaction</code>), <code>OPERATIONS_OFFICER</code> (disbursement, reversals)
Relationship managers	<code>CustomerRelationship.rm_history</code> ; exit blocked while managing customers
Lending / credit officers	<code>CREDIT_OFFICER</code> , <code>CREDIT_MANAGER</code> with delegated limits; <code>Approval</code>
Card operations and payments staff	<code>CARD_OPERATIONS</code> (issue, replace, limits, controls, reversals); billers registered by payments operations
Fraud and compliance analysts	<code>FraudAlert</code> , <code>ComplianceInvestigation</code> , <code>Restriction</code> ; <code>COMPLIANCE_ANALYST</code> role
Collections personnel	<code>COLLECTIONS_OFFICER</code> works <code>CollectionsCases</code> and records <code>PromiseToPay</code>
Auditors and management	<code>AUDITOR</code> / <code>BRANCH_MANAGER</code> run <code>approvals_and_authority_audit</code> ; <code>daily_report</code> , <code>trial_balance</code>
External merchants, billers and payment counterparties	<code>Merchant</code> (category and country, linked to every card payment made there; <code>record_merchant</code>); <code>Biller</code> + <code>BillPayment</code> ; <code>Beneficiary</code> versions for payees; every transaction names its counterparty()

Research areas and scope items.

Brief item	Where it is covered
KYC; person vs organisation vs owner vs authorised representative	<code>IdentityDocument</code> , <code>VerificationCheck</code> , <code>Organization.kyc_gaps</code> , EDD for <code>PRIVATE</code> ; scenarios 1, 14
Retail and business product categories	Current, savings, fixed-term deposit, working-capital financing, debit card (<code>ProductDefinition.CATEGORIES</code>)
Deposit concepts: balances, statements, holds, closures	<code>DepositAccount</code> ledger/available balance, <code>AccountHold</code> , <code>Statement</code> , <code>close_account</code> ; scenarios 2, 12
Payment lifecycle, beneficiaries, scheduled payments	Statuses <code>INITIATED</code> , <code>AWAITING_AUTHORISATION</code> , <code>HELD_FOR_REVIEW</code> , <code>POSTED</code> , <code>FAILED</code> , <code>REVERSED...</code> ; <code>Beneficiary</code> versions; <code>StandingOrder</code> ; bill payments; scenarios 2, 5, 8, 15
Cards: issuance, replacement, status, limits, controls, transaction linkage	<code>IssuedCard</code> chain, limit history, <code>CardControl</code> , <code>CardPayment.card</code> , <code>search_transactions</code> ; scenarios 3, 10, 15
Financing: application to settlement	<code>FinancingApplication ... settle_financing</code> ; scenario 6

Brief item	Where it is covered
Branch operations, employee/customer relationships	Branch, Employee, RoleAssignment, RM history; scenarios 11, 13
Fraud alerts, compliance cases, restrictions, review outcomes, evidence	FraudAlert, ComplianceInvestigation, Restriction, CaseEvidence snapshots; scenarios 2, 5, 9
Disputes, complaints, reversals, refunds, case histories	Dispute (with a scheme reason code), Complaint, Reversal, Chargeback(Reversal), MerchantRefund, repost_card_payment; scenarios 4, 15
Fees, statements, notices, customer service requests	FeeCharge (pinned terms), Statement, Notice, ServiceRequest
Record retention when customers, signatories, employees or products change	Periods, status histories, archive and retention rules; scenarios 7, 10, 12, 13, 16
Historical reporting and audit of approvals and authority changes	party_snapshot, transaction_story, approvals_and_authority_audit; scenarios 7, 16


4. Class model

77 classes plus 7 business-rule error classes. 71 of the 77 are business classes; the other 6 are supporting infrastructure (Period, StatusChange, StatusHistory, Lifecycle, AuditEvent, and the Bank application service). The brief discounts artificial classes, so the business count is the one to judge, and `python banking_system.py --classes` prints both.

All diagrams are generated from the live classes by `python banking_system.py --diagram docs: the` attributes and methods are read from the source code itself, so the diagrams cannot drift from the implementation.

Figure 1. Overview: the four inheritance hierarchies and the standalone classes (arrow points to the parent class)

Problem 4 banking model - inheritance hierarchies (arrow points to the parent class; italic = abstract)



Standalone classes (related by composition / references, deliberately not inheritance)



Figures 2 to 5. UML class diagrams, one per hierarchy. Each box shows only what that level *adds*: + class constants, - attributes set in that class's own `__init__`, and methods. Methods marked [override] (in red) replace or extend the parent's version. This is the visual answer to "why does the shared information belong at this level?" (section 6).

Figure 2. Party hierarchy

Party hierarchy - what each level adds (- attribute, + class constant, () method; italic = abstract)




Figure 3. Arrangement hierarchy

Arrangement hierarchy - what each level adds (- attribute, + class constant, () method; italic = abstract)




Figure 4. BankTransaction hierarchy





Figure 5. Case hierarchy

Case hierarchy - what each level adds (- attribute, + class constant, () method; italic = abstract)



Figures 6 to 8. Associations (filled diamond = the owner keeps a dated history of these; arrow = reference)

Figure 6. Parties, roles and staff

Associations: Parties, roles and staff

filled diamond = the owner keeps a dated history of these; arrow = reference to another record




Figure 7. Products, accounts and payments

Associations: Products, accounts and payments

filled diamond = the owner keeps a dated history of these; arrow = reference to another record





Figure 8. Lending and cases

Associations: Lending and cases

filled diamond = the owner keeps a dated history of these; arrow = reference to another record



Key associations (composition and references; these are the relationships that were deliberately *not* modelled as inheritance):

From	To	Kind	Why it matters
Organization	OfficerRole, BeneficialOwnership, Mandate	owns a history of	Roles start and end without deleting anything
OfficerRole, Mandate, BeneficialOwnership	Person	refers to	One person, many capacities
Party	IdentityDocument, VerificationCheck, Correction, Restriction	owns a history of	KYC and corrections are dated
Party	CustomerRelationship	0..1	Being a customer is a relationship, not a type
CustomerRelationship	Branch, Employee	period history	Home branch and RM on any date
Employee	Person, RoleAssignment	refers to / history	Employees can also be customers; roles change
Approval	Employee	freezes role and branch	Old decisions show the role held then
ProductDefinition	ProductTermsVersion	1..*	Terms are versioned
Arrangement	ProductTermsVersion	pinned + history	Old customers keep old terms until migrated
DepositAccount, GeneralLedgerAccount	LedgerEntry	owns	Balances are derived
LedgerEntry	BankTransaction	produced by	Every entry is explainable
Beneficiary	BeneficiaryVersion	1..*	Payee details are versioned
TransferPayment	BeneficiaryVersion	snapshot	Old payments keep the details used
CustomerPayment	Mandate, PaymentAuthorisation	authority used	Authority provable after revocation

From	To	Kind	Why it matters
IssuedCard	DepositAccount, IssuedCard	draws on / replaces	Replacement chain
IssuedCard	CardControl	owns a history of	Controls in force on any date
BillPayment	Biller	pays	Biller can be retired without touching past payments
CollectionsCase	PromiseToPay	owns	Promises are marked kept or broken, never edited
FixedTermDeposit	DepositAccount	payout account	Where principal and interest go at maturity
Reversal	BankTransaction	original	Counter-record, not an edit
FinancingApplication	Approval, ApprovalCondition	decision, conditions	Evidence of why the bank lent
FinancingAgreement	RepaymentSchedule -> Installment	versions	Restructure supersedes, never edits
Case	CaseEvidence, CaseNote, linked Cases	owns	Evidence snapshots survive corrections
RiskCase	Restriction	imposed	A risk case cannot close while its restrictions are live

Complete class list by area:

Area	Classes
Time, lifecycles and audit	Period, StatusChange, StatusHistory, Lifecycle, AuditEvent
Parties and KYC	Party, Person, Organization, Company, Charity, IdentityDocument, VerificationCheck, Correction, OfficerRole, BeneficialOwnership, Mandate, PaymentAuthorisation, CustomerRelationship
Bank organisation	Branch, Employee, RoleAssignment, Approval
Bank's own books	GeneralLedgerAccount
Products	ProductDefinition, ProductTermsVersion
Arrangements	Arrangement, DepositAccount, CurrentAccount, SavingsAccount, FixedTermDeposit, FinancingAgreement, LedgerEntry, AccountHold, Restriction
Financing	FinancingApplication, ApprovalCondition, RepaymentSchedule, Installment
Payments	Beneficiary, BeneficiaryVersion, StandingOrder, Biller, Merchant, BankTransaction, CustomerPayment, TransferPayment, CardPayment, BillPayment, OwnAccountTransfer, CashTransaction, FeeCharge, InterestCredit, Reversal, Chargeback, MerchantRefund, InternalTransfer, LoanTransaction, LoanDisbursement, LoanRepayment, InterestCapitalisation
Cards	IssuedCard, CardControl
Cases	Case, CaseNote, CaseEvidence, CustomerCase, ServiceRequest, Dispute, Complaint, RiskCase, FraudAlert, ComplianceInvestigation, CollectionsCase, PromiseToPay
Communications	Statement, Notice
Application service	Bank
Rule violations	BankingError, KycIncomplete, AuthorityError, RestrictionViolation, ProductNotAvailable, InsufficientFunds, InvalidStateError

4.1 Behaviour: the main workflows as flowcharts

The class diagrams above show the structure. These six flowcharts show the behaviour: the order in which the code checks each rule and where a refusal ends the flow. Each one was traced from the method it describes,


so the order of the decisions is the order of the checks in `banking_system.py` / `banking_gui.py`. They are drawn from code by `tools/make_flowcharts.py` using the standard flowchart symbols (ISO 5807):

Symbol	Shape	Meaning in these charts
Terminator	Rounded "stadium" (green)	Start or normal end of the flow
Terminator	Rounded "stadium" (red)	The flow ends because a rule refused it (error raised, or the record kept as FAILED / DECLINED / REJECTED)
Process	Rectangle	One step the code performs
Decision	Diamond	A yes / no rule; every diamond has exactly one Yes and one No exit
Input / output	Parallelogram	Data coming in (an instruction) or going out (a printed report, a banner)
Predefined process	Rectangle with double sides	A named Bank operation described elsewhere (for example <code>post()</code> , <code>verify_party()</code>)
Data store	Cylinder	Stored records: ledger entries and the append-only audit log

Flowchart 1. Program overview: what python `banking_system.py` does for each command-line option, and how the demonstration reaches a zero trial balance.

Flowchart 1 - Program overview (banking_system.py)


main(): what happens for each command-line option; the default runs the seeded demonstration



Flowchart 2. Customer onboarding and account opening: a failed document check is recorded (never deleted); KYC gaps block onboarding; an organisation needs its directors or trustees and owners verified first.

Flowchart 2 - Customer onboarding and account opening

verify_party(), appoint_officer(), become_customer() and open_deposit_account()




Flowchart 3. Transfer payment (initiate_transfer, authorise_payment, release_transaction):

beneficiary, authority, funds, dual control and the PKR 1,000,000 compliance hold, in the order the code checks them.

Flowchart 3 - Transfer payment


initiate_transfer(), authorise_payment(), _complete_transfer() and release_transaction()



Flowchart 4. Card purchase (card_purchase): every refusal is a DECLINED payment kept with its reason; the card used is remembered so the history survives replacement.

Flowchart 4 - Card purchase


Bank.card_purchase(): the checks run in this order; any failure keeps the payment as DECLINED



Flowchart 5. Financing lifecycle: delegated credit authority, conditions before disbursement, arrears and collections, restructuring (a new schedule version, the old one kept) and settlement.

Flowchart 5 - Financing lifecycle


application, delegated approval, conditions, disbursement, arrears and collections, restructure, settlement



Flowchart 6. Desktop console (banking_gui.py): every action calls one Bank operation and the result decides the banner colour; no rule lives in the GUI.

Flowchart 6 - Desktop console interaction (banking_gui.py)

every action calls one Bank operation; the result decides the banner colour



4.2 Lifecycles as UML state machine diagrams

The flowcharts show what an operation checks. These diagrams show what can happen to a record over its whole life. They are drawn by `tools/make_state_diagrams.py` directly from each class's `LIFECYCLE` declaration (section 6.2), the same object that `StatusHistory` enforces, so a move that is not on the diagram cannot happen in the code. Notation: filled circle = initial state, rounded rectangle = state, labelled arrow = transition


with the operation that causes it, ringed circle = final state. In State machine 1 the colour of each state shows which class level introduced it.

State machine 1. TransferPayment: statuses inherited from BankTransaction (blue) and CustomerPayment (green), plus the compliance hold added by TransferPayment (amber).

State machine 1 - TransferPayment (inherited from BankTransaction and CustomerPayment)

Each colour is the class level that introduced the state. CardPayment extends CustomerPayment with DECLINED instead of the review hold.

● initial state ● final state ■ states added by BankTransaction ■ states added by CustomerPayment ■ states added by TransferPayment




State machine 2. IssuedCard: only a card reported lost can be reactivated; a destroyed or cancelled card is final.

State machine 2 - IssuedCard

A card is a credential, not an account: once DESTROYED or CANCELLED it can never be used again; a replacement is a new card.

● initial state ● final state




State machine 3. FinancingApplication and FinancingAgreement.

State machine 3 - FinancingApplication and FinancingAgreement


disburse_financing moves the application to DISBURSED and creates the agreement. FinancingAgreement replaces Arrangement's lifecycle instead of extending it.

- initial state
- ⦿ final state

FinancingApplication



FinancingAgreement




State machine 4. The other records with a lifecycle. Closing, ending, cancelling or deleting is always a move to a final state; the earlier statuses stay in the history.

State machine 4 - the other records with a lifecycle


Nothing is deleted: closing, ending or cancelling is a move to a final state, and the history keeps every earlier status.

- initial state
- ⦿ final state


Deposit accounts (Arrangement)




Cases (Case)




StandingOrder




CustomerRelationship




Beneficiary




RepaymentSchedule




PromiseToPay




ProductDefinition (sale status)



Employee



Branch



Billor



5. Implementation and operations

banking_system.py is organised in 16 numbered parts (model, service, demo, tests, diagram, command line), each with a header comment. Every class and every public operation has a docstring that states the rule it enforces.

Bank exposes 98 public operations. Each one checks the relevant rule, records the change as new data and writes an AuditEvent. The brief says trivial operations do not count, so they are classified honestly:

Kind	Count	Operations
Commands (create, update, assign, approve, cancel, transfer, close, retire, archive, delete, status change)	80	every operation in the table below except those in the next two rows
Batch processes run by the simulated clock	6	advance_to, run_standing_orders, run_arrears_check, charge_monthly_fees, credit_savings_interest, run_term_deposit_maturity
Views, historical queries and reports	12	authority_on, capacities_of, transaction_story, daily_report, trial_balance, relationship_history, party_snapshot, approvals_and_authority_audit, search_transactions, retention_until, active_customers, active_arrangements

Even counting only the 80 commands, the model is more than twice the brief's minimum of 30. The brief's verbs are all present: create (register_person, open_deposit_account), view (the query row), update (amend_beneficiary, correct_party_detail), delete (delete_beneficiary, request_deletion), assign (assign_case, assign_relationship_manager), cancel (cancel_pending_payment, cancel_standing_order), transfer (transfer_between_accounts, close_branch), approve (decide_application, authorise_payment), retire (withdraw_from_sale, deactivate_biller), archive (archive_record) and status management (report_card, impose_restriction).

Group	Operations
Branches and staff	open_branch, hire_employee, change_role, record_employee_exit, close_branch
Parties and KYC	register_person, register_company, register_charity, add_identity_document, verify_party, appoint_officer, end_officer_role, record_beneficial_owner, grant_mandate, revoke_mandate, correct_party_detail, become_customer, assign_relationship_manager, end_relationship
Products	define_product, revise_product_terms, withdraw_from_sale, migrate_terms
Accounts, deposits and cash	open_deposit_account, close_account, deposit_cash, withdraw_cash, transfer_between_accounts, break_term_deposit, run_term_deposit_maturity, charge_fee, charge_monthly_fees, credit_savings_interest, generate_statement
Payments	add_beneficiary, amend_beneficiary, deactivate_beneficiary, delete_beneficiary, initiate_transfer, authorise_payment, cancel_pending_payment, release_transaction, reject_held_transaction, reverse_transaction, repost_card_payment, create_standing_order, cancel_standing_order, run_standing_orders, register_biller, deactivate_biller, pay_bill
Cards	issue_card, record_merchant, card_purchase, merchant_refund, report_card, replace_card, record_card_found, reactivate_card, change_card_limit, add_card_control, remove_card_control
Financing and collections	submit_financing_application, attach_application_document, decide_application, satisfy_condition, disburse_financing, repay_financing, run_arrears_check, restructure_financing, settle_financing, record_collections_contact
Cases	raise_service_request, raise_fraud_alert, open_investigation, assign_case, add_evidence, impose_restriction, lift_restriction, log_complaint, open_dispute, resolve_dispute, close_case
Retention	archive_record, request_deletion, retention_until, active_customers, active_arrangements

Group	Operations
History, audit and reporting	authority_on, capacities_of, transaction_story, search_transactions, daily_report, trial_balance, relationship_history, party_snapshot, approvals_and_authority_audit, advance_to (simulated clock with an end-of-day batch)

Every posting goes through `BankTransaction.post`, which refuses any set of legs that does not sum to zero. The demonstration ends with a trial balance that totals zero across all customer and bank accounts: a whole-system check that no scenario created or lost money.

Two conventions worth defending: payments that break a rule return a transaction with status `FAILED` or `DECLINED` (a failed payment is itself a record the bank must keep), while other rule violations raise a `BankingError` subclass (nothing should be created).

Automated tests. 73 independent tests (`python banking_system.py --test`). Each builds a small fresh bank and checks one rule or historical guarantee. They include one regression test for every defect fixed during the code review (`docs/Code_Review.md`), eleven tests for the features added after checking the model against every line of the brief (`BriefCoverageTests`), four tests that check the brief's own requirements from the code (at least 30 classes and 30 operations, multi-level inheritance, that the diagrams name only real classes, and that the whole demonstration runs with a zero trial balance), seven abstraction tests (`AbstractionTests`: the hierarchy roots cannot be instantiated, every leaf class is concrete, the polymorphic methods replace the old type checks, a merchant is a counterparty linked to every card payment made there, and every upheld card dispute in the demonstration became a `Chargeback`), two card tests from the research

(`CardRefundAndChargebackTests`: a merchant refund is a new credit that leaves the purchase posted and limits what can still be disputed; a chargeback needs a scheme reason code and cannot itself be reversed) and four lifecycle tests (`LifecycleTests`: every status change in the demonstration followed its class's state machine, an illegal move is refused even when the Bank is bypassed, lifecycles are inherited and extended, and every state machine is well formed).

6. Inheritance relationships explained

Party -> Person / Organization -> Company / Charity (multi-level). Every party has an identity, documents, verification checks, corrections, restrictions and possibly a customer relationship, so these live in Party. Party.kyc_gaps is a template method: the party's own verification, then two abstract hooks, structural_gaps (rules about its make-up) and connected_persons (people whose verification it depends on). Person implements both as "nothing": a person has no governance structure and answers only for itself. Organization adds what only legal entities have (registration number, officers, beneficial owners, mandates) and implements connected_persons as its active officers and owners at or above 25%, which gives the stricter KYC rule for free. It is still abstract, because Company and Charity differ in real governance: a company needs an active director and a charity at least two trustees. Each implements structural_gaps with the rule true at that level. That is why the hierarchy has three levels rather than two.

Arrangement -> DepositAccount -> CurrentAccount / SavingsAccount / FixedTermDeposit (multi-level), and Arrangement -> FinancingAgreement. Everything a customer holds has a product, pinned terms and terms history, holders, an opening branch, a servicing-branch history, a status and restrictions: that is Arrangement. Only deposit accounts hold customer money, so ledger entries, holds and ledger/available balance belong to DepositAccount. A current account adds an overdraft (overrides overdraft_limit); a savings account adds a monthly withdrawal limit (overrides check_debit); a fixed-term deposit adds a term, rate and maturity date, refuses debits before maturity (overrides check_debit) and accepts only one credit, the placement (overrides ensure_usable). All three still reuse the parent's ledger and balance logic unchanged. A financing agreement is also an arrangement (terms, holders, status), but it holds no customer money; it has schedules and installments instead, so it sits beside DepositAccount, not under it.

BankTransaction -> CustomerPayment -> TransferPayment / CardPayment / BillPayment / OwnAccountTransfer (multi-level). Every transaction has an amount, a status history, ledger entries and reversals. A customer payment is one a customer (or their representative) instructed, so it records who initiated it, the channel and the mandate used, and it can be disputed. Transfers add a beneficiary-version snapshot and a possible hold; card payments add the exact card, merchant, channel, country and merchant category (which card controls check); bill payments add the biller and consumer reference; own-account transfers add the target account. All four are disputable and subject to the same mandate and restriction rules because they inherit what makes them *customer* payments.

BankTransaction -> LoanTransaction -> LoanDisbursement / LoanRepayment / InterestCapitalisation (multi-level). All three belong to a financing agreement and move the bank's loans-receivable balance. A disbursement carries its approval, a repayment its installment allocations, and a capitalisation records overdue interest added to principal on restructuring (no customer cash moves, but the books must change).

BankTransaction -> CashTransaction / FeeCharge / InterestCredit / Reversal / MerchantRefund / InternalTransfer. These are transactions (they post and have statuses) but share nothing further with each other. A reversal is a transaction in its own right, not a flag on the original. A merchant refund is money the merchant sends back through the card scheme; it points to the purchase and its merchant. InternalTransfer is a bank-initiated movement no customer instructed (vault cash on branch closure, term-deposit payout).

BankTransaction -> Reversal -> Chargeback (multi-level). Everything a reversal has, a chargeback has too: an original transaction, counter-entries that mirror it, a staff approval, the rule that it cannot itself be reversed, and the effect of marking the original (partially) reversed. So Chargeback inherits all of it, and Bank._counter_post is shared by both. What a chargeback adds is only true at that level: it exists only for a *card* payment, only because a *Dispute* was upheld, it is claimed from a specific *Merchant* through the card scheme, and it carries the scheme reason code. resolve_dispute therefore posts a Chargeback for a card payment and a plain Reversal for any other customer payment. The level was found by research (source 5), not by looking for shared fields.

Case -> CustomerCase -> ServiceRequest / Dispute / Complaint; Case -> RiskCase -> FraudAlert / ComplianceInvestigation (multi-level); Case -> CollectionsCase. All cases have a subject, status history, assignments, notes, evidence and links. Customer cases arrive through a service channel from a contact person. Risk cases are bank-initiated, carry a risk level and the restrictions they imposed, and override close()

so they cannot close while those restrictions are in force. This split lets the scenario keep the branch complaint and the compliance investigation as separate, linked records.

BankingError -> **specific errors**. Every rule violation is a banking error; the subclasses let the demonstration and the tests name *which* rule stopped an action.

6.1 Abstract classes and polymorphism

The brief states that abstraction, abstract base classes and polymorphism are not assessed. They are used here only where they make an inheritance decision enforceable rather than merely described: the level of the hierarchy that is abstract is exactly the level this report argues is "not a real thing on its own".

A real bank never holds "a party", "an arrangement", "a transaction" or "a case" that is not some specific kind, so the root of each hierarchy is an abstract base class (Python abc). Trying to create one raises `TypeError`, and a new subclass that forgets a required method cannot be instantiated at all. Each abstract method is one whose answer genuinely differs by class:

Abstract class	Abstract method	Implemented by	Replaces
Party	<code>structural_gaps()</code> , <code>connected_persons()</code> (hooks of the <code>kyc_gaps</code> template)	Person; Organization (connected persons); Company, Charity (structure)	An <code>Organization.kyc_gaps</code> override
Organization	<code>structural_gaps()</code> (still open)	Company, Charity	A do-nothing default
Arrangement	<code>position()</code> : money held or owed	DepositAccount (ledger balance, held), FinancingAgreement (principal, owed)	A type check in the GUI
DepositAccount	<code>overdraft_limit()</code>	CurrentAccount (from terms), SavingsAccount and FixedTermDeposit (zero)	A silent zero default
BankTransaction, CustomerPayment, LoanTransaction	<code>counterparty()</code> : who is on the other side	all 12 concrete transaction classes	(new)
Case	<code>handler_roles()</code> : staff allowed to work it	CustomerCase, RiskCase, CollectionsCase	An <code>isinstance</code> chain in <code>Bank.assign_case</code>

`BankTransaction.story_lines()` is also a template method: common lines first, then the hooks `detail_lines()` (extended by `CustomerPayment`, then by `TransferPayment` and `CardPayment` with `super()`) and `case_lines()` (disputes, only on customer payments). `Bank.transaction_story` used to test the transaction's type three times; it is now one line, `return txn.story_lines()`, and a test checks that neither `it` nor `assign_case` contains `isinstance`. In the UML diagrams, abstract classes and methods are in italics (the UML convention) and each method is marked `{abstract}`, `[implements]` (fills in a parent's abstract method) or `[override]` (replaces or extends a parent's working method).

6.2 Inherited state machines

Each class with a status declares its lifecycle once, as a `LIFECYCLE` class constant: the initial status, every allowed move labelled with the operation that causes it, and the final statuses. `StatusHistory` enforces it on every change, so an illegal move (a destroyed card becoming active again, a posted payment going back to pending) is refused wherever it is attempted, even by code that bypasses the Bank. Lifecycles are inherited like any other class attribute: `CashTransaction` uses `BankTransaction`'s `unchanged`, `CustomerPayment` extends it with dual control (`AWAITING_AUTHORISATION`, `AUTHORISED`, `CANCELLED`), `TransferPayment` extends that with the compliance hold and `CardPayment` with `DECLINED`. `FinancingAgreement` instead replaces `Arrangement`'s lifecycle, because a loan is never "closed" like an account; it is settled. The state diagrams in section 4.2 are drawn from these declarations.

7. Tempting inheritance relationships that were rejected

1. **Customer(Person), Signatory(Person), Employee(Person).** The same human can be all of these at once and change over time (Ayesha is a retail customer, a director, an owner and a signatory for two organisations). Subclasses would force duplicate records and break history when a role ends. Roles are time-bounded objects pointing to one Person.
2. **IssuedCard(DepositAccount).** A card looks account-like (limits, status, transactions) but holds no money, and many cards can point to one account. A card is a credential linked to an account.
3. **FinancingAgreement(DepositAccount).** Both are "accounts" in everyday speech, but a loan has no ledger of customer funds, no available balance and no holds. Both inherit from Arrangement instead.
4. **ReversedTransfer(TransferPayment) or a reversed = True flag.** A reversal has its own date, amount (it can be partial), approver and reason, and can happen more than once. It is a separate Reversal transaction pointing to the original.
5. **FraudAlert(ComplianceInvestigation).** An alert is an automated signal that may be a false positive; an investigation is a human-led case that can link several alerts.
6. **A universal BaseRecord superclass for every class.** It would share only id and created_on: inheritance to avoid typing fields. Shared lifecycle behaviour comes from composition (StatusHistory, Period).
7. **A parallel product hierarchy (CurrentProduct, SavingsProduct, ...).** Product definitions differ only in term values, not behaviour, so one ProductDefinition with a category and versioned terms is enough. Behaviour differs in the *arrangements*, which is where the hierarchy is.
8. **GeneralLedgerAccount(DepositAccount).** Both have entries and a balance, but a GL account has no holder, product, terms, restrictions or customer status. The shared idea is only "has entries".
9. **Merging PaymentAuthorisation into Approval.** Both are "someone said yes", but an Approval is a bank employee acting in a staff role, frozen at decision time, while a PaymentAuthorisation is a customer's signatory acting under a mandate. They follow different rules and must never be confused in an audit.
10. **SoleTrader(Organization).** A sole trader has no separate legal personality, so this would misrepresent liability and KYC (A5).
11. **Biller(Organization) or Merchant(Party).** Billers and merchants are counterparties, not customers: the bank holds no KYC, mandates or relationship for them. Making them parties would pull in documents, checks and restrictions that never apply. Biller and Merchant are small standalone classes. A shared Counterparty superclass for the two was also rejected: they share only a name, and their rules differ (a biller has a collection arrangement and can be deactivated; a merchant is recorded as the card network presents it, with the category and country that card controls check).
12. **Card controls as extra card statuses (BLOCKED_ONLINE, ...).** A card can have several controls at once, each switched on and off at different times, and a control is not the card's lifecycle state. Separate CardControl objects with periods keep the status meaningful and the control history answerable.
13. **MerchantRefund(Reversal).** A refund also gives money back and points to the original purchase, so it looks like a reversal. But the merchant starts it, no bank employee approves it, and the purchase is *not* undone: it stays POSTED, and only the amount the customer can still dispute goes down. Inheriting from Reversal would give it an approval it does not have and would mark the purchase reversed. It is a sibling under BankTransaction. Chargeback passed the same test that MerchantRefund failed.
14. **Chargeback as a flag or a reason field on Reversal.** A chargeback needs a dispute, a merchant and a reason code that an ordinary reversal must not have. As optional fields on Reversal, every reversal would carry three empty attributes and no rule could insist they are filled. A subclass makes them mandatory exactly where they apply.

7.1 Why this design is better than a plausible alternative

The most plausible alternative, and the one most legacy systems resemble, is an **account-centric model**: a Customer class with personal details and flags (`is_director`, `is_signatory`, `is_blocked`), an Account class with a type field for current, savings, loan and card, and transactions that are edited or deleted when they are

corrected. It is simpler and would satisfy the minimum class count. The table tests both designs against the brief's critical cases.

Critical case in the brief	Account-centric alternative	This design
A person is a customer and represents several organisations	Duplicate customer rows, or one row with flags that cannot say <i>which</i> organisation	One Person with several dated role objects
Posted, reversed, re-posted, disputed	The amount is edited; the original posting is lost	Reversal, a linked re-post and a Chargeback, each a separate record
Product withdrawn but valid for existing customers	A single <code>is_active</code> flag either blocks existing accounts or keeps selling	Sale status on <code>ProductDefinition</code> ; arrangements pin their terms version
Signing authority lost; history must still show it	<code>is_signatory = False</code> erases the past	Mandate with a <code>Period</code> ; payments store the mandate used
Restricted, then cleared	<code>is_blocked</code> toggled; no record of when or why	Restriction objects with periods and a <code>RiskCase</code>
Card replaced several times	One <code>card_number</code> field overwritten	<code>IssuedCard</code> chain; each payment keeps its card
Loan restructured after payments	Installments rewritten in place	Schedule versions; paid installments stay PAID
Beneficiary details change	Old transfers now show the new details	<code>BeneficiaryVersion</code> snapshot on each transfer
Branch closes	Accounts re-pointed; the original branch is lost	<code>opened_at_branch</code> fixed; servicing branch history
Case evidence later corrected	Evidence reads the corrected value	Frozen <code>CaseEvidence</code> snapshot and <code>Correction</code> records

The alternative fails all ten. The cost of this design is more classes and the discipline of never updating in place. That is the right trade for a bank, where "what did we know, and who was allowed to do it, on that date?" is a routine question from auditors, regulators and courts. The design also uses inheritance *less* than the alternative's `type` field invites: only where behaviour really differs by level (the four hierarchies of section 6), with dated composition everywhere else.

8. Seeded demonstration

`run_demo()` creates one bank with three branches, ten staff (including a collections officer and an auditor), eight products, twenty people (ten of them staff), a sole trader, a high-value customer, one company, one charity, eight deposit accounts (including two term deposits), five cards, two billers, beneficiaries, a standing order and a financing facility. It then runs a simulated calendar from January 2026 to August 2027; the daily batch runs standing orders, arrears checks, promise-to-pay checks, term-deposit maturities, month-end fees and savings interest automatically. The full output is in `docs/demo_output.txt`: 109 transactions, 10 cases, 294 audit events, 28 refused actions, each naming the rule, and a zero trial balance.

The seeded company matches the brief's scenario: two directors (Ayesha, Bilal), one beneficial owner (Sara, 40%; Ayesha's 10% is recorded but below the 25% threshold), and three employees with different powers (Hamza pays with dual control above PKR 1m, Noor may only view, Usman may use a card). Ayesha and Bilal already bank personally.

The run leaves three items of live work at the end: a PKR 1,200,000 transfer waiting for a second signatory, a PKR 1,100,000 transfer held for compliance review, and an open card dispute.

9. Complex scenarios demonstrated

#	Scenario	What breaks the normal flow	Brief's critical case
1	Business onboarding	A director's CNIC expires between verification and onboarding; a charity has too few trustees	Customer is personal and a representative of several organisations
2	Large transfer	Needs a second signatory (initiator and view-only user refused); held for review; a teller cannot release it; customer complains at the branch while compliance investigates separately; released	Temporary hold, separate cases
3	Card lifecycle	Card stolen, replaced with a lower limit, thief declined, card found and destroyed, second replacement	Card replaced multiple times
4	Card correction and dispute	Posted, reversed, re-posted at a new amount, disputed ("not as described"), partially upheld as a Chargeback claimed from the merchant; a second dispute and a second resolution are refused	Posted, reversed, re-posted, disputed
5	Customer restriction	Debit block stops a transfer and the standing order; the director's personal account is unaffected; the case cannot close until the block is lifted	Temporarily restricted then cleared
6	Financing	Unauthorised applicant blocked; credit officer's delegated limit forces an 8m request to be declined; disbursement blocked by conditions; an overpayment is refused without changing anything; missed installment opens a collections case, worked by the collections officer (a teller is refused); the customer's promise to pay is broken; restructure; approver promoted; early settlement; restructuring the settled loan refused	Restructured after installments paid
7	Director leaves	Old transfer still proves valid authority on its date; new attempt fails; standing order continues; the "time machine" rebuilds the company as at 11 Apr 2026	Person loses signing authority
8	Beneficiary change	Old transfer shows old bank details	Beneficiary changes after old transfers
9	Data correction	Compliance evidence keeps the address as it was; the record shows the value on any past date	Case references data later corrected
10	Product lifecycle	Product closed to new sales; terms revised; old account keeps the old fee until migrated with a notice; a withdrawn card product still allows a replacement for an existing cardholder but not a new card	Product no longer sold but still valid
11	Branch closure	Customers, accounts, staff and PKR 80,000 of vault cash move; historical branch still answerable; hiring at the closed branch refused	Branch closes, customers and staff transferred
12	Savings rules	Third monthly withdrawal refused; closure refused with a balance (including month-end interest); closed later with entries retained	Deletion vs closure
13	People leave	A relationship manager cannot resign until customers are handed over; old KYC checks still name him; a customer with an open account cannot leave; one with no products can	Record retention when customers and employees change
14	Sole trader, high-value customer, term deposits	Sole trader refused without a trading name; high-value customer refused until source of wealth is verified; withdrawal and top-up of a term deposit refused; one deposit broken early with a penalty, the other paid out at maturity	Customer types in the brief's background; savings vs investment facilities
15	Card controls, merchant refund, bills, card search	Online and gambling controls decline purchases; someone other than the cardholder cannot lift a control; control history shows what was in force on each date; a merchant refunds a returned part (the purchase stays posted) so disputing the full amount is refused; view-only user refused a bill payment; large tax bill waits for a second signatory; one search finds payments on all three cards in the chain	Card controls; billers; card replaced multiple times, old transactions searchable
16	Audit and retention	A teller cannot run the audit; the auditor lists every 2026 approval with the role held then and every authority change; deleting a closed account is refused with its retention date; finished records are archived, not deleted; only a never-used payee can be deleted	Audit of approvals and authority changes; what deletion means

All ten critical cases listed in the brief for Problem 4 are covered, and scenarios 14 to 16 cover the remaining participants and scope items (section 3.2). The run ends with a statement, an end-of-day audit report ("what changed, who, why") and a zero trial balance.

10. Limitations and scaling

Current limitations. Single currency. Term deposits pay simple interest and have no rollover option. Card controls do not carry over to a replacement card. Only debit cards: a credit card would be a revolving credit Arrangement with its own statement cycle, which is not modelled. Chargebacks are final when posted; real schemes allow provisional credit to the customer and a merchant's re-presentment ("second presentment"), which would be further statuses on Chargeback. Savings interest is a simple month-end calculation (no daily accrual, tax withholding or Islamic profit-sharing weights). A fixed review threshold rather than risk scoring. A small chart of accounts. In-memory storage only, with reference numbers held in a module-level counter. No concurrency or rollback across several objects. Simplified loan maths (equal principal, monthly interest on the outstanding balance, no penalty charges). Dual control supports exactly two signatories rather than configurable rules such as "any two of A, B, C". Two credit authority levels only. There is no login: each operation is told who is acting, and the model then checks that person's authority.

If the bank became much larger. Records would move to a database with effective-dated tables (the Period and version classes map directly to `valid_from` / `valid_to` columns). The Bank class would split into separate services (customers, payments, cards, lending, compliance) communicating through events, because one object cannot own every registry. The acting person would come from authentication, with role-based permissions. The ledger would become a full general ledger with a larger chart of accounts, and monitoring would use rules and scoring models rather than one threshold.

If the business model changed. Islamic banking products (for example Murabaha or Ijarah) would be new Arrangement subclasses, because their obligations differ structurally from interest-bearing loans; this is where the Arrangement level pays off. Investment or wealth products would also become new arrangement types with their own position records. Multi-currency would need a Money value class and FX transaction types.

11. Desktop operations console (optional GUI)

The brief assesses classes and inheritance, so the interface was built to make the model visible and testable, not to add business logic. `banking_gui.py` is a desktop console in pure Python (Tkinter and `ttk`, from the standard library). It imports `banking_system.py` and does not change it.

Two rules keep it honest. Every button calls exactly one Bank operation, so every rule, refusal and audit event is the model's own. A refusal is shown with the model's error class (for example `AuthorityError`) and message, and a refused payment is shown as "refused, kept on record" because the model keeps it as FAILED or DECLINED.

It is built with the same OOP ideas it demonstrates.

Class	Inherits from	Role
BankingApp	<code>tk.Tk</code>	Window, sidebar, top bar (business date, books status, advance day or month, reset), outcome banner
Page	<code>ttk.Frame</code>	A screen with a title, <code>build()</code> and <code>refresh()</code>
MasterDetailPage	Page	A list on the left and the selected record's details on the right
CustomersPage, AccountsPage, TransactionsPage, CardsPage, CounterpartiesPage, CasesPage, StaffPage, ProductsPage, ClassModelPage	MasterDetailPage	Each declares its columns and implements <code>rows()</code> and <code>show()</code>
DashboardPage, OperationsPage, BooksPage, ReportsPage, ScenarioLogPage	Page	Screens with their own layouts
DataTable, DetailView, ScrollFrame	<code>ttk.Frame</code>	Reusable table, rich text pane and scrolling area
Panel, StatCard	<code>tk.Frame</code>	Reusable card widgets
TimelineCanvas	<code>tk.Canvas</code>	Draws validity periods as ribbons on a time axis
BankController, CurrentBank, Outcome, OperationSpec, Theme	-	The only object that talks to the model; a stand-in that always forwards to the current bank (so "Reset data" reaches every form); a result in words; a form definition; colours, fonts and styles

What it covers. 14 screens in two clearly separated sidebar sections. **Bank** (12 screens) is what the bank's staff would use. **Teaching & simulation** (Class model, Scenario log) holds two aids that a real staff application would not have; they are kept because the brief describes the model as being for teaching and simulation, and they let an examiner see the inheritance tree and the seeded scenarios from inside the running program. The Operations screen has 80 forms in ten groups, enough to run every workflow of the brief's operational scenario by hand, and 14 guided rule checks:

Group	Forms	What can be done
Customers	15	Register people, companies and charities; file and verify documents; directors, trustees and beneficial owners; onboard; open accounts; grant and revoke mandates; correct details; assign an RM; end a relationship
Accounts	6	Open and break term deposits; close accounts; fees; statements; move to the latest terms
Payments	15	Payees and their versions; transfers, bills, own-account transfers; authorise, cancel, release, reject; reversals; standing orders; billers
Cash	2	Deposits and withdrawals at the counter
Cards	12	Issue, use, report, replace, find, reactivate; limits and controls; merchants, merchant refunds and corrected re-postings
Cases & compliance	11	Restrictions; disputes with reason codes and their resolution (chargeback or reversal); complaints; service requests; alerts; investigations; evidence snapshots; assigning and closing cases

Group	Forms	What can be done
Lending	9	Apply, decide with conditions (within delegated limits), attach documents, satisfy conditions, disburse, repay, restructure, settle, record collections contacts
Organisation	5	Open and close branches; hire, change role and record exits
Products	3	Define products, publish new terms, withdraw from sale
Records	2	Archive; request deletion (always refused, with the retention date)

Two new bank screens answer the brief's remaining scope items. **Counterparties** lists merchants, billers and payees with every payment made to or from them (a merchant's page shows each card used and any refund or chargeback). **Reports** answers historical questions directly: which mandates a person held for an organisation on a past date, the auditors' approvals-and-authority report (refused for a teller, and itself logged) and everything that happened on a given day. The Class model screen marks abstract classes, lists the methods each subclass must implement, and prints each class's lifecycle. (An earlier version also displayed the diagram images; it was removed because a bank console should not show design documents and because it only worked when the docs/ folder was present. The diagrams are in this report.) `tools/gui_smoke_test.py` drives every guided check, all 80 forms, three stories typed into the forms (onboarding a new customer; the whole financing lifecycle from application to early settlement; a card purchase, merchant refund, dispute and chargeback) and every report, without a person at the keyboard. It fails if anything crashes, an outcome is not the expected one, or the books stop balancing. It runs on GitHub for every push.

MasterDetailPage is a three-level hierarchy (`ttk.Frame -> Page -> MasterDetailPage -> CustomersPage`) chosen for the same reason as the model's hierarchies: every list screen shares the same layout and behaviour, and only the columns and the detail rendering differ.

Figure 9. Overview: balances, work waiting for action (authorise or release from here), recent audit events, and the books status.

Indus Commercial Bank

Operations console

BANK

Overview

Operations

Customers

Accounts

Transactions

Cards

Counterparties

Cases

Staff

Products & branches

Books & audit

Reports

TEACHING & SIMULATION

Class model

Scenario log

Problem 4 - classes and inheritance

All rules live in `banking_system.py`

Business date 25 Aug 2027

Books balance

Advance 1 day

Advance 1 month

Reset data

Overview

The bank today: balances, work waiting for action, and whether the books balance

6

Active customer:

19,370,765

Customer deposits (PKR)

0

Financing outstanding (PKR)

2

Open cases

2

Waiting for action

Balanced

Trial balance

Waiting for action

payments awaiting a second signatory or held for review

Referenc	Status	Amount	Detail
TRF-026	AWAITING_AUTHORISATION	PKR 1,200,000.00	transfer to Lahore Yar
TRF-027	HELD_FOR_REVIEW	PKR 1,100,000.00	transfer to Lahore Yar

Acting as

Ayesha Khan

Authorise

Release

Authorise = second signatory (a person with a mandate). Release = compliance employee.

Recent activity

from the audit log

Date	Who	Action	Subject
2027-08-25	system	STATEMENT	CUR-002
2027-08-25	Maryam Tahir	OPEN_DISPUTE	DSP-002
2027-08-25	Hamza Sheikh	CARD_PAYMENT	CRD-TX-011
2027-08-25	monitoring	TXN_HELD	TRF-027
2027-08-25	monitoring	FRAUD_ALERT	ALERT-002
2027-08-25	Hamza Sheikh	TXN_PENDING_2ND_SIGNATO	TRF-026
2027-08-20	Maryam Tahir	DELETE_BENEFICIARY	BEN-003
2027-08-20	Hamza Sheikh [PER-0	ADD_BENEFICIARY	BEN-003
2027-08-20	Maryam Tahir	ARCHIVE	DSP-001
2027-08-20	Maryam Tahir	ARCHIVE	relationship of
2027-08-20	Maryam Tahir	ARCHIVE	SAV-001
2027-08-20	Maryam Tahir	DELETION_REFUSED	SAV-001
2027-08-20	Nida Farooq	AUDIT_REVIEW	approvals
2027-08-12	Hamza Sheikh	BILL_PAYMENT	BIL-003
2027-08-12	Ayesha Khan	AUTHORISE_PAYMENT	BIL-003
2027-08-12	Hamza Sheikh	TXN_PENDING_2ND_SIGNATO	BIL-003
2027-08-12	system	TXN_FAILED	BIL-002
2027-08-12	system	TXN_DECLINED	CRD-TX-010
2027-08-12	Hamza Sheikh	CARD_PAYMENT	CRD-TX-009
2027-08-12	Hamza Sheikh [PER-0	CARD_CONTROL_OFF	CARD-004
2027-08-12	card-network	MERCHANT_REFUND	MRF-001
2027-08-12	Bilal Ahmed	TRANSFER	TRF-025

Figure 10. Guided rule checks: each runs one real operation and shows the model's answer.




Figure 11. A customer with one record and many dated roles: capacities, timeline ribbons and the time machine.




Figure 12. Card replacement chain: every payment on every card in the chain stays searchable.

Indus Commercial Bank

Operations console

BANK

Overview

Operations

Customers

Accounts

Transactions

Cards

Counterparties

Cases

Staff

Products & branches

Books & audit

Reports

TEACHING & SIMULATION

Class model

Scenario log

Problem 4 - classes and inheritance
All rules live in banking_system.py

Business date 25 Aug 2027Books balance

Advance 1 dayAdvance 1 monthReset data

Cards

A card is a credential linked to an account; replacements form a searchable chain

Card	Number	Cardholder	Status
CARD-001	4213 **** * 8919	Hamza Sheikh	DESTROYED
CARD-002	4213 **** * 7838	Usman Ali	BLOCKED_LOST
CARD-003	4213 **** * 6757	Hamza Sheikh	BLOCKED_DAMAG
CARD-004	4213 **** * 5676	Hamza Sheikh	ACTIVE
CARD-005	4213 **** * 4595	Usman Ali	ACTIVE

CARD-001 4213 **** * 8919

Hamza Sheikh on CUR-002

Status trail: ACTIVE(2026-02-20) > BLOCKED_STOLEN(2026-03-10) > DESTROYED(2026-03-12)

Daily limit history: from 2026-02-20: PKR 200,000.00

Replacement chain

CARD-001 4213 **** * 8919 [DESTROYED] issued 2026-02-20

CARD-003 4213 **** * 6757 [BLOCKED_DAMAGED] issued 2026-03-10

CARD-004 4213 **** * 5676 [ACTIVE] issued 2026-03-15

Payments across the whole chain (search_transactions)

Txn	Date	Card	Amount	Status	Merchant
CRD-TX-001	2026-02-25	CARD-001	45,000.00	POSTED	Metro Cash & Carry
CRD-TX-002	2026-03-11	CARD-001	25,000.00	DECLINED	Online Store X
CRD-TX-003	2026-03-11	CARD-003	30,000.00	POSTED	Hyperstar
CRD-TX-004	2026-03-11	CARD-003	120,000.00	DECLINED	Al-Fatah Electronics
CRD-TX-007	2027-08-10	CARD-004	12,000.00	DECLINED	Daraz.pk
CRD-TX-008	2027-08-10	CARD-004	9,500.00	POSTED	Intiaz Auto Parts
CRD-TX-009	2027-08-12	CARD-004	12,000.00	POSTED	Daraz.pk
CRD-TX-010	2027-08-12	CARD-004	5,000.00	DECLINED	BetWorld
CRD-TX-011	2027-08-25	CARD-004	18,500.00	POSTED	Liberty Books

Events

2026-03-10 reported STOLEN by Hamza Sheikh

2026-03-10 replaced by CARD-003

2026-03-12 found: found in office drawer; destroyed

Figure 13. Books and audit: the trial balance totals zero; the audit log records what changed, who did it and why.

Indus Commercial Bank

Operations console

BANK

Overview

Operations

Customers

Accounts

Transactions

Cards

Counterparties

Cases

Staff

Products & branches

Books & audit

Reports

TEACHING & SIMULATION

Class model

Scenario log

Problem 4 - classes and inheritance
All rules live in banking_system.py

Business date 25 Aug 2027Books balance

Advance 1 dayAdvance 1 monthReset data

Books and audit

Double-entry trial balance on any date, and the append-only audit log

Trial balance

credits positive, debits negative

As at 2027-08-25Show

Total of all balances: 0.00 the books balance

Account	Name	Balance
CUR-001	Classic Current (legacy) (Ay	135,000.00
CUR-002	Business Current (Ravi Text	6,323,664.65
CUR-003	Personal Current (Bilal Ahm	70,000.00
CUR-004	Business Current (Imtiaz A	277,100.00
CUR-005	Private Banking Current (Za	12,565,000.00
2100	Outgoing payments clearing	5,100,000.00
2200	Card scheme settlement	176,500.00
2300	Billor settlement	1,268,400.00
4000	Fee income	25,500.00
4100	Financing interest income	138,835.35
5000	Deposit interest expense	-646,160.66
1000-LHR-01	Vault cash LHR-01	-25,433,839.34

Audit log

what changed, who did it, why

FilterApply

Date	Actor	Action	Subject	Del
2027-08-25	system	STATEMENT	CUR-002	2026-03-01 to 2026-03-1
2027-08-25	Maryam Tahir	OPEN_DISPUTE	DSP-002	CRD-TX-011 PKR 18,500
2027-08-25	Hamza Sheikh	CARD_PAYMENT	CRD-TX-011	PKR 18,500.00 at Liberty
2027-08-25	monitoring	TXN_HELD	TRF-027	PKR 1,100,000.00; ALER
2027-08-25	monitoring	FRAUD_ALERT	ALERT-002	LARGE_FIRST_TIME_TRAI
2027-08-25	Hamza Sheikh	TXN_PENDING_2ND_SIGN	TRF-026	PKR 1,200,000.00
2027-08-20	Maryam Tahir	DELETE_BENEFICIARY	BEN-003	Old courier
2027-08-20	Hamza Sheikh [PER-01	ADD_BENEFICIARY	BEN-003	v1: Swift Couriers / UBL /
2027-08-20	Maryam Tahir	ARCHIVE	DSP-001	retain until 2036-04-09
2027-08-20	Maryam Tahir	ARCHIVE	relationship c	retain until 2037-02-03
2027-08-20	Maryam Tahir	ARCHIVE	SAV-001	retain until 2037-02-01
2027-08-20	Maryam Tahir	DELETION_REFUSED	SAV-001	must be retained until 20
2027-08-20	Nida Farooq	AUDIT_REVIEW	approvals	2026-01-01 to 2026-12-1
2027-08-12	Hamza Sheikh	BILL_PAYMENT	BIL-003	PKR 1,250,000.00 to Fed
2027-08-12	Ayesha Khan	AUTHORISE_PAYMENT	BIL-003	MND-001
2027-08-12	Hamza Sheikh	TXN_PENDING_2ND_SIGN	BIL-003	PKR 1,250,000.00
2027-08-12	system	TXN_FAILED	BIL-002	Noor Fatima holds no act
2027-08-12	system	TXN_DECLINED	CRD-TX-010	card control CTL-002 blo
2027-08-12	Hamza Sheikh	CARD_PAYMENT	CRD-TX-009	PKR 12,000.00 at Daraz.
2027-08-12	Hamza Sheikh [PER-01	CARD_CONTROL_OFF	CARD-004	CTL-001 block ONLINE (2
2027-08-12	card-network	MERCHANT_REFUND	MRF-001	PKR 3,500.00 from Imtia;
2027-08-12	Bilal Ahmed	TRANSFER	TRF-025	PKR 150,000.00 to Mode
2027-08-10	Hamza Sheikh	CARD_PAYMENT	CRD-TX-008	PKR 9,500.00 at Imtiaz A
2027-08-10	system	TXN_DECLINED	CRD-TX-007	card control CTL-001 blo

Figure 14. Class model (teaching section) read from the code at runtime: CustomerPayment is marked abstract, with what it adds, the lifecycle it declares and its subclasses.

Indus Commercial Bank

Operations console

BANK

Overview

Operations

Customers

Accounts

Transactions

Cards

Counterparties

Cases

Staff

Products & branches

Books & audit

Reports

TEACHING & SIMULATION

Class model

Scenario log

Problem 4 - classes and inheritance
All rules live in banking_system.py

Business date 25 Aug 2027

Books balance

Advance 1 day

Advance 1 month

Reset data

Class model

Teaching view, not a bank screen: the inheritance tree read from the code at runtime, what each level adds, lifecycles and live object counts

Class	Level	Live objects
-> CustomerPayment «abstract»	2	44
-> BillPayment	3	3
-> CardPayment	3	11
-> OwnAccountTransfer	3	3
-> TransferPayment	3	27
-> FeeCharge	2	25
-> InterestCredit	2	12
-> InternalTransfer	2	3
-> LoanTransaction «abstract»	2	7
-> InterestCapitalisation	3	1
-> LoanDisbursement	3	1
-> LoanRepayment	3	5
-> MerchantRefund	2	1
-> Reversal	2	2
-> Chargeback	3	1
Case «abstract»	1	10
-> CollectionsCase	2	1
-> CustomerCase	2	6
-> Complaint	3	1
-> Dispute	3	2
-> ServiceRequest	3	3
-> RiskCase	2	3
-> ComplianceInvestigation	3	1
-> FraudAlert	3	2
AccountHold (standalone)	1	2
Approval (standalone)	1	6
ApprovalCondition (standalone)	1	2
AuditEvent (standalone)	1	204

CustomerPayment

inheritance: BankTransaction > CustomerPayment

A payment a customer (or someone acting for one) instructed.

Adds who initiated it, through which channel, the mandate used (the authority at that moment), second-signatory authorisations and disputes. Only customer payments can be disputed.

Abstract: **cannot be created; subclasses must implement counterparty()**

Added at this level

Class constants: LIFECYCLE

Attributes: source_account, initiated_by, channel, mandate_used, authorisations, disputes

Methods: detail_lines() [override], case_lines() [override]

Lifecycle (declared here; enforced on every status change)

INITIATED -> POSTED (post())

INITIATED -> FAILED (a rule refuses it)

INITIATED -> AWAITING_AUTHORISATION (needs a second signatory)

POSTED -> PARTIALLY_REVERSED (reverse_transaction(part))

POSTED -> REVERSED (reverse_transaction(all))

PARTIALLY_REVERSED -> PARTIALLY_REVERSED (reverse_transaction(part))

PARTIALLY_REVERSED -> REVERSED (reverse_transaction(rest))

AWAITING_AUTHORISATION -> AUTHORISED (authorise_payment)

AWAITING_AUTHORISATION -> CANCELLED (cancel_pending_payment)

AUTHORISED -> POSTED (post())

AUTHORISED -> FAILED (funds re-check fails)

Final: CANCELLED, FAILED, REVERSED

Subclasses: TransferPayment, CardPayment, BillPayment, OwnAccountTransfer

Figure 15. Operation forms: 80 forms in ten groups; each lists the permitted staff first and calls one Bank operation.

Indus Commercial Bank

Operations console

BANK

Overview

Operations

Customers

Accounts

Transactions

Cards

Counterparties

Cases

Staff

Products & branches

Books & audit

Reports

TEACHING & SIMULATION

Class model

Scenario log

Problem 4 - classes and inheritance
All rules live in banking_system.py

Business date 25 Aug 2027

Books balance

Advance 1 day

Advance 1 month

Reset data

Operations

Every form calls one Bank operation; refusals show the model's own rule

Operation forms

Guided rule checks

Customers

Register a person

Register a company

Add an identity document

Verify a party against a document

Appoint a director / trustee

Onboard as a customer

Open an account

Grant a mandate

Revoke a mandate

Register a charity / trust

Record a beneficial owner

End a director / trustee role

Correct a recorded detail

Assign a relationship manager

End a customer relationship

Accounts

Payments

Cash

Cards

Cases & compliance

Lending

Organisation

Products

Records

Register a person

Creates one Person record; roles are added later, never as subclasses.

Full name

Date of birth (YYYY-MM-DD)

Registered by

Asad Iqbal (OPERATIONS_OFFICER)

Run operation

Figure 16. Reports: what Bilal could do for Ravi Textiles on 11 April 2026, while he was still a director. The same question for August 2027 answers "no mandate in force".

Indus Commercial Bank

Operations console

BANK

Overview

Operations

Customers

Accounts

Transactions

Cards

Counterparties

Cases

Staff

Products & branches

Books & audit

Reports

TEACHING & SIMULATION

Class model

Scenario log

Problem 4 - classes and inheritance
All rules live in banking_system.py

Business date 25 Aug 2027Books balance

Advance 1 dayAdvance 1 monthReset data

Reports

Historical questions answered from the records: authority on a date, the audit trail, a day's activity

Who had authority, and when

the mandates a person held for an organisation on a past date

OrganisationRavi Textiles (Pvt) Ltd

PersonBilal Ahmed

On (YYYY-MM-DD)2026-04-11

Run report

Approvals and authority audit

for auditors and branch managers; every run is itself logged

Requested byNida Farooq (AUDITOR)

From (YYYY-MM-DD)2026-01-01

To (YYYY-MM-DD)2026-12-31

Run report

What happened on a day

the audit log for one date: who did what, and why

Date (YYYY-MM-DD)2026-03-02

Run report

Result

Who had authority, and when

Question: What could Bilal Ahmed do for Ravi Textiles (Pvt) Ltd on 2026-04-11?

MND-002 Bilal Ahmed for Ravi Textiles (Pvt) Ltd: PAYMENTS up to PKR 5,000,000.00, valid 2026-02-13 -> 2026-09-20

Every mandate this person has ever held here

MND-002 Bilal Ahmed for Ravi Textiles (Pvt) Ltd: PAYMENTS up to PKR 5,000,000.00, valid 2026-02-13 -> 2026-09-20

Offices held

DIRECTOR of Ravi Textiles (Pvt) Ltd, 2026-02-03 -> 2026-09-20 (resigned)

Figure 17. Counterparties: a merchant is a standalone counterparty, not a Party; its page shows the card used and the merchant refund on its payment.

Indus Commercial Bank

Operations console

BANK

Overview

Operations

Customers

Accounts

Transactions

Cards

Counterparties

Cases

Staff

Products & branches

Books & audit

Reports

TEACHING & SIMULATION

Class model

Scenario log

Problem 4 - classes and inheritance
All rules live in banking_system.py

Business date 25 Aug 2027Books balance

Advance 1 dayAdvance 1 monthReset data

Counterparties

Merchants, billers and payees: external parties the bank pays or is paid by. They are not customers, so the bank holds no KYC for them

Kind	Name	Detail	Pf
Merchant	Al-Fatah Electronics	ELECTRONICS, PK	1
Merchant	BetWorld	GAMBLING, PK	1
Merchant	Daraz.pk	ONLINE_MARKETPLACE, PK	2
Merchant	Hyperstar	GROCERY, PK	1
Merchant	Imtiaz Auto Parts	RETAIL, PK	1
Merchant	Liberty Books	BOOKS, PK	1
Merchant	Metro Cash & Carry	WHOLESALE, PK	1
Merchant	Online Store X	ONLINE_MARKETPLACE, PK	1
Merchant	Packages Mall Electronics	ELECTRONICS, PK	1
Biller	Lahore Electric Supply Co	UTILITY	1
Biller	Federal Board of Revenue	TAX	2
Payee	Lahore Yarn Traders	of Ravi Textiles (Pvt) Ltd	9
Payee	Model Town Properties	of Ravi Textiles (Pvt) Ltd	18
Payee	Old courier	of Ravi Textiles (Pvt) Ltd	0

Imtiaz Auto Parts

MER-007 class: Merchant (standalone, not a Party)

Category / country: RETAIL / PK

First presented by the card network: 2026-02-25

Card controls check the category and country copied onto each payment.

Payments

Txn	Date	Amount	Status	Card and follow-ups
CRD-TX-008	2027-08-10	9,500.00	POSTED	card CARD-004; refund MRF-001