

Lista03-ME315

Lucas Goes

```
library(DBI)
library(RSQLite)
con <- dbConnect(SQLite(), "me315 (3).sqlite")
```

```
SELECT * FROM EMPLOYEE
```

Table 1: 6 records

ENO	ENAME	SALARY	DNO
1000	MOE	2000	20
2000	LARRY	2000	10
3000	CURLY	3000	20
4000	SHEMP	500	40
5000	JOE	400	10
6000	GEORGE	9000	20

```
SELECT * FROM PRESERVE
```

Table 2: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0

PNO	PNAME	STATE	ACRES	FEE
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0

1

```
SELECT DISTINCT STATE, FEE FROM PRESERVE
```

Table 3: 4 records

STATE	FEE
AZ	3
MT	0
AZ	0
MA	0

2

```
SELECT DISTINCT DNO FROM EMPLOYEE
```

Table 4: 3 records

DNO
20
10
40

3

```
SELECT DNO, SALARY FROM EMPLOYEE
```

Table 5: 6 records

DNO	SALARY
20	2000
10	2000
20	3000
40	500
10	400
20	9000

```
SELECT DISTINCT DNO, SALARY FROM EMPLOYEE
```

Table 6: 6 records

DNO	SALARY
20	2000
10	2000
20	3000
40	500
10	400
20	9000

```
SELECT DISTINCT DNO, SALARY FROM EMPLOYEE ORDER BY DNO, SALARY
```

Table 7: 6 records

DNO	SALARY
10	400
10	2000
20	2000
20	3000
20	9000
40	500

As duas primeiras tabelas são idênticas porque não há par de salário e DNO idênticos. Então a função “distinct” não muda nada. A terceira tem os exatos mesmos dados ordenados por DNO e salário, nesta ordem.

4

```
SELECT * FROM PRESERVE
WHERE STATE = "MT" AND ACRES < 1000
```

Table 8: 2 records

PNO	PNAME	STATE	ACRES	FEE
3	DANCING PRAIRIE	MT	680	0
40	SOUTH FORK MADISON	MT	121	0

5

```
SELECT * FROM PRESERVE
WHERE ACRES >= 1200 AND ACRES <= 15000
```

Table 9: 2 records

PNO	PNAME	STATE	ACRES	FEE
2	PINE BUTTE SWAMP	MT	15000	0
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

6

```
SELECT * FROM PRESERVE
WHERE STATE = "MT" AND FEE = 0 AND ACRES > 10000
```

Table 10: 1 records

PNO	PNAME	STATE	ACRES	FEE
2	PINE BUTTE SWAMP	MT	15000	0

7

```
SELECT * FROM PRESERVE
WHERE STATE = "MT" OR STATE = "MA"
```

Table 11: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
3	DANCING PRAIRIE	MT	680	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
10	HOFT FARM	MA	90	0

8

```
SELECT * FROM PRESERVE
WHERE STATE = "MT" OR ACRES < 1000
```

Table 12: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0

9

```
SELECT PNO, PNAME FROM PRESERVE
WHERE FEE != 0
```

Table 13: 3 records

PNO	PNAME
5	HASSAYAMPA RIVER
80	RAMSEY CANYON
6	PAPAGONIA-SONOITA CREEK

10

```
SELECT PNO, PNAME FROM PRESERVE
WHERE FEE != 3 AND NOT FEE = 10
```

Table 14: Displaying records 1 - 10

PNO	PNAME
3	DANCING PRAIRIE
7	MULESHOE RANCH
40	SOUTH FORK MADISON
14	MCELWAIN-OLSEN
13	TATKON
9	DAVID H. SMITH
11	MIACOMET MOORS
12	MOUNT PLANTAIN
1	COMERTOWN PRAIRIE
2	PINE BUTTE SWAMP

11

```
SELECT * FROM PRESERVE
WHERE (STATE = "AZ" AND FEE = 0) OR ACRES < 100
```

Table 15: 5 records

PNO	PNAME	STATE	ACRES	FEE
7	MULESHOE RANCH	AZ	49120	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
11	MIACOMET MOORS	MA	4	0
10	HOFT FARM	MA	90	0

12

```
SELECT * FROM PRESERVE
WHERE ACRES < 1000 AND (FEE = 0 OR STATE = "AZ")
```

Table 16: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
80	RAMSEY CANYON	AZ	380	3
10	HOFT FARM	MA	90	0

13

```
SELECT * FROM PRESERVE
WHERE FEE <= 0 OR (STATE = "MT" AND ACRES > 1000)
```

Table 17: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0

14

```
SELECT * FROM PRESERVE
WHERE NOT (STATE = "MT" AND FEE = 0)
```

Table 18: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
7	MULESHOE RANCH	AZ	49120	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
80	RAMSEY CANYON	AZ	380	3
10	HOFT FARM	MA	90	0
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

15

Não, pois a primeira seleciona todos os de Massachusetts enquanto o outro seleciona apenas os de tal estado os quais têm mais de 1000 acres.

16

Não, pois, diferentemente do de baixo, o de cima seleciona exclusivamente os que não estão em Massachusetts e têm taxa 0 e mais de 1000 acres. O de baixo seleciona todos os que não estão em tal estado e cumprem pelo menos um dos dois requisitos citados.

17

Não.

18

Não.

```
Sys.setenv(TZ = "America/Sao_Paulo")  
Sys.time()
```

```
[1] "2026-08-31 19:51:15 -03"
```