

Station :

```
INSERT INTO Station VALUES (1, 'Cours Gambetta');
INSERT INTO Station VALUES (2, 'Grande rue de la Guillotière');
INSERT INTO Station VALUES (3, 'Quai Claude Bernard');
```

Bornette :

```
INSERT INTO Bornette VALUES (1, 'ok', 0, 1,1); //vélo 1
INSERT INTO Bornette (NUMEROB , ETATB, LIBRE, STATION_IDSTATION) VALUES (2,
'ok', 1, 1); //pas de vélo
INSERT INTO Bornette VALUES (3, 'ok', 0, 2,3); //vélo 3
INSERT INTO Bornette (NUMEROB , ETATB, LIBRE, STATION_IDSTATION) VALUES (4,
'ok', 1, 2); // pas de vélo
INSERT INTO Bornette VALUES (5, 'ok', 0, 3,5); //velo 5
INSERT INTO Bornette (NUMEROB , ETATB, LIBRE, STATION_IDSTATION) VALUES (6,
'ok', 1, 3); //pas de vélo
INSERT INTO Bornette VALUES (7, 'ok', 0, 3,7); //vélo 7
```

Vélo :

```
INSERT INTO Velo VALUES (1, '17/03/2022' , 'ok' , 'hollandais', 'enStation', 1);
INSERT INTO Velo (NUMEROV, DATEMISEENSEERVICE, ETATV, MODELEV, SITUATION)
VALUES (2, '17/03/2022' , 'ok' , 'vtt', 'enLocation');
INSERT INTO Velo VALUES (3, '20/03/2022' , 'hs' , 'vtt', 'enStation', 3);
INSERT INTO Velo (NUMEROV, DATEMISEENSEERVICE, ETATV, MODELEV, SITUATION)
VALUES (4, '15/03/2022' , 'ok' , 'hollandais', 'enLocation');
INSERT INTO Velo VALUES (5, '20/03/2022' , 'ok' , 'vtc', 'enStation', 5);
INSERT INTO Velo (NUMEROV, DATEMISEENSEERVICE, ETATV, MODELEV, SITUATION)
VALUES (6, '22/03/2022' , 'ok' , 'vtc', 'enLocation');
INSERT INTO Velo VALUES (7, '20/03/2022' , 'ok' , 'vtt', 'enStation', 7);
```

Station_Bornette :

```
INSERT INTO Station_Bornette VALUES (1,1);
INSERT INTO Station_Bornette VALUES (1,2);
INSERT INTO Station_Bornette VALUES (2,3);
INSERT INTO Station_Bornette VALUES (2,4);
INSERT INTO Station_Bornette VALUES (3,5);
INSERT INTO Station_Bornette VALUES (3,6);
INSERT INTO Station_Bornette VALUES (3,7);
```

Creneau :

```
//station 1
INSERT INTO Creneau VALUES (1, TO_TIMESTAMP('12:00:00',
'HH24:MI:SS'),TO_TIMESTAMP('20:00:00', 'HH24:MI:SS'), 'vPlus', 1);
INSERT INTO Creneau VALUES (2, TO_TIMESTAMP('12:00:00',
'HH24:MI:SS'),TO_TIMESTAMP('20:00:00', 'HH24:MI:SS'), 'vMoins', 1);
INSERT INTO Creneau VALUES (3, TO_TIMESTAMP('20:00:00',
'HH24:MI:SS'),TO_TIMESTAMP('08:00:00', 'HH24:MI:SS'), 'vNul', 1);
```

//station 2

```
INSERT INTO Creneau VALUES (4, TO_TIMESTAMP('08:00:00',  
'HH24:MI:SS'),TO_TIMESTAMP('08:00:00', 'HH24:MI:SS'), 'vPlus', 2);
```

//station 3

```
INSERT INTO Creneau VALUES (5, TO_TIMESTAMP('08:00:00',  
'HH24:MI:SS'),TO_TIMESTAMP('08:00:00', 'HH24:MI:SS'), 'vMoins', 3);
```

Station_Creneau :

```
INSERT INTO Station_Creneau VALUES (1,1);  
INSERT INTO Station_Creneau VALUES (1,2);  
INSERT INTO Station_Creneau VALUES (1,3);  
INSERT INTO Station_Creneau VALUES (2,4);  
INSERT INTO Station_Creneau VALUES (3,5);
```

Client :

```
INSERT INTO Client VALUES (1, 2000, '14141414567');  
INSERT INTO Client VALUES (2, 1999, '14120004567');  
INSERT INTO Client VALUES (3, 1998, '14119974567');  
INSERT INTO Client VALUES (4, 1997, '14117654567');
```

Abonne :

```
INSERT INTO Abonne VALUES ('6 rue jean jaures', '01/01/2022', '01/01/2023', '27/07/2000',  
'HAULT', 'Jean', 'male', 1);  
INSERT INTO Abonne VALUES ('7 place de la liberte', '10/03/2022', '10/03/2023',  
'06/01/1999', 'BERACHE', 'Kamila', 'femelle', 2);
```

NonAbonne :

```
INSERT INTO NonAbonne VALUES (3);  
INSERT INTO NonAbonne VALUES (4);
```

Location :

//client 1 a pris un vélo de s1 vers s2

```
INSERT INTO LOCATION VALUES (1,4,TO_TIMESTAMP('12:00:00',  
'HH24:MI:SS'),TO_TIMESTAMP('12:15:00', 'HH24:MI:SS'),1,2,1);
```

//client 2 a pris un vélo de s2 vers s3

```
INSERT INTO LOCATION VALUES (2,5,TO_TIMESTAMP('20:00:00',  
'HH24:MI:SS'),TO_TIMESTAMP('20:24:00', 'HH24:MI:SS'),2,3,2);
```

//client 3 a pris un vélo de s1 vers s2

```
INSERT INTO LOCATION VALUES (3,2,TO_TIMESTAMP('11:35:00',  
'HH24:MI:SS'),TO_TIMESTAMP('11:45:00', 'HH24:MI:SS'),3,2,1);
```

//client 4 a pris un vélo de s1 vers s3

```
INSERT INTO LOCATION VALUES (4,6,TO_TIMESTAMP('23:00:00',  
'HH24:MI:SS'),TO_TIMESTAMP('23:20:00', 'HH24:MI:SS'),4,3,1);
```

Client_Location :

```
INSERT INTO Client_Location VALUES (1,1);  
INSERT INTO Client_Location VALUES (2,2);  
INSERT INTO Client_Location VALUES (3,3);  
INSERT INTO Client_Location VALUES (4,4);
```

Location_Velo

```
INSERT INTO Location_Velo VALUES (1,2);  
INSERT INTO Location_Velo VALUES (2,4);  
INSERT INTO Location_Velo VALUES (3,6);  
INSERT INTO Location_Velo VALUES (4,7);
```