

# РОЗДІЛ 1

## ПЕРЕДУМОВИ ТА ОСОБЛИВОСТІ ВИКОРИСТАННЯ АКТИВНОГО УЛЬТРАЗВУКА

1.1. Ефекти впливу ультразвуку на мікроелектронні структури та матеріали

[1–14]:

In the literature, there are several models that describe the current–voltage ( $I - V$ ) characteristics of the solar cells (SCs). These models contain some parameters, which reflect the processes within the structures and are related to the main characteristics of the photovoltaic conversion. So single diode model with three parameters has been used to represent the SC static characteristic because of simplicity:

$$I = I_0 \left[ \exp \left( -\frac{qV}{nkT} \right) - 1 \right] - I_{ph} , \quad (1.1)$$

were

## СПИСОК ВИКОРИСТАНИХ ДЖЕРЕЛ

1. Ishaque, Kashif. Simple, fast and accurate two-diode model for photovoltaic modules / Kashif Ishaque, Zainal Salam, Hamed Taheri // Sol. Energy Mater. Sol. Cells. — 2011. — Feb. — Vol. 95, no. 2. — Pp. 586–594.
2. Breitenstein, O. Understanding the current-voltage characteristics of industrial crystalline silicon solar cells by considering inhomogeneous current distributions / O. Breitenstein // Opto-Electronics Review. — 2013. — Sep. — Vol. 21, no. 3. — Pp. 259–282.
3. Parameters identification of photovoltaic models using an improved JAYA optimization algorithm / Kunjie Yu, J.J. Liang, B.Y. Qu et al. // Energy Conversion and Management. — 2017. — Oct. — Vol. 150. — Pp. 742–753.
4. Olikh, O.Ya. Acoustically driven degradation in single crystalline silicon solar cell / O.Ya. Olikh // Superlattices Microstruct. — 2018. — May. — Vol. 117. — Pp. 173–188.
5. Nguyen, Hieu T. Temperature dependence of the radiative recombination coefficient in crystalline silicon from spectral photoluminescence / Hieu T. Nguyen, Simeon C. Baker-Finch, Daniel Macdonald // Appl. Phys. Lett. — 2014. — Mar. — Vol. 104, no. 11. — P. 112105.
6. Assessment and parameterisation of Coulomb-enhanced Auger recombination coefficients in lowly injected crystalline silicon / Pietro P. Altermatt, Jan Schmidt, Gernot Heiser, Armin G. Aberle // J. Appl. Phys. — 1997. — Nov. — Vol. 82, no. 10. — Pp. 4938–4944.
7. Zoth, G. A fast, preperetion-free method to detect irpn in silicon / G. Zoth, W. Bergholz // J. Appl. Phys. — 1990. — Jun. — Vol. 67, no. 11. — Pp. 6764–6771.
8. Geerligs, L. J. Dynamics of light-induced FeB pair dissociation in crystalline silicon / L. J. Geerligs, Daniel Macdonald // Appl. Phys. Lett. — 2004. — Nov. — Vol. 85, no. 22. — Pp. 5227–5229.
9. Chollet, François. Deep Learning with Python / François Chollet. — Second edition. — Manning, 2017.

10. Degradation of Crystalline Silicon Due to Boron–Oxygen Defects / Tim Niewelt, Jonas Schön, Wilhelm Warta et al. // IEEE Journal of Photovoltaics. — 2017. — Jan. — Vol. 7, no. 1. — Pp. 383–398.
11. Rougieux, Fiacre E. Determining the charge states and capture mechanisms of defects in silicon through accurate recombination analyses: A review / Fiacre E. Rougieux, Chang Sun, Daniel Macdonald // Sol. Energy Mater. Sol. Cells. — 2018. — Dec. — Vol. 187. — Pp. 263–272.
12. Schmidt, Jan. Effect of Dissociation of Iron–Boron Pairs in Crystalline Silicon on Solar Cell Properties / Jan Schmidt // Progress in Photovoltaics: Research and Applications. — 2005. — Jun. — Vol. 13, no. 4. — Pp. 325–331.
13. Temperature dependence of photoconversion efficiency in silicon heterojunction solar cells: Theory vs experiment / A. V. Sachenko, Yu. V. Kryuchenko, V. P. Kostylyov et al. // J. Appl. Phys. — 2016. — Jun. — Vol. 119, no. 22. — P. 225702.
14. Couderc, Romain. Reassessment of the intrinsic carrier density temperature dependence in crystalline silicon / Romain Couderc, Mohamed Amara, Mustapha Lemiti // J. Appl. Phys. — 2014. — Mar. — Vol. 115, no. 9. — P. 093705.