



ECRES 2021

**9. EUROPEAN CONFERENCE on
RENEWABLE ENERGY SYSTEMS**

21-23 APRIL 2021

ISTANBUL - TURKEY

www.ecres.net

Certificate of Participation

This is to certify that

Oleg Olikh

participated at ECRES and made a presentation (oral) entitled

***ID: 41 Deep-learning approach to the iron concentration
evaluation in silicon solar cell***

The contribution is awarded with this certificate.

Prof. Dr. Erol KURT
Head of the Organizing Committee
(signed on 23 April 2021)





9. EUROPEAN CONFERENCE ON RENEWABLE ENERGY SYSTEMS

ECRES 2021
21-23 April 2021
Istanbul / TURKEY

www.ecres.net

PROCEEDINGS

Edited by

Prof. Dr. Erol Kurt

ISBN: 978-605-86911-9-3



DEEP-LEARNING APPROACH TO THE IRON CONCENTRATION EVALUATION IN SILICON SOLAR CELL

Olikh Oleg

Taras Shevchenko National University of Kyiv, Kyiv, Ukraine, olegolikh@knu.ua, ORCID: 0000-0003-0633-5429

Lozitsky Oleg

Taras Shevchenko National University of Kyiv, Kyiv, Ukraine, olozitsky@gmail.com, ORCID: 0000-0002-6872-6655

Zavhorodnii Oleksii

Taras Shevchenko National University of Kyiv, Kyiv, Ukraine, nevermor464@gmail.com, ORCID: 0000-0001-8080-766

Cite this paper as: *Olikh, O, Lozitsky, O, Zavhorodnii, O. Deep-learning approach to the iron concentration evaluation in silicon solar cell. 9th Eur. Conf. Ren. Energy Sys. 21-23 April 2021, Istanbul, Turkey*

Abstract:

Impurities are crucial for solar cell (SC) performance. The aim of our work is to show the possibility of fast and easy evaluation of iron concentration in silicon SC by using current-voltage characteristics (IVC). For this purpose, SCAPS was used to simulate the IVCs for n^+p -Si structures with various both base thickness (150-240 μm) and boron doping level (10^{15} - 10^{17} cm^{-3}) in range 290-340 K. The recombination was considered to be associated with iron atoms with concentration 10^{10} - 10^{13} cm^{-3} and two cases (the coexistence of interstitial atoms Fe_i and pairs Fe_iB_s as well as the presence of Fe_i only) were under investigation. The IVC ideality factors were calculated in these cases ($n_{\text{Fe-FeB}}$ and n_{Fe} respectively). n values and SC parameters for more than 10,000 structures were used for neural network learning. Keras was used to construct the network with up to 4 hidden dense layers (up to 300 neuron, relu activation) and iron concentration as output. It was shown that mean squared relative error for test data prediction was up to 0.28 in case of network, which trained by $n_{\text{Fe-FeB}}$ value and up to 0.06 in case of both $n_{\text{Fe-FeB}}$ and n_{Fe} using. The work was supported by NRFU (project 2020.02/0036).

Keywords:

Silicon solar cell, iron concentration, neural network, ideality factor

© 2021 Published by ECREs